


#2031

DFO - Library / MPO - Bibliothèque



12022292




Scientific Excellence • Resource Protection & Conservation • Benefits for Canadians
Excellence scientifique • Protection et conservation des ressources • Bénéfices aux Canadiens

A Selected Bibliography of Scallop Literature - Supplement 1

L. D. Townsend, C. A. Hodgson, N. Bourne
and G. Miller

Department of Fisheries and Oceans
Biological Sciences Branch
Pacific Biological Station
Nanaimo, British Columbia V9R 5K6



October 1989

**Canadian Manuscript Report of
Fisheries and Aquatic Sciences
No. 2031**

SH
223
F55
2031
C.1



Fisheries
and Oceans

Pêches
et Océans

Canada

Canadian Manuscript Report of Fisheries and Aquatic Sciences

Manuscript reports contain scientific and technical information that contributes to existing knowledge but which deals with national or regional problems. Distribution is restricted to institutions or individuals located in particular regions of Canada. However, no restriction is placed on subject matter, and the series reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Manuscript reports may be cited as full publications. The correct citation appears above the abstract of each report. Each report is abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Numbers 1-900 in this series were issued as Manuscript Reports (Biological Series) of the Biological Board of Canada, and subsequent to 1937 when the name of the Board was changed by Act of Parliament, as Manuscript Reports (Biological Series) of the Fisheries Research Board of Canada. Numbers 901-1425 were issued as Manuscript Reports of the Fisheries Research Board of Canada. Numbers 1426-1550 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Manuscript Reports. The current series name was changed with report number 1551.

Manuscript reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

Rapport manuscrit canadien des sciences halieutiques et aquatiques

Les rapports manuscrits contiennent des renseignements scientifiques et techniques qui constituent une contribution aux connaissances actuelles, mais qui traitent de problèmes nationaux ou régionaux. La distribution en est limitée aux organismes et aux personnes de régions particulières du Canada. Il n'y a aucune restriction quant au sujet; de fait, la série reflète la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports manuscrits peuvent être cités comme des publications complètes. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports manuscrits sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 900 de cette série ont été publiés à titre de manuscrits (série biologique) de l'Office de biologie du Canada, et après le changement de la désignation de cet organisme par décret du Parlement, en 1937, ont été classés comme manuscrits (série biologique) de l'Office des recherches sur les pêcheries du Canada. Les numéros 901 à 1425 ont été publiés à titre de rapports manuscrits de l'Office des recherches sur les pêcheries du Canada. Les numéros 1426 à 1550 sont parus à titre de rapports manuscrits du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 1551.

Les rapports manuscrits sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Manuscript Report of
Fisheries and Aquatic Sciences No. 2031

October 1989

A SELECTED BIBLIOGRAPHY OF SCALLOP LITERATURE - SUPPLEMENT 1

by

L. D. Townsend*, C. A. Hodgson**, N. Bourne and G. Miller

Department of Fisheries and Oceans
Biological Sciences Branch
Pacific Biological Station
Nanaimo, British Columbia V9R 5K6

Present Address:

*R.R. #1, Box 15
Madrona and Craig
Nanose Bay, B.C. VOR 2R0

**North Island Community College
1480 Elm Street
Campbell River, B.C. V9W 3A6

(c) Minister of Supply and Services Canada 1989

Cat. No. Fs 97-4/2031E

ISSN 0706-6473

Correct citation for this publication:

Townsend, L. D., C. A. Hodgson, N. Bourne and G. Miller. 1989.
A selected bibliography of scallop literature - Supplement
1. Can. MS Rep. Fish. Aquat. Sci. 2031: 87 p.

ABSTRACT

Townsend, L. D., C. A. Hodgson, N. Bourne and G. Miller. 1989.
A selected bibliography of scallop literature - Supplement 1.
Can. MS Rep. Fish. Aquat. Sci. 2031: 87 p.

This bibliography is an update of Canadian Manuscript Report of Fisheries and Aquatic Sciences No. 1965, which listed 589 references mainly in the field of scallop culture. The present bibliography gives an additional 305 references most of which report results of work published since the previous manuscript.

RÉSUMÉ

Townsend, L. D., C. A. Hodgson, N. Bourne et G. Miller. 1989.
Bibliographie de textes traitant des pétoncles - Annexe 1.
Can. MS Rep. Fish. Aquat. Sci. 2031: 87 p.

Cette bibliographie est une mise à jour du n° 1965 du Canadian Manuscript Report of Fisheries and Aquatic Sciences, qui donnait une liste de 589 publications portant principalement sur la pectinuculture. La nouvelle bibliographie en ajoute 305, la plupart des comptes rendus de recherche publiés depuis le dernier "Canadian Manuscript".

INTRODUCTION

This publication is an update of Hodgson et al (1988)* which compiled a list of 589 references, mostly dealing with scallop culture. The bibliography was compiled to facilitate access to scallop culture information.

A few references were missed in the previous publication and several people kindly sent us references that had been omitted. These references have been included in the present publication. We thank these people for bringing these references to our attention. Two other bibliographies were consulted, one on the bay scallop, Argopecten irradians, by Sabo and Rhodes (1987) and the other on the Japanese scallop, Patinopecten yessoensis, by Motavkin (1986).

The present bibliography follows the format of the previous one. It was compiled using literature searches along with Biosis and ASFA (Aquatic Sciences and Fisheries Abstracts) databases. Each reference lists the author(s), year of publication, title, journal or publishing agency, and key words. In order to facilitate use, all references have been cross-referenced under four indices: author(s), species, geographic region, and subject.

The literature search was concluded in April 1989 and a total of 305 references were reviewed. The authors would be grateful if any omissions known to readers were communicated to them.

The bibliography was produced by existing bibliographic computer programs available at the Pacific Biological Station that were modified for our use. These programs automatically formulated the main body of the bibliography and compiled the author, species, geographic and subject indices.

We acknowledge with sincere appreciation the help of P. Olson and M. Hawthornthwaite of the library staff at the Pacific Biological Station for their assistance in compiling this bibliography.

*Hodgson C. A., N. Bourne, and D. Mottershead. 1988. A selected bibliography of scallop literature. Can. MS Rep. Fish. Aquat. Sci. 1965: 133 p.

Adamkewicz, L., and M. Castagna. 1988. 1

Genetics of shell color and pattern in the bay scallop
Argopecten irradians. -- J. Hered. 79: 14-17.

KEYWORDS: Argopecten irradians / Atlantic, Western / United
States, Eastern / Genetics / Shell morphology

Allen, S.K., and S.L. Downing. 1985. 2

A review of the rationale and potential of triploid shellfish
in the Pacific northwest. -- J. Shellfish Res. 5(1): 49.

Abstract only.

KEYWORDS: Argopecten irradians / Triploidy / Gametogenesis /
Aquaculture

Anon. 1988. 3

Scallop research full steam ahead in Eastern Canada. -- Can.
Aquacult. 4(4): B5.

KEYWORDS: Placopecten magellanicus / Atlantic, Western /
Canada, Eastern / Aquaculture / Research

Arntz, W.E., E. Valdivia, and J. Zeballos. 1988. 4

Impact of El Niño 1982-83 on the commercially exploited
invertebrates (mariscos) of the Peruvian shore. -- Meeresforschung
32(1): 3-22.

KEYWORDS: Argopecten purpuratus / Pacific, Southern / Peru /
Stock assessment / Recruitment / Adult growth / Fishery / Economics

Bailey, S.K., and I.M. Davies. 1988. 5

Tributyltin contamination around an oil terminal in Sullom Voe
(Shetland). -- Environ. Pollut. 55(3): 161-172.

KEYWORDS: Chlamys opercularis / Pecten maximus / Atlantic,
Eastern / Scotland / Toxicity / Metals / TBT

Baquerio, E., and M. Castagna. 1988. 6

Fishery and culture of selected bivalves in Mexico: past,
present and future. -- J. Shellfish Res. 7(3): 433-443.

KEYWORDS: Argopecten circularis / Pecten vogdesi / Crassadoma
gigantea / Pacific, Eastern / Mexico / Fishery / Aquaculture / Spat
collection / Juvenile growth / Mortality / Suspended culture

Barber, B., and N. Blake. 1985.

O:NH₃ and CO₂:O₂ (RQ) ratios as indicators of condition in the bay scallop Argopecten irradians concentricus (Say). -- J. Shellfish Res. 5(1): 31.

Abstract only.

KEYWORDS: Argopecten irradians / Atlantic, Western / United States, Eastern / Florida / Energetics / Gametogenesis / Reproduction / Physiology

Barber, B., N. Blake, and M. Moyer. 1987.

Larval Sulcascaris sulcata from calico scallops, Argopecten gibbus, along the southeast coast of the United States. P. 1, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Argopecten gibbus / Atlantic, Western / United States, Eastern / Parasites / Adults

Barber, B., N. Blake, M. Moyer, and G.E. Rodrick. 1987.

Larval Sulcascaris sulcata from calico scallops, Argopecten gibbus, along the southeast coast of the United States. -- J. Parasit. 73(3): 476-480.

KEYWORDS: Argopecten gibbus / Atlantic, Western / United States, Eastern / South Carolina / Florida / Parasites / Adults

Barber, B., R. Getchell, D. Schick, and S. Shumway. 1987.

Aspects of reproduction in inshore and offshore populations of the scallop, Placopecten magellanicus, off the coast of Maine, USA. Pp. 1-2, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / United States, Eastern / Maine / Population / Gametogenesis / Production / Reproduction / Egg size / Ecology / Adults

- 11
- Barber, B., R. Getchell, S. Shumway, and D. Schick. 1988.
 Reduced fecundity in a deep-water population of the giant scallop Placopcten magellanicus in the Gulf of Maine. -- Mar. Ecol. Prog. Ser. 42: 207-212.
- KEYWORDS: Placopcten magellanicus / Atlantic, Western / United States, Eastern / Maine / Reproduction / Gonad index / Fecundity / Gonad weight / Production / Gametogenesis / Spawning / Egg size
- 12
- Bardach, J.E., J.H. Ryther, and W.O. McLarnery, (eds.). 1972.
 Culture of scallops. -- Pp. 757-759, in J.E. Bardach, J.H. Ryther, W.O. McLarney (eds.), Aquaculture: the farming and husbandry of freshwater and marine organisms. -- Wiley-Interscience, John Wiley and Sons, Inc, New York.
- KEYWORDS: Patinopecten yessoensis / Pecten maximus / Argopecten irradians / Pacific, Western / Japan / Atlantic, Western / United States, Eastern / Aquaculture / Spawning / Suspended culture / Ear hanging / Economics
- 13
- Barney, W., and G. Carberry. 1987.
 Offshore scallop fishing experiment, St. Pierre Bank, 1985. -- Can. Tech. Rep. Fish. Aquat. Sci. 1548: vi+43p.
- KEYWORDS: Chlamys islandica / Atlantic, Western / Canada, Eastern / Newfoundland / Adults / Fishery / Equipment design / Habitat / Economics
- 14
- Barney, W., C. Chaffey, and C. Collier. 1982.
 Exploratory scallop survey, Labrador, 1982 (Nain area). -- Fisheries Development Branch, Department of Fisheries and Oceans, St. John's, Newfoundland: 31p.
- KEYWORDS: Chlamys islandica / Atlantic, Western / Canada, Eastern / Newfoundland / Fishery / Adults / Habitat / Equipment design / Economics

- 15
- Bauer, V. 1912.
 Zur kenntnis der lebensweise von Pecten jacobaeus L. Im
 besonderen über die funktion der augen. [Information of the habits
 of Pecten jacobaeus L. Concerning the function of the eye]. --
 Zoolog. Jahrb. Abt. Allg. Zool. Physiol. Tiere 33: 127-150.
- In German.
- KEYWORDS: Pecten jacobaeus / Mediterranean Sea / Morphology /
 Behaviour
- 16
- Beattie, J.H. 1985.
 The weathervane scallop Patinopecten caurinus (Gould): a
 candidate for aquaculture? -- J. Shellfish Res. 5(1): 49.
- Abstract only.
- KEYWORDS: Patinopecten caurinus / Aquaculture / Spawning /
 Larval development / Settlement and metamorphosis
- 17
- Beaumont, A.R. 1986.
 Genetic aspects of hatchery rearing of the scallop, Pecten
 maximus (L.). -- Aquaculture 57: 99-110.
- KEYWORDS: Pecten maximus / Argopecten irradians /
 Patinopecten yessoensis / Genetics / Adults / Larval development /
 Self-fertilization / Larval growth / Triploidy
- 18
- Beaumont, A.R. 1987.
 The revelance of genetics in scallop aquaculture. P. 2, in
 A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid
 Workshop, Menai Bridge, Wales, 9-14 April 1987. International
 Council Explorations Sea CM 1987/K:3.
- KEYWORDS: Chlamys opercularis / Pecten maximus / Argopecten
 irradians / Genetics / Hermaphroditism / Triploidy

Beaumont, A.R., and J. Mason. comps. 1987.

The sixth international Pectinid workshop, Menai Bridge, Wales. 9-14 April 1987. -- Int. Counc. Explor. Sea CM 1987/K:3: 31p.

Summary of papers, see individual authors.

KEYWORDS: *Pecten fumata* / *Pecten modestus* / *Pecten meridionalis* / *Argopecten gibbus* / *Argopecten purpuratus* / *Argopecten circularis* / *Argopecten irradians* / *Pecten maximus* / *Pecten novaezelandiae* / *Patinopecten caurinus* / *Pecten alba* / *Patinopecten yessoensis* / *Amusium pleuronectes* / *Placopecten magellanicus* / *Chlamys opercularis* / *Chlamys glabra* / *Chlamys islandica* / *Chlamys rubida* / *Chlamys hastata* / *Chlamys varia* / *Crassadoma gigantea* / Aquaculture / Fishery / Population

Beaumont, A.R., and M. Smyth Chamosa. 1987.

Induction of triploidy in *Pecten maximus* L.. P. 3, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

KEYWORDS: *Pecten maximus* / Triploidy / Genetics / Aquaculture / Larval development / Hermaphroditism

Beaumont, A.R., G. Tserpes, and M.D. Budd. 1987.

Some effects of copper on the veliger larvae of the mussel *Mytilus edulis* and the scallop *Pecten maximus* (Mollusca, Bivalvia). -- Marine Environ. Res. 21: 299-309.

KEYWORDS: *Pecten maximus* / Larvae / Metals / Water quality / Mortality

Belda, C.A., and A.G.C. Del Norte. 1988.

Notes on the induced spawning and larval rearing of the Asian moon scallop, *Amusium pleuronectes* (Linné). -- Aquaculture 72: 173-179.

KEYWORDS: *Amusium pleuronectes* / Reproduction / Spawning / Serotonin / Fertilization / Embryonic development / Larval development / Diet

Beninger, P.G. 1987.

Functional anatomy of Placopecten magellanicus gill and implications for nutrition. -- J. Shellfish Res. 7(1): 148-149.

Abstract only.

KEYWORDS: Placopecten magellanicus / Morphology / SEM / Histology / Adults

Beninger, P.G., M. Le Pennec, and M. Salaün. 1988.

New observations of the gills of Placopecten magellanicus (Mollusca:Bivalvia), and implications for nutrition. I. General anatomy and surface microanatomy. -- Mar. Biol. 98: 61-70.

KEYWORDS: Placopecten magellanicus / Adults / Gill morphology / Feeding / Protozoa

Bernard, F.R. 1986.

Crassadoma gen. nov. for "Hinnites giganteus" (Gray, 1825) from the northeastern Pacific Ocean (Bivalvia:Pectinidae). -- Venus (Jpn. J. Malacology) 45(1): 70-74.

KEYWORDS: Crassadoma gigantea / Pacific, Eastern / Taxonomy / Shell morphology

Besnard, J-Y. 1987.

Biochemical investigations on the lipid content from the female gonad of the scallop (Pecten maximus L.). P. 3, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Reproduction / Production / Biochemical composition / Energetics / Physiology

Birbeck, T.H., J.G. McHenry, and A.S. Nottage. 1987.

Inhibition of filtration in bivalves by marine vibrios. -- Aquaculture 67(1-2): 247-248.

KEYWORDS: Chlamys opercularis / Disease / Vibrio / Behaviour / Respiration

Bisker, R., and M. Castagna. 1987.

Effect of air-supersaturated seawater on Argopecten irradians concentricus (Say) and Crassadoma gigantea (Gmelin). -- J. Shellfish Res. 6(2): 79-83.

KEYWORDS: Argopecten irradians / Crassadoma gigantea / Juveniles / Water quality / Mortality

Bisker, R., and M. Castagna. 1987.

The effect of air-supersaturated sea-water on Argopecten irradians (Lamarck) and Crassostrea virginica (Gmelin) with reference to gas bubble trauma. -- J. Shellfish Res. 7(1): 150.

Abstract only.

KEYWORDS: Argopecten irradians / Juveniles / Water quality / Mortality

Blake, N. 1972.

Environmental regulation of neurosecretion and reproductive acitivity in the bay scallop, Aequipecten irradians Lamarck. -- Ph.D. thesis -- University of Rhode Island, Kingston, Rhode Island.

KEYWORDS: Argopecten irradians / Atlantic, Western / United States, Eastern / Adults / Reproduction / Physiology / Gametogenesis / Environmental parameters

Blake, N., B. Barber, and G.E. Rodrick. 1984.

Occurrence levels of the adductor muscle parasite Sulcascaris sulcata Ruldophi in the calico scallop Argopecten gibbus, Linné. -- J. Shellfish Res. 4(1): 82.

Abstract only.

KEYWORDS: Argopecten gibbus / Atlantic, Western / United States, Eastern / Florida / Adults / Parasites

Bloom, S.A. 1974.

Resource partitioning among the Doridacean nudibranch molluscs of the San Juan Archipelago, Washington - a guild hypothesis. -- Ph.D. thesis. -- University of Washington, Seattle, Washington. -- 157p.

KEYWORDS: Chlamys hastata / Chlamys rubida / Pacific, Eastern / United States, Western / Adults / Fouling organisms / Predators / Mutualism / Behaviour / Mortality

Bonardelli, J. 1987.

Optimizing collection of pectinid spat on collectors. -- J. Shellfish Res. 7(1): 150.

Abstract only.

KEYWORDS: Atlantic, Western / Canada, Eastern / Quebec / Spat collection / Environmental parameters / Reproduction

Boucher, J. 1985.

Caracteristiques dynamiques du cycle vital de la coquille Saint-Jacques (Pecten maximus): hypotheses sur les stades critiques pour le recrutement. [Dynamical characteristics of the life cycle of the scallop (Pecten maximus): Hypothesis on the critical stages for recruitment.] -- Int. Counc. Explor. Sea CM 1985/K:23: 11p.

In French, English abstract.

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Gametogenesis / Recruitment / Spawning / Larvae / Environmental parameters

Bourne, N. 1986.

Scallops. -- Pp. 40-43, in G.S. Jamieson and K. Francis (eds.), Invertebrate and marine plant fishery resources of British Columbia. Can. Spec. Publ. Fish. Aquat. Sci. 91.

KEYWORDS: Patinopecten caurinus / Crassadoma gigantea / Patinopecten yessoensis / Chlamys hastata / Chlamys rubida / Placopecten magellanicus / Pacific, Eastern / Canada, Western / British Columbia / Habitat / Life history / Biology / Fishery / Population / Aquaculture / Distribution

Bourne, N. 1987.

Scallop resources of British Columbia. P. 4, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Chlamys rubida / Chlamys hastata / Crassadoma gigantea / Patinopecten caurinus / Pacific, Eastern / Canada, Western / British Columbia / Population / Adults / Distribution / Fishery / Life history / Spawning / Adult growth / Recruitment

Bourne, N. 1987.

Scallop resources of British Columbia, Canada. -- J. Shellfish Res. 7(1): 150.

Abstract only.

KEYWORDS: *Patinopecten caurinus* / *Chlamys rubida* / *Chlamys hastata* / *Crassadoma gigantea* / Pacific, Eastern / Canada, Western / British Columbia / Stock assessment / Fishery / Population

Bourne, N. 1988.

Potential for mollusc culture in the Northeast Pacific. --Pp. 365-376, in Aquaculture International Congress Proceedings, 6-9 September, 1988. Vancouver, Canada.

KEYWORDS: *Patinopecten caurinus* / *Chlamys rubida* / *Chlamys hastata* / *Patinopecten yessoensis* / *Crassadoma gigantea* / Pacific, Eastern / Canada, Western / British Columbia / Fishery / Aquaculture / Spat collection / Hatchery / Nursery

Bourne, N. 1988.

Scallop culture in British Columbia. --Pp. 35-41, in Proceedings of the Fourth Annual Alaska Aquaculture Conference 1987. Alaska Sea Grant Rep. 88-4. -- University of Alaska, Sitka, Alaska.

Alaska Sea Grant Program.

KEYWORDS: *Patinopecten caurinus* / *Patinopecten yessoensis* / *Crassadoma gigantea* / *Placopecten magellanicus* / *Chlamys hastata* / *Chlamys rubida* / Pacific, Eastern / Canada, Western / British Columbia / Life history / Fishery / Habitat / Aquaculture / Spat collection / Spawning / Larval development / Larval growth / Diet / Disease / Settlement and metamorphosis / Conditioning / Nursery / Juvenile growth / Juvenile mortality / Larval mortality / Suspended culture

Bourne, N., and C.A. Hodgson. 1987.

Recent advances in scallop culture in British Columbia. Pp. 4-5, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

KEYWORDS: *Patinopecten caurinus* / *Chlamys rubida* / *Chlamys hastata* / *Placopecten magellanicus* / *Patinopecten yessoensis* / *Crassadoma gigantea* / Pacific, Eastern / Canada, Western / British Columbia / Spat collection / Hatchery / Spawning / Larval development / Nursery / Larval mortality / Embryonic development / Aquaculture

Bourne, N., and C.A. Hodgson. 1987.

Recent developments in scallop culture in British Columbia. -- Proc. Ann. Meet. Aquacult. Assoc. Can. Bull. 1: 24-25.

KEYWORDS: *Chlamys rubida* / *Chlamys hastata* / *Patinopecten caurinus* / *Patinopecten yessoensis* / *Crassadoma gigantea* / *Placopecten magellanicus* / Adults / Spawning / Larval development / Diet / Juveniles / Temperature / Settlement and metamorphosis / Mortality / Hatchery / Embryonic development / Nursery

Bourne, N., and C.A. Hodgson. 1988.

Scallop culture in British Columbia. -- Min. Agric. Fish. (British Columbia) Info. Bull. 19: 7p.

KEYWORDS: *Patinopecten yessoensis* / *Patinopecten caurinus* / *Crassadoma gigantea* / *Chlamys rubida* / *Chlamys hastata* / *Placopecten magellanicus* / Pacific, Eastern / Canada, Western / British Columbia / Adults / Habitat / Population / Aquaculture / Spat collection / Conditioning / Spawning / Embryonic development / Larval development / Diet / Juveniles / Nursery / Settlement and metamorphosis / Distribution / Hatchery / Adult growth / Suspended culture / Mortality

Bourne, N., and C.A. Hodgson. 1988.

Biological factors affecting the potential for scallop culture in British Columbia. -- J. World Aquacult. Soc. 19(1): 17a.

Abstract only.

KEYWORDS: *Patinopecten caurinus* / *Patinopecten yessoensis* / *Crassadoma gigantea* / *Placopecten magellanicus* / Pacific, Eastern / Canada, Western / British Columbia / Aquaculture / Spat collection / Spawning / Serotonin / Larval development / Diet / Settlement and metamorphosis / Mortality

Bourne, N., C.A. Hodgson, and W. Carolsfeld. 1988.

The potential of the Japanese scallop, Patinopecten yessoensis, for west coast aquaculture: growth and survival of juveniles in British Columbia waters. -- J. Shellfish Res. 7(3): 563.

Abstract only.

KEYWORDS: Patinopecten yessoensis / Pacific, Eastern / Canada, Western / British Columbia / Aquaculture / Suspended culture / Juvenile growth / Mortality / Environmental parameters

Bower, S.M. 1988.

Diseases of cultured molluscs in British Columbia, Canada. -- J. Shellfish Res. 7(3): 543.

Abstract only.

KEYWORDS: Patinopecten yessoensis / Pacific, Eastern / Canada, Western / British Columbia / Disease

Brand, A.R., and E.H. Allison. 1987.

The Isle of Man fishery for the queen scallop Chlamys opercularis. P. 5, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

KEYWORDS: Chlamys opercularis / Atlantic, Eastern / Great Britain / Fishery / Distribution / Population / Age/length relationship / Modelling / Adults / Stock assessment

Brannen, R.E. 1940.

The growth rate and age group distribution of the giant scallop in the Bay of Fundy, 1940. -- Manusc. Rep. Ser. Fish. Res. Bd. Can. 374: 8p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Adult growth / Environmental parameters / Age/height relationship / Age composition / Population

48

Bricelj, V.M., J. Epp, and R.E. Malouf. 1987.

Comparative physiology of young and old cohorts of bay scallop Argopecten irradians irradians (Lamarck): mortality, growth, and oxygen consumption -- J. Exp. Mar. Biol. Ecol. 112: 73-91.

KEYWORDS: Argopecten irradians / Atlantic, Western / United States, Eastern / New York / Suspended culture / Physiology / Mortality / Respiration / Temperature / Reproduction / Adult growth / Gametogenesis

49

Briggs, R.P. 1987.

An appraisal of the Northern Ireland scallop stocks. Pp. 5-6, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Fishery / Management / Adults / Population / Stock assessment

50

Buestel, D., M. Comps, and P. Paquette. 1987.

Project for the introduction of the Japanese scallop, Patinopecten yessoensis in the Golfe du Lion in the Mediterranean Sea. P. 6, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

KEYWORDS: Pecten jacobaeus / Pecten maximus / Patinopecten yessoensis / Mediterranean Sea / France / Aquaculture / Cage culture / Quarantine / Juveniles

51

Buestel, D., J.C. Dao, and A. Muller-Feuga. 1973.

Resultats preliminaires de l'experience de collecte de naissain de coquille Saint-Jacques en rade de Brest et baie de Saint-Brieuc. [Results of preliminary experiments on the collection of Pecten maximus spat in the Bay of Brest and the Bay of Saint-Brieuc.] -- Publ. Centre Natl. Explor. Oceans Actes Colloq. 1: 47-60.

In French.

KEYWORDS: Pecten maximus / Patinopecten yessoensis / Atlantic, Eastern / France / Spat collection / Equipment design / Depth / Aquaculture

Buestel, D., A. Gérard, and E. Morize. 1982.

Élevage du naissain de pectinidés: description des filières flottantes de prélevage. [Culture of pectinid larvae: description of suspended culture design.] -- La Pêche Maritime (Fév.) 1982: 83-85.

In French.

KEYWORDS: *Pecten maximus* / *Patinopecten yessoensis* / Atlantic, Eastern / France / Aquaculture / Suspended culture / Spat collection / Equipment design / Economics

Buestel, D., A. Gerard, and J.C. Dao. 1987.

Le programme de repeuplement en coquilles Saint-Jacques *Pecten maximus* en rade de Brest. [The restocking program for the scallop, *Pecten maximus* in the bay of Brest.] -- La Pêche Marit. 1987 (Mars): 164-170.

In French.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / France / Fishery / Management / Spat collection / Recruitment / Nursery / Hatchery / Juvenile mortality / Cage culture / Predators

Buestel, D., A. Gerard, and A. Guenole. 1987.

Croissance de différents lots de coquille Saint-Jacques *Pecten maximus* en culture le fond dans la Rade de Brest. [Growth of different batches of scallop spat *Pecten maximus* on the seabed in the Bay of Brest.] -- Haliotis 16: 463-477.

In French; English abstract.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / France / Adult growth / Juveniles / Adults / Temperature / Aquaculture / Bottom culture / Aquaculture

Buestel, D., A. Guénolé, and C. Mingant. 1985.

Prégrossissement du naissain de coquille Saint-Jacques en structures de fond avec accès en plongée sous-marine: aspect technologique. [Submerged longline culture for pregrowth scallop larvae: technical aspects.] -- La Pêche Maritime, (Déc.) 1985: 800-804.

In French.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / France / Nursery / Aquaculture / Site selection / Environmental parameters / Juvenile growth / Suspended culture / Equipment design / Economics

Bull, M. 1986.

Golden Bay scallop enhancement program. -- Min. Agric. Fish. N. Z. Internal Progress Rep. 3: 35p.

KEYWORDS: Pacific, Southern / Australia / Tasmania / Spat collection / Juvenile growth / Predators / Bottom culture / Mortality

Bull, M. 1987.

Scallop feeding trials in New Zealand. P. 6, in A.R. Beaumont and J. Mason (eds.) The sixth International Pectinid Workshop, Menai Bridge Wales. 9-14 April 1987. International Council Explorations Sea Cm 1987/K:3.

Summary only.

KEYWORDS: *Pecten novaezelandiae* / Pacific, Southern / New Zealand / Aquaculture / Bottom culture / Spat collection / Suspended culture / Juveniles / Juvenile mortality / Juvenile growth

Burovina, I.V., V.F. Vasil'eva, S.M. Gnezdilova, I.G. Lipina, V.A. Nikiforov, and K.Y. Ukhanov. 1988.

Deistbe kadmiya na zlementnyi sostav i morfolgiyu kletok gepatopankreasa, pochek i gonady midii Mytilus edulis i grebeshka Mizuhopecten yessoensis. [Reaction to cadmium on elementary composition and morphology, in the hepatopancreas, kidney and gonads of the mussel Mytilus edulis and scallop Mizuhopecten yessoensis]. -- Zh. Evol. Biokhim. Fiziol. 24(2): 134-141.

In Russian.

KEYWORDS: *Patinopecten yessoensis* / Adults / Metals / Physiology / Toxicity

Cabello, J. 1987.

Mussel growers turn to scallops. -- Fish Farm. Int. 14: 4.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Spain / Suspended culture / Aquaculture

Cahalan, J.A., S.E. Siddall, and M. Luckenbach. 1987.

Effects of flow velocity, food concentration and particle flux on growth of juvenile bay scallops, Argopecten irradians. -- J. Shellfish Res. 7(1): 151.

Abstract only.

KEYWORDS: Argopecten irradians / Juvenile growth / Water currents

Castagna, M., and W.P. Duggan. 1972.

Mariculture experiments with the bay scallop, Argopecten irradians, in waters of the seaside of Virginia. -- Bull. Amer. Malacol. Union 1972: 21.

KEYWORDS: Argopecten irradians / Atlantic, Western / United States, Eastern / Virginia / Aquaculture / Spawning / Larval development / Depth / Juvenile growth

Chan, G.M. 1988.

Morphological peculiarities of the shell of spat of the scallop Mizuhopecten yessoensis. -- Biol. Morya (Vladivost.) (1): 63-65.

In Russian.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / USSR / Juveniles / Shell morphology / SEM

Chernoff, H. 1987.

Factors affecting mortality of the scallop Chlamys asperrima (Lamarck) and its epizooic sponges in South Australian waters. -- J. Exp. Mar. Biol. Ecol. 109: 155-171.

KEYWORDS: Chlamys asperrimus / Pacific, Southern / Australia / Adults / Fouling organisms / Mortality / Adult growth / Predators / Recruitment

Cochard, J.C., and A. Gerard. 1987.

Artificial production of spat of the scallop Pecten maximus (L.) in the Rade de Brest: analysis of factors affecting larval growth. Pp. 7-8, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Pecten maximus / Aquaculture / Settlement and metamorphosis / Hatchery / Larval mortality / Larval growth

Costello, T.J. 1972.

Aquaculture of mollusks in the Gulf coast region. -- Bull. Amer. Malacol. Union 1972: 22.

KEYWORDS: Argopecten gibbus / Atlantic, Western / United States, Eastern / Aquaculture / Economics

Cropp, D.A. 1987.

Feasibility of scallop culture in Tasmania. -- Tasmania Dept. Sea Fish. Marine Lab. Tech. Rep. 15: 24p.

KEYWORDS: Pecten fumata / Patinopecten yessoensis / Australia / Tasmania / Fishery / Aquaculture / Spat collection / Juveniles / Suspended culture / Equipment design / Economics

Dadswell, M.J., R.A. Chandler, and G.J. Parsons. 1987.

Spat settlement and early growth of Placopecten magellanicus in Passamaquoddy Bay, Canada. P. 8, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / New Brunswick / Suspended culture / Spat collection / Aquaculture / Juvenile growth

Dadswell, M.J., R.A. Chandler, and G.J. Parsons. 1987.

Spat settlement and early growth of Placopecten magellanicus in Passamaquoddy Bay, Canada. -- J. Shellfish Res. 7(1): 153-154. Abstract only.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / New Brunswick / Spawning / Spat collection / Depth / Juvenile growth

Dao, J.C., and J. Boucher. 1987.

The French research programme on Pecten maximus: preliminary results. Pp. 9-10, In A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Adults / Management / Spat collection / Population / Recruitment / Fishery / Aquaculture

Dao, J.C., D. Buestel, A. Gerard, C. Halary, and J.C. Cochard. 1988.

Scallop (Pecten maximus) restocking program in France: goals, results and prospects. -- Can. Transl. Fish. Aquat. Sci. 5343: 22p.

[Translation from French: unpublished report]

KEYWORDS: Pecten maximus / Atlantic, Western / France / Fishery / Management / Recruitment / Fishery / Juveniles / Seeding / Spat collection / Aquaculture / Bottom culture / Juvenile mortality

Dao, J.C., and C. Halary. 1987.

Possible effects of dredging on the scallop stocks of the Bay of St. Brieuc: difficulties for management of these stocks. Pp. 10-11, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Fishery / Equipment design / Recruitment / Adult mortality / Management / Adults / Stock assessment

Dare, P.J., and R.C.A. Bannister. 1987.

Settlement of scallop, Pecten maximus, spat on natural substrates off south-west England: the hydroid connection. P. 11, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Chlamys opercularis / Pecten maximus / Atlantic, Eastern / Great Britain / Population / Recruitment / Stock assessment / Settlement and metamorphosis / Fishery / Adults / Equipment design

Davidson, L. 1987.

The reproductive cycle of the giant scallop Placopecten magellanicus in the southern Gulf of St. Lawrence and Passamaquoddy Bay. -- J. Shellfish Res. 7(1): 154.

Abstract only.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / New Brunswick / Reproduction / Gametogenesis / Histology

Davies, I.M., and J.D. Paul. 1986.

Accumulation of copper and nickel from anti-fouling compounds of scallops (Pecten maximus) and Pacific oysters (Crassostrea gigas). -- Int. Counc. Explor. Sea CM 1986/F:12:10p.

KEYWORDS: Pecten maximus / Adults / Juveniles / Toxicity / Suspended culture / Biochemical composition / Mortality / Adult growth

de Kergariou, G., D. Perodou, and S. Claude. 1983.

Evaluation du stock de coquilles Saint-Jacques en Baie de Seine. [Evaluation of the scallop population in the Bay of Seine] -- Inst. Sci. Tech. Peches Maritimes (France) Rapp. Tech. 2: 26p.

In French.

KEYWORDS: Atlantic, Eastern / France / Fishery / Recruitment / Modelling / Population / Age composition / Distribution / Stock assessment

Del Norte, A.G.C. 1987.

Some aspects of the growth, recruitment, mortality and reproduction of the Asian moon scallop, Amusium pleuronectes (Linné) in Lingayen Gulf, Philippines. P. 12, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Amusium pleuronectes / Pacific, Southern / Philippines / Population / Fishery / Spawning / Recruitment / Mortality / Gametogenesis / Adult growth / Length/weight relationship

Del Norte, A.G.C. 1988.

Aspects of the growth, recruitment, mortality and reproduction of the scallop Amusium pleuronectes (Linné) in the Lingayen Gulf, Philippines. -- *Ophelia* 29(2): 153-168.

KEYWORDS: Amusium pleuronectes / Pacific, Southern / Philippines / Population / Fishery / Spawning / Recruitment / Mortality / Gametogenesis / Adult growth / Length/weight relationship

Del Norte, A.G.C., E.C. Capuli, and R.A. Mendoza. 1988.

The scallop fishery of Lingayen Gulf, Philippines. -- *Asian Fish. Sci.* 1(2): 207-214.

KEYWORDS: Amusium pleuronectes / Pacific, Southern / Philippines / Fishery / Economics

Di Salvo, L.H. 1987.

Fatal disease of scallop postlarvae caused by a protozoan (*Ciliophora:Holotricha*). -- *J. World Aquacult. Soc.* 18(1): 35a.

Abstract only.

KEYWORDS: Argopecten purpuratus / Pacific, Southern / Chile / Parasites / Aquaculture / Physiology / Morphology

80

Dickie, L.M. 1959.

Water temperature and survival of the giant scallop. -- Trans. Am. Fish. Soc. 88: 73.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Canada, Eastern / New Brunswick / Adults / Temperature / Mortality / Environmental parameters

81

Dix, T.G. 1981.

Preliminary experiments in commercial scallop (*Pecten meridionalis*) culture in Tasmania. -- Tasmanian Fish. Res. 23: 18-25.

KEYWORDS: *Pecten meridionalis* / Pacific, Southern / Australia / Tasmania / Spat collection / Juvenile mortality / Juvenile growth / Fouling organisms / Economics / Histology / Aquaculture

82

Doherty, R.M., G.P. Draheim, D.J. White, and C.L. Vaughn. 1964.

Economic study of sea scallop production in the United States and Canada. -- Fish. Ind. Res. 2(3): 57-79.

KEYWORDS: Atlantic, Western / United States, Eastern / Canada, Eastern / Fishery / Economics / Equipment design / Marketing

83

Dominguez, M., and M. Alcaraz. 1983.

Planktonic larvae of lamellibranch mollusks from the Pontevedra Estuary, northwest Spain. -- Can. Transl. Fish. Aquat. Sci. 5179: 17p.

[Translation from Spanish: Investigación Pesquera (Barc.) 47(2): 345-357]

KEYWORDS: *Chlamys opercularis* / Atlantic, Eastern / Spain / Taxonomy / Shell morphology / SEM / Larvae / Larval distribution / Hinge morphology

84

Dow, R.L. 1975.

Effects of climatic cycles on the relative abundance and availability of commercial marine and estuarine species. -- J. Cons. Int. Explor. Mer. 37(3): 274-280.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / United States, Eastern / Maine / Habitat / Temperature / Recruitment / Fishery / Environmental parameters / Population

Dredge, M.C.L. 1981.

Reproductive biology of the saucer scallop Amusium japonicum balloti (Bernardi) in central Queensland waters. -- Aust. J. Mar. Freshw. Res. 32: 775-787.

KEYWORDS: Amusium balloti / Pacific, Southern / Australia / Gametogenesis / Reproduction / Fecundity / Gonad index / Histology

Dredge, M.C.L. 1985.

Estimates of natural mortality and yield-per-recruit for Amusium japonicum balloti Bernard (Pectinidae) based on tag recoveries. -- J. Shellfish Res. 5(2): 103-109.

KEYWORDS: Amusium balloti / Pacific, Southern / Australia / Life history / Tagging / Mortality / Age/weight relationship / Fishery / Population / Stock assessment

Dredge, M.C.L. 1985.

An evaluation of ship-board scallop grading equipment. -- Queensland J. Agric. Animal Sci. 42(1): 1-9.

KEYWORDS: Amusium balloti / Pacific, Southern / Australia / Fishery / Adults / Equipment design / Mortality

Dredge, M.C.L. 1985.

Growth and mortality in an isolated bed of saucer scallops, Amusium japonicum balloti (Bernardi). -- Queensland J. Agric. Animal Sci. 42(1): 11-21.

KEYWORDS: Amusium balloti / Pacific, Southern / Australia / Adults / Population / Mortality / Parasites / Adult growth / Size distribution / Tagging

Dredge, M.C.L. 1988.

Recruitment overfishing in a tropical scallop fishery? -- J. Shellfish Res. 7(2): 233-239.

Du Paul, W., and S. Saker. 1978.

The economic impact of the sea scallop Placopecten magellanicus fishery in Virginia. -- Virginia Inst. Marine Sci. Sea Grant Prog. Spec. Rep. Appl. Marine Sci. Oceans Eng. 222.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / United States, Eastern / Virginia / Fishery / Economics / Equipment design

Dupouy, H. 1988.

The harvesting of the scallop, Pecten maximus L. in France.
Part 1: introduction to the fishery. -- Can. Transl. Fish. Aquat. Sci. 5415: 22p.

Translation from French; Science et Pêche: bulletin d'Institut Scientifique des Pêche Maritimes (1987) 276: 1-11.

KEYWORDS: Pecten maximus / Pacific, Eastern / Atlantic, Eastern / France / Fishery / Spawning / Larval development / Aging / Distribution / Equipment design / Marketing / Life history / Population / Management

Dupouy, H. 1988.

The harvesting and cultivation of mollusks of the family Pectinidae (scallops) in various parts of the world: current situation and future prospects. -- Can. Transl. Fish. Aquat. Sci. 5417: 29p.

Translation from French; La Pêche Maritime 1983: 704-712.

KEYWORDS: Pecten sp. / Chlamys sp. / Life history / Adult growth / Reproduction / Predators / Fishery / Equipment design / Spat collection / Aquaculture / Marketing / Economics / Habitat / Behaviour

Dupouy, H., G. de Kergariou, and D. Latrouite. 1988.

The harvesting of the scallop Pecten maximus L. in France.
Part II: assessment and management of the Saint-Brieuc Bay population. -- Can. Transl. Fish. Aquat. Sci. 5416: 22p.

Translation from French; Science et Pêche: bulletin d'Institut Scientifique des Pêche Maritimes(1983) 331: 3-11.

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Fishery / Recruitment / Reproduction / Mortality / Management / Adult growth / Population / Age/weight relationship / Age/height relationship

Dzyuba, S.M., and M.N. Gruzova. 1976.

Sezonnye izmeneiya morfologii i sinteza RNA v zhenskoy gonade primorskogo grebeshka. [Seasonal changes in the morphology and RNA synthesis in female gonad of the scallop Patinopecten yessoensis (Jay).] -- Biol. Morya (Vladivost.) 4: 38-44.

In Russian; English abstract.

KEYWORDS: Patinopecten yessoensis / Adults / Gametogenesis / Reproduction / Spawning

94

Elston, R.A. 1986.

Occurrence of branchial rickettsiales-like infections in two bivalve molluscs, Tapes japonica and Patinopecten yessoensis, with comments on their significance. -- J. Fish Dis. 9: 69-71.

KEYWORDS: Patinopecten yessoensis / Mortality / Parasites

95

Elston, R.A., and R. Burge. 1984.

Pathology and certification of the Japanese scallop Placopecten yessoensis: a case history. -- J. Shellfish Res. 4(1): 88.

Abstract only.

KEYWORDS: Patinopecten yessoensis / Pacific, Eastern / United States, Western / Washington / Adults / Juveniles / Importation / Quarantine

96

Elston, R.A., and R. Burge. 1984.

Pathology and certification of the Japanese scallop Patinopecten yessoensis: a case history. -- J. Shellfish Res. 4(1): 110.

Abstract only.

KEYWORDS: Patinopecten yessoensis / Pacific, Eastern / United States, Western / Washington / Adults / Importation / Quarantine / Juveniles

97

Elston, R.A., M.T. Wilkinson, and R. Burge. 1985.

A rhizocephalan-like parasite of a bivalve mollusc, Patinopecten yessoensis. -- Aquaculture 49: 359-361.

KEYWORDS: Patinopecten yessoensis / Parasites

98

Epp, J., V.M. Bricelj, and R.E. Malouf. 1988.

Seasonal partitioning and utilization of energy reserves in two age classes of the bay scallop Argopecten irradians irradians (Lamarck). -- J. Exp. Mar. Biol. Ecol. 121: 113-136.

KEYWORDS: Argopecten irradians / Atlantic, Western / United States, Eastern / New York / Adults / Gonad index / Gametogenesis / Biochemical composition / Energetics / Reproduction / Histology / Production

Evans, J.W., R. Scaplen, and D.R. Idler. 1973.

Scallop aquaculture report for 1972-73. -- Newfoundland Fish. Dev. Auth., Mar. Sci. Res. Lab.: 22p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Management / Recruitment / Fishery / Juvenile growth / Predators / Population / Spawning / Aquaculture / Tagging / Spat collection

Ewart, J.W., M.R. Carriker, and J.R. Villalaz. 1985.

Development of an experimental, tropical shellfish hatchery for the cultivation of commercially important marine bivalves in Panama. -- J. Shellfish Res. 5(1): 55.

Abstract only.

KEYWORDS: Argopecten circularis / Atlantic, Western / Panama / Hatchery / Aquaculture / Larvae

Faveris, R. 1987.

Studies of the evolution of glycogen content of somatic and germinal tissues during the reproductive cycle in Pecten maximus L. (Bay of Seine). Pp. 12-13, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Pecten maximus / Biochemical composition / Gametogenesis / Energetics / Adults / Reproduction / Physiology

Felix-Pico, E.F. 1987.

Scallop fishing in Concepcion Bay, Baja California Sur, Mexico. P. 13, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: *Argopecten circularis* / *Pecten vogdesi* / Pacific, Eastern / Mexico / Fishery / Economics / Adults / Management

Felvolden, S.E. 1989.

Genetic differentiation of the Iceland scallop *Chlamys islandica* (Pectinidae) in the northern Atlantic Ocean. -- Mar. Ecol. Prog. Ser. 51: 77-85.

KEYWORDS: *Chlamys islandica* / Atlantic, Western / Iceland / Norway / Genetics / Recruitment / Population

Fleming, C.A. 1946.

The molluscan fauna of the fiords of western Southland. -- N. Z. J. Sci. Tech. 5: 20-40.

KEYWORDS: *Chlamys radiata* / *Chlamys suprasilis crepusculi* / *Chlamys celator* / *Pecten novaezelandiae* / Pacific, Southern / New Zealand / Distribution / Habitat / Salinity / Temperature / Depth

Fraser, D.I. 1987.

Pectinid spat studies in selected areas of the west coast of Scotland, 1982-1986. Pp. 13-14, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: *Pecten maximus* / *Chlamys opercularis* / Atlantic, Eastern / Scotland / Great Britain / Aquaculture / Spat collection / Juveniles / Age composition / Population

Fraser, D.I., and J. Mason. 1987.

Pectinid spat studies in selected areas of the west coast of Scotland, 1982-1986. -- Int. Counc. Explor. Sea CM 1987/K:4: 4+vp.

KEYWORDS: *Pecten maximus* / *Chlamys opercularis* / Atlantic, Eastern / Scotland / Spat collection / Recruitment

- 108
- Fraser, D.I., and J. Mason. 1987.
Pectinid spat studies in selected areas of the west coast of Scotland, 1982-1986. -- Int. Counc. Explor. Sea CM 1987/K:4: 9p.
- KEYWORDS: Pecten maximus / Chlamys opercularis / Atlantic, Eastern / Scotland / Juveniles / Spat collection / Aquaculture
- 109
- Fréchette, M., and M. Giguère. 1985.
Exploitation du pétoncle géant au Québec en 1984.
[Exploitation of the giant scallop in Quebec in 1984.] -- Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 85/4: 35p.
- In French; English abstract.
- KEYWORDS: Placopecten magellanicus / Chlamys islandica / Atlantic, Western / Canada, Eastern / Quebec / Fishery / Population / Recruitment / Management
- 110
- Fréchette, M., D.J. Wildish, and D.D. Kristmanson. 1987.
Effect of current direction on growth of Placopecten magellanicus (Gmelin). P. 15, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.
- Summary only.
- KEYWORDS: Placopecten magellanicus / Adults / Height/weight relationship / Adult growth / Water currents / Behaviour
- 111
- Fuller, K.M., and E. Zouros. 1987.
Size variation in mitochondrial DNA of Placopecten magellanicus. -- J. Shellfish Res. 7(1): 158.
- Abstract only.
- KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Genetics / DNA / Population
- 112
- Gainey, L.F. Jr., and S. Shumway. 1988.
Physiological effects of Protoconyaulax tamarensis on cardiac activity in bivalve molluscs. -- Comp. Biochem. Physiol. 91C(1): 159-164.
- KEYWORDS: Placopecten magellanicus / Physiology / Shellfish poisoning

Gaudet, M. 1987.

The giant scallop (Placopecten magellanicus) from the lower north shore of Quebec: biological characteristics and aquaculture potential. -- J. Shellfish Res. 7(1): 159.

Abstract only.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Quebec / Aquaculture / Spawning / Spat collection / Adult growth

Gaudet, M., and M. Belanger. 1987.

The giant scallop (Placopecten magellanicus) from the lower north shore of the Gulf of Saint-Lawrence (Quebec, Canada): Biological characteristics and aquacultural potential. P. 15, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Quebec / Aquaculture / Physiology / Temperature / Life history / Recruitment / Spat collection / Reproduction / Spawning / Adult growth / Population / Management

Giguère, M., and M. Fréchette. 1986.

Exploitation du pétoncle au Québec en 1985. [Exploitation of the Quebec scallop in 1985.] -- Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 86/80: 45p.

In French; English abstract.

KEYWORDS: Placopecten magellanicus / Chlamys islandica / Atlantic, Western / Canada, Eastern / Quebec / Fishery / Population / Distribution / Size composition

Gilbert, E., and C. Cantin. 1987.

Scallop culture in Quebec: description of the production cycle and financial analysis of a culture method. -- Fisheries and Oceans Canada, Economic Services and Information Systems Branch, Quebec City, Quebec, Canada. -- iv,104p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Biology / Life history / Habitat / Fishery / Modelling / Economics / Aquaculture / Site selection / Spat collection / Suspended culture / Bottom culture / Ear hanging / Equipment design

117

Golikov, A.N., and O.A. Scarlato. 1970.

Abundance, dynamics and production properties of populations of edible bivalves Mizuhopecten yessoensis and Spisula sachalinensis related to the problem of organization of controllable submarine farms at the western shores of the Sea of Japan. -- Helgol. Wiss. Meeresunters. 20: 498-513.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / USSR / Fishery / Habitat / Mortality / Life history / Spawning / Spat collection / Adult growth / Population / Distribution / Age/height relationship / Production

118

Goodwin, C.L., J. Bronson, and T.E. Bettinger. 1985.

Investigations of spat collection on artificial substrates for the scallops Patinopecten caurinus (Gould) and Hinnites multirugosus (Gale) in Washington State. -- J. Shellfish Res. 5(1): 52-53.

Abstract only.

KEYWORDS: Patinopecten caurinus / Crassadoma gigantea / Pacific, Eastern / United States, Western / Washington / Spat collection / Depth

119

Gosling, E.M., and G.M. Burnell. 1987.

Evidence for selective mortality in Chlamys varia transplant experiments. P. 16, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Chlamys varia / Atlantic, Eastern / Ireland / Adults / Genetics / Adult mortality / Environmental parameters / Habitat

120

Gosling, E.M., and G.M. Burnell. 1988.

Evidence for selective mortality in Chlamys varia (L.) transplant experiments. -- J. Mar. Biol. Assoc. U.K. 68(2): 251-258.

KEYWORDS: Chlamys varia / Atlantic, Eastern / Ireland / Adult growth / Mortality / Genetics / Environmental parameters

- 121
- Gould, E. 1981.
Field stress in the scallop Placopecten magellanicus. -- Int. Counc. Explor. Sea CM 1981/E:7: 16p.
- KEYWORDS: Placopecten magellanicus / Atlantic, Western / United States, Eastern / Canada, Eastern / Adults / Biochemical composition / Environmental parameters / Population / Habitat / Energetics / Reproduction
- 122
- Gould, E., R.J. Thompson, and L.J. Buckley. 1985.
Exposure of the scallop Placopecten magellanicus to sublethal copper and cadmium: effects on the reproductive effort. -- Mar. Environ. Res. 17: 288-289.
- KEYWORDS: Placopecten magellanicus / Toxicity / Metals / Gametogenesis / Reproduction
- 123
- Grandy, M.C. 1984.
An economic assessment of the 1982 St. Pierre Bank scallop fishery. -- Economics Branch, Newfoundland Region, Department of Fisheries and Oceans, St. John's, Newfoundland. 19p.
- KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Newfoundland / Adults / Fishery / Economics
- 124
- Gwyther, D. 1987.
Settlement, recruitment and yields available for the scallop (Pecten alba) fishery in Port Phillip Bay, Victoria, Australia. Pp. 16-17, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.
- Summary only.
- KEYWORDS: Pecten alba / Pacific, Southern / Australia / Recruitment / Fishery / Reproduction / Adult growth / Modelling / Management / Stock assessment / Adult mortality / Population
- 125
- Gwyther, D., and P.E. McShane. 1988.
Growth rate and natural mortality of the scallop Pecten alba Tate in Port Phillip Bay, Australia, and evidence for changes in growth rate after a 20-year period. -- Fish. Res. (Amster.) 6: 347-361.
- KEYWORDS: Pecten alba / Pacific, Southern / Australia / Adults / Juveniles / Stock assessment / Population / Adult growth / Mortality / Tagging / Distribution / Age/height relationship

- 126
- Haines, K.C. 1973.
A rapid technique for recording sizes of juvenile pelecypod molluscs. -- *Aquaculture* 1(4): 433.
- KEYWORDS: *Argopecten irradians* / Juvenile growth / Equipment design
- 127
- Hardy, R., and J.G.M. Smith. 1970.
Catching and processing scallops and queens. -- *Torry Res. Stn. (Great Britain) Annu. Rep. Handl. Preserv. Fish. Prod. Advisory Note 46*: 10p.
- KEYWORDS: *Pecten maximus* / *Chlamys opercularis* / Atlantic, Eastern / Great Britain / Scotland / Adults / Biology / Fishery / Marketing
- 128
- Hasegawa, Y., and Y. Kuwatani. 1974.
Present status of marine cultivation and propagation in Hokkaido and some problems of the research activities. -- Pp. 3-6 in W.N. Shaw (ed.). *Proceedings of the First US-Japan Meeting on Aquaculture, October 18-19 1971, NOAA Tech. Rep. NMNS CIRC-388*.
- KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Fishery / Distribution / Aquaculture
- 129
- Hashimoto, K., and T. Noguchi. 1988.
Infestation of fish and shellfish by phytotoxins, with reference to countermeasures. -- *Can. Transl. Fish. Aquat. Sci.* 5409: 12p.
- [Translation from Japanese; *Proceedings of the Japanese Assoc. Mycotoxicology* (1987) 25: 9-13.]
- KEYWORDS: *Patinopecten yessoensis* / *Chlamys nipponensis* akazara / Pacific, Western / Japan / Shellfish poisoning / Toxicity / Phytoplankton
- 130
- Heffernan, P.B., R.L. Walker, and J.W. Crenshaw. 1988.
Observations on grow out systems for the southern bay scallop, *Argopecten irradians concentricus*. -- *J. Shellfish Res.* 7(3): 547.
- Abstract only.
- KEYWORDS: *Argopecten irradians* / Atlantic, Western / United States, Eastern / Georgia / Florida / South Carolina / Aquaculture / Suspended culture / Polyculture / Pond culture / Juvenile growth

- 131
- Heffernan, P.B., R.L. Walker, and D.M. Gillespie. 1988.
 Biological feasibility of growing the northern bay scallop, Argopecten irradians irradians (Lamarck, 1819), in coastal waters of Georgia. -- J. Shellfish Res. 7(1): 83-88.
- KEYWORDS: Argopecten irradians / Atlantic, Western / United States, Eastern / Georgia / Aquaculture / Suspended culture / Juvenile growth / Juvenile mortality
- 132
- Hirasawa, Y. 1972.
 [The rise of scallop fishery at Mutsu-wan and future management of the fishery.] -- Gyogyo Keizai Kenkyu 19(1-2): 1-36.
- In Japanese.
- KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Fishery / Aquaculture / Production / Juvenile growth / Adult growth / Suspended culture / Equipment design / Economics
- 133
- Hodgson, C.A., and N. Bourne. 1988.
 Effect of temperature on larval development of the spiny scallop, Chlamys hastata Sowerby, with a note on metamorphosis. -- J. Shellfish Res. 7(3): 349-357.
- KEYWORDS: Chlamys hastata / Larval growth / Larval mortality / Larval development / Temperature / Spawning / Settlement and metamorphosis / Water currents
- 134
- Hodgson, C.A., and R.D. Burke. 1988.
 Development and larval morphology of the spiny scallop, Chlamys hastata. -- Biol. Bull. 174: 303-318.
- KEYWORDS: Chlamys hastata / Spawning / Embryonic development / Larval development / Hinge morphology / Larval morphology / Settlement and metamorphosis
- 135
- Hortle, M.E., and D.A. Cropp. 1987.
 Settlement of the commercial scallop, Pecten fumatus (Reeve) 1855, on artificial collectors in eastern Tasmania. -- Aquaculture 66: 79-95.
- KEYWORDS: Pecten fumata / Pacific, Southern / Australia / Fouling organisms / Equipment design / Spat collection / Juvenile growth / Predators

136

Howell, T.R.W. 1987.

Mortality of juvenile scallops Pecten maximus (L.). P. 17, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Scotland / Aquaculture / Juveniles / Suspended culture / Juvenile mortality / Predators / Bottom culture

137

Hsiao, Y-M., J.E. Jr. Easley, and T. Johnson. 1987.

Testing for harmful effects of clam and scallop harvesting techniques in North Carolina bay scallop fishery. -- N. Amer. J. Fish. Manage. 7(2): 187-193.

KEYWORDS: Argopecten irradians / Atlantic, Western / United States, Eastern / North Carolina / Fishery / Mortality / Modelling / Equipment design

138

Hsu, C.P., A. Marchand, and Y. Shimizu. 1979.

Paralytic shellfish toxins in the sea scallop Placopecten magellanicus, in the Bay of Fundy. -- J. Fish. Res. Bd. Can. 36: 32-36.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Shellfish poisoning / Toxicity / Phytoplankton

139

Hurley, G.V., M.J. Tremblay, and C. Couturier. 1986.

Daily growth increments in the shells of larval sea scallops (Placopecten magellanicus). -- Northw. Atl. Fish. Org. SCR. Doc. 86/99: 11p.

KEYWORDS: Placopecten magellanicus / Larval shell morphology / SEM / Aging / Larval growth

140

Hurley, G.V., M.J. Tremblay, and C. Couturier. 1987.

Age estimates of sea scallop larvae Placopecten magellanicus from daily growth lines on shells. -- J. Northw. Atl. Fish. Sci. 7: 123-129.

KEYWORDS: Placopecten magellanicus / Shell morphology / Larval growth / Aging

Illanes-Bucher, J.E. 1987.

Cultivation of the northern scallop of Chile (Chlamys (Argopecten) purpurata) in controlled and natural environments. P. 18, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Argopecten purpuratus / Pacific, Southern / Chile / Aquaculture / Spawning / Nursery / Juvenile growth / Spat collection / Larval development / Settlement and metamorphosis / Suspended culture / Bottom culture / Conditioning / Hatchery

Illanes-Bucher, J.E. 1988.

Experiencias de captación de larvas de ostión (Argopecten purpuratus) en Chile, IV region. [Experiences in larval capture of the shellfish (Argopecten purpuratus) in Chile, IV region.] -- Pp. 53-58, in E. Uribe (ed.), Producción de larvas y juveniles de especies marinas. [Production of larvae and juveniles of marine species.] -- University del Norte, Coquimbo, Chile.

In Spanish.

KEYWORDS: Argopecten purpuratus / Pacific, Southern / Chile / Adults / Distribution / Life history / Hatchery / Aquaculture / Spat collection / Settlement and metamorphosis / Temperature

Ishihara, A. 1988.

The propagation and rearing of the scallop, Patinopecten yessoensis, at Date. -- Can. Transl. Fish. Aquat. Sci. 5394: 82p. [Translation from Japanese: Hokkaidoritsu Chuo Suisan Shikenjo, 1966: 54p.]

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Aquaculture / Spat collection / Juvenile mortality / Predators / Suspended culture / Bottom culture / Management / Predators

Ito, S., and S. Naoe. 1988.

Study on the mass-cultivation technique of feed. -- Can. Transl. Fish. Aquat. Sci. 5359: 25p.

Translated from Japanese; Rep. Aomori Pref. Fish Culture Centre 14 (1971).

KEYWORDS: Patinopecten yessoensis / Diet / Larvae / Phytoplankton / Larval growth / Settlement and metamorphosis

145

Jamieson, G.S. 1981.

Underwater world: the sea scallop. -- Communications Branch, Department of Fisheries and Oceans, Ottawa, Canada. -- 8p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Adults / Distribution / Habitat / Life history / Reproduction / Adult growth / Fishery

146

Jeanthon, C., D. Prieur, and J.C. Cochard. 1988.

Bacteriological survey of antibiotic-treated sea waters in a Pecten maximus hatchery. -- Aquaculture 71: 1-8.

KEYWORDS: Pecten maximus / Hatchery / Bacteria / Filtration rate / Disease / Antibiotics

147

Jeon, J-K., S.K. Yi, and H.T. Huh. 1988.

Paralytic shellfish poison of bivalves in the Korean waters. -- J. Oceanol. Soc. Korea 23(3): 123-129.

In Korean; English abstract.

KEYWORDS: Patinopecten yessoensis / Chlamys farreri / Pacific, Western / Korea / Shellfish poisoning / Toxicity

148

Jhingran, V.G., and V.Gopalakrishnan. 1974.

A catalogue of cultivated aquatic organisms. -- FAO Fish. Tech. Pap. 130: 83p.

KEYWORDS: Pecten laqueatus / Patinopecten yessoensis / Aquaculture

149

Johannes, R.E. 1957.

High temperatures as a factor in scallop mass mortalities. -- Manusc. Rep. Ser. Fish. Res. Bd. Can. 638: 18p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Temperature / Mortality

150

Joll, L.M. 1988.

Daily growth rings in juvenile saucer scallops, Amusium balloti (Bernardi). -- J. Shellfish Res. 7(1): 73-76.

KEYWORDS: Amusium balloti / Pacific, Southern / Australia / Juveniles / Shell morphology / Juvenile growth / Distribution

- 151
- Kaartvedt, S., D.L. Aksnes, and J.K. Egge. 1987.
Effect of light on the vertical distribution of Pecten maximus larvae. -- Mar. Ecol. Prog. Ser. 40: 195-197.
- KEYWORDS: Pecten maximus / Larvae / Behaviour
- 152
- Kaill, M. 1988.
Shellfish mariculture. -- Alaska Mar. Res. Quart. 111(1): 2-3.
- KEYWORDS: Patinopecten caurinus / Crassadoma gigantea / Pacific, Eastern / Alaska / Spat collection / Aquaculture / Fishery
- 153
- Kelley, K. 1988.
New England shellfish farmers making progress. -- Nat. Fisherman 1988(Dec): 8-11.
- KEYWORDS: Argopecten irradians / Atlantic, Western / United States, Eastern / Economics / Suspended culture / Spat collection
- 154
- Kelley, K.M. 1988.
Use of spat collectors for bay scallops, Argopecten irradians, as a means of replenishing natural populations. -- J. World Aquacult. Soc. 19(1): 40a-41a.
- Abstract only.
- KEYWORDS: Argopecten irradians / Atlantic, Western / United States, Eastern / Massachusetts / Spat collection / Suspended culture / Stock enhancement
- 155
- Kerns, C. 1987.
Where to get more information on scallop aquaculture. -- Alaska Sea Grant Coll. Prog., Aquacult. Note No.10: 10p.
- KEYWORDS: Patinopecten caurinus / Patinopecten yessoensis / Placopecten magellanicus / Pecten maximus / Argopecten irradians / Crassadoma gigantea / Economics / Bibliography
- 156
- Komaru, A., Y. Uchimura, H. Ieyama, and K.T. Wada. 1988.
Detection of induced triploid scallop, Chlamys nobilis, by microfluorometry with DAPI staining. -- Aquaculture 69: 201-209.
- KEYWORDS: Chlamys nobilis / Triploidy / Genetics

157

Krantz, D.E., D.S. Jones, and D.F. Williams. 1984.

Comparison of growth increments and stable isotope age determination methods for the Atlantic deep-sea scallop, Placopecten magellanicus (Gmelin). -- J. Shellfish Res. 4(1): 92.

Abstract only.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / United States, Eastern / Virginia / Adults / Aging

158

Lake, N.C.H., M.B. Jones, and J.D. Paul. 1987.

Crab predation on scallop (Pecten maximus) and its implication for scallop cultivation. -- J. Mar. Biol. Assoc. U.K. 67: 55-64.

KEYWORDS: Pecten maximus / Atlantic, Eastern / United Kingdom / Predators / Bottom culture

159

Langton, R.W., and W. Robinson. 1987.

Ecology of the sea scallop, Placopecten magellanicus (Gmelin 1791), in the Gulf of Maine, USA. Pp. 18-19, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / United States, Eastern / Maine / Adults / Fishery / Habitat / Ecology / Distribution / Population

160

Lantiegne, M. 1987.

The growth of the giant sea scallop (Placopecten magellanicus) in the southern Gulf of St. Lawrence. -- J. Shellfish Res. 7(1): 166.

Abstract only.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Aging / Adult growth / Population / Management

- 161
- Le Borgne, Y. 1981.
 L'écloserie industrielle de la SATMAR et les perspectives de la production de naissain en laboratoire. [The SATMAR hatchery and perspectives of laboratory larval production.] -- La Pêche Maritime, (Fév.) 1981: 104-106.
- In French.
- KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Hatchery / Nursery / Diet
- 162
- Le Gall, G., D. Chagot, E. Mialhe, and H. Grizel. 1988.
 Branchial rickettsiales-like infection associated with a mass mortality of sea scallop, Pecten maximus. -- Dis. Aquat. Org. 4: 229-232.
- KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Adults / Parasites
- 163
- Le Pennec, M., P.G. Beninger, and A. Herry. 1988.
 New observations of the gills of Placopecten magellanicus (Mollusca:Bivalvia), and implications for nutrition. II. Internal anatomy and microanatomy. -- Mar. Biol. 98(1): 229-237.
- KEYWORDS: Placopecten magellanicus / Adults / Morphology / Respiration / Nutrition
- 164
- Le Pennec, M., and D. Prieur. 1977.
 Les antibiotiques dan les elevages de larves de bivalves marins. [Antibiotics in rearing of marine bivalve larvae.] -- Aquaculture 12: 15-30.
- In French; English abstract.
- KEYWORDS: Argopecten irradians / Argopecten gibbus / Pecten maximus / Placopecten magellanicus / Antibiotics / Larval mortality / Aquaculture
- 165
- Leibovitz, L., E.F. Schott, and R.C. Karney. 1984.
 Diseases of wild, captive and cultured scallops. -- J. World Maricult. Soc. 14: 269-283.
- KEYWORDS: Argopecten irradians / Placopecten magellanicus / Fouling organisms / Adults / Juveniles / Larvae / Disease / Mortality / Predators / Protozoa / Parasites

166

Leighton, D.L., and C.F. Phleger. 1977.

The purple-hinge rock scallop: a new candidate for marine aquaculture. -- Proc. Ann. Meet. World Maricult. Soc. 8: 457-469.

KEYWORDS: *Crassadoma gigantea* / Aquaculture / Habitat / Life history / Spawning / Larval growth / Temperature / Diet / Juvenile growth

167

Loomis, S.H. 1988.

Singing scallops. -- Seafood Bus. Mag. 7(4): 172-175.

KEYWORDS: *Chlamys rubida* / *Chlamys hastata* / Pacific, Eastern / United States, Western / Washington / Marketing / Life history / Fishery / Aquaculture

168

Lubet, P. 1956.

Effets de l'ablation des centres nerveux sur l'émission des gamètes chez *Mytilis edulis* L. et *Chlamys varia* L. (Mollusques Lamellibranches) [The effect of removal of the nervous center on the release of gametes in *Mytilus edulis* L. and *Chlamys varia* L. (Mollusca Lamellibranchia)]. -- Ann. Sci. Nat. Zool. Biol. Anim. (France) 18: 175-183.

In French.

KEYWORDS: *Chlamys varia* / Adults / Morphology / Gametogenesis / Spawning / Reproduction / Nervous system

169

Lubet, P., J-Y. Besnard, R. Faveris, and I. Robbins. 1987.

Physiologie de la reproduction de la coquille Saint-Jacques (*Pecten maximus* L.) [Reproductive physiology of the scallop (*Pecten maximus* L.)]. -- Oceanis 13(3): 265-290.

In French; English abstract.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / France / Reproduction / Gametogenesis / Spawning / Biochemical composition / Energetics / Physiology

- 170
- Lubet, P., M. Mathieu, and F. Lenoir. 1987.
 Controle endocrinien de la reproduction chez les mollusques bivalves. [Endocrine control of reproduction in bivalve molluscs.] -- *Oceanis* 13(3): 291-304.
- In French; English abstract
- KEYWORDS: *Pecten maximus* / *Chlamys opercularis* / Reproduction / Physiology / Gametogenesis
- 171
- Lubet, P.E. 1987.
 Cytological investigations on the reproductive cycle of the scallop (*Pecten maximus* L.) from the Bay of Seine. P. 19, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.
- Summary only.
- KEYWORDS: *Pecten maximus* / Atlantic, Eastern / France / Adults / Recruitment / Reproduction / Population / Energetics / Physiology
- 172
- Lucas, A. 1975.
 Sex differentiation and juvenile sexuality in bivalve molluscs. *Pubbl. Staz. Zool. Napoli* 39 Suppl.: 532-541.
- KEYWORDS: *Chlamys varia* / *Chlamys distorta* / Juveniles / Hermaphroditism / Gametogenesis
- 173
- Lykakis, J., and M. Kalathakis. 1987.
 Some aspects of the biology of the scallop, *Chlamys glabra*, in the Gulf of Kalloni (Lesbos Island), Greece. Pp. 19-20, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.
- Summary only.
- KEYWORDS: *Chlamys glabra* / Mediterranean Sea / Greece / Adults / Fishery / Reproduction / Population / Size distribution / Height/weight relationship / Length/height relationship / Spat collection / Gonad index

MacDonald, B.A. 1986.

Production and resource partitioning in the giant scallop Placopecten magellanicus grown on the bottom and in suspended culture. -- Mar. Ecol. Prog. Ser. 34: 79-86.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Newfoundland / Adults / Suspended culture / Habitat / Age/height relationship / Age/weight relationship / Mortality / Reproduction / Gonad index / Production / Energetics

MacDonald, B.A. 1988.

Physiological energetics of Japanese scallop Patinopecten yessoensis larvae. -- J. Exp. Mar. Biol. Ecol. 120(2): 155-170.

KEYWORDS: Patinopecten yessoensis / Larvae / Energetics / Temperature / Diet / Larval growth / Respiration

MacDonald, B.A. 1988.

Physiological energetics of Japanese scallop larvae. -- J. Shellfish Res. 7(3): 563-564.

Abstract only.

KEYWORDS: Patinopecten yessoensis / Larvae / Energetics / Physiology / Respiration / Feeding rate / Larval density

MacDonald, B.A., R.J. Thompson, and B.L. Bayne. 1987.

Influence of temperature and food availability on the ecological energetics of the giant scallop Placopecten magellanicus. IV. Reproductive effort, value and cost. -- Oecologia (Berlin) 72: 550-556.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Newfoundland / Adults / Reproduction / Energetics / Production

Magnesen, T. 1987.

Growth of Pecten maximus in experimental systems. P. 20, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Norway / Aquaculture / Juveniles / Temperature / Nursery / Juvenile growth

Magoon, C., and R. Vining. 1981.

Introduction to shellfish aquaculture in the Puget Sound region. -- Pp. 37-43, in Introduction to Shellfish Aquaculture in the Puget Sound Region. -- Department of Natural Resources, Olympia, Washington, Olympia, Washington.

KEYWORDS: *Crassadoma gigantea* / *Chlamys rubida* / *Patinopecten caurinus* / *Patinopecten yessoensis* / Pacific, Eastern / United States, Western / Washington / Distribution / Life history / Aquaculture / Suspended culture / Spat collection / Juveniles / Bottom culture / Ear hanging / Equipment design

Makarova, L.G., Yu.E. Bregman, G.M. Guyda, and G.I. Viktorovskaya. 1988.

Early ontogenesis of the yezo scallop, *Patinopecten yessoensis* (Jay): quantitative characteristics of metabolism in a laboratory culture. -- Can. Transl. Fish. Aquatic Sci. 5425: 20p.

[Translation from Russian; Pp. 11-24 in *Biologiya i kul'tivirovaniye mollyuskov*, Moscow, *Sbornik nauchnykh trudov*. VNIRO, Moscow 1987.]

KEYWORDS: *Patinopecten yessoensis* / Adults / Spawning / Larvae / Diet / Energetics / Respiration / Larval development / Mortality / Age/length relationship / Nutrition / Larval density / Aquaculture / Juvenile growth / Settlement and metamorphosis

Malachowski, M. 1988.

The reproductive cycle of the rock scallop *Hinnites gigantea* (Grey) in Humbolt Bay, California. -- J. Shellfish Res. 7(3): 341-348.

KEYWORDS: *Crassadoma gigantea* / United States, Western / Pacific, Eastern / California / Reproduction / Gametogenesis / Histology / Adults

Manzi, J.J., N.H. Hadley, and C.R. Battey. 1987.

Culture of bivalve mollusks in shrimp ponds. -- J. World Aquacult. Soc. 18(1): 23a.

Abstract only.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / United States, Eastern / South Carolina / Polyculture / Juvenile growth / Aquaculture

183

Mateo, E.S., C.D. Peña, E.L. Guzman, and R.C. López. 1975.
Parasito cousante de castración de la concha de Abanico
(Argopecten purpuratus). [Parasitic cause of castration of the
scallop (Argopecten purpuratus).] -- Biol. Lima 18(40): 81-86.

In Spanish.

KEYWORDS: Argopecten purpuratus / Pacific, Southern / Peru /
Adults / Parasites / Mortality

184

Mayo Perez R. 1987.
Scallop (Argopecten purpuratus) culture in Peru. Pp. 20-21, in
A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid
Workshop, Menai Bridge, Wales, 9-14 April 1987. International
Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Argopecten purpuratus / Pacific, Southern / Peru /
Aquaculture / Spat collection / Bottom culture / Juvenile growth /
Habitat / Adult mortality

185

McKoy, J. 1982.
New scallop research program. -- Catch, 1982 (June): 16.

KEYWORDS: Pacific, Southern / Australia / Fishery / Management
/ Population / Aquaculture / Seeding

186

Medcof, J.C., and N. Bourne. 1962.
Causes of mortality of the sea scallop, Placopecten
magellanicus. -- Proc. Natl. Shellfish Assoc. 53: 33-50.

KEYWORDS: Placopecten magellanicus / Atlantic, Western /
Canada, Eastern / Adults / Shell morphology / Predators / Parasites
/ Fishery / Mortality

187

Medcof, J.C., A.H. Leim, A.B. Needler, A.W.H. Needler, J. Gibbard,
and J. Naubert. 1947.
Paralytic shellfish poisoning on the Canadian Atlantic coast.
-- Bull. Fish. Res. Bd. Can. 75: 32p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western /
Canada, Eastern / New Brunswick / Shellfish poisoning / Toxicity /
Phytoplankton

Minchin, D. 1987.

Up-slope movements in the scallop. Pp. 21-22, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: *Pecten maximus* / Adults / Behaviour

Minchin, D., C.B. Duggan, and W. King. 1987.

Possible influence of organotins on the Pectinacea. Pp. 21-22, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: *Pecten maximus* / *Chlamys varia* / Atlantic, Eastern / Ireland / Adults / TBTO / Recruitment / Toxicity / Pollution / Population

Mohn, R.K., D.L. Roddick, and G. Robert. 1987.

How old is a two year-old scallop anyway? -- Can. Atl. Fish. Advisory Comm. Working Paper 87/9: 10p.

KEYWORDS: Atlantic, Western / Canada, Eastern / Adult growth / Age/height relationship / Temperature

Mori, K., and K. Osanai. 1977.

Abnormal gonad development observed in one-year-old scallops cultivated in Yamada Bay. -- Bull. Jpn. Soc. Sci. Fish. 43(1): 9-17.

In Japanese; English abstract.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Eastern / Japan / Histology / Gametogenesis / Hermaphroditism / Reproduction / Mortality

Motavkin, P.A. ed. 1986.

Primorskij grebeshok. [Japanese scallop, Mizuhopecten yessoensis (Jay)]. -- DVNTS AN SSSR, Valdivostok, USSR. -- 244p.

In Russian, English summary.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / USSR / Bibliography

Moyer, M., and N. Blake. 1987.

Fluctuations in production of calico scallop (Argopecten gibbus) from the southeast coast of the United States. P. 22, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Argopecten gibbus / Atlantic, Western / United States, Eastern / Adults / Fishery / Reproduction / Stock assessment

Murphy, E.J., and A.R. Brand. 1987.

Yield per recruit analyses for north Irish Sea scallop (Pecten Maximus) stocks. P. 23, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Adults / Population / Fishery / Stock assessment / Recruitment / Management

Nagasawa, D., J. Bresciani, and J. Lützen. 1988.

Morphology of Pectenophilus ornatus, new genus, new species, a copepod parasite of the Japanese scallop Patinopecten yessoensis. -- J. Crustacean Biol. 8(1): 31-42.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Adults / Parasites

Naidu, K.S. 1987.

Predation of scallops by American plaice, Hippoglosoide platessoides. P. 23, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Chlamys islandica / Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Juveniles / Predators

Naidu, K.S. 1988.

Estimating mortality rates in the Iceland scallop, Chlamys islandica (O.F. Müller). -- J. Shellfish Res. 7(1): 61-71.

KEYWORDS: Chlamys islandica / Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Adults / Habitat / Population / Mortality / Age/height relationship

Naidu, K.S., and J.T. Anderson. 1984.

Aspects of scallop recruitment on St. Pierre Bank in relation to oceanography and implications for resource management. -- Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 84/29: 15p.

KEYWORDS: Placopecten magellanicus / Chlamys islandica / Atlantic, Western / Canada, Eastern / Newfoundland / Habitat / Management / Fishery / Recruitment / Population

Nelson, C.L., and S.E. Siddall. 1988.

Effects of an algal bloom isolate on growth and survival of bay scallop (Argopecten irradians) larvae. -- J. Shellfish Res. 7(4): 683-694.

KEYWORDS: Argopecten irradians / Diet / Filtration rate / Juvenile growth / Larval growth / Phytoplankton

Nelson, D.A., J.E. Miller, and A. Calabrese. 1988.

Effect of heavy metals on bay scallops, surf clams and blue mussels in acute and long-term exposures. -- Arch. Environ. Contam. Toxicol. 17: 595-600.

KEYWORDS: Argopecten irradians / Juveniles / Toxicity / Metals / Mortality / Bioassay

O'Kelly, K. 1987.

Recent developments of the scallop fisheries of South Connemara. P. 24, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Ireland / Adults / Fishery / Management

Ojima, T., and K. Nishita. 1988.

Biochemical characteristics of the Mr 52,000 component of akazara scallop troponin. -- J. Biochem. 104: 207-210.

KEYWORDS: *Chlamys nipponensis akazara* / Biochemical composition / Physiology

Paquette, P. 1988.

Mollusc culture in Europe. -- Pp. 355-356, Aquaculture International Congress Proceedings, Sept 6-9, 1988.. Vancouver, Canada.

KEYWORDS: *Pecten maximus* / *Patinopecten yessoensis* / *Pecten jacobaeus* / *Chlamys opercularis* / Atlantic, Eastern / Europe / Aquaculture / Spat collection / Suspended culture / Economics / Bottom culture / Seeding

Paul, J.D. 1987.

An introductory guide to cultivation of the queen scallop (*Chlamys opercularis*). -- MAFF Comm. Tech. Rep.. 297: 28p.

KEYWORDS: *Chlamys opercularis* / Atlantic, Eastern / Great Britain / Biology / Site selection / Suspended culture / Equipment design / Spat collection / Aquaculture / Economics

Paul, J.D., N.C.H. Lake, M.B. Jones, and J. MacMillan. 1987.

Scallop predation by crabs in relation to the development of on-bottom cultivation. Pp. 24-25, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: *Pecten maximus* / Adults / Aquaculture / Bottom culture / Predators

Paulet, Y.M., A. Gerard, and A. Lucas. 1987.

Reproductive strategy of two populations of Pecten maximus. P. 25, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Adults / Population / Recruitment / Reproduction / Gametogenesis

Paulet, Y.M., A. Lucas, and A. Gerard. 1988.

Reproduction and larval development in two Pecten maximus (L.) populations from Brittany. -- J. Exp. Mar. Biol. Ecol. 119: 145-156.

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Spawning / Larval development / Gonad index / Reproduction / Recruitment / Gametogenesis / Production

Paulet, Y.M., A. Lucas, and A. Gerard. 1988.

Reproduction and larval development in two Pecten maximus (L.) populations from Brittany. -- J. Exp. Mar. Biol. Ecol. 119(2): 145-156.

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Reproduction / Recruitment / Gonad index / Population / Spawning / Egg size / Larval development / Environmental parameters

Perrin, R.A., and P.R. Hay. 1987.

A history of the Tasmanian scallop industry: diagnosing problems of management. -- Pap. Proc. Royal Soc. Tasmania 121: 1-14.

KEYWORDS: Pecten fumata / Chlamys asperrimus / Equichlamys bifrons / Pacific, Southern / Australia / Tasmania / Fishery / Life history / Regulations / Management / Recruitment / Modelling / Equipment design

210

Peyton, P., M. Kaill, L. Hornig, and B. Osbourne. 1988.

Scallop spat collection study in Kodiak: preliminary results. -- Proceedings of the Fourth Alaska Aquaculture Conference, 18-21 November 1987. Alaska Sea Grant Rep. 88-4: 43-64. -- University of Alaska, Sitka, Alaska.

Alaska Sea Grant Report 88-4.

KEYWORDS: *Patinopecten caurinus* / Pacific, Eastern / United States, Northern / Alaska / Equipment design / Environmental parameters / Species identification / Aquaculture / Gonad index / Spat collection / Temperature / Juvenile growth

211

Pickett, G.D., and A. Franklin. 1975.

The growth of queen scallops (*Chlamys opercularis*) in cages off Plymouth, south-west England. -- Int. Counc. Explor. Sea CM 1975/K:25: 4p.

KEYWORDS: *Chlamys opercularis* / Atlantic, Eastern / Great Britain / Adult growth / Cage culture / Shell morphology / Aging / Age/height relationship / Aquaculture

212

Pitcher, C.R., and A.J. Butler. 1987.

Predation by asterioids, escape response, and morphometrics of scallops with epizoic sponges. -- J. Exp. Mar. Biol. Ecol. 112(3): 233-250.

KEYWORDS: *Chlamys asperrimus* / *Chlamys bifrons* / Predators / Mortality / Escape response / Morphology

213

Posgay, J.A., and K.D. Norman. 1958.

An observation on the spawning of the sea scallop *Placopecten magellanicus* (Gmelin), on Georges Bank. -- Limnol. Oceanogr. 3: 478.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Canada, Eastern / Adults / Spawning / Temperature / Gonad index

214

Ray, S., and V. Jerome. 1987.

Copper, zinc, cadmium and lead in scallops (*Placopecten magellanicus*) from the Maritimes. -- Can. Tech. Rep. Fish. Aquat. Sci. 1519: iii, 29p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Canada, Eastern / Adults / Metals / Toxicity

- 215
- Rhee, Y.W. 1988.
 Ear-hanging the purple-hinged rock scallop. -- Can. Aquacult.
 4(4): B4-B5.
- KEYWORDS: Crassadoma gigantea / Pacific, Eastern / United States, Western / Washington / Ear hanging / Mortality / Height/weight relationship / Parasites / Adult growth / Aquaculture
- 216
- Rhodes, E.W., A. Calabrese, W.D. Cable, and W.S. Landers. 1975.
 The development of methods of rearing the coot clam, Mulinia lateralis, and three species of coastal bivalves in the laboratory. -- Pp. 273-282, in W.L. Smith and M.H. Chaney (eds.), Culture of marine invertebrate animals. -- Plenum Press, New York.
- KEYWORDS: Placopecten magellanicus / Adults / Temperature / Salinity / Spawning / Hatchery / Larval development / Conditioning / Diet
- 217
- Rhodes, E.W., J.C. Widman, and E.L. Grinbergs. 1984.
 Optimal algal concentrations and algal consumption rates for bivalve larvae in culture, and some implication for feeding protocols. -- J. Shellfish Res. 4(1); 99.
- Abstract only.
- KEYWORDS: Argopecten irradians / Larvae / Diet
- 218
- Richardson, C.A., G.F. Gale, and T.J. Venn. 1984.
 The effect of iron ore suspensions and food on the shell growth rate and tissue weights of queen scallops Chlamys opercularis held in the laboratory. -- Marine Environ. Res. 13: 1-31.
- KEYWORDS: Chlamys opercularis / Adults / Metals / Pollution
- 219
- Rines, H.M. 1985.
 Effects of biochemical composition of algal diets on growth and metabolism of juvenile bay scallops Argopecten irradians (Lamarck). -- Ph.D. thesis -- University of Rhode Island, Kingston, Rhode Island. -- 170p.
- KEYWORDS: Argopecten irradians / Juveniles / Diet / Respiration / Juvenile growth / Energetics / Filtration rate / Biochemical composition

220

Robbins, I.J., P. Lubet, and J-Y. Besnard. 1987.

RNA/DNA ratio, an index of sexual stage in Pecten maximus? P. 26, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Pecten maximus / Adults / Reproduction / RNA/DNA ratio

221

Robert, G. 1987.

Meat count and growth-overfishing in the Canadian Georges Bank scallop fishery. P. 26, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Atlantic, Western / Canada, Eastern / Fishery / Management / Modelling / Population

222

Robert, J. 1988.

Underwater world: the sea scallop. -- Communications Directorate, Department of Fisheries and Oceans, Ottawa, Canada. -- 8p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Distribution / Morphology / Habitat / Reproduction / Adult growth / Fishery / Shellfish poisoning / Management / Behaviour / Predators

223

Robinson, W., W.E. Wehling, and M.P.Morse. 1980.

Turbidity effects on Placopecten magellanicus gill morphology. -- Am. Zool. 20(4): 892.

Abstract only.

KEYWORDS: Placopecten magellanicus / Morphology / Turbidity / Mortality

- 224
- Roddick, D.L., and R.K. Mohn. 1985.
Use of age-length information in scallop assessments. -- Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 85/37: 16p.
- KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Canada, Eastern / Population / Modelling / Aging / Age/length relationship
- 225
- Roman, G., and J. Cano. 1987.
Pectinid settlement on collectors in Malaga, SE Spain, in 1985. P. 27, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.
- Summary only.
- KEYWORDS: *Pecten maximus* / *Chlamys varia* / Atlantic, Eastern / Spain / Aquaculture / Spat collection / Temperature / Environmental parameters / Juveniles
- 226
- Rose, R.A., G.R. Campbell, and S.G. Sanders. 1988.
Larval development of the saucer scallop *Amusium balloti* (Bernardi) (Mollusca: Pectinidae). -- Aust. J. Mar. Freshwater Res. 39(2): 153-160.
- KEYWORDS: *Amusium balloti* / *Chlamys asperrimus* / Pacific, Southern / Australia / Adults / Spawning / Embryonic development / Larval development / Hinge morphology
- 227
- Rubach, S, and J.H. Sundet. 1988.
Resource inventory of Iceland scallops *Chlamys islandica* O.F. (Muller) in the Jan Mayen and Spitsbergen areas during 1986. -- Can. Transl. Fish. Aquatic Sci. 5352: 68p.
- [Translation from Norwegian: Ressurskartlegging av Haneskjell *Chlamys islandica* (O.F. Muller) ved Jan Mayen og i Svalbardsonen i 1986.]
- KEYWORDS: *Chlamys islandica* / Atlantic, Eastern / Norway / Adult growth / Habitat / Life history / Reproduction / Distribution / Age composition / Population / Size distribution / Age/height relationship / Sex ratio / Height/weight relationship

228

Sabo, B.D., and E.W. Rhodes. 1987.

Indexed bibliography of the bay scallop (Argopecten irradians). -- NOAA Tech. Memo. NMFS-F/NEC-48: 85p.

KEYWORDS: Argopecten irradians / Bibliography

229

Salaya, J.J., and P.E. Penchaszadeh. 1979.

Pesqueria de la Viera, Pecten papyraceus (Mollusca - Bivalvia), en Venezuela. [Scallop fishery, Pecten papyraceus (Mollusca - Bivalvia) in Venezuela.] -- Pp. 105-110, in J.B. Higman, (ed.) Proceedings 31st Annual Gulf and Caribbean Fisheries Institute, Cajun Mexico, (1978 Nov.): 105-110.

In Spanish, English Abstract.

KEYWORDS: Pecten papyraceus / Atlantic, Western / Venezuela / Fishery / Distribution / Reproduction / Spawning / Taxonomy

230

Samain, J.F., J.C. Cochard, L. Chevolut, J.Y. Daniel, C. Jeanthon, J.R. Le Coz, Y. Marty, J. Moal, D. Prieur, and M. Salaun. 1987.

Effet de la qualite de l'eau sur la croissance larvaire de Pecten maximus en ecloserie: observations preliminaires. [Effect of the quality of sea water on the larval growth of Pecten maximus in a hatchery: preliminary results.] -- *Haliotis* 16: 363-381.

In French, English abstract.

KEYWORDS: Pecten maximus / Larvae / Larval growth / Water quality / Hatchery

231

Sause, B.L., D. Gwyther, and D. Burgess. 1987.

Larval settlement, juvenile growth and the potential use of spatfall indices to predict recruitment of the scallop Pecten alba Tate in Port Phillip Bay, Victoria, Australia. -- *Fish. Res.* (Amst.) 6(1): 81-92.

KEYWORDS: Pecten alba / Pacific, Southern / Australia / Fishery / Recruitment / Spat collection / Population / Juvenile growth / Cage culture

232

Sause, B.L., D. Gwyther, P.J. Hanna, and N.A. O'Connor. 1987.

Evidence for winter-spring spawning of the scallop Pecten alba (Tate) in Port Phillip Bay, Victoria. -- Aust. J. Mar. Freshw. Res. 38: 329-337.

KEYWORDS: Pecten alba / Pacific, Southern / Australia / Adults / Spawning / Reproduction / Gonad index / Gametogenesis / Histology

233

Schick, D., S. Shumway, and M.A. Hunter. 1988.

A comparison of growth rate between shallow water and deep water populations of scallops, Placopecten magellanicus (Gmelin, 1791), in the Gulf of Maine. -- Am. Malacol. Bull. 6(1): 1-8.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / United States, Eastern / Maine / Adults / Age/height relationship / Environmental parameters

234

Shaw, W.N. 1974.

Shellfish culture in Japan. -- Pp. 107-110 in W.N. Shaw (ed.) Proceedings First US-Japan Meeting on Aquaculture, Tokyo Japan, October 18-19, 1971. NOAA Tech. Rep. NMFS Circ-388.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Fishery / Aquaculture / Suspended culture / Spawning / Spat collection / Ear hanging / Economics

235

Shaw, W.N. 1974.

Aquaculture of molluscs along the United States Atlantic and Gulf coasts. -- Pp. 57-65 in W.N. Shaw (ed.), Proceedings of the First US-Japan Meeting on Aquaculture, Tokyo Japan. October 18-19, 1971. NOAA Tech. Rep. NMFS Circ-388.

KEYWORDS: Argopecten irradians / Atlantic, Western / United States, Eastern / Economics / Aquaculture

236

Sheldon, R.W. 1967.

Relationship between shell-weight and age in certain molluscs. -- J. Fish. Res. Bd. Can. 24(5): 1165-1171.

KEYWORDS: Pecten maximus / Age/weight relationship

237

Shimizu, Y. 1982.

Shellfish aquaculture and paralytic shellfish poisoning. -- Pp. 38-48, in Aquaculture: public health, regulatory and management aspects. Proceedings of the 6th U.S. Food and Drug Administration Science Symposium on Aquaculture, February 1980, New Orleans, Louisiana.

KEYWORDS: *Patinopecten yessoensis* / *Placopecten magellanicus* / Toxicity / Shellfish poisoning / Regulations

238

Shimizu, Y., and M. Yoshioka. 1981.

Transformation of paralytic shellfish toxins as demonstrated in scallop homogenates. -- Science 212: 547-549.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Canada, Eastern / New Brunswick / Toxicity / Shellfish poisoning / Physiology

239

Shumway, S., J. Barter, and J. Stahlnecker. 1988.

Seasonal changes in oxygen consumption of the giant scallop, *Placopecten magellanicus* (Gmelin). -- J. Shellfish Res. 7(1): 77-82.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / United States, Eastern / Maine / Adults / Diet / Respiration / Reproduction / Energetics

240

Shumway, S., and D. Schick. 1987.

Variability of growth, meat count and reproductive capacity in *Placopecten magellanicus*: are current management policies sufficiently flexible? -- Int. Counc. Explor. Sea CM 1987/K:2: 26p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Canada, Eastern / United States, Eastern / Fishery / Adult growth / Production / Management / Reproduction / Environmental parameters / Height/weight relationship / Age/height relationship

241

Shumway, S., R. Selvin, and D. Schick. 1987.

Food resources related to habitat in the scallop *Placopecten magellanicus* (Gmelin, 1791): a qualitative study. -- J. Shellfish Res. 6(2): 89-95.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / United States, Eastern / Maine / Adult growth / Diet / Environmental parameters / Habitat

- 242
- Silina, A.V. 1983.
 Vliyanie temperature na lineiny primorskogo grebeshka.
 [Influence of temperature on linear growth of marine pectinids.] --
 Ekologiya 5: 86-89.
- In Russian.
- KEYWORDS: Patinopecten yessoensis / Pacific, Western / USSR /
 Adult growth / Temperature
- 243
- Silina, A.V., L.A. Pozdnyakova, and S.I. Kiyashko. 1988.
 Microsculpture, chemical and isotope composition of the shell
 of a scallop Patinopecten caurinus (Pectinida, Pectinidae). --
 Zool. Zh. 67(3): 340-345.
- In Russian.
- KEYWORDS: Patinopecten caurinus / Patinopecten yessoensis /
 Pacific, Western / USSR / Adults / Aging / Adult growth / Shell
 morphology
- 244
- Silva, M.A. 1987.
 Larval behaviour of the sea scallop Placopecten magellanicus
 under laboratory conditions: effect of light on swimming behaviour
 throughout development. -- J. Shellfish Res. 7(1): 176.
- Abstract only.
- KEYWORDS: Placopecten magellanicus / Larval development /
 Behaviour
- 245
- Skender, D. (comp.) 1987.
 Tassie scallop industry to reach new heights. -- Austasia
 Aquacult. Mag. 2(4): 9-10.
- KEYWORDS: Pacific, Southern / Australia / Tasmania / Spat
 collection / Cage culture / Bottom culture / Juvenile growth /
 Management / Aquaculture
- 246
- Smith, S.J., and R.K. Mohn. 1987.
 Considerations on the representation and analysis of a
 spatially aggregated resource: Georges Bank scallops. -- Int.
 Counc. Explor. Sea CM 1987/K:26: 19p.
- KEYWORDS: Placopecten magellanicus / Atlantic, Western /
 Canada, Eastern / Management / Modelling / Population /
 Distribution / Sampling

- 247
- Stafford, J. 1909.
On recognition of bivalve larvae in plankton collections. --
Contrib. Can. Biol. 1906-1910: 221-242.
- KEYWORDS: *Placopecten magellanicus* / *Chlamys islandica* /
Atlantic, Western / Canada, Eastern / Sampling / Larval morphology
/ Larval physiology / Fishery / Larval distribution
- 248
- Starr, R.M., and J.E. McCrae. 1984.
Age and growth of the Pacific weathervane scallop *Patinopecten*
caurinus off Oregon. -- J. Shellfish Res. 4(1): 111.
- Abstract only.
- KEYWORDS: *Patinopecten caurinus* / Pacific, Eastern / United
States, Western / Oregon / Recruitment / Population / Age
composition / Height/weight relationship
- 249
- Stevens, P. 1988.
Scallops: in a silty situation? -- Catch 1988 (June): 20-23.
KEYWORDS: Adults / Juveniles / Turbidity / Sediment /
Mortality / Respiration
- 250
- Stevens, P.M. 1987.
Response of excised gill tissue from the New Zealand scallop
Pecten novaezelandiae to suspended silt. -- N. Z. J. Marine Freshw.
Res. 21: 605-614.
- KEYWORDS: *Pecten novaezelandiae* / *Patinopecten yessoensis* /
Adults / Juveniles / Turbidity / Mortality / Filtration rate /
Respiration
- 251
- Stevenson, J.A. 1932.
Growth of the giant scallop (*Placopecten grandis* (Sol.)),
1932. -- Manusc. Rep. Ser. Fish. Res. Bd. Can. 420: 33p.
- KEYWORDS: *Placopecten magellanicus* / *Argopecten irradians* /
Atlantic, Western / Canada, Eastern / Population / Size composition
/ Diet / Shell morphology / Aging / Adult growth / Habitat / Age
composition / Height/weight relationship / Length/height
relationship

252

Stevenson, J.A. 1934.

The growth-rate, temperature and salinity relations of the giant scallop Placopecten grandis (Solander). -- Manusc. Rep. Ser. Fish. Res. Bd. Can. 248: 41p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Adult growth / Aging / Age/height relationship / Environmental parameters / Recruitment / Spawning / Larval growth / Diet / Mortality / Behaviour / Population / Embryonic development

253

Stevenson, J.A. 1934.

Bivalve larvae observations. -- Biol. Board Can. Manusc. Rep. 124: 4p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Larvae / Distribution / Species identification

254

Stevenson, J.A. 1936.

The Canadian scallop: its fishery, life-history and some environmental relationships. -- Manusc. Rep. Ser. Fish. Res. Bd. Can. 373: 184p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Fishery / Economics / Equipment design / Diet / Population / Life history / Aging / Adult growth / Length/height relationship / Height/weight relationship / Environmental parameters / Distribution / Age/weight relationship / Embryonic development / Larval development

255

Sturgess, N.H., N. Dow, and P. Belin. 1982.

Management of the Victorian scallop fishery: retrospect and prospect. -- Pp. 277-31, in N.H. Sturgess and T.F. Meany (eds.), Policy and practice in fisheries management: proceedings of the National Fisheries Seminar on Economic Aspects of Limited Entry and Associated Fisheries Management Measures, Melbourne, February 1980.

KEYWORDS: Pecten alba / Pacific, Southern / Australia / Life history / Reproduction / Fishery / Management / Modelling / Economics

256

Tabarini, C.L. 1984.

Induced triploidy in the Atlantic bay scallop Argopecten irradians and its effect on growth and gametogenesis. -- J. Shellfish Res. 4(1): 101-102.

Abstract only.

KEYWORDS: Argopecten irradians / Triploidy / Genetics / Physiology / Aquaculture

257

Tan, F.C., D. Cai, and D.L. Roddick. 1988.

Oxygen isotope studies on sea scallops, Placopecten magellanicus, from Browns Bank, Nova Scotia. -- Can. J. Fish. Aquat. Sci. 45(8): 1378-1386.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Nova Scotia / Adults / Aging / Adult growth

258

Tanaka, K., K. Takayanagi, T. Ninomiya, and T. Nakamura. 1959.

Abashiri shichō kannai ni okeru hotategai gyogto zōshoku taesaku nō gaibō. [Outline of the measures taken concerning scallop aquaculture and the scallop fishery in the area under the jurisdiction of the Abashiri district office.] -- Hokusushi Geppo 6(7): 20p.

In Japanese.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Adult growth / Equipment design / Juvenile growth / Economics / Stock enhancement / Fishery / Aquaculture

259

Tettlebach, S.T. 1985.

Seasonality of factors responsible for mortality of the northern bay scallop Argopecten irradians irradians (Lamarck). -- J. Shellfish Res. 5(1): 43.

Abstract only.

KEYWORDS: Argopecten irradians / Atlantic, Western / United States, Eastern / Connecticut / Adults / Mortality / Environmental parameters / Habitat / Predators

Tettlebach, S.T. 1986.

Dynamics of crustacean predation on the northern bay scallop, Argopecten irradians irradians. -- Ph.D. thesis. -- University of Connecticut, Storrs, Connecticut. -- 229p.

KEYWORDS: Argopecten irradians / Atlantic, Western / United States, Eastern / Adults / Juveniles / Predators / Temperature / Environmental parameters / Mortality

Tettlebach, S.T., C.F. Smith, J.E.III Kaldy, T.W. Arroll, and M.R. Denson. 1988.

Winter burial of northern bay scallops, Argopecten irradians. -- J. Shellfish Res. 7(2): 207-208.

Abstract only.

KEYWORDS: Atlantic, Western / United States, Eastern / New York / Adults / Mortality / Sediment / Temperature / Behaviour

Thomas, F.B., and H.J. Porter. 1978.

Water uptake in scallops: methods of analysis and influencing factors. -- Div. Mar. Fish. N. Carolina Dept. Nat. Res. and Comm. Devel. Spec. Sci. Rep. 29: 33p.

KEYWORDS: Argopecten irradians / Argopecten gibbus / Placopecten magellanicus / Adults / Fishery / Marketing / Processing / Regulations

Thouzeau, G., and D. Lehay. 1988.

Variabilité spatio-temporelle de la distribution, de la croissance et de la survie des juvéniles de Pecten maximus (L.) issus des pontes 1985, en baie de Saint-Brieuc. [Spatio-temporal variability of the distribution, growth and survival of Pecten maximus juveniles from the 1985 summer spawning, in the Bay of Saint-Brieuc.] -- Oceanol. Acta 11(3): 267-283.

In French; English abstract.

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Juveniles / Distribution / Modelling / Sampling / Population / Recruitment / Environmental parameters

264

Toullec, J-Y., F. Lenoir, A. Van Wormhoudt, and M. Mathieu. 1988.
 Nonspecies-specific growth factor from cerebral ganglia of
Mytilus edulis. -- J. Exp. Mar. Biol. Ecol. 119(2): 111-118.

KEYWORDS: Pecten maximus / Chlamys opercularis / Adult growth
 / Biochemical composition / Gametogenesis

265

Tremblay, M.J. (ed). 1988.
 A summary of the proceedings of the Halifax sea scallop
 workshop, August 13-14, 1987. -- Can. Tech. Rep. Fish. Aquat. Sci.
 1605: 12p.

KEYWORDS: Argopecten irradians / Placopecten magellanicus /
 Patinopecten yessoensis / Atlantic, Western / Reproduction /
 Gametogenesis / Diet / Hatchery / Spawning / Larval development /
 Settlement and metamorphosis / Mortality / Spat collection /
 Predators / Suspended culture / Bottom culture / Economics /
 Population / Genetics / Larval distribution / Recruitment

266

Tremblay, M.J., L.D. Meade, and G.V. Hurley. 1987.
 Identification of planktonic sea scallop larvae (Placopecten
magellanicus)(Gmelin). -- Can. J. Fish. Aquat. Sci. 44: 1361-1366.

KEYWORDS: Placopecten magellanicus / Chlamys islandica /
 Atlantic, Western / Larvae / Species identification / Shell
 morphology / Hinge morphology

267

Tremblay, M.J., and M. Sinclair. 1986.
 The horizontal distribution of larval sea scallops
 (Placopecten magellanicus) in the Bay of Fundy, on the Scotian
 Shelf and on Georges Bank. -- NAFO SCR Doc. 86/98: 15p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western /
 Canada, Eastern / Larval distribution / Taxonomy / Sampling /
 Recruitment

268

Tremblay, M.J., and M. Sinclair. 1987.
 The vertical distribution of sea scallop (Placopecten
magellanicus) larvae in the Bay of Fundy and on Georges Bank. -- J.
 Shellfish Res. 7(1): 178-179.

Abstract only.

KEYWORDS: Placopecten magellanicus / Atlantic, Western /
 Canada, Eastern / Larvae / Distribution / Depth / Vertical
 migration

Tripp, Q.A. 1987.

Aspectos tecnicos y biologicos para el cultivo de Argopecten circularis en Bahía Magdalena. [Technical and biological aspects of Argopecten circularis culture in Magdalena Bay.] -- Pp. 155-160, in E.M. Ramirez Rodriguez (ed.). Simposium Sobre Investigacion en Biología y Oceanographia Pesquera en Mexico La Paz, B.C.S., Abril 1987. -- Consejo Nacional de Ciencia y Tecnologia, Instituto Politecnico Nacional, La Paz, Mexico.

In Spanish; English abstract.

KEYWORDS: Argopecten circularis / Pacific, Eastern / Mexico / Spat collection / Site selection / Suspended culture / Mortality / Adult growth / Temperature / Fouling organisms / Aquaculture / Environmental parameters

270

Tubiash, H.S., and P.E. Chanley. 1963.

Bacterial necrosis of bivalve larvae. -- Bacteriol. Proc. 1963: 164.

KEYWORDS: Argopecten irradians / Disease / Antibiotics / Aquaculture / Larvae / Mortality

271

Tubiash, H.S., P.E. Chanley, and E. Leifson. 1965.

Bacillary necrosis, a disease of larval and juvenile bivalve molluscs. -- J. Bacteriol. 90: 1036-1044.

KEYWORDS: Argopecten irradians / Larvae / Juveniles / Antibiotics / Disease / Vibrio / Mortality

272

Twarog, B.M., T. Hidaka, and H. Yamaguchi. 1972.

Resistance to tetrodotoxin and saxitoxin in nerves of bivalve molluscs. A possible correlation with paralytic shellfish poisoning. -- Toxicol. 10(3): 273-278.

KEYWORDS: Placopecten magellanicus / Crassadoma gigantea / Argopecten irradians / Adults / Toxicity / Shellfish poisoning

273

Twarog, B.M., and H. Yamaguchi. 1975.

Resistance to paralytic shellfish toxins in bivalve molluscs. -- Pp. 381-393, in V.R. LoCicero (ed.), Proceedings of the First International Conference on Toxic Dinoflagellate Blooms, November 1974, Boston Massachusetts.

KEYWORDS: Placopecten magellanicus / Argopecten irradians / Toxicity / Shellfish poisoning / Physiology

274

Uribe, J.C., D. Lopez, and M. Gonzalez. 1982.

Descripcion de algunos estados larvarios y post-larvarios de bivalvos chilenos. II. Pectinidae. [Description of some larval and postlarval stages of chilean bivalves.] -- Mus. Nac. Hist. Nat. Not. Mens. (Santiago) 26(303-304: 4-10.

In Spanish.

KEYWORDS: *Chlamys patriciae* / Pacific, Southern / Chile / Larvae / Juveniles / Larval morphology / Species identification / Shell morphology / Hinge morphology

275

Van Citter, R. 1985.

Serotonin induces spawning in many west coast bivalve species. -- J. Shellfish Res. 5(1): 55.

Abstract only.

KEYWORDS: *Chlamys rubida* / *Patinopecten caurinus* / *Crassadoma gigantea* / Pacific, Eastern / Adults / Spawning / Serotonin

276

Viktorovskaya, G.I., and V.V. Yevdokimov. 1988.

Temperature-induced gametogenesis in the Yezo scallop. -- Can. Transl. Fish. Aquatic Sci. 5427: 11p.

[Translation from Russian; Biology and cultivation of mollusks (Biologiya i kul'tivirovaniye mollyuskov). Moscow, Sb. Nauchn. Tr. VNIRO, 1987: 3-10.]

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / USSR / Reproduction / Histology / Spawning / Gametogenesis / Gonad index / Conditioning / Embryonic development / Larval development

277

Volckaert, F. 1987.

Genetics of growth and of metabolic physiology in deep-sea scallops (*Placopecten magellanicus* [Gmelin]). P. 28, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: *Placopecten magellanicus* / Genetics / Respiration / Adult growth / Energetics

278

Walne, P.R., and P.C. Wood. 1974.

A review of some of the shellfish research undertaken at the laboratories in 1973. -- Shellfish Info. Leaflet, Min. Agric. Fish. Food, G. Br. 33: 46p.

KEYWORDS: *Chlamys opercularis* / Atlantic, Eastern / Great Britain / Fishery / Settlement and metamorphosis / Life history

279

Waloszek, D. 1987.

Notes on *Chlamys patagonica* (King and Broderip, 1832) from the Argentinian Shelf. P. 28, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: *Chlamys patagonica* / Pacific, Southern / Argentina / Distribution / Reproduction / Life history / Population / Adult growth

280

Whyte, J.N.C. 1987. P. 29, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: *Patinopecten yessoensis* / Larvae / Larval growth / Biochemical composition / Energetics

281

Whyte, J.N.C. 1988.

Fatty acid profiles from direct methanolysis of lipids in tissue of cultured species. -- Aquaculture 75: 193-203.

KEYWORDS: *Patinopecten yessoensis* / Eggs / Larvae / Juveniles / Phytoplankton / Biochemical composition / Chromatography / Diet

282

Whyte, J.N.C., N. Bourne, and C.A. Hodgson. 1987.

Assessment of biochemical composition and energy reserves in larvae of the scallop *Patinopecten yessoensis*. -- J. Exp. Mar. Biol. Ecol. 113: 113-124.

KEYWORDS: *Patinopecten yessoensis* / Eggs / Larvae / Biochemical composition / Energetics / Diet

Whyte, J.N.C., and N.G. Ginther. 1988.

Effect of dietary algal constituents on the tissue composition and energy in the larvae of the scallop Patinopecten yessoensis. -- J. Shellfish Res. 7(3): 564.

Abstract only.

KEYWORDS: Patinopecten yessoensis / Larvae / Biochemical composition / Diet

Wiborg, K.F., K. Hansen, and H.E. Olesen. 1974.

Haneskjell (Chlamys islandica Müller) ved Spitsbergen og Bjornoya - undersøkelser i 1973. [Iceland scallop (Chlamys islandica Müller), at Spitsbergen and Bear Island - 1973 investigations.] -- Fiskets Gang 60(11): 38-53.

In Norwegian; English abstract.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Adults / Population / Height/weight relationship / Size distribution / Reproduction

Wildish, D.J., D.D. Kristmanson, R.L. Hoar, A.M. De Coste, S.D. McCormick, and A.W. White. 1987.

Giant scallop feeding and growth responses to flow. -- J. Exp. Mar. Biol. Ecol. 113: 207-220.

KEYWORDS: Placopecten magellanicus / Argopecten irradians / Water currents / Behaviour / Filtration rate / Adult growth / Feeding

Wildish, D.J., A.J. Wilson, W.W. Young-Lai, A.M. De Coste, D.E. Aiken, and J.D. Martin. 1988.

Biological and economic feasibility of four grow-out methods for the culture of giant scallops in the Bay of Fundy. -- Can. Tech. Rep. Fish. Aquat. Sci. 1658: 21p.

KEYWORDS: Placopecten magellanicus / Patinopecten yessoensis / Atlantic, Western / Canada, Eastern / Fishery / Economics / Spat collection / Aquaculture / Suspended culture / Bottom culture / Stocking density / Cage culture / Juvenile growth / Mortality / Predators / Fouling organisms

Wilson, J. 1987.

Reproduction of Pecten maximus in Kilkieran Bay, Co Galway, Ireland. P. 29, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Ireland / Reproduction / Gametogenesis / Gonad index / Histology

Wilson, J. 1987.

Environmental parameters controlling Ostrea edulis L. and Pecten maximus L. in suspended culture. -- Aquaculture 64: 119-131.

KEYWORDS: Pecten maximus / Argopecten irradians / Chlamys islandica / Atlantic, Eastern / Ireland / Juveniles / Temperature / Suspended culture / Environmental parameters / Adult growth / Height/weight relationship / Mortality / Temperature/growth relationship / Water currents

Wilson, J. 1987.

Spawning of Pecten maximus (Pectinidae) and the artificial collection of juveniles in two bays in the west of Ireland. -- Aquaculture 61: 99-111.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Ireland / Adults / Gametogenesis / Spawning / Reproduction / Gonad index / Juveniles / Production / Adult growth / Size distribution / Fecundity / Recruitment / Spat collection / Fouling organisms

Wilson, J. 1987.

Environmental parameters controlling growth of Ostrea edulis L. and Pecten maximus L. in suspended culture. -- Aquaculture 64(2): 119-131.

KEYWORDS: Pecten maximus / Chlamys islandica / Argopecten irradians / Atlantic, Eastern / Ireland / Juveniles / Environmental parameters / Juvenile growth / Suspended culture

Wolff, M. 1987.

Population dynamics of the Peruvian scallop Argopecten purpuratus during El Niño phenomenon of 1983. -- Can. J. Fish. Aquat. Sci. 44(10): 1684-1691.

KEYWORDS: Argopecten purpuratus / Pacific, Southern / Peru / Temperature / Gonad index / Adult growth / Tagging / Mortality / Population

292

Wolff, M., and R. Wolff. 1983.

Observations on utilization and growth of the pectinid Argopecten purpuratus (L.) in the fishing area of Pisco, Peru. -- Biol. Instituto del Mar del Peru 7(6): 211-224.

KEYWORDS: Argopecten purpuratus / Pacific, Southern / Peru / Fishery / Aging / Adult growth / Suspended culture / Age composition / Stock assessment / Distribution / Adult growth / Aquaculture / Population / Size distribution

293

Woodburn, L. 1987.

Variation in Australian Pecten. P. 29, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Pecten fumata / Pecten alba / Pecten meridionalis / Pecten modestus / Pacific, Southern / Australia / Taxonomy / Shell morphology / Distribution / Population / Genetics

294

Worms, J., and L. Davidson. 1986.

The variability of southern Gulf of St. Lawrence sea scallop meat weight - shellheight relationships and its implications for resource management. -- Int. Counc. Explor. Sea CM 1986/K:24: 33p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Adults / Management / Fishery / Environmental parameters / Habitat / Size distribution / Height/weight relationship / Biochemical composition

Worms, J., and L. Davidson. 1986.

Some cases of hermaphroditism in the sea scallop Placopecten magellanicus (Gmelin) from the southern Gulf of St. Lawrence, Canada. -- Venus (Jpn. J. Malac.) 45: 116-126.

KEYWORDS: Placopecten magellanicus / Patinopecten yessoensis / Atlantic, Western / Canada, Eastern / Adults / Hermaphroditism / Reproduction / Gonad index

Yamamoto, G. 1977.

Techniques of scallop culture. -- Pp. 288-364, in T. Imai (ed.), Aquaculture in Shallow Seas: progress in shallow sea culture. -- Amarind Publishing Company, New Dehli, India.

[Translation from Japanese, Koseisha Koseiku Publishing, Tokyo, Japan (1971)].

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Recruitment / Fecundity / Spawning / Gonad index / Aquaculture / Hatchery / Spat collection / Habitat / Suspended culture / Ear hanging / Predators / Bottom culture / Environmental parameters / Reproduction / Fishery / Equipment design

Yamamoto, G., and C. Nishioka. 1943.

[On the development of the scallop by means of artificial fertilization.] -- Bull. Jpn. Soc. Sci. Fish. 11: 219.

In Japanese.

KEYWORDS: Argopecten irradians / Placopecten magellanicus / Spawning

Yoo, S.K. 1969.

Food and growth of the larvae of certain important bivalves. -- Bull. Pusan Fish. Coll. 9(2): 65-87.

KEYWORDS: Patinopecten yessoensis / Larval growth / Diet / Phytoplankton / Larval development / Age/length relationship

Young, P.C., R.B. Martin, and R.J. McLoughlin. 1987.

Spatial variation in growth and condition of commercial scallops in Bass Strait: An experimental approach. P. 30, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Pacific, Southern / Australia / Tasmania / Fishery / Management / Population / Recruitment / Distribution / Tagging

300

Young-Lai, W.W., and D.E. Aiken. 1986.

Biology and culture of the giant scallop Placopecten magellanicus: A review. -- Can. Tech. Rep. Fish. Aquat. Sci. 1478: iv + 21p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada, Eastern / Adult morphology / Distribution / Reproduction / Spawning / Larval development / Settlement and metamorphosis / Aging / Behaviour / Predators / Mortality / Aquaculture / Hatchery / Nursery / Shellfish poisoning / Suspended culture

301

Zagalsky, P.F. 1972.

Comparative studies on the amino acid compositions of some carotenoid-containing lipoglycoproteins and a glycoprotein from the eggs and ovaries of certain aquatic invertebrates. -- Comp. Biochem. Physiol. 41B: 385-395.

KEYWORDS: Pecten maximus / Biochemical composition / Eggs

302

Zahradnik, J.W., D. Valiela, J. Holliday, and K. Gordon. 1985.

Hinnites multirugosus (Gale) and Chlamys rubida (Hinds): wild seed acquisition in British Columbia, Canada. -- J. Shellfish Res. 5(1): 55.

Abstract only.

KEYWORDS: Crassadoma gigantea / Chlamys rubida / Pacific, Eastern / Canada, Western / British Columbia / Spat collection

Zhang, F., Y. He, J. Ma, and X. Liu. 1987.

A study on the meat condition of bay scallop (Argopecten irradians) in Jiaozhouwan Bay, Shandong Province, China. P. 31, in A.R. Beaumont and J. Mason (eds.) The Sixth International Pectinid Workshop, Menai Bridge, Wales, 9-14 April 1987. International Council Explorations Sea CM 1987/K:3.

Summary only.

KEYWORDS: Argopecten irradians / Pacific, Western / China / Aquaculture / Cage culture / Condition index

Zhyubikas, I.I. 1969.

Nekotorve dannve po biologii Pecten yessoensis (Jay) v Kuril-Sakhalnskom rajone. [Some data on biology of Pecten yessoensis (Jay) in Kuril-Sakhalin area.] -- Vest. Leningr. Univ. (Biol.) 21: 21-32.

In Russian; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / USSR / Distribution / Habitat / Population / Diet / Fouling organisms / Predators

AUTHOR INDEX

- Adamkewicz, L., 1
 Aiken, D.E., 286, 300
 Aksnes, D.L., 151
 Alcaraz, M., 83
 Allen, S.K., 2
 Allison, E.H., 46
 Anderson, J.T., 198
 Anon., 3
 Arntz, W.E., 4
 Arroll, T.W., 261
- Bailey, S.K., 5
 Bannister, R.C.A., 72
 Baquerio, E., 6
 Barber, B., 7 to 11, 31
 Bardach, J.E., 12
 Barney, W., 13 to 14
 Barter, J., 239
 Battey, C.R., 182
 Bauer, V., 15
 Bayne, B.L., 177
 Beattie, J.H., 16
 Beaumont, A.R., 17 to 21
 Belanger, M., 114
 Belda, C.A., 22
 Belin, P., 255
 Beninger, P.G., 23 to 24, 163
 Bernard, F.R., 25
 Besnard, J-Y., 26, 169, 220
 Bettinger, T.E., 118
 Birbeck, T.H., 27
 Bisker, R., 28 to 29
 Blake, N., 7 to 9, 30 to 31, 193
 Bloom, S.A., 32
 Bonardelli, J., 33
 Boucher, J., 34, 69
 Bourne, N., 35 to 44, 133, 186, 282
 Bower, S.M., 45
 Brand, A.R., 46, 194
 Brannen, R.E., 47
 Bregman, Yu.E., 180
 Bresciani, J., 195
 Bricelj, V.M., 48, 99
 Briggs, R.P., 49
 Bronson, J., 118
 Buckley, L.J., 122
 Budd, M.D., 21
 Buestel, D., 50 to 55, 70
 Bull, M., 56 to 57
 Burge, R., 96 to 98
- Burgess, D., 231
 Burke, R.D., 134
 Burnell, G.M., 119 to 120
 Burovina, I.V., 58
 Butler, A.J., 212
- Cabello, J., 59
 Cable, W.D., 216
 Cahalan, J.A., 60
 Cai, D., 257
 Calabrese, A., 200, 216
 Campbell, G.R., 226
 Cano, J., 225
 Cantin, C., 116
 Capuli, E.C., 78
 Carberry, G., 13
 Carolsfeld, W., 44
 Carriker, M.R., 101
 Castagna, M., 1, 6, 28 to 29, 61
 Chaffey, C., 14
 Chagot, D., 162
 Chan, G.M., 62
 Chandler, R.A., 67 to 68
 Chanley, P.E., 270 to 271
 Chernoff, H., 63
 Chevolot, L., 230
 Claude, S., 75
 Cochard, J.C., 64, 70, 146, 230
 Collier, C., 14
 Comps, M., 50
 Costello, T.J., 65
 Couturier, C., 139 to 140
 Crenshaw, J.W., 130
 Cropp, D.A., 66, 135
- Dadswell, M.J., 67 to 68
 Daniel, J.Y., 230
 Dao, J.C., 51, 53, 69 to 71
 Dare, P.J., 72
 Davidson, L., 73, 294 to 295
 Davies, I.M., 5, 74
 De Coste, A.M., 285 to 286
 de Kergariou, G., 75, 93
 Del Norte, A.G.C., 22, 76 to 78
 Denson, M.R., 261
 Di Salvo, L.H., 79
 Dickie, L.M., 80
 Dix, T.G., 81
 Doherty, R.M., 82
 Dominguez, M., 83
 Dow, N., 255

- Dow, R.L., 84
 Downing, S.L., 2
 Draheim, G.P., 82
 Dredge, M.C.L., 85 to 89
 Du Paul, W., 90
 Duggan, C.B., 189
 Duggan, W.P., 61
 Dupouy, H., 91 to 93
 Dzyuba, S.M., 94
- Easley, J.E. Jr., 137
 Egge, J.K., 151
 Elston, R.A., 95 to 98
 Epp, J., 48, 99
 Evans, J.W., 100
 Ewart, J.W., 101
- Faveris, R., 102, 169
 Felix-Pico, E.F., 103
 Felvolden, S.E., 104
 Fleming, C.A., 105
 Franklin, A., 211
 Fraser, D.I., 106 to 108
 Frechette, M., 109 to 110, 115
 Fuller, K.M., 111
- Gainey, L.F. Jr., 112
 Gale, G.F., 218
 Gaudet, M., 113 to 114
 Gerard, A., 52 to 54, 64, 70, 206
 to 208
 Getchell, R., 10 to 11
 Gibbard, J., 187
 Giguere, M., 109, 115
 Gilbert, E., 116
 Gillespie, D.M., 131
 Ginther, N.G., 283
 Gnezdilova, S.M. 58
 Golikov, A.N., 117
 Gonzalez, M. 274
 Goodwin, C.L., 118
 Gordon, K., 302
 Gosling, E.M., 119 to 120
 Gould, E., 121 to 122
 Grandy, M.C., 123
 Grinbergs, E.L., 217
 Grizel, H., 162
 Gruzova, M.N., 94
 Guenole, A., 54 to 55
 Guyda, G.M., 180
 Guzman, E.L., 183
 Gwyther, D., 124 to 125, 231 to
 232
- Hadley, N.H., 182
 Haines, K.C., 126
 Halary, C., 70 to 71
 Hanna, P.J., 232
 Hansen, K., 284
 Hardy, R., 127
 Hasegawa, Y., 128
 Hashimoto, K., 129
 Hay, P.R., 209
 He, Y., 303
 Heffernan, P.B., 130 to 131
 Herry, A., 163
 Hidaka, T., 272
 Hirasawa, Y., 132
 Hoar, R.L., 285
 Hodgson, C.A., 40 to 44, 133 to
 134, 282
 Holliday, J., 302
 Hornig, L., 210
 Hortle, M.E., 135
 Howell, T.R.W., 136
 Hsiao, Y-M., 137
 Hsu, C.P., 138
 Huh, H.T., 147
 Hunter, M.A., 233
 Hurley, G.V., 139 to 140, 266
- Idler, D.R., 100
 Ieyama, H., 156
 Illanes-Bucher, J.E., 141 to 142
 Ishihara, A., 143
 Ito, S., 144
- Jamieson, G.S., 145
 Jeanthon, C., 146, 230
 Jeon, J-K., 147
 Jerome, V., 214
 Jhingran, V.G., 148
 Johannes, R.E., 149
 Johnson, T., 137
 Joll, L.M., 150
 Jones, D.S., 157
 Jones, M.B., 158, 205
- Kaartvedt, S., 151
 Kaill, M., 152, 210
 Kalathakis, M., 173
 Kaldy, J.E.III, 261
 Karney, R.C., 165
 Kelley, K., 153
 Kelley, K.M., 154
 Kerns, C., 155
 King, W., 189
 Kiyashko, S.I., 243

- Komaru, A., 156
 Krantz, D.E., 157
 Kristmanson, D.D., 110, 285
 Kuwatani, Y., 128

 Lake, N.C.H., 158, 205
 Landers, W.S., 216
 Langton, R.W., 159
 Lantiegne, M., 160
 Latrouite, D., 93
 Le Borgne, Y., 161
 Le Coz, J.R., 230
 Le Gall, G., 162
 Le Penneec, M., 24, 163 to 164
 Leahy, D., 263
 Leibovitz, L., 165
 Leifson, E., 271
 Leighton, D.L., 166
 Leim, A.H., 187
 Lenoir, F., 170, 264
 Lipina, I.G., 58
 Liu, X., 303
 Loomis, S. H., 167
 Lopez, D., 274
 Lopez, R.C., 183
 Lubet, P., 168 to 170, 220
 Lubet, P.E., 171
 Lucas, A., 172, 206 to 208
 Luckenbach, M., 60
 Lutzen, J., 195
 Lykakis, J., 173

 Ma, J., 303
 MacDonald, B.A., 174 to 177
 MacMillan, J., 205
 Magnesen, T., 178
 Magoon, C., 179
 Makarova, L.G., 180
 Malachowski, M., 181
 Malouf, R.E., 48, 99
 Manzi, J.J., 182
 Marchand, A., 138
 Martin, J.D., 286
 Martin, R.B., 299
 Marty, Y., 230
 Mason, J., 19, 107 to 108
 Mateo, E.S., 183
 Mathieu, M., 170, 264
 Mayo Perez R., 184
 McCormick, S.D., 285
 McCrae, J.E., 248
 McHenery, J.G., 27
 McKoy, J., 185
 McLarnery, (eds.) W.O., 12

 McLoughlin, R.J., 299
 McShane, P.E., 125
 Meade, L.D., 266
 Medcof, J.C., 186 to 187
 Mendoza, R.A., 78
 Mialhe, E., 162
 Miller, J.E., 200
 Minchin, D., 188 to 189
 Mingant, C., 55
 Moal, J., 230
 Mohn, R.K., 190, 224, 246
 Mori, K., 191
 Morize, E., 52
 Motavkin, P.A., 192
 Moyer, M., 8 to 9, 193
 Muller-Feuga, A., 51
 Murphy, E.J., 194

 Nagasawa, D., 195
 Naidu, K.S., 196 to 198
 Nakamura, T., 258
 Naoe, S., 144
 Naubert, J., 187
 Needler, A.B., 187
 Needler, A.W.H., 187
 Nelson, C.L., 199
 Nelson, D.A., 200
 Nikiforov, V.A., 58
 Ninomiya, T., 258
 Nishioka, C., 297
 Nishita, K., 202
 Noguchi, T., 129
 Norman, K.D., 213
 Nottage, A.S., 27

 O'Connor, N.A., 232
 O'Kelly, K., 201
 Ojima, T., 202
 Olesen, H.E., 284
 Osanai, K., 191
 Osbourne, B., 210

 Paquette, P., 50, 203
 Parsons, G.J., 67 to 68
 Paul, J.D., 74, 158, 204 to 205
 Paulet, Y.M., 206 to 208
 Pena, C.D., 183
 Penchaszadeh, P.E., 229
 Perodou, D., 75
 Perrin, R.A., 209
 Peyton, P., 210
 Phleger, C.F., 166
 Pickett, G.D., 211
 Pitcher, C.R., 212

Porter, H.J., 262
 Posgay, J.A., 213
 Pozdnyakova, L.A., 243
 Prieur, D., 146, 164, 230

Ray, S., 214
 Rhee, Y.W., 215
 Rhodes, E.W., 216 to 217, 228
 Richardson, C.A., 218
 Rines, H.M., 219
 Robbins, I., 169
 Robbins, I.J., 220
 Robert, G., 190, 221
 Robert, J., 222
 Robinson, W., 159, 223
 Roddick, D.L., 190, 224, 257
 Rodrick, G.E., 9, 31
 Roman, G., 225
 Rose, R.A., 226
 Rubach, S., 227
 Ryther, J.H., 12

Sabo, B.D., 228
 Saker, S., 90
 Salaun, M., 24, 230
 Salaya, J.J., 229
 Samain, J.F., 230
 Sanders, S.G., 226
 Sause, B.L., 231 to 232
 Scaplen, R., 100
 Scarlato, O.A., 117
 Schick, D., 10 to 11, 233, 240 to 241
 Schott, E.F., 165
 Selvin, R., 241
 Shaw, W.N., 234 to 235
 Sheldon, R.W., 236
 Shimizu, Y., 138, 237 to 238
 Shumway, S., 10 to 11, 112, 233, 239 to 241
 Siddall, S.E., 60, 199
 Silina, A.V., 242 to 243
 Silva, M.A., 244
 Sinclair, M., 267 to 268
 Skender, D., 245
 Smith, C.F., 261
 Smith, J.G.M., 127
 Smith, S.J., 246
 Smyth Chamosa, M., 20
 Stafford, J., 247
 Stahlnecker, J., 239
 Starr, R.M., 248
 Stevens, P., 249

Stevens, P.M., 250
 Stevenson, J.A., 251 to 254
 Sturgess, N.H., 255
 Sundet, J.H., 227

Tabarini, C.L., 256
 Takayanagi, K., 258
 Tan, F.C., 257
 Tanaka, K., 258
 Tettlebach, S.T., 259 to 261
 Thomas, F.B., 262
 Thompson, R.J., 122, 177
 Thouzeau, G., 263
 Toullec, J-Y., 264
 Tremblay, M.J., 139 to 140, 265 to 268
 Tripp, Q.A., 269
 Tserpes, G., 21
 Tubiash, H.S., 270 to 271
 Twarog, B.M., 272 to 273

Uchimura, Y., 156
 Ukhanov, K.Y., 58
 Uribe, J.C., 274

Valdivia, E., 4
 Valiela, D., 302
 Van Citter, R., 275
 Van Wormhoudt, A., 264
 Vasil'eva, V.F., 58
 Vaughn, C.L., 82
 Venn, T.J., 218
 Viktorovskaya, G.I., 180, 276
 Villalaz, J.R., 101
 Vining, R., 179
 Volckaert, F., 277

Wada, K.T., 156
 Walker, R.L., 130 to 131
 Walne, P.R., 278
 Waloszek, D., 279
 Wehling, W.E., 223
 White, A.W., 285
 White, D.J., 82
 Whyte, J.N.C., 280 to 283
 Wiborg, K.F., 284
 Widman, J.C., 217
 Wildish, D.J., 110, 285 to 286
 Wilkinson, M.T., 98
 Willams, D.F., 157
 Wilson, A.J., 286
 Wilson, J., 287 to 290
 Wolff, M., 291 to 292
 Wolff, R., 292

Wood, P.C., 278
Woodburn, L., 293
Worms, J., 294 to 295

Yamaguchi, H., 272 to 273
Yamamoto, G., 296 to 297
Yevdokimov, V.V., 276
Yi, S.K., 147
Yoo, S.K., 298
Yoshioka, M., 238
Young, P.C., 299
Young-Lai, W.W., 286, 300

Zagalsky, P.F., 301
Zahradnik, J.W., 302
Zeballos, J., 4
Zhang, F., 303
Zhyubikas, I.I., 304
Zouros, E., 111

SPECIES INDEX

- Amusium balloti*, 85 to 89, 150, 226
Amusium pleuronectes, 19, 22, 76 to 78
Argopecten circularis, 6, 19, 101, 103, 269
Argopecten gibbus, 8 to 9, 19, 31, 65, 164, 193, 262
Argopecten irradians, 1 to 2, 7, 12, 17 to 19, 28 to 30, 48, 60 to 61, 99, 126, 130 to 131, 137, 153 to 155, 164 to 165, 182, 199 to 200, 217, 219, 228, 235, 251, 256, 259 to 260, 262, 265, 270 to 273, 285, 288, 290, 297, 303
Argopecten irradians concentricus, see *Argopecten irradians*
Argopecten irradians irradians, see *Argopecten irradians*
Argopecten purpuratus, 4, 19, 79, 141 to 142, 183 to 184, 291 to 292

Chlamys asperimus, 63, 209, 212, 226
Chlamys bifrons, 212
Chlamys celator, 105
Chlamys distorta, 172
Chlamys farreri, 147
Chlamys glabra, 19, 173
Chlamys hastata, 19, 32, 35 to 42, 133 to 134, 167
Chlamys islandica, 13 to 14, 19, 104, 109, 115, 196 to 198, 227, 247, 266, 284, 288, 290
Chlamys nipponensis akazara, 129, 202
Chlamys nobilis, 156
Chlamys opercularis, 5, 18 to 19, 27, 46, 72, 83, 106 to 108, 127, 170, 203 to 204, 211, 218, 264, 278
Chlamys patigonica, 279
Chlamys patriae, 274
Chlamys purpuratus, see *Argopecten purpuratus*
Chlamys radiata, 105
Chlamys rubida, 19, 32, 35 to 42, 167, 179, 275, 302
Chlamys sp., 92
Chlamys suprasilis crepusculi, 105

Chlamys varia, 19, 119 to 120, 168, 172, 189, 225
Crassadoma gigantea, 6, 19, 25, 28, 35 to 43, 118, 152, 155, 166, 179, 181, 215, 272, 275, 302

Equichlamys bifrons, 209

Patinopecten caurinus, 16, 19, 35 to 43, 118, 152, 155, 179, 210, 243, 248, 275
Patinopecten yessoensis, 12, 17, 19, 35, 38 to 45, 50 to 52, 58, 62, 66, 94 to 98, 117, 128 to 129, 132, 143 to 144, 147 to 148, 155, 175 to 176, 179 to 180, 191 to 192, 195, 203, 234, 237, 242 to 243, 250, 258, 265, 276, 280 to 283, 286, 295 to 296, 298, 304
Pecten alba, 19, 124 to 125, 231 to 232, 255, 293
Pecten fumata, 19, 66, 135, 209, 293
Pecten grandis, see *Placopecten magellanicus*
Pecten jacobaeus, 15, 50, 203
Pecten laqueatus, 148
Pecten magellanicus, see *Placopecten magellanicus*
Pecten maximus, 5, 12, 17 to 21, 26, 34, 49 to 55, 59, 64, 69 to 72, 74, 91, 93, 102, 106 to 108, 127, 136, 146, 151, 155, 158, 161 to 162, 164, 169 to 171, 178, 188 to 189, 194, 201, 203, 205 to 208, 220, 225, 230, 236, 263 to 264, 287 to 290, 301
Pecten meridionalis, 19, 81, 293
Pecten modestus, 19, 293
Pecten novaezelandiae, 19, 57, 105, 250
Pecten papyraceus, 229
Pecten sp., 92
Pecten vogdesi, 6, 103
Pecten yessoensis, see *Patinopecten yessoensis*
Placopecten grandis, see *Placopecten magellanicus*

Placopecten magellanicus, 3, 10

to 11, 19, 23 to 24, 35, 39
to 43, 47, 67 to 68, 73, 80,
84, 90, 100, 109 to 116, 121
to 123, 138 to 140, 145, 149,
155, 157, 159 to 160, 163 to
165, 174, 177, 186 to 187,
196 to 198, 213 to 214, 216,
222 to 224, 233, 237 to 241,
244, 246 to 247, 251 to 254,
257, 262, 265 to 268, 272 to
273, 277, 285 to 286, 294 to
295, 297, 300

GEOGRAPHIC INDEX

- Alaska, 152, 210
 Argentina, 279
 Atlantic, Eastern, 5, 26, 34, 46,
 49, 51 to 55, 59, 69, 71 to
 72, 75, 83, 91, 93, 106 to
 108, 119 to 120, 127, 136,
 158, 161 to 162, 169, 171,
 178, 189, 194, 201, 203 to
 204, 206 to 208, 211, 225,
 227, 263, 278, 284, 287 to
 290
 Atlantic, Western, 1, 3, 7 to 14,
 30 to 31, 33, 47 to 48, 61,
 65, 67 to 68, 70, 73, 80, 82,
 84, 90, 99 to 101, 104, 109,
 111, 113 to 116, 121, 123,
 130 to 131, 137 to 138, 145,
 149, 153 to 154, 157, 159 to
 160, 174, 177, 182, 186 to
 187, 190, 193, 196 to 198,
 213 to 214, 221 to 222, 224,
 229, 233, 235, 238 to 241,
 246 to 247, 251 to 254, 257,
 259 to 261, 265 to 268, 286,
 294 to 295, 300
 Australia, 56, 63, 66, 81, 85 to
 89, 124 to 125, 135, 150, 185,
 209, 226, 231 to 232, 245,
 255, 293, 299
 British Columbia, 35 to 40, 42 to
 45, 302
 California, 181
 Canada, Eastern, 3, 13 to 14, 33,
 47, 67 to 68, 73, 80, 82, 100,
 109, 111, 113 to 116, 121,
 123, 138, 145, 149, 160, 174,
 177, 186 to 187, 190, 196 to
 198, 213 to 214, 221 to 222,
 224, 238, 240, 246 to 247,
 251 to 254, 257, 267 to 268,
 286, 294 to 295, 300
 Canada, Western, 35 to 40, 42 to
 45, 302
 Chile, 79, 141 to 142, 274
 China, 303
 Connecticut, 259
 Europe, 203
 Florida, 7, 9, 31, 130
 France, 26, 34, 50 to 55, 69 to
 71, 75, 91, 93, 161 to 162,
 169, 171, 206 to 208, 263
 Georgia, 130 to 131
 Great Britain, 46, 49, 72, 106,
 127, 136, 194, 204, 211, 278
 Greece, 173
 Iceland, 104
 Ireland, 119 to 120, 189, 201,
 287 to 290
 Japan, 12, 128 to 129, 132, 143,
 191, 195, 234, 258, 296
 Korea, 147
 Maine, 10 to 11, 84, 159, 233,
 239, 241
 Massachusetts, 154
 Mediterranean Sea, 15, 50, 173
 Mexico, 6, 103, 269
 New Brunswick, 67 to 68, 73, 80,
 187, 238
 New York, 48, 99, 261
 New Zealand, 57, 105
 Newfoundland, 13 to 14, 123, 174,
 177, 198
 North Carolina, 137
 Norway, 104, 178, 227, 284
 Nova Scotia, 257
 Oregon, 248
 Pacific, Eastern, 6, 25, 32, 35
 to 40, 42 to 45, 91, 96 to 97,
 103, 118, 152, 167, 179, 181,
 191, 210, 215, 248, 269, 275,
 302
 Pacific, Southern, 4, 56 to 57,
 63, 76 to 79, 81, 85 to 89,
 105, 124 to 125, 135, 141 to
 142, 150, 183 to 185, 209,
 226, 231 to 232, 245, 255,
 274, 279, 291 to 293, 299

Pacific, Western, 12, 62, 117,
128 to 129, 132, 143, 147,
192, 195, 234, 242 to 243,
258, 276, 296, 303 to 304
Panama, 101
Peru, 4, 183 to 184, 291 to 292
Philippines, 76 to 78

Quebec, 33, 109, 113 to 115

Scotland, 5, 106 to 108, 127, 136
South Carolina, 9, 130, 182
Spain, 59, 83, 225

Tasmania, 56, 66, 81, 209, 245,
299

United Kingdom, 158

United States, Eastern, 1, 7 to
12, 30 to 31, 48, 61, 65, 82,
84, 90, 99, 121, 130 to 131,
137, 153 to 154, 157, 159,
182, 193, 233, 235, 239 to
241, 259 to 261
United States, Northern, 210
United States, Western, 32, 96 to
97, 118, 167, 179, 181, 215,
248
USSR, 62, 117, 192, 242 to 243,
276, 304

Venezuela, 229
Virginia, 61, 90, 157

Washington, 96 to 97, 118, 167,
179, 215

SUBJECT INDEX

- Adult growth, 4, 36, 42, 47 to 48,
 54, 63, 74, 76 to 77, 88, 92
 to 93, 110, 113 to 114, 117,
 120, 124 to 125, 132, 145,
 160, 190, 211, 215, 222, 227,
 240 to 243, 251 to 252, 254,
 257 to 258, 264, 269, 277,
 279, 284 to 285, 288 to 289,
 291 to 292
- Adult morphology, 300
- Adult mortality, 71, 119, 124,
 184
- Adults, 8 to 10, 13 to 14, 17, 23
 to 24, 30 to 32, 36, 41 to 42,
 46, 49, 54, 58, 63, 69, 71 to
 72, 74, 80, 87 to 88, 94, 96
 to 97, 99, 102 to 103, 110,
 119, 121, 123, 125, 127, 142,
 145, 157, 159, 162 to 163,
 165, 168, 171, 173 to 174,
 177, 180 to 181, 183, 186,
 188 to 189, 193 to 195, 197,
 201, 205 to 206, 213 to 214,
 216, 218, 220, 226, 232 to
 233, 239, 243, 249 to 250,
 257, 259 to 262, 272, 275,
 284, 289, 294 to 295
- Age composition, 47, 75, 106, 227,
 248, 251, 292
- Age/height relationship, 47, 93,
 117, 125, 174, 190, 197, 211,
 227, 233, 240, 252, 284
- Age/length relationship, 46, 180,
 224, 298
- Age/weight relationship, 86, 93,
 174, 236, 254
- Aging, 91, 139 to 140, 157, 160,
 211, 224, 243, 251 to 252,
 254, 257, 284, 292, 300
- Antibiotics, 146, 164, 270 to 271
- Aquaculture, 2 to 3, 6, 12, 16,
 19 to 20, 35, 38 to 40, 42 to
 44, 50 to 52, 54 to 55, 57
 59, 61, 64 to 67, 69 to 70,
 79, 81, 92, 100 to 101, 106,
 108, 113 to 114, 116, 128,
 130 to 132, 136, 141 to 143,
 148, 152, 164, 166 to 167,
 178 to 180, 182, 184 to 185,
 203 to 205, 210 to 211, 215,
 225, 234 to 235, 245, 256,
 258, 269 to 270, 286, 292,
 296, 300, 303
 see also Bottom culture,
 Hatchery, Nursery, Spat
 collectors, Suspended culture
- Bacteria, 146
- Behaviour, 15, 27, 32, 92, 110
 151, 188, 222, 244, 252, 261,
 285, 300
- Bibliography, 155, 192, 228
- Bioassay, 200
- Biochemical composition, 26, 74
 99, 102, 121, 169, 202, 219,
 264, 280 to 283, 294, 301
- Biology, 35, 116, 127, 204
- Bottom culture, 54, 56 to 57, 70,
 116, 136, 141, 143, 158, 179,
 184, 203, 205, 245, 265, 286,
 296
- Cage culture, 50, 53, 211, 231,
 245, 286, 303
- Chromatography, 281
- Condition index, 303
 see also Gonad index
- Conditioning, 39, 42, 141, 216,
 276
- Depth, 51, 61, 68, 105, 118, 268
- Diet, 22, 39, 41 to 43, 144, 161,
 166, 175, 180, 199, 216 to
 217, 219, 239, 241, 251 to
 252, 254, 265, 281 to 283,
 298, 304 see also
 Phytoplankton
- Disease, 27, 39, 45, 146, 165,
 270 to 271 see also Parasites
- Vibrio
- Distribution, 35 to 36, 42, 46,
 75, 91, 105, 115, 117, 125,
 128, 142, 145, 150, 159, 179,
 222, 227, 229, 246, 253 to
 254, 263, 268, 279, 292 to
 293, 299 to 300, 304
- DNA, 111

- Ear hanging, 12, 116, 179, 215, 234, 296
 Ecology, 10, 159
 Economics, 4, 12 to 14, 52, 55, 65 to 66, 78, 81 to 82, 90, 92, 103, 116, 123, 132, 153, 155, 203 to 204, 234 to 235, 254 to 255, 258, 265, 286
 Egg size, 10 to 11, 208
 Eggs, 281 to 282, 301
 Embryonic development, 22, 40 to 134, 226, 252, 254, 276
 Energetics, 7, 26, 99, 102, 121, 169, 171, 174 to 177, 180, 219, 239, 277, 280, 282
 Environmental parameters, 30, 33 to 34, 44, 47, 55, 80, 84, 119 to 121, 208, 210, 225, 233, 240 to 241, 252, 254, 259 to 260, 263, 269, 288, 290, 294, 296
 Equipment design, 13 to 14, 51 to 52, 55, 66, 71 to 72, 82, 87, 90 to 92, 116, 126, 132, 135, 137, 179, 204, 209 to 210, 254, 258, 296
 Escape response, 212
 Fecundity, 11, 85, 289, 296
 Feeding, 24, 285 see also Physiology
 Feeding rate, 176
 Fertilization, 22
 Filtration rate, 146, 199, 219, 250, 285
 Fishery, 4, 6, 13 to 14, 19, 35 to 39, 46, 49, 53, 66, 69 to 72, 75 to 78, 82, 84, 86 to 87, 89 to 93, 100, 103, 109, 115 to 117, 123 to 124, 127 to 128, 132, 137, 145, 152, 159, 167, 173, 185 to 186, 193 to 194, 198, 201, 209, 221 to 222, 229, 231, 234, 240, 247, 254 to 255, 258, 262, 278, 286, 292, 294, 296, 299
 Fouling organisms, 32, 63, 81, 135, 165, 269, 286, 289, 304
 Gametogenesis, 2, 7, 10 to 11, 30, 34, 48, 73, 76 to 77, 85, 94, 99, 102, 122, 168 to 170, 172, 181, 191, 206 to 207, 232, 264 to 265, 276, 287, 289
 Genetics, 1, 17 to 18, 20, 104, 111, 119 to 120, 156, 256, 265, 277, 293
 Gill morphology, 24
 Gonad index, 11, 85, 99, 173 to 174, 207 to 208, 210, 213, 232, 276, 287, 289, 291, 295 to 296 see also Condition index
 Gonad weight, 11
 Growth, see Larval growth, Juvenile growth, Adult growth
 Habitat, 13 to 14, 35, 39, 42, 84, 92, 105, 116 to 117, 119, 121, 145, 159, 166, 174, 184, 197 to 198, 222, 227, 241, 251, 259, 294, 296, 304
 Hatchery, 38, 40 to 42, 53, 64, 101, 141 to 142, 146, 161, 216, 230, 265, 296, 300
 Height/length relationship, see Length/height relationship
 Height/weight relationship, 110, 173, 215, 227, 240, 248, 251, 254, 284, 288, 294
 Hermaphroditism, 18, 20, 172, 191, 295
 Hinge morphology, 83, 134, 226, 266, 274
 Histology, 23, 73, 81, 85, 99, 181, 191, 232, 276, 287
 Importation, 96 to 97
 Juvenile growth, 6, 39, 44, 55 to 57, 60 to 61, 67 to 68, 81, 100, 126, 130 to 132, 135, 141, 150, 166, 178, 180, 182, 184, 199, 210, 219, 231, 245, 258, 286, 290
 Juvenile mortality, 39, 53, 57, 70, 81, 131, 136, 143
 Juveniles, 28 to 29, 41 to 42, 50, 54, 57, 62, 66, 70, 74, 96 to 97, 106, 108, 125, 136, 150, 165, 172, 178 to 179, 196, 200, 219, 225, 249 to 250, 260, 263, 271, 274, 281, 288 to 290
 Larvae, 21, 34, 83, 101, 144, 151, 165, 175 to 176, 180, 217, 230, 253, 266, 268, 270 to

- 271, 274, 280 to 283
 Larval density, 176, 180
 Larval development, 16 to 17, 20, 22, 39 to 43, 61, 91, 133 to 134, 141, 180, 207 to 208, 216, 226, 244, 254, 265, 276, 298, 300
 Larval distribution, 83, 247, 265, 267
 Larval growth, 17, 39, 64, 133, 139 to 140, 144, 166, 175, 199, 230, 252, 280, 298
 Larval morphology, 134, 247, 274
 Larval mortality, 39 to 40, 64, 133, 164
 Larval physiology, 247
 Larval shell morphology, 139
 Length/height relationship, 173, 251, 254
 Length/weight relationship, 76 to 77
 Life history, 35 to 36, 39, 86, 89, 91 to 92, 114, 116 to 117, 142, 145, 166 to 167, 179, 209, 227, 254 to 255, 278 to 279 See also Adult growth, Embryonic development, Juvenile growth, Larval development
- Management, 49, 53, 69 to 71, 91, 93, 100, 103, 109, 114, 124, 143, 160, 185, 194, 198, 201, 209, 221 to 222, 240, 245 to 246, 255, 294, 299
 Marketing, 82, 91 to 92, 127, 167, 262
 Metals, 5, 21, 58, 122, 200, 214, 218
 Metamorphosis, see Settlement and metamorphosis
 Modelling, 46, 75, 116, 124, 137, 209, 221, 224, 246, 255, 263
 Morphology, 15, 23, 79, 163, 168, 212, 222 to 223
 Mortality, 6, 21, 28 to 29, 32, 41 to 44, 48, 56, 63, 74, 76 to 77, 80, 86 to 88, 93, 95, 117, 120, 125, 137, 149, 165, 174, 180, 183, 186, 191, 197, 200, 212, 215, 223, 249 to 250, 252, 259 to 261, 265, 269 to 271, 286, 288, 291, 300
 Mutualism, 32
- Nervous system, 168
 Neurotransmitters, see Serotonin
 Nursery, 38 to 42, 53, 55, 141, 161, 178, 300
 Nutrition, 163, 180
- Parasites, 8 to 9, 31, 79, 88, 95, 98, 162, 165, 183, 186, 195, 215
 Physiology, 7, 26, 30, 48, 58, 79, 102, 112, 114, 169 to 171, 176, 202, 238, 256, 273
 Phytoplankton, 129, 138, 144, 187, 199, 281, 298
 Pollution, 189, 218
 Polyculture, 130, 182
 Pond culture, 130
 Population, 10, 19, 35 to 37, 42, 46 to 47, 49, 69, 72, 75 to 77, 84, 86, 88, 91, 93, 100, 104, 106, 109, 111, 114 to 115, 117, 121, 124 to 125, 159 to 160, 171, 173, 185, 189, 194, 197 to 198, 206, 208, 221, 224, 227, 231, 246, 248, 251 to 252, 254, 263, 265, 279, 284, 291 to 293, 299, 304 see also Age composition, Size distribution, Size composition
- Predators, 32, 53, 56, 63, 92, 100, 135 to 136, 143, 158, 165, 186, 196, 205, 212, 222, 259 to 260, 265, 286, 296, 300, 304
 Processing, 262
 Production, 10 to 11, 26, 99, 117, 132, 174, 177, 207, 240, 289, see also Reproduction
 Protozoa, 24, 165
- Quarantine, 50, 96 to 97
- Recruitment, 4, 34, 36, 53, 63, 69 to 72, 75 to 77, 84, 89, 93, 100, 104, 107, 109, 114, 124, 171, 189, 194, 198, 206 to 209, 231, 248, 252, 263, 265, 267, 284, 289, 296, 299
 Regulations, 209, 237, 262
 Reproduction, 7, 10 to 11, 22, 26, 30, 33, 48, 73, 85, 92 to 94, 99, 102, 114, 121 to 122, 124

- 145, 168 to 171, 173 to 174, 177, 181, 191, 193, 206 to 208, 220, 222, 227, 229, 232, 239 to 240, 255, 265, 276, 279, 284, 287, 289, 295 to 296, 300, see also
 Gametogenesis, Production spawning
 Research, 3
 Respiration, 27, 48, 163, 175 to 176, 180, 219, 239, 249 to 250, 277
 RNA/DNA ratio, 220
- Salinity, 105, 216
 Sampling, 246 to 247, 263, 267
 Sediment, 249, 261
 Seeding, 70, 185, 203
 Self-fertilization, 17
 SEM, 23, 62, 83, 139
 Serotonin, 22, 43, 275
 Settlement and metamorphosis, 16, 39, 41 to 43, 64, 72, 133 to 134, 141 to 142, 144, 180, 265, 278, 300
 Sex ratio, 227
 Shell morphology, 1, 25, 62, 83, 140, 150, 186, 211, 243, 251, 266, 274, 293 see also Hinge morphology
 Shellfish poisoning, 112, 129, 138, 147, 187, 222, 237 to 238, 272 to 273, 300
 Site selection, 55, 116, 204, 269
 Size composition, 115, 251
 Size distribution, 88, 173, 227, 284, 289, 292, 294
 Spat collection, 6, 33, 38 to 40, 42 to 43, 51 to 53, 56 to 57, 66 to 70, 81, 92, 100, 106 to 108, 113 to 114, 116 to 118, 135, 141 to 143, 152 to 154, 173, 179, 184, 203 to 204, 210, 225, 231, 234, 245, 265, 269, 286, 289, 296, 302
 Spawning, 11 to 12, 16, 22, 34, 36, 39 to 43, 61, 68, 76 to 77, 91, 94, 100, 113 to 114, 117, 133 to 134, 141, 166, 168 to 169, 180, 207 to 208, 213, 216, 226, 229, 232, 234, 252, 265, 275 to 276, 289, 296 to 297, 300
- Species identification, 210, 253, 266, 274
 Stock assessment, 4, 37, 46, 49, 71 to 72, 75, 86, 89, 124 to 125, 193 to 194, 292
 Stock enhancement, 154, 258
 Stocking density, 286
 Suspended culture, 6, 12, 39, 42, 44, 48, 52, 55, 57, 59, 66 to 67, 74, 116, 130 to 132, 136, 141, 143, 153 to 154, 174, 179, 203 to 204, 234, 265, 269, 286, 288, 290, 292, 296, 300
- Tagging, 86, 88, 100, 125, 291, 299
 Taxonomy, 25, 83, 229, 267, 293
 TBT, 5
 TBTO, 189
 Temperature, 41, 48, 54, 80, 84, 105, 114, 133, 142, 149, 166, 175, 178, 190, 210, 213, 216, 225, 242, 260 to 261, 269, 288, 291
 Temperature/growth relationship, 288
 Toxicity, 5, 58, 74, 122, 129, 138, 147, 187, 189, 200, 214, 237 to 238, 272 to 273
 Triploidy, 2, 17 to 18, 20, 156, 256
 Turbidity, 223, 249 to 250
- Vertical migration, 268
 Vibrio, 27, 271
- Water currents, 60, 110, 133, 285, 288
 Water quality, 21, 28 to 29, 230
 Weight/height relationship, see Height/weight relationship

