



Health
Canada

Santé
Canada

*Your health and
safety... our priority.*

*Votre santé et votre
sécurité... notre priorité.*

Re-evaluation Decision

RVD2025-08

Carbon Dioxide and Its Associated End-use Products

Final Decision

(

(publié aussi en français)

19 November 2025

This document is published by the Health Canada Pest Management Regulatory Agency.
For further information, please contact:

Publications
Pest Management Regulatory Agency
Health Canada
2 Constellation Drive
8th floor, A.L. 2608 A
Ottawa, Ontario K1A 0K9

Internet: canada.ca/pesticides
pmra.publications-arla@hc-sc.gc.ca

Information Service:
1-800-267-6315
pmra.info-arla@hc-sc.gc.ca

Canada 

ISSN: 1925-1017 (print)
1925-1025 (online)

Catalogue number: H113-28/2025-8E (print version)
H113-28/2025-8E-PDF (PDF version)

© His Majesty the King in Right of Canada, as represented by the Minister of Health Canada, 2025

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of Health Canada, Ottawa, Ontario K1A 0K9.

Table of contents

Re-evaluation decision for Carbon Dioxide and associated end-use products	1
Re-evaluation decision for carbon dioxide	2
Risk mitigation measures	2
Label amendments:	2
Implementation of the re-evaluation decision	3
Amendment timeframe	3
Next steps	4
Other information	4
Appendix I Registered products containing carbon dioxide in Canada	5
Table 1 Products containing carbon dioxide requiring (label) amendments ¹	5
Appendix II List of commenters to PRVD2025-03	6
Appendix III Comments and responses	7
Appendix IV Label amendments for products containing carbon dioxide	8

Re-evaluation decision for Carbon Dioxide and associated end-use products

Under the authority of the *Pest Control Products Act*, all registered pesticides must be re-evaluated by Health Canada's Pest Management Regulatory Agency (PMRA) to ensure that they meet current health and environmental standards and have value. The re-evaluation considers information from various sources such as data and information from pesticide manufacturers and other regulatory agencies, as well as comments directly related to the proposed re-evaluation decision, such as comments directed to the science evaluation, received during public consultations. Health Canada applies internationally accepted risk assessment methods as well as risk management approaches and policies.

This document presents the final re-evaluation decision¹ for the re-evaluation of carbon dioxide, including the response to comments received, and the required label updates. All products containing carbon dioxide regulated under the *Pest Control Products Act* in Canada are subject to this re-evaluation decision.

Carbon dioxide is an insecticide and rodenticide fumigant. It is registered for use as a fumigant gas for the control of insects in grain and flour storage areas and for the control of rodents in aircraft fuselage. As indicated in the proposed re-evaluation decision in PRVD2025-03, the shipboard, in-transit ship, and ship hold fumigation uses of carbon dioxide are no longer supported by the registrant and will be removed from the end-use product label. Therefore, these uses were not considered as part of this re-evaluation. Carbon dioxide is applied using pressurized containers and fumigation equipment suitable for dispensing gas.

Currently registered products containing carbon dioxide can be found in the Pesticide Product Information Database and in Appendix I. The Proposed Re-evaluation Decision PRVD2025-03, *Carbon Dioxide and its Associated End-use Products*² containing the evaluation of Carbon Dioxide and the proposed decision, underwent a 90 day consultation period ending on 29 May 2025. PRVD2025-03 proposed continued registration of carbon dioxide products in Canada, with risk mitigation measures to protect workers and updates to label directions and precautions to reflect the current labelling standards (Appendix IV).

Health Canada received comments during the public consultation. Commenters are listed in Appendix II. The comments are summarized in Appendix III along with the responses by Health Canada. The comments did not result in changes to the proposed re-evaluation decision as described in PRVD2025-03. A reference list of information used as the basis for the proposed re-evaluation decision is included in PRVD2025-03.

¹ "Decision statement" as required by subsection 28(5) of the Pest Control Products Act.

² "Consultation statement" as required by subsection 28(2) of the Pest Control Products Act.

Re-evaluation decision for carbon dioxide

Health Canada has completed the re-evaluation of carbon dioxide. Under the authority of the *Pest Control Products Act*, Health Canada has completed all required evaluations and consultations and has determined that the registration of products containing carbon dioxide is required to be amended, in accordance with paragraph 21(2)(a) of the *Pest Control Products Act*. An evaluation of available scientific information found that all uses of carbon dioxide products meet current standards for protection of human health and the environment and have acceptable value when used with new mitigation measures to protect workers and label updates. Label amendments, as summarized below and listed in Appendix IV, are required.

Risk mitigation measures

Registered pesticide product labels include specific directions for use. Directions include risk mitigation measures to protect human health and the environment and must be followed by law. The required amendments, including any updated label statements, as a result of the re-evaluation of carbon dioxide, are summarized below. Refer to Appendix II for details.

Label amendments:

Human health

Risk mitigation:

The following risk mitigation measures are required to reduce potential exposure and risk to human health.

To protect workers from carbon dioxide exposure, the following risk-reduction measures are required (details are included in Appendix II):

- Personal protective equipment (PPE) requirements and precautionary statements to bring the product labels up to current standards, including statements requiring applicators and other fumigation handlers to wear a long-sleeved shirt, long pants, shoes, and socks and protective eyewear, such as a full-face shield or goggles, when handling liquid, if full-face respiratory protection is not being used.
- Higher levels of respiratory protection for applicators when conducting fumigation treatment (in other words, requiring self-contained breathing apparatus (SCBA) and supplied air respirators to be operated in positive pressure mode).
- Requirements for air monitoring and gas detection equipment.
- Establishment of treatment and aeration buffer zones based on real-time air monitoring, with a minimum distance of 3 meters required during the treatment period.
- A site-specific fumigation management plan must be completed prior to each fumigation application.
- Updated instructions for aeration and re-entry.
- Mandatory training must be completed annually by all employees working in the fumigation facility.

Label amendments to meet current standards:

- Updated placarding statements for treatment areas and buffer zone perimeters.
- Updated spill and leak procedures.
- Updated instructions for disposal.
- As part of the updates to label text related to fumigation of grain storage areas. Add “Warning: contains the allergen sulfites”.

Environment**Label amendments to meet current standards:**

- Updated instructions for disposal/decontamination.
- Instructions for management of any emission resulting from the use of carbon dioxide.

Value**Label amendments to meet current standards:**

- Removal of all label texts related to shipboard, in-transit ship or ship hold fumigation.
- Updated instructions for direction for use.

With the required risk-reduction measures and label amendments, potential risks to human health and the environment are considered to be acceptable for carbon dioxide and its end-use product when used as a space and commodity fumigant to treat grain and flour storage areas and aircraft fuselages, and the products have acceptable value.

Implementation of the re-evaluation decision

Regulatory Directive DIR2018-01, *Policy on Cancellations and Amendments Following Re-evaluation and Special Review* provides information and general timelines regarding the implementation of post-market decisions, (for example, up to 24-month timeline for label amendments). The post-market decision considers potential health and environmental risks regarding the use of the pest control product, and its value, when establishing the implementation timelines.

Amendment timeframe

The implementation timeline of 24 months for the required amendments (label updates) for pest control products containing carbon dioxide is considered acceptable. These required amendments must be implemented within 24 months after the publication date of this decision document.

Next steps

To comply with this decision, the required amendments (mitigation measures and label updates) must be implemented on all product labels no later than 24 months after the publication date of this decision document. Accordingly, both registrants and retailers will have up to 24 months from the date of this decision document to transition to selling the product with the newly amended labels. Similarly, users will also have the same 24-month period from the date of this decision document to transition to using the newly amended labels, which will be available on the Public Registry.

Other information

Any person may file a notice of objection³ regarding this decision on carbon dioxide and its associated end-use products within 60 days from the date of publication of this Re-evaluation Decision. For more information regarding the basis for objecting (which must be based on scientific grounds), please refer to the Pesticides and Pest Management Section of the Canada.ca website (Public Engagement Portal - Public Engagement Forms - Notice of Objection) or contact PMRA's Pest Management Information Service.

The relevant confidential test data on which the decision is based (as referenced in PRVD2025-03) are available for public inspection, upon application, in PMRA's Reading Room. For more information, please contact the PMRA's Pest Management Information Service.

³ As per subsection 35(1) of the *Pest Control Products Act*.

Appendix I Registered products containing carbon dioxide in Canada

Table 1 Products containing carbon dioxide requiring (label) amendments¹

Registration number	Marketing class ²	Registrant	Product name	Formulation type	Guarantee (%)
27221	T	Linde Canada Inc.	Carbon Dioxide Technical	Pressurized Product - Liquid	99.8
20088	R	Linde Canada Inc.	Carbon Dioxide Fumigant	Pressurized Product - Gas	99.8

¹ As of 20 June 2025, excluding discontinued products or products with a submission for discontinuation.

² T = Technical Grade Active Ingredient; R = Restricted.

Appendix II List of commenters to PRVD2025-03

List of commenters' affiliations for comments submitted in response to PRVD2025-03

Category	Commenter
User	Maheu & Maheu Inc.
Public ¹	General public

¹ Sixteen comments from the same individual

Appendix III Comments and responses

Health Canada received comments during the public consultation on the proposed re-evaluation decision of carbon dioxide and its associated end-use products. Commenters' affiliations are listed in Appendix II. Comments relevant to this re-evaluation and Health Canada's responses are provided below.

1.0 Comments related to the value assessment

1.1 Comment

The use of carbon dioxide as a fumigant gas is important for the control of insects in grain and flour storage areas for raw materials used in the production of certified organic products.

Health Canada response

Health Canada recognizes the importance of carbon dioxide as a tool to control insects in grain and flour storage areas. As the registration for this use is maintained, grain and flour producers will continue to have access to carbon dioxide as a fumigant gas to control insects in grain and flour storage areas.

2.0 Comments related to the environment assessment

2.1 Comment

Concerns over the exposure to non-target organisms and the humaneness of using carbon dioxide to control rodents.

Health Canada response

Based on the current use pattern for carbon dioxide, exposure to non-target organisms is expected to be negligible and is considered acceptable.

While Health Canada acknowledges the concerns raised by Canadians through consultations on the humaneness of pesticides, there are no internationally recognized, science-based parameters to evaluate the humaneness of pesticides. It is also important to note that provincial/territorial governments are responsible for and have measures in place to address both wildlife management and animal welfare concerns. For example, provinces and territories may require pesticide use permits and impose additional restrictions on the sale or use of pesticides (including rodenticides), or can provide education to users on the effects of the registered pesticide, in a humaneness context. Municipalities are also entitled to further restrict pesticide use, provided that they have been granted authority to do so. In most provinces and territories, the local Society for the Prevention of Cruelty to Animals (SPCA), a non-governmental organization, enforces animal protection legislation.

Appendix IV Label amendments for products containing carbon dioxide

Information on labels of currently registered products should not be removed unless it contradicts the label statements provided below.

I. Label amendments for carbon dioxide technical product (Registration No. 27221):

- i. On the principal display panel,

Replace: “GUARANTEE: Liquid Carbon Dioxide.....99.8%”

With: “ACTIVE INGREDIENT: Liquid Carbon Dioxide.....99.8%”

Add: “Warning, contains the allergen sulfites”

- ii. On the principal display panel, NET CONTENTS: **specify** “number” of tonnes.

- iii. Under DISPOSAL/DECONTAMINATION:

Replace: “Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with the municipal or provincial regulations. For information on disposal of unused, unwanted product, call the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.”

With: “Canadian registrant must dispose of unwanted active ingredients and containers in accordance with municipal and provincial/territorial regulations. For additional details and clean up of spills, contact the registrant and the provincial/territorial regulatory agency.”

II. Label amendments for carbon dioxide restricted-class end-use product (Registration No. 20088):

- i. On the principal display panel,

Add: Warning, contains the allergen sulfites,

Add: NET CONTENTS: “number” of tonnes

- ii. Above “PRECAUTIONS” section,

remove “NET CONTENTS: tonnes”

Amendments and additional risk mitigation measures relating to the human health assessment

Label brochure

1. Add a “**TERMS USED IN THIS LABEL**” section containing the following:

Aeration Buffer Zone: An area that extends from the point of carbon dioxide emission from the treatment area (for example, structure or aircraft edge) to a distance determined by this label where access is limited. Entry by any person except the fumigation handlers is prohibited except as provided in the “EXCEPTIONS TO TREATMENT AND AERATION BUFFER ZONE ENTRY RESTRICTIONS” section of the label. The aeration buffer zone begins when aeration begins and ends when the air concentration of carbon dioxide in the breathing zone of the treatment area for structural fumigation, or in the air space immediately around the treated commodity, is 5000 ppm or less.

Aeration Period: The period of time starting at the initiation of aeration and ending when the concentration of carbon dioxide is 5000 ppm or less, as measured according to the directions in the “MONITORING AND GAS DETECTION EQUIPMENT” section of the label.

Breathing Zone: Areas where individuals typically stand, sit or lie down while performing work functions.

Fumigation Site: The location at which fumigation activities will be conducted, at a minimum encompassing the treatment area, and treatment and aeration buffer zones.

Fumigation Handlers: Persons at the Fumigation Site involved in the fumigation, including the certified/licensed applicator and persons who are trained in accordance with the label by the certified/licensed applicator and work under direct supervision and in the physical presence of the certified/licensed applicators. Fumigation handlers must be trained and equipped to use PPE according to label requirements. Does not include persons who do not enter the treatment area, and treatment and aeration buffer zones.

Person in Charge of the Facility or Agricultural Establishment (in other words, “Owner”): Any person or company who has a present possessory interest (including leasehold, rental, or other) in the commodity or space being fumigated.

Personnel: All employees (in other words, all individuals such as, workers, contractors, farmers, and farm workers) present in the facility during product use.

Release: When control and responsibility for the commodity or structure is passed to the owner of the commodity or structure, responsible site manager, or other person designated by the owner.

Remote Monitoring: Monitoring conducted remotely is performed using a system set up in a treatment area or structure prior to the introduction of carbon dioxide which allows the fumigation handler to check concentrations from outside the treatment area and without opening the treatment area. Inserting a hand-held device into the treatment area through a port or seam is not considered remote monitoring.

Treatment Area: The structure, area or space which is, or was, enclosed or sealed to contain carbon dioxide during the fumigation and continuing until the commodity or structure is moved or released.

Treatment Buffer Zone: An area surrounding a treatment area during the treatment period where access is limited. The treatment buffer zone extends from the perimeter of the treatment area to a distance determined by this label. Entry by any person except the certified/licensed applicator and fumigation handlers under their direct supervision is prohibited except as provided in the “EXCEPTIONS TO TREATMENT AND AERATION BUFFER ZONE ENTRY RESTRICTIONS” section of the label. The treatment buffer zone begins when the fumigant is introduced into the fumigation enclosure and ends when aeration begins.

Treatment Period: This period starts at the application time and ends at the exposure duration (holding period) specified on the product label; however, it may be extended depending on on-site conditions to achieve the desired efficacy in pest control.

Start of the Fumigation: The point in time at which carbon dioxide is first introduced/delivered/dispensed into the air of the treatment area.

2. Under **PRECAUTIONS:**

Add: All persons working with Carbon Dioxide Fumigant must be trained or licensed in the use of this product and be knowledgeable regarding the proper use of personal protective equipment, air detection equipment and emergency procedures.

3. Add a “**PERSONAL PROTECTIVE EQUIPMENT (PPE)**” section containing the following:

PERSONAL PROTECTIVE CLOTHING

Applicators and other fumigation handlers must wear:

- Long-sleeved shirt and long pants.
- Shoes and socks.
- Protective eyewear, such as a full-face shield or goggles, when handling liquid if full face respiratory protection is not being used.

RESPIRATORY PROTECTION REQUIREMENTS

The current label text requires handlers to wear a “National Institutes for Occupational Safety and Health/Mining Safety and Health Administration (NIOSH/MSHA) approved supplied air respirator, or a NIOSH/MSHA approved self-contained breathing apparatus (SCBA) with a full-face shield.”

Update the current label text of respiratory protection requirements for handlers with the following:

Licensed fumigation applicators and fumigation handlers under their direct supervision must wear a NIOSH-approved self-contained breathing apparatus (SCBA) (NIOSH approval number prefix TC-13F) that has a full-face shield and is operated in a pressure demand or other positive mode, OR a NIOSH-approved supplied-air respirator (NIOSH approval number prefix TC-19C) that has a full-face shield and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus, when conducting any activity during the treatment period in the treatment area, initiating aeration and handling spills and leaks.

Once carbon dioxide has been introduced into the treatment area, fumigation handlers conducting air monitoring, or entering the treatment area, a treatment or aeration buffer zone must wear either a supplied air respirator (NIOSH approval number prefix TC-19C) or a self-contained breathing apparatus (SCBA) (NIOSH approval number prefix TC-13F) according to the concentrations as specified in the current label.

In addition, add the following:

The respiratory protection must fit properly; any obstruction to a proper fit should be removed (for example, beard, long sideburns).

4. Under “**DIRECTIONS FOR USE**” section, update with the following:

1) Add a section of “**GENERAL**” including the following:

NOTICE TO USER: This is a **Restricted Use Pesticide** and can be used only in accordance with the directions on the label. This fumigant is a highly hazardous material and may be used only by individuals trained in its proper use. Before using, read and follow all label precautions and directions. All persons working with this fumigant must be knowledgeable about the hazards, and trained in the use of required respirator equipment and detector/monitoring devices, emergency procedures, and proper use of the fumigant. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

NATURE OF RESTRICTIONS: This product is for sale **ONLY** to a certified/licensed applicator, who is holding an appropriate pesticide applicator certificate or license recognized by the provincial/territorial pesticide regulatory agency where the pesticide application occurs. This product is to be used by a certified/licensed applicator or by persons who are trained in accordance with the label by the certified/licensed applicator

and working under direct supervision and in the physical presence of the certified/licensed applicator(s). Physical presence means “on site” or “on the premises”. Certified/licensed applicator must maintain training records for fumigation handlers who have received training in accordance with the label, ensuring the records are available to Health Canada upon request for a minimum of two years.

THIS PRODUCT IS TO BE USED for control of listed insect pests in grain and flour storage areas and rodents in aircraft fuselages **ONLY**. **DO NOT USE THIS PRODUCT IN** residential structures or in public food service facilities (such as public restaurants). All parts of the label are equally important for safe and effective use of this product. If you have any questions about the proper use of this product, contact the registrant before using this product.

In facilities where this product is used, all employees **MUST** complete mandatory annual training as outlined in “MANDATORY ANNUAL TRAINING” section. Training includes information on the hazards of this product, the use of safety equipment (in other words, respiratory protection and personal monitors), and the exposure limit of 5000 ppm. It is the responsibility of the certified/licensed applicator to inform person in charge of the facility, where the fumigation will take place, of the requirement for the mandatory training.

APPLICATION RESTRICTIONS: At least two persons, a certified/licensed applicator, and a person trained in accordance with the label working under direct supervision of the certified/licensed applicator, must be present during the treatment period, at the initiation of aeration, and when testing for re-entry to the treatment area. All fumigation handlers must be under direct on-site supervision of the certified/licensed applicator at the start of the fumigation, at the initiation of aeration, when testing for re-entry into the treatment area, until the commodity/structure is fully aerated (carbon dioxide concentrations are < 5000 ppm). Only one fumigation handler needs to be present if monitoring is conducted remotely (from outside the treatment area).

The site to be fumigated must first be inspected to determine if it can be made sufficiently gas tight. Then a **Fumigation Management Plan** must be developed prior to actual fumigation to provide for safe and efficient application of the fumigant, to include emergency procedures, etc. and to decide how monitoring should be conducted to prevent excessive exposures (refer to “SITE SPECIFIC FUMIGATION MANAGEMENT PLAN” section).

Exposure to carbon dioxide gas must never exceed 5000 ppm without following the requirements in the “RESPIRATORY PROTECTION REQUIREMENTS” section. Only if necessary, should workers be present in the treatment buffer and aeration buffer zones. All workers present in the buffer zones during the fumigation or aeration periods **MUST** wear appropriate respiratory protection, as outlined in the “RESPIRATORY PROTECTION REQUIREMENTS” section.

Treatment and aeration buffer zones must be established for all fumigated sites as per the instructions outlined under the “TREATMENT & AERATION BUFFER ZONE REQUIREMENTS” section. Post warning placards around both the fumigated area and the treatment and aeration buffer zone perimeter as per instructions in the “PLACARDING INSTRUCTIONS” section.

Monitoring must be conducted for selection of respiratory protection, establishing and maintaining buffer zones and efficacy, according to the requirements specified in “MONITORING AND GAS DETECTION EQUIPMENT” section.

For emergency use/or to escape from conditions which are Immediately Dangerous to Life or Health (IDLH), keep an adequate number of appropriate escape-type, NIOSH approved self-contained breathing apparatus for use by all workers. Notify appropriate company employees prior to the fumigation and provide relevant safety information to local officials (fire department, police, etc.) for use in the event of emergency. Observe all provincial pesticide regulations. Refer to “EMERGENCY RESPONDER PROTECTION” section.

- 2) Add a section title of “USES AND APPLICATION RATES”.

Remove all label texts related to shipboard, in transit ship or ship hold fumigation.

For aircraft fuselage fumigation,

Replace:

“Introduce Carbon Dioxide Fumigant as described in the Applicable Aircraft Maintenance Manual.”

With:

“Carbon dioxide is introduced through a high-level opening in the cockpit and properly secured to the base of the seat frame. The CO₂ is vented through a low level partially opened cargo bay door to purge the air.”

- 3) Add a “TREATMENT & AERATION BUFFER ZONE REQUIREMENTS” section, including the following:

ESTABLISHMENT OF TREATMENT & AERATION BUFFER ZONES

Treatment Buffer Zones

1. Before starting the fumigation treatment, an initial treatment buffer zone must be pre-determined and established by a certified/licensed applicator taking into consideration site characteristics and environmental conditions, as specified in the Fumigation Management Plan (FMP). The initial treatment buffer zone **MUST NOT** be less than 3 meters but may be larger.

2. An air monitoring procedure and schedule is determined by the certified/licensed applicator based on site characteristics and environmental conditions, as specified in the FMP.
3. The certified/licensed applicator in charge of the fumigation (or workers under their supervision) must post warning placards around both the treatment area and the treatment buffer zone perimeter before the actual fumigation treatment (See “PLACARDING INSTRUCTIONS” section).
4. Throughout the fumigation period (in other words, from the beginning of the fumigant application until the beginning of aeration), a supervising fumigant applicator/handler or trained personnel designated by the certified/licensed applicator must periodically monitor carbon dioxide levels at various points along the treatment buffer zone perimeters, according to the designated schedule, adapting as necessary to site conditions.
5. If at any time during monitoring, carbon dioxide levels exceed 5000 ppm, all individuals without appropriate respiratory protection must immediately evacuate the area. The treatment buffer zone must be expanded until carbon dioxide levels are at or below 5000 ppm along the perimeter. If expanding the buffer zone is impractical, corrective actions such as halting product application or sealing leaks must be implemented until carbon dioxide levels are compliant along the fumigation zone perimeter. Once levels are safe, fumigation activities can resume.
6. The buffer zone may be adjusted/reduced based on air monitoring during the fumigation period; however, the minimum treatment buffer zone distance MUST NOT be reduced to less than 3 meters.

Aeration Buffer Zones

1. Before starting the aeration, an initial aeration buffer zone must be pre-determined and established by a certified/licensed applicator taking into consideration site characteristics and environmental conditions, as specified in the Fumigation Management Plan (FMP). The initial aeration buffer zone may be larger than the treatment buffer zone at that time when the treatment is halted, due to the potential for a sudden and significant release of fumigant gas. This can lead to a higher concentration of the gas in the surrounding area, necessitating a larger buffer zone to ensure safety.
2. An air monitoring procedure and schedule is determined by the certified/licensed applicator based on site characteristics and environmental conditions, as specified in the FMP.
3. The certified/licensed applicator in charge of the fumigation (or workers under their supervision) must maintain warning placards around both the treatment area and the aeration buffer zone perimeter before the aeration initiation (See “PLACARDING INSTRUCTIONS” section).
4. Throughout the aeration period (in other words, from the beginning of aeration until the carbon dioxide level is at or below 5000 ppm), a supervising fumigant applicator/handler or trained personnel designated by the certified/licensed applicator must periodically monitor carbon dioxide levels at various points along the aeration buffer zone perimeters, according to the designated schedule, adapting as necessary to site conditions.

5. If at any time during monitoring, carbon dioxide levels exceed 5000 ppm, all individuals without appropriate respiratory protection must immediately evacuate the area. The buffer zone must be expanded until carbon dioxide levels are at or below 5000 ppm along the perimeter. If expanding the buffer zone is impractical, corrective actions such as adjusting aeration or sealing leaks must be implemented until carbon dioxide levels are compliant along the fumigation zone perimeter. Once levels are safe, aeration activities can resume.
6. The buffer zone may be adjusted/reduced based on air monitoring during the aeration period.

EXCEPTIONS TO TREATMENT AND AERATION BUFFER ZONE ENTRY RESTRICTIONS

Exceptions to Treatment and Aeration Buffer Zone Entry Restrictions: Only if necessary, should pesticide applicators/handlers or workers be present in the treatment or aeration buffer zones. All workers in the buffer zones, **MUST** wear respiratory protection as outlined in the “RESPIRATORY PROTECTION REQUIREMENTS” section.

There are two exceptions for entry into the treatment buffer zones and aeration buffer zones:

1. **Occupied Structure Exception:** Occupants of a structure in the facility that is within the treatment/aeration buffer zone may remain in the structure, provided continuous real-time monitoring indicates that carbon dioxide concentrations are 5000 ppm or less within the occupied structure and the exposure time will be less than 8 hours. Fumigation handlers must monitor the air concentrations. This exception only applies to structures occupied by workers. To use this exception, the FMP must state the distance of the occupied structure to the treatment area, the method of conducting the real time monitoring for carbon dioxide during the period when the treatment buffer zone and aeration buffer zone are in force, and specific procedures for immediate intervention, such as cessation of aeration, evacuation of building, or other procedures if the concentration of carbon dioxide exceeds 5000 ppm at any time.
2. **Transit Exception:** Limited transit through treatment and aeration buffer zones is allowed if brief and unavoidable. Routine or repeated work-related tasks are prohibited in the treatment and aeration buffer zones. No person is allowed to transit through a treatment or aeration buffer zone unless the person is protected by respiratory protection as outlined in the section of RESPIRATORY PROTECTION REQUIREMENTS, or the carbon dioxide levels are less than 30 000 ppm, and the transit time is less than 15 minutes.

PLACARDING INSTRUCTIONS

Replace the current label texts with the following:

“Requirements for placarding the treatment area and treatment & aeration buffer zones include:

1. The certified/licensed applicator in charge of the fumigation (or someone under their supervision) must post warning placards around both the treatment area and the

- treatment buffer zone perimeter before the actual fumigation treatment. The certified/licensed applicator must placard or post warning signs at all usual points of entry, all entrances to the fumigated area, and along other likely routes of approach where people not under the operator's control may be in close proximity to the fumigated site and the treatment buffer zone. These signs must be posted at eye level and must be visible from all visible points of entry to the fumigation site. Each separate treated area (in other words, bins, silos, railcars, flour operations, grain elevators, and aircraft) must be posted or placarded with these signs. Placards should be placed in advance of the fumigation to keep unauthorized persons away.
2. Posting of warning signs for the treatment and aeration buffer zone perimeter is required. Once the fumigation treatment is complete, the warning placards **MUST** be relocated to establish the aeration zone perimeter. Such signs must only be removed when aeration has occurred and when the air concentration of carbon dioxide is monitored as described in this label and indicates that carbon dioxide levels are 5000 ppm or less. The warning signs at entrances to fumigated structures and around the buffer zone perimeters **MUST** only be removed by the certified/licensed applicator in charge of the fumigation (or someone under their supervision).
 3. Signs must be legible during the entire posting period. Placards must be at least 35 centimeters (cm) long and 25 cm wide and made of substantial material that can be expected to withstand adverse weather conditions. They must bear the following information in both English and French:
 - a) The signal word **DANGER** in letters at least 7 cm high and the skull and crossbones symbol in red.
 - b) The "DO NOT WALK" symbol.
 - c) The statement, "Area and/or commodity under fumigation, "DO NOT ENTER".
 - d) "Carbon Dioxide Fumigant in Use"
 - e) The date and time when the fumigation begins and the date and time when aeration can begin.
 - f) The name of the fumigant and the product used.
 - g) Contact information: name address, and telephone number of the certified/licensed applicator supervising the fumigation.
 - h) Placards must bear a 24-hour emergency response telephone number.
 4. For railroad hopper cars, placards must be placed on both sides of the car near the ladders and next to the top hatches into which the fumigant is introduced.
 5. Do not enter or allow entry by anyone other than the fumigation handlers following the "Respirator Requirements" into the treatment area, treatment buffer zone, or aeration buffer zone until the signs are removed except as provided in the "EXCEPTIONS TO TREATMENT AND AERATION BUFFER ZONE ENTRY RESTRICTIONS" section of the label."

MONITORING AND GAS DETECTION EQUIPMENT

Add the following label texts:

MONITORING FOR SAFETY

Monitoring for Selection of Respiratory Protection

From the start of the fumigant application until the end of the aeration period, certified/licensed applicators and fumigation handlers under their direct supervision must measure carbon dioxide levels to select the appropriate respiratory protection before entering areas with potential carbon dioxide exposure. Measures should be made in the worker's breathing zone. Breathing zones are defined as areas where individuals typically stand, sit or lie down while performing work functions. The monitoring must be recorded in the FMP.

Monitoring for Establishing and Maintaining Buffer Zones

At each site undergoing fumigation, ambient air monitoring must be conducted according to a procedure specified in the fumigation management plan (FMP) to establish and maintain buffer zones. The procedure is determined by the certified/licensed applicator, taking into account site characteristics and environmental conditions. Carbon dioxide levels must be checked in all areas around the fumigation area during both fumigation and aeration, including workspaces under and adjacent to the treatment area to determine where exposures may occur. The buffer zone perimeter is then determined to prevent exposure of unprotected workers to concentrations of carbon dioxide > 5000 ppm. Note: the minimum treatment buffer zone is 3 meters but may be larger based on air monitoring results.

To maintain, expand or adjust the treatment and aeration buffer zones, scheduled ambient air monitoring of carbon dioxide concentrations must be conducted, downwind, along the buffer zone perimeters to prevent exposure of unprotected workers to concentrations of carbon dioxide greater than 5000 ppm. It may be necessary to monitor gas levels in other areas as well. Monitor (and record) the wind direction and adjust the carbon dioxide monitoring if wind direction changes over the fumigation/aeration period.

Keep a log or manual of monitoring records for each fumigated site and the treatment and aeration buffer zones. This log must, at a minimum, contain the timing, number of readings taken and level of concentrations found in each location. Document any carbon dioxide level even if it is present below the exposure limit of 5000 ppm.

MONITORING FOR EFFICACY

Carbon dioxide readings should be taken from within the fumigated area/structure to ensure proper gas concentrations, along with temperature and relative humidity readings. Readings must be taken according to a schedule specified in the fumigation management plan (FMP).

At least two persons, a certified/licensed applicator and a person trained in accordance with the label working under direct supervision of the certified/licensed applicator, must be present when testing carbon dioxide concentrations in the treatment area. Two persons do not need to be present if monitoring is conducted remotely (outside of the area being fumigated).

RECOMMENDATIONS FOR GAS DETECTION EQUIPMENT AND SENSITIVITIES

For efficacy, during fumigations, the concentration of carbon dioxide in the treatment area should be monitored to ensure application rates are met and to evaluate efficacy, using gas detection equipment with measuring range that covers the application rates.

For safety, such as establishing buffer zones and determining respiratory protection and safe re-entry, concentrations of carbon dioxide must be measured using either:

- A continuous real-time detection device, for example, a stationary monitor with an alarm set at the exposure limit of 5000 ppm. OR
- A direct reading detection device that is capable of accurately measuring carbon dioxide levels with an alarm set at the exposure limit of 5000 ppm.

Information on carbon dioxide detection equipment may be obtained from your distributor.

Create a section “**AERATION AND RE-ENTRY**” and add the following texts:

AERATION AND RE-ENTRY

After fumigation, aerate treated areas until the level of **CO₂ is below 5000 ppm** before unprotected persons may be in the area.

Before aeration is complete, entry into the treatment and aeration buffer zones is prohibited for any person other than the certified/licensed applicator supervising the fumigation or individuals under their direct supervision. Workers who enter the treatment or aeration buffer zones must follow the personal protective equipment requirements specified for fumigation handlers in this label.

Only if necessary, should workers be present in the treatment or aeration buffer zone. All workers (including certified/licensed applicators and workers who are trained in accordance with the label by the certified/licensed applicator and working under their direct supervision) in the buffer zone during fumigation and until the fumigated site has been aerated and the carbon dioxide level is at or below 5000 ppm in the buffer zone, **MUST** wear respiratory protection as outlined in the “**RESPIRATORY PROTECTION REQUIREMENTS**” section OR a personal carbon dioxide monitor with an alarm set at 5000 ppm. Each unprotected worker in the buffer zone must know how to operate the personal carbon dioxide monitor and be informed of procedures required if the levels of carbon dioxide exceed 5000 ppm.

If at any time carbon dioxide levels exceed 5000 ppm, all individuals who are not wearing respiratory protection as outlined in “RESPIRATORY PROTECTION REQUIREMENTS” section MUST vacate the area until carbon dioxide levels are at or below 5000 ppm.”

5. Under “SPILL AND LEAK PROCEDURES” section, update with the following:

Evacuate the immediate area where the leak has occurred. A spill, other than incidental to application or normal handling, may produce high levels of carbon dioxide; and therefore, attending personnel/all workers present must wear appropriate respiratory protection and personal protective equipment as specified in the “PERSONAL PROTECTIVE EQUIPMENT” section for entry into the affected area to correct the problem. A buffer zone must be established by the certified/licensed applicator around the location of the spill site taking into consideration site characteristics and environmental conditions, to prevent exposure of unprotected workers to concentrations of carbon dioxide > 5000 ppm.

Delete all texts related to cargo/vessel fumigation.

6. Under “DISPOSAL” section, add the following:

The flow rates of venting are maintained through site-specific atmospheric monitoring to ensure the CO₂ concentration level is below the 5000 ppm threshold for personnel exposure.

While disposing of carbon dioxide, if carbon dioxide levels are unknown or above 5000 ppm, appropriate respiratory protection must be worn. Appropriate respiratory protection, as outlined in the “RESPIRATORY PROTECTION REQUIREMENTS” section MUST be worn. A buffer zone must be established by the certified/licensed applicator around the location of the spill site taking into consideration site characteristics and environmental conditions.

7. Add an “EMERGENCY RESPONDER PROTECTION” section, including the following:

Wear a NIOSH-approved self-contained breathing apparatus (SCBA) with full facepiece and operated in a pressure demand or other positive-pressure mode OR a NIOSH-approved air-line respirator with a full-facepiece operated in a pressure-demand or other positive-pressure mode combined with an auxiliary self-contained positive-pressure breathing apparatus when the concentration of carbon dioxide is unknown. If the concentration is known, other appropriate respiratory protection must be worn as specified in “RESPIRATORY PROTECTION REQUIREMENTS” section.

Cylinders, Containers & Tanks, Transportation operates a 24-hour Emergency Response and Incident Management System. Phone: 1-800-363-0042 (24 hrs).

-
8. Add a “**MANDATORY TRAINING ELEMENTS**” section, including the following:

RESPONSIBLE PARTIES

Certified/Licensed Applicator: Responsible for informing the person in charge of the facility, the employer or their representative of the requirement for the mandatory training and maintenance of training records, and directing the person in charge of the facility, the employer or their representative on how to obtain a copy of the product-specific training material from the registrant. The certified/licensed applicator is also responsible for developing and maintaining the Fumigation Management Plan.

Registrant: Responsible for developing product-specific training material (in both English and French) and having the product-specific training material readily available upon request.

The person in charge of the facility or agricultural establishment or the employer or his/her representative: Responsible for:

- Developing site-specific training material in conjunction with the FMP and collaborating with certified/licensed applicators to develop these training materials.
- Providing both product-specific and site-specific training to workers.
- Maintaining training records for their employees/workers for a minimum of two years and available to Health Canada upon request.

Personnel: All employees (in other words, all individuals such as, workers, contractors, farmers, and farm workers) present in the facility during product use.

In facilities where this product is used, all employees who are present in the facility during product use, **MUST** complete mandatory annual training using product-specific training material supplied by the registrant, and additional site-specific training information developed by the employer or their representative, before the fumigation is conducted.

MANDATORY TRAINING ELEMENTS

The site- and product-specific training material **MUST** contain the following information:

Safety Data Sheets (SDS): Summary documents that provide information about the hazards of a product and advice about safety precautions.

Hazards of carbon dioxide: Information on the acute toxicity of carbon dioxide must be included in the mandatory training. Carbon dioxide products are classified as restricted-class products due to exposure in fumigation may cause suffocation and death.

Symptoms: Headache, dizziness, restlessness, paresthesia; dyspnea (breathing difficulty); sweating, malaise (vague feeling of discomfort); increased heart rate, cardiac output, blood pressure; coma; asphyxia; convulsions; frostbite (liquid, dry ice).
(<https://www.cdc.gov/niosh/npg/npgd0103.html>)

The 5000-ppm Exposure Limit: Information on the 5000-ppm exposure limit and that it is time-dependent, with specific time limits when a respirator is not required must be included in the mandatory training. The training should also specify that frequent exposure to concentrations above permissible levels over a period of days or weeks could cause poisoning.

How to use Gas Detection Equipment and Personal Protective Equipment: Information on facility-specific equipment (for example, how to use gas detection equipment and how to properly fit respirators), must be included in the mandatory annual training. In addition, information on when respiratory protection should be used must be included.

Procedures when Levels of Carbon Dioxide Exceed 5000 ppm: Facility-specific details on what to do when carbon dioxide levels exceed 5000 ppm, where workers are to go, who they should contact, the personal protective equipment to wear, and where the personal protective equipment is located must be included in the mandatory annual training.

Establishing Treatment Buffer Zone and Aeration Buffer Zone: Guidance for establishing appropriate treatment buffer zone and aeration buffer zone distances based on air monitoring provided in the “TREATMENT & AERATION BUFFER ZONE REQUIREMENTS”, “PLACARDING INSTRUCTIONS” and “MONITORING AND GAS DETECTION EQUIPMENT” sections of the label must be included in the mandatory annual training.

Aeration and Re-entry: Guidance for how to determine safe reentry to the treated area provided in “AERATION AND RE-ENTRY” section of the label must be included in the mandatory annual training.

9. Add a “**Fumigation Management Plans (FMPs)**” section, including the following:

A FUMIGATION MANAGEMENT PLAN MUST BE WRITTEN FOR ALL FUMIGATIONS PRIOR TO ACTUAL TREATMENT

Prior to fumigating, the certified/licensed applicator supervising the fumigation must verify that a site-specific fumigation management plan (FMP) exists. The FMP is intended to ensure a safe and effective fumigation and must be devised to cover the application and exposure period, aeration, and disposal of the fumigant in order to keep any human exposures to carbon dioxide to a minimum and help ensure the adequate control of pests.

The certified/licensed applicator in charge of the fumigation is responsible for working with the Person in Charge of the Facility or Agricultural Establishment (“owners”) and/or responsible employees of the site to be fumigated to develop a site-specific FMP. The certified/licensed applicator supervising the fumigation must ensure that the FMP is up-to-date and applicable to the fumigation before it takes place.

Before the start of any fumigation, the certified/licensed applicator supervising the fumigation must verify in writing (sign and date) that the FMP reflects current site conditions and that it addresses all elements identified in this label.

For situations where an initial FMP is developed and certain elements do not change for the fumigation, only elements that have changed need to be updated in the site-specific FMP provided that the certified/licensed applicator supervising the application has verified that those elements are current and applicable to the fumigation site before the fumigation begins, and record-keeping requirements are followed for the entire FMP (including elements that do not change).

The FMP must document the characteristics of the site, the treatment and aeration buffer zones, include appropriate monitoring and notification requirements, and include a record that the following have been completed:

1. Inform the person in charge of the facility where the fumigation will take place that all workers must complete mandatory annual training as outlined in the label “MANDATORY ANNUAL TRAINING” section. Training includes information on the hazards of the product, the use of safety equipment (in other words, respiratory protection and monitoring equipment), and the exposure limit of **5000 ppm**.
2. Certified/licensed applicators, or workers who are trained in accordance with the label by the certified/licensed applicator and working under direct supervision of the certified/licensed applicators under their supervision, must inspect the site to determine its suitability for fumigation. The application site consists of the treatment area and any structure that the treatment area is inside of.
3. Before fumigating, the certified/licensed applicators, or workers who are trained in accordance with the label by the certified/licensed applicator and working under direct supervision of the certified/licensed applicators, must assess the application site for any changes since the last application that could affect the efficacy or safety of the fumigation. This assessment must include a review of the most recent fumigation log from the application site and the most recent monitoring data from adjacent, occupied buildings, where such documents are available. In addition, the certified/licensed applicators, or workers under their supervision, must consult the site manager regarding changes to the application site monthly, or if no fumigation has occurred at the application site for a month or more, upon resumption of fumigation activities.

If the certified/licensed applicator determines, based on the assessment, that modifications to the application site are required to ensure efficacy or safety, the basis for this conclusion, and confirmation that the modifications were made prior to fumigation, shall be recorded.

When sealing is required, the certified/licensed applicator must consult previous records for any changes to the site/structure, seal leaks, and monitor any occupied adjacent buildings to ensure safety.

4. Certified/licensed applicators, or workers under their supervision, prior to each fumigation must review existing FMPs, Safety Data Sheets (SDS), carbon dioxide label, mandatory training materials, and other relevant safety procedures for the specific location or site and consult with owners (whose structure or commodity is fumigated) and appropriate employees, if available.
5. Certified/licensed applicators, or workers under their supervision, must consult company officials in the development of procedures and appropriate safety measures for nearby workers that will be in and around the area during application and aeration.
6. Certified/licensed applicators, or workers under their supervision, must consult with company officials to ensure that an appropriate monitoring plan will be in place to confirm that nearby workers will not be exposed to levels above the allowed carbon dioxide safety limit (in other words, **5000 ppm**) during application, fumigation and aeration. This plan must consider all of the treatment and aeration buffer zone requirements.
7. Certified/licensed applicators, or workers under their supervision, must develop an appropriate exterior monitoring plan that will conform with the requirements of the treatment and aeration buffer zones to ensure that nearby workers are not exposed to levels above the allowed limits during fumigation and aeration and consult with owners, or site managers, if available.
8. Certified/licensed applicators, or workers under their supervision, must determine the proper treatment and aeration buffer zones, according to the carbon dioxide product label and record the dosage, fumigated volume, and other parameters used to determine treatment and aeration buffer zone distances.
9. Certified/licensed applicators, or workers under their supervision, must develop procedures for notification of local emergency responders in the event of an emergency (“Emergency Response Plan”) and consult with owners or site managers, if available. The Emergency Response Plan must comply with all requirements established by local emergency responders while remaining consistent with label requirements.

If local emergency responders have not established any requirements, or if requirements are minimal or contradict the label, then the plan shall still include, at a minimum, instructions on the persons or entities to contact if: (1) there is a spill, leak, equipment failure, or other emergency at the application site during a fumigation that presents a risks to humans; or (2) anyone at the application site is experiencing symptoms of exposure.

Certified/licensed applicators, or workers under their supervision, must consult with local emergency responders at least annually to confirm the Emergency Response Plan conforms to their requirements, or, in the absence of such requirements, that the Emergency Response Plan contains the correct contact information.

10. Certified/licensed applicators, or workers under their supervision, must confirm the placement of warning placards around the fumigation site as described on the label. Placards should be placed to secure entrances and placed along other routes of approach into any site under fumigation and along the treatment and aeration buffer zone perimeters.
11. Certified/licensed applicators, or workers under their supervision, must document the following:
 - a) Credentials of the certified/licensed applicator in charge when the fumigant was introduced and when final clearance testing was completed (if different)
 - b) Credentials and/or names and contact information of all personnel members part of the fumigation/aeration prior to the induction of the fumigant and at the time the commodity is aerated (if different)
 - c) The commodity or structure being fumigated
 - d) The target pest (if known)
 - e) The amount of fumigant introduced into the treatment area
 - f) Date and time of the fumigant introduction
 - g) Date and time final clearance testing completed
 - h) Monitoring specifications and results as noted in the “MONITORING AND GAS DETECTION EQUIPMENT” section of this label.

This information may be documented on a form designated for this purpose or on supplemental documents such as those identified below, provided that each data point is documented in at least one location.

12. Certified/licensed applicators, or workers under their supervision, must confirm the required safety and monitoring/clearance equipment (including equipment required for entry into an area under fumigation) is in place and the necessary, trained fumigation handlers are available to complete a safe, effective fumigation.

It is important to note that some Fumigation Management Plans will be more comprehensive than others. All Fumigation Management Plans should reflect the experience and expertise of the certified/licensed applicator and circumstances at and around the site/structure and the treatment and aeration buffer zones.

Elements of the FMP may be fulfilled through the use of supplemental documents such as fumigation logs, service reports, pesticide application records, facility maps, facility emergency plans, provincial or federally required forms, and other supplemental documents prepared for or used during the actual fumigation.

In addition to the development of the Fumigation Management Plan, the certified/licensed applicator must read the entire label and follow its directions carefully. If the certified/licensed applicator has any questions about the development of a Fumigation Management Plan, contact the product registrant for further assistance.

RECORDKEEPING

The certified/licensed applicator's employer or the certified/licensed applicator supervising the fumigation must maintain all records required under the provisions of this label including the FMP and supplemental documents used to fulfill FMP requirements, information on incidents and complaints, and all air monitoring results for two years from the date of the fumigation. Certified/licensed applicator must maintain training records for fumigation handlers who have received training in accordance with the label, ensuring the records are available to Health Canada upon request for a minimum of two years. During the two-year period following a fumigation, these records must be made available upon request to any provincial, municipal, or federal pesticide enforcement personnel.

During the treatment and aeration buffer zone periods, the certified/licensed applicator must make a copy of the FMP and the associated safety data sheet (SDS) available for viewing by all fumigation handlers. The certified/licensed applicator must ensure the FMP is available upon request at the fumigation site while the treatment and aeration buffer zones are in effect.

Records of air monitoring results must include:

- Date of fumigation,
- Monitoring equipment used,
- Location and time of each required sample, and
- Concentration of carbon dioxide found for each required sample.

Records of spills, equipment failures and other emergencies must include:

- Description of what happened
- Emergency procedures followed
- Whether the incident was reported to the provincial lead agency or other agency.

Records of complaints related to the fumigation received by the applicator during or after the fumigation must include:

- Contact information for the person filing the complaint
- Description of control measures or emergency procedures followed after the complaint, if any.

Records must be maintained and made available to Health Canada upon request. A copy of the records must be sent to the registrant at the end of the calendar year. These will be summarized (minus personal information such as name and location) and sent to the PMRA on annual basis.

GUIDANCE FOR PREPARATION OF A FUMIGATION MANAGEMENT PLAN

A Fumigation Management Plan (FMP) is an organized, written description of the required steps involved to help ensure a safe, legal and effective fumigation. It will also assist you and others in complying with pesticide product label requirements. The guidance that follows is designed to help assist you in addressing all the necessary factors involved in preparing for and fumigating a structure and/or area.

This guidance is intended to help you organize any fumigation that you might perform, **PRIOR TO ACTUAL FUMIGATION**. It is meant to be somewhat prescriptive, yet flexible enough to allow the experience and expertise of the fumigator to make changes based on circumstances which may exist in the field. By following a step-by-step procedure, yet allowing for flexibility, a safe and effective fumigation can be performed.

Before any fumigation begins, carefully read and review the product label. This information must also be given to the appropriate company officials (supervisors, foreman, safety officer, etc.) in charge of the site. Preparation is the key to any successful fumigation. If you do not find specific instructions for the type of fumigation that you are to perform listed in this Guidance Document, you will want to construct a similar set of procedures using this document as your guide or contact LINDE CANADA INC. for assistance. Finally, before any fumigation begins, you must be familiar with and comply with all applicable federal, provincial and municipal laws and regulations. The success of the fumigation is not only dependent on your ability to do your job but also upon carefully following all rules, regulations and procedures required by governmental agencies.

CHECKLIST GUIDE FOR A FUMIGATION MANAGEMENT PLAN

This checklist is provided to help you take into account factors that must be addressed prior to performing all fumigations. It emphasizes safety steps to protect people and property. The checklist is general in nature and cannot be expected to apply to all types of fumigation situations. It is to be used as a guide to prepare the required Fumigation Management Plan. Each item must be included if it is applicable to the fumigation. However, it is understood that each fumigation is different and not all items will be necessary for each fumigation site.

A. PRELIMINARY PLANNING AND PREPARATION

1. Determine the purpose of the fumigation and ensure the application is to control the pests listed on the product label.
2. Determine the type of fumigation. For example:
 - a. grain and flour storage areas;
 - b. Vehicle railcar;
 - c. aircraft fuselage fumigation.
3. Fully acquaint yourself with the site and commodity to be fumigated, including:
 - a. The general structure layout, construction (materials, design, age, maintenance), of the structure, fire or combustibility hazards, connecting structures and escape routes, above and below ground, and other unique hazards or structural characteristics. Prepare, with the owner/operator/person in charge, a drawing or sketch of structure to be fumigated, delineating features, hazards, and other structural characteristics.
 - b. The number and identification of persons who routinely enter the area to be fumigated (in other words, employees)
 - c. The specific commodity to be fumigated, its mode of storage, and its condition.
 - d. The previous fumigation/treatment history of the commodity, if available.
 - e. Accessibility of utility service connections
 - f. Nearest telephone or other means of communication. Mark the location of these items on the drawing/sketch.
 - g. Emergency shut-off stations for electricity, water and gas. Mark the location of these items on the drawing/sketch.
 - h. Current emergency telephone numbers of local health, fire, police, hospital and physician responders.
 - i. Name and phone number (both day and night) of appropriate company officials.
 - j. Check, mark and prepare the points of fumigant application locations if the job involves entry into the structure for fumigation.
 - k. Location of command centre
 - l. Exposure time considerations:
 - (1) Product to be used
 - (2) Minimum treatment period, as defined and described by the label use directions.
 - (3) Down time required to be available
 - (4) Aeration requirements
 - (5) Clean-up requirements, including dry or wet deactivation methods, equipment, and personnel needs, if necessary.
 - (6) Measured and recorded commodity temperature and moisture

-
- m. Determination of dosage:
 - (1) Cubic footage or other appropriate space/location calculations
 - (2) Structure sealing capability and methods
 - (3) Label recommendations
 - (4) Temperature, humidity, wind
 - (5) Commodity/space volume
 - (6) Past history of fumigation of the site/structure
 - (7) Exposure time
 - (8) Amount of fumigant used
 - (9) Actual concentration achieved
 - n. Distance to other on-site structures or areas where workers may be exposed.
 - o. Site of aeration vent(s) to be opened to aerate site/structure.
 - p. Treatment and aeration buffer zone requirements, including provisions for areas not under the control of the owner/operator of the application site (for example, agricultural areas, roads and rights of way, publicly owned and/or operated areas.

B. PERSONNEL

1. Confirm in writing that all personnel in and around the site to be fumigated have been notified prior to application of the fumigant. Consider using a checklist that each employee initials indicating they have been notified.
2. Instruct all fumigation personnel to read the label concerning the hazards that may be encountered, and about the selection of personal protection devices, including sufficiently sensitive detection equipment.
3. Confirm that all personnel are aware of and know how to proceed in case of an emergency situation.
4. Instruct all personnel on how to report any accident and/or incidents related to fumigant exposure. Provide a telephone number for emergency response reporting.
5. Instruct all personnel to report to proper authorities any theft of fumigant and/or equipment related to fumigation.
6. Establish a meeting area for all personnel in case of an emergency.

C. MONITORING

1. Safety
 - a. Scheduled ambient air monitoring of carbon dioxide concentrations must be conducted, downwind, along the treatment and aeration buffer zone perimeters to prevent exposure of unprotected workers to concentrations of carbon dioxide **greater than 5000 ppm***** and to determine where exposures may occur. It may be necessary to monitor gas levels in other

- areas as well. Document where monitoring will occur.
- b. Monitor (and record) the wind direction and adjust the carbon dioxide monitoring if wind direction changes over the fumigation/aeration period.
 - Keep a log or manual of monitoring records for each fumigated site and the treatment and aeration buffer zones. This log must, at a minimum, contain the monitoring equipment used, location and timing of each sample, number of readings taken and level of concentrations found in each location.
 - c. When monitoring, document any carbon dioxide level even if it is present at or below the limit of detection.
 - d. From the beginning of the fumigant application and until the end of the treatment period, the certified/licensed applicator supervising the fumigation and/or workers under their supervision must periodically monitor (in other words, according to a schedule made by the certified/licensed applicator as per site characteristics and environmental conditions as stated in the **Fumigation Management Plan**) carbon dioxide levels at several locations along the treatment and aeration buffer zone perimeters. During aeration, the certified/licensed applicator must also periodically monitor (in other words, according to a schedule made by the certified/licensed applicator as per site characteristics and environmental conditions as stated in the **Fumigation Management Plan**) carbon dioxide levels at several locations along the treatment and aeration buffer zone perimeters.

Only if necessary, should workers be present in the treatment and aeration buffer zones. All workers present in the buffer zones during the fumigation or aeration periods MUST follow the requirements, as outlined in the label – “RESPIRATORY PROTECTION REQUIREMENTS” section.\

****NOTE: An evacuation action may be necessary when carbon dioxide levels exceed 5000 ppm.** To determine carbon dioxide levels, readings may be taken using a real-time detection device or a direct reading detection device.

D. NOTIFICATION

Confirm all the appropriate local authorities (fire departments, police departments, etc.) have been notified as per label instructions, local ordinances, or instructions of the client.

Prepare written procedure (“Emergency Response Plan”), which contains explicit instructions, names, and telephone numbers so as to be able to notify local authorities if carbon dioxide levels are exceeded in an area that is outside the facility/not under the control of the facility owner and could be dangerous to bystanders and/or domestic animals.

E. SEALING PROCEDURES

1. Sealing must be adequate to control the pests. Care should be taken to ensure that sealing materials will remain intact until the fumigation is complete.

-
2. If the site has been fumigated before, review the previous Fumigation Management Plan for previous sealing information.
 3. Make sure that construction/remodeling has not changed the site/structure in a manner that will affect the fumigation.
 4. Warning placards must be placed to secure any entrance into the fumigated site and along other likely routes of approach.

F. APPLICATION PROCEDURES AND TREATMENT PERIOD

1. Plan carefully and apply the product in accordance with the label requirements.
2. At least two persons, a certified/licensed applicator and a person trained in accordance with the label working under the direct supervision of the certified/licensed applicator, must be present during fumigation of structures when entry into the structure for application of the fumigant is required. Appropriate respiratory protection, as outlined in the “RESPIRATORY PROTECTION REQUIREMENTS” section MUST be worn during delivery/dispensing of product, while attending to spills and leaks and while monitoring carbon dioxide levels.

Apply fumigant from the outside when and where appropriate. Large-scale fumigations may require the posting of a police officer or guard to prevent entry into the site under fumigation and the treatment and aeration buffer zones. Refer to provincial pesticide regulations.

3. When entering sites/structures, always follow applicable provincial legislation for confined spaces.
4. Document that the receiver of transport vehicles shipped piggyback by rail and/or shipping containers fumigated in-transit has been notified.
5. Turn off any electric lights in the fumigated site and/or structure, as well as all nonessential electrical motors.

G. POSTAPPLICATION OPERATIONS

1. Large-scale fumigations may require the posting of a police officer or guard to prevent entry into the site under fumigation and the treatment and aeration buffer zones. Refer to provincial pesticide regulations.
2. Ventilate and aerate the fumigated site in accordance with site and/or structural limitations and nearby occupied areas in order to minimize exposure.
3. Turn on ventilating or aeration fans, where appropriate.

4. Determine carbon dioxide concentration in the fumigated environment from outside if possible. As much as possible limit exposure, for example, by using monitoring equipment that measures indoor concentrations and displays results outside of the fumigated site. Use a sufficiently sensitive gas detector before entry into a fumigated site and/or structure to determine fumigant concentration.
5. During aeration, monitor gas levels periodically (in other words, according to a schedule made by the certified/licensed applicator as per site characteristics and environmental conditions as stated in the **Fumigation Management Plan**) until the fumigated site and/or structure is ready for entry.
6. Keep written records of monitoring to document completion of aeration.
7. Consider temperature when aerating.
8. Ensure that aeration is complete before moving treated transport vehicles onto public roads.
9. The warning signs/placards may only be removed by the certified/licensed applicator (or someone under their supervision) only after aeration of the fumigated site is complete and the carbon dioxide level is at or below 5000 ppm in the fumigated site and the aeration buffer zone as determined by using a detection device.
10. Inform business/client that employees/other persons may return to work or otherwise be allowed to enter the aerated site.

Proposed label updates relating to the environment assessment:

Under “NOTICE TO USER”:

Add:

“Use of carbon dioxide and management of any resulting emission, storage, transportation, and disposal must also be in accordance with any other applicable federal, provincial /territorial acts or regulations, such as the Canadian Environmental Protection Act, the Greenhouse Gas Pollution Pricing Act, the Canada Shipping Act, the Cargo, Fumigation and Tackle Regulations, etc. Consult with local regulatory authorities on any requirements for use of this product and management of any resulting emission containing this product.”

Proposed label updates relating to the value assessment:

a) Under “DIRECTIONS FOR USE”:

Replace:**GRAIN AND FLOUR STORAGE AREAS**

1. Storage silos should be airtight and adequately sealed.
2. Purge silo to 90% CO₂ atmosphere and maintain the temperature at 25 degrees C. We recommend one day (24 hours) treatment for the adult kill: 2 days (48 hours) for other stages.

NOTE: If silo cannot be totally sealed, and/or temperature cannot be maintained at 25 degrees C or above, longer exposure will be necessary to obtain 100% kill of all stages.

- between 20 degrees C and 25 degrees C with a minimum of 60% concentration, 4 days (96 hours) are recommended.
- between 15 degrees C and 20 degrees C with a minimum of 60% concentration, 6 days (144 hours) are recommended.
- below 15 degrees C much longer exposure time will be required.

Consult Linde Canada Inc.

FUMIGATION DIRECTIONS:**A. GRAIN and FLOUR STORAGE AREAS**

(bins, silos, railcars, flour operations and elevators)

For the fumigation of grain insects such as:

- 1) Granary weevil (*Sitophilus granarius*)
- 2) Rusty grain weevil (*Cryptolestes ferrugineus*)
- 3) Red flour beetle (*Tribolium castaneum*)
- 4) Confused flour beetle (*Tribolium confusum*)
- 5) American black flour beetle (*Tribolium audax*)
- 6) Black flour beetle (*Tribolium maden*)

With:

“For the control of the following grain and flour insects:

1. Granary weevil (*Sitophilus granarius*)
2. Rusty grain weevil (*Cryptolestes ferrugineus*)
3. Red flour beetle (*Tribolium castaneum*)
4. Confused flour beetle (*Tribolium confusum*)
5. American black flour beetle (*Tribolium audax*)
6. Black flour beetle (*Tribolium madens*)

FUMIGATION IN GRAIN and FLOUR STORAGE AREAS (bins, silos, railcars, flour operations and grain elevators)

1. Storage areas should be airtight and adequately sealed.
2. Purge storage areas to 90% CO₂ atmosphere and maintain the temperature at 25 degrees C. We recommend one day (24 hours) treatment for the adult kill: 2 days (48 hours) for other stages.

NOTE: If storage areas cannot be totally sealed, and/or temperature cannot be maintained at 25 degrees C or above, longer exposure will be necessary to obtain 100% kill of all stages.

- between 20 degrees C and 25 degrees C with a minimum of 60% concentration, 4 days (96 hours) are recommended.
- between 15 degrees C and 20 degrees C with a minimum of 60% concentration, 6 days (144 hours) are recommended.
- below 15 degrees C much longer exposure time will be required.”

- b) Replace “C. AIRCRAFT FUSELAGE FUMIGATION” with “FUMIGATION IN AIRCRAFT FUSELAGE” and above this line add “For the control of rats and mice.”
- c) Replace “DIRECTIONS FOR USE for the control of rodents:” with “METHOD OF APPLICATION:”