



Canadian  
Coast Guard

Garde côtière  
canadienne

# List of Lights, Buoys and Fog Signals



Safety First, Service Always

**Atlantic Coast  
2026 Edition**

List of Lights, Buoys and Fog Signals – Atlantic Coast  
2026 Edition

Aussi disponible en français :

Livre des feux, des bouées et des signaux de brume – Côte de l'Atlantique  
Édition 2026

**Published under the Authority of:**

Canadian Coast Guard Programs  
Aids to Navigation and Waterways  
Montreal, QC H2Y 2E7

For more information, contact [DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca](mailto:DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca).

© His Majesty the King in Right of Canada,  
as represented by the Canadian Coast Guard, 2026.

Cat. No. Fs151-9E-PDF. (Electronic PDF, English)  
ISSN 2817-674X


Cat. No. Fs151-9F-PDF. (Electronic PDF, French)  
ISSN 2817-6758

A web version is available here:

[List of Lights, Buoys and Fog Signals](#) (English)

[Livre des feux, des bouées et des signaux de brume](#) (French)

## Geographic Coverage of the List of Lights Volumes



## Record of Changes for 2026

| LL No.            | List of Lights Section                                       | Corrections Published* |
|-------------------|--------------------------------------------------------------|------------------------|
| 5.8 - 114         | Bay of Fundy, N.B. - West                                    |                        |
| 114.5 - 141.5     | Saint John River                                             |                        |
| 145 - 157         | Bay of Fundy, N.B. - East                                    |                        |
| 163 - 268         | Bay of Fundy, N.S.                                           |                        |
| 271 - 300.5       | Nova Scotia Southwest Coast                                  |                        |
| 301.5 - 326.5     | Nova Scotia, Southeast and Southwest Coasts                  |                        |
| 327 - 684.02      | Nova Scotia, Southeast Coast                                 |                        |
| 686.5 - 704.1     | Nova Scotia and Cape Breton Island                           |                        |
| 704.85 - 882.5    | Cape Breton Island, N.S.                                     |                        |
| 883.2 - 940.3     | Northumberland Strait - East                                 |                        |
| 942 - 1084.7      | Prince Edward Island                                         |                        |
| 1085 - 1165.9     | Northumberland Strait - West                                 |                        |
| 1169.1 - 1426     | Gaspé - Chaleur Bay                                          |                        |
| 1477.5 - 1617     | Gulf of St. Lawrence                                         |                        |
| 1620 - 1772       | St. Lawrence Estuary, Gulf of St. Lawrence - Rivière du Loup |                        |
| 1773 - 1823.4     | Saguenay River                                               |                        |
| 1823.55 - 1823.77 | Lac Saint-Jean                                               |                        |
| 1823.8 - 2185.1   | St. Lawrence River, Rivière du Loup - Sorel                  |                        |
| 2190 - 2271.92    | Rivière Richelieu                                            |                        |
| 2272.2 - 2384     | St. Lawrence River, Sorel - Port de Montréal                 |                        |
| 2389 - 2397.7     | Lac Memphrémagog                                             |                        |

\*Note: The detailed corrections to this volume of the *List of Lights, Buoys and Fog Signals* can be found in the following 2026 publications of the [Monthly Editions of Notices to Mariners](#) (Eastern edition only).

### Suggestions and Corrections Form

This form is specifically for suggestions and corrections to Notices to Mariners publications, including the *List of Lights, Buoys and Fog Signals* publications. It is available [online](#) and also in [fillable PDF format](#).

### For more information on the aids to navigation in this publication:

Please refer to the list of [Canadian Coast Guard Aids to Navigation offices](#) found at the end of this section of the publication.

**To report emergencies or navigational hazards:**

[Contact your nearest MCTS centre](#)

- VHF channel 16 (156.8 MHz)
- MF/HF frequency 2182 kHz/4125 kHz (where available)
- \*16 on a cellphone (where available)

Emergency changes and, subsequently, the return to normal operation of the aid, are broadcast by [Navigational Warnings](#) as soon as possible.

## Table of Contents

|                                                                                         |              |
|-----------------------------------------------------------------------------------------|--------------|
| <b>Introduction</b>                                                                     | <b>v</b>     |
| General Information .....                                                               | v            |
| Regional Information .....                                                              | vii          |
| <b>Abbreviations, Definitions and Explanations</b>                                      | <b>ix</b>    |
| International Abbreviations Used .....                                                  | ix           |
| National Abbreviations.....                                                             | ix           |
| Light Signals .....                                                                     | x            |
| Audible Signals .....                                                                   | x            |
| Electronic Aids to Navigation.....                                                      | xi           |
| <b>Reading the Tables</b>                                                               | <b>xii</b>   |
| Column Descriptions for an Aid to Navigation (Lights, Lighted Buoys, Fog Signals) ..... | xii          |
| Column Descriptions for the RACON Annex.....                                            | xvi          |
| Column Descriptions for the AIS AtoN Annex.....                                         | xvii         |
| <b>Information Relating to Lights</b>                                                   | <b>xviii</b> |
| Conversion Table for Heights and Distances (Metres to Feet) .....                       | xviii        |
| Table of Distances .....                                                                | xix          |
| Nomogram (Geographical Range) .....                                                     | xx           |
| Nominal Range Diagram .....                                                             | xxi          |
| <b>Canadian Coast Guard Aids to Navigation Offices</b>                                  | <b>xxii</b>  |



## Introduction

---

### General Information

#### The Canadian Aids to Navigation System

The Canadian Aids to Navigation System is comprised of a mix of visual, audible and electronic aids to navigation, which are provided to assist mariners in determining position and course, to warn of dangers or obstructions or to advise of the location of the best or preferred route.

It is a combined Lateral-Cardinal system and conforms to the IALA (International Association of Marine Aids to Navigation and Lighthouse Authorities) Maritime Buoyage System, Region B. Details of the Canadian aids to navigation system can be found in [The Canadian Aids to Navigation System 2023](#) publication. This publication also contains information on the [legal provisions relevant to, or governing aids to navigation](#).

#### Private Aids

Aids which are identified by the words “Private aid” are not owned by the federal government, a provincial government or a government agency. The Canadian Coast Guard considers any aid owned by a municipal government to be private. Since their quality of operations may not be maintained to Canadian Coast Guard standards, the user should ensure that the service provided by these aids is adequate for their needs in regard to navigating the ship safely.

#### Cautions in the Use of Aids to Navigation

1. Mariners are cautioned not to rely solely on buoys for navigation purposes. Navigation should be by bearings or angles from fixed aids on shore or other charted landmarks and by sounding or through the use of satellite or radio-navigation systems, whenever possible.
2. Most aids to navigation are not under continuous observation and mariners should be aware that failures and displacements do occur. The Canadian Coast Guard does not guarantee that all aids to navigation will operate as advertised or in the positions advertised, at all times. Mariners observing aids to navigation not operating, out of position, operating at reduced service, showing improper characteristics, damaged, or missing are responsible for reporting such problems to the nearest Canadian Coast Guard [Marine Communications and Traffic Services Centre](#) immediately or to the closest Canadian Coast Guard office.
3. Aids to navigation are subject to damage, failure and moving off position, which may be caused by ice, storms, vessel strikes, and power failures. Ice and storm damage may be widespread and require considerable time to repair. Damage to an isolated aid may exist for a long time without being discovered and reported. Floating aids and pier lights in or near the water which are exposed to particularly rigorous strain during ice movement are at the greatest risk of damage.
4. Mariners are cautioned that aids to navigation may fail to exhibit their advertised characteristics. Lights may be extinguished or appear at a reduced intensity and audible signals may not function due to ice, collisions, mechanical failure, and, in the case of bell and whistle buoys, calm water. The shape of an aid to navigation may be altered by ice formation or damage. The colour of an aid to navigation may be altered by freezing spray, marine growth, or fouling by birds. AIS aids, transponders, or shore-based systems may fail, and errors may be introduced by some electronic navigation systems.
5. Buoy positions shown on nautical charts should be considered as approximate positions. There are a number of limiting factors in accurately positioning buoys and their anchors. These factors include prevailing atmospheric and sea conditions, tidal and current conditions, seabed conditions and the fact that buoys are moored to anchors by varying lengths of chain and may drift about their charted positions within the scope of their moorings.
6. Since moving ice is liable to move buoys from their advertised positions, mariners should proceed with extreme caution under these circumstances.

7. Mariners are reminded that because of differences in horizontal datum (i.e. NAD 27, NAD 83, WGS84), grids on charts of an area may vary from one chart to another. When plotting the positions of aids to navigation by the latitude and longitude method, the results should be checked against other available information.
8. In some instances, it is necessary to establish a buoy in close proximity to or on a navigational hazard (e.g. shoal, reef or ledge). In these instances, the buoy symbol may be slightly offset on the chart in the direction of the preferred navigable water so that the existing hazard depicted on the chart will not be overprinted by the buoy symbol. Such offsets will be indicated on the chart by means of an arrow.
9. Mariners are cautioned not to navigate too closely to a buoy and risk a collision with it, its mooring, or with the underwater obstruction which it marks.
10. Many lights are equipped with sun switches. These lights, both on shore and on most buoys, may be unlit between sunrise and sunset. Mariners unable to see these lights during the daylight hours should not assume that the equipment is malfunctioning.
11. Atmospheric conditions can have a considerable effect on light transmission and the visibility of lights. For example:
  - a) The distance to a light cannot be reliably estimated from its apparent brightness.
  - b) It is difficult to distinguish between a white light and a yellow or blue light seen alone at night, except at a short distance.
  - c) Under some atmospheric conditions, white and yellow lights take on a reddish hue.
  - d) Alternating lights with phases of different luminous intensity may change their apparent characteristics at different distances because some phases may not be visible.
  - e) When observed from similar distances, lower intensity lights are more easily obscured by conditions of low visibility than more powerful lights. Coloured lights may appear to be a lower intensity than white lights and are more quickly lost under unfavourable circumstances.
  - f) Ice, frost, moisture, or dirt may form on lantern windows during cold weather or over time and more particularly this may reduce their visibility and could cause coloured lights to appear white.
  - g) A light exhibiting a very short flash may not be visible at as great a range as a light exhibiting a longer flash.
12. The mariner should not rely solely on colour when using a sector light, but should verify the vessel's line of position by taking a bearing on the light. On either side of the line of demarcation, between white and red, and also between white and green, there is always a small arc of uncertain colour.
13. When the arc of visibility of a light is cut off, for example by sloping land, the bearing at which it appears or disappears will vary with the observer's distance and height of eye.
14. The sighting of a light may be adversely affected by different situations, such as a strongly illuminated background, a colourful, or a changing background.
15. Audible aids to navigation. In view of the varying distances at which a fog signal can be heard at sea, and the frequent occurrence of fog near, but not observable from, a fog signal, mariners are cautioned that:
  - a) When approaching land in fog, they should not rely implicitly upon these fog signals, but should always take soundings, which in nearly all cases will give sufficient warning of danger.
  - b) Distance from a fog signal should not be judged by the power of the sound. Under certain atmospheric conditions, the sound may be lost at a very short distance from the signal. These conditions may vary within a very short period of time. Mariners should not assume that a fog signal is not in operation because they do not hear it, even when in close proximity.



16. Visual aids to navigation provided by the Canadian Coast Guard are for the purpose of assisting marine navigation. Hunters, snowmobilers and ice fishers are cautioned that aids to navigation installed for marine navigation purposes cannot be relied upon after the close of the marine navigation season. Such aids may stop operating without warning and will not be re-commissioned by the Canadian Coast Guard until the next opening of marine navigation season.
17. Mariners should be aware of the type of AIS aid to navigation they are using. Physical AIS aids are broadcast from a traditional aid, so their actual positions are reported, and they may be flagged as off position. Virtual AIS aids are broadcast from remote stations, and there are no associated traditional aids at their broadcast position. A Synthetic (Predicted) AIS aid is broadcast from a remote station as a signal placed over the position of a traditional fixed aid and its position will remain static if the associated aid is moved, damaged, or destroyed. AIS aid to navigation types may be differentiated by their information displays.

## Regional Information

### Atlantic Region

The lights in the Bay of Fundy and along the Southwestern and Eastern coasts of Nova Scotia, the coast of Cape Breton Island, including the Bras d'Or Lakes, the coast of Prince Edward Island, and along the Northumberland Strait, and Chaleur Bay to the Québec border, are exhibited year round.

Exceptions to the aforementioned lights are those lights listed as “seasonal” in the “Remarks” column of the *List of Lights, Buoys and Fog Signals*.

Due to difficulties in maintaining buoys through the winter months as a result of freezing spray and drift ice and the buoys being displaced or set adrift, the lifting of buoys in the upper part of the Bay of Fundy and along the Nova Scotia coast and Cape Breton Island including the Bras d'Or Lakes and in the Gulf of St. Lawrence and Northumberland Strait to the Québec border commence lifting November 15 and continue throughout the fall months depending on navigation activity in each area. Some of the buoys in Mahone Bay and the Bedford Basin are lifted beginning November 15 annually. A certain number of summer buoys are replaced by winter spar buoys. (Those buoys are indicated in the “Remarks” column of the *List of Lights, Buoys and Fog Signals*). Details on changes made to fixed and floating aids for the winter season are published every fall in a Navigational Warning by the Atlantic Region and disseminated by means of a radio broadcast when changes occur.

Buoys marking the deep water channel to the Strait of Canso will remain on position unless otherwise advised by Navigational Warnings.

Some summer buoys are replaced by winter spar buoys.

### Central Region

Fixed lighted aids and fog signals are exhibited year round, except for the lights with the annotation “seasonal” in the “Remarks” column of the *List of Lights, Buoys and Fog Signals*. Seasonal lights are maintained approximately from April 1<sup>st</sup> to December 20<sup>th</sup>.

All other lights under the control of the Canadian Coast Guard are maintained in operation whenever navigation in the vicinity is open.

The majority of ranges and some fixed aids have an emergency mode. To identify which lights are equipped with an emergency mode, please refer to the “Remarks” column of the *List of Lights, Buoys and Fog Signals*. Consequently, range light showing a **F** fixed characteristic in the main mode will show an isophase light characteristic **ISO 1s (0.5 s flash; 0.5 s eclipse)**, with a reduced output in emergency mode.

Moreover, some range lights in restricted channels are equipped with a secondary light. This is a third light, which is neither the main light visible in line of range nor the emergency light. Most of these lights have different characteristics from those of the main or emergency light. This secondary light (for reference or

positioning) is often visible over 360 degrees or for a given sector. Complete information concerning this light is available in the *List of Lights, Buoys and Fog Signals*.

Some floating aids are permanently replaced by new plastic or steel year-round lighted spar (YRLS) buoys moored for a two to four-year period, and left in the water year-round. Three models of four-season YRLS buoys are deployed in the St. Lawrence shipping channel. These models come in 3 sizes: 1.3 m, 1.0 m and 0.7 m, each designed for optimal use in different water conditions and depths.

These buoys can withstand very severe ice conditions. Although a lantern is present year-round on them, light service cannot be guaranteed in winter, particularly in the presence of ice. The YRLS buoys reported to be extinguished during this period will therefore not be prioritized and the light service may only be restored during the spring buoyage.

Details on changes made to the aids to navigation are advertised via Navigational Warnings and available on the [e-Navigation Portal](#).

For the winter season, many lighted buoys are replaced by winter spar buoys. Mariners are invited to contact the appropriate MCTS centre or to consult the [e-Navigation Portal](#) to obtain updates on the seasonal buoy tending activities and operations status report in their area.

The commissioning of seasonal aids may be delayed if weather and/or ice conditions preclude buoy tender operations. Mariners are urged to take every precaution and not to rely solely on aids to navigation.

## Abbreviations, Definitions and Explanations

### International Abbreviations Used

| International Abbreviation | Term in English                 |
|----------------------------|---------------------------------|
| AIS                        | Automatic Identification System |
| Al                         | Alternating                     |
| Bu                         | Blue                            |
| F                          | Fixed                           |
| Fl                         | Flashing                        |
| G                          | Green                           |
| h                          | Hour                            |
| Iso                        | Isophase                        |
| LFl                        | Long-flashing                   |
| m                          | Metre(s)                        |
| Mo                         | Morse Code                      |
| Oc                         | Occulting                       |
| ODAS                       | Ocean Data Acquisition System   |
| Q                          | Quick                           |
| R                          | Red                             |
| s                          | Second(s) of time               |
| V-AIS                      | Virtual AIS (AtoN)              |
| VQ                         | Very Quick                      |
| W                          | White                           |
| WGS84                      | World Geodetic System 1984      |
| Y                          | Yellow                          |

### National Abbreviations

| National Abbreviation | Term in English              |
|-----------------------|------------------------------|
| E.                    | East                         |
| Intl                  | International                |
| N.                    | North                        |
| NAD 27                | North American Datum of 1927 |
| NAD 83                | North American Datum of 1983 |
| NE.                   | North-east                   |
| NM                    | Nautical mile(s)             |
| No.                   | Number                       |
| NW.                   | North-west                   |
| RACON                 | Radar beacon                 |
| S.                    | South                        |
| SE.                   | South-east                   |
| sil.                  | Silence                      |
| SW.                   | South-west                   |
| VHF                   | Very high frequency          |
| W.                    | West                         |

## Light Signals

### General Terms Related to Light Signals

- **Bearings:** limits of light sectors and areas of visibility of lights and the alignments of leading lights and directional lights, given as bearings from seaward. The bearings of sectors are given in clockwise order.
- **Character:** distinctive combination of various aspects of a light which appear regularly or rhythmically allowing it to be identified, for example: fixed, flashing, alternating, etc.
- **Colour:** colour exhibited by the light.
- **Period:** time occupied by an entire cycle of intervals of light (flash) and darkness (eclipse).
- **Phase:** each successive element of a rhythmic light's cycle (i.e. flash, eclipse).
- **Rhythm:** pattern of light (flash) and darkness (eclipse) displayed by the light of an aid that allows its function to be identified in conjunction with the period and the colour of the light.

| Types of Light Signal                               | Definitions                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Aeronautical Light                                  | A light generally of great intensity and elevation principally for aircraft navigation. Because of their intensity, these are often the first lights to be seen when approaching land.                                                                                                                                                                         |
| Direction Light                                     | A light illuminating a very narrow sector, used to mark a direction to be followed. This sector may be flanked by sectors of greatly reduced intensity or by sectors of different colour or character.                                                                                                                                                         |
| Emergency Light or Emergency Mode                   | A light that will be illuminated should the main light fail and has a distinctive light characteristic and is at a reduced intensity.                                                                                                                                                                                                                          |
| Locator Light                                       | A secondary all-round light, placed on or near the support of a main sector light of higher intensity, to facilitate its location by mariners before being able to detect the directional light.                                                                                                                                                               |
| Main Light                                          | The light providing the main function of the aid, or the most important light in a group of two or more lights on the same support or on neighbouring supports.                                                                                                                                                                                                |
| Range Lights<br>(also known as<br>"Leading Lights") | Two or more lights associated to form one or more leading lines (or ranges). A leading line defined by two such leading lights is called the axis of the lights.<br>(Note: Lights are only visible in line of range, i.e. the specific bearing when the daymarks, if there are any, of the front and rear ranges are superimposed to make an hourglass shape.) |
| Secondary Light                                     | A light placed on or near the support of a main light and having a special use in navigation.                                                                                                                                                                                                                                                                  |
| Sector Light                                        | A light presenting differing appearances (particularly in colour) over various parts of the horizon of interest to marine navigation.<br>(Note: A white sector indicates the recommended course / safe passage.)                                                                                                                                               |

## Audible Signals

The specific audible signal of an aid to navigation is indicated in the "Remarks" column.

| Types of Audible Signals | Definitions                                                                                       |
|--------------------------|---------------------------------------------------------------------------------------------------|
| Bell                     | Equipment producing a characteristic sound by striking a bell-shape.                              |
| Fog Horn                 | Equipment consisting of a tube of varying transverse dimensions producing a characteristic sound. |
| Whistle                  | Equipment producing a shrill sound by releasing compressed air or steam across an opening.        |

## Electronic Aids to Navigation

Details regarding radar reflectors, radar beacons (RACONS) and Automatic Identification System aids to navigation (AIS AtoN) can be found in [The Canadian Aids to Navigation System 2023](#) publication.

### Radar reflectors

All lighted buoys reflect radar and thus radar reflectors on buoys are not mentioned in the “Remarks” column.

Some shore lights have a radar reflector to enhance their radar conspicuousness and these are noted in the “Remarks” column.

### Radar Beacons (RACONS)

Radar beacons (RACONS) may be established at lighthouses, on buoys or at other specific charted locations ashore or afloat to enhance identification and detection range of these features by radar. A RACON can be identified by a series of coded pulses (Morse code). Some RACONS operate only in the “X” band (9320 to 9500 MHz), whilst others are dual band of “X & S” (“X” band plus “S” band of 2920 to 3100 MHz).

#### Notes:

- A RACON's actual range is dependent on many factors, including, but not limited to, the height of the RACON above the water, its type and model, the height of the radar antenna triggering the RACON, the radar type, model and settings, as well as the band used (X or S), the prevailing weather conditions, and whether there is a clear line of sight or not.
- As a guideline, and in ideal conditions, the nominal range for a RACON installed on a buoy should be between 6 and 8 nautical miles, while the range of a RACON installed on a shore structure should be somewhere between 10 and 20 nautical miles.

RACONS shown in this volume are indicated at the nearest light. The Morse code and the band of a RACON are noted in the “Name / RACON” column.

- A detailed listing of RACONS can be found in the dedicated annex at the end of each volume of the *List of Lights, Buoys and Fog Signals* publication.
  - This annex contains a list of all lighted aids with a RACON in order of their national number (No.), which are then listed under their respective section. Standalone RACONS are listed in the section that reflects most closely to their geographic location.

### Automatic Identification System Aids to Navigation (AIS AtoN)

Automatic Identification System aids to navigation (AIS AtoN) may be established to supplement existing aids to navigation or aid systems, or where physical aid placement is impractical.

The following types of AIS AtoN may be used in Canada:

- Physical AIS AtoN: signal transmitted from an aid to navigation that physically exists.
- Virtual AIS AtoN: signal transmitted from a remote base station, indicating an aid that is only displayed on electronic navigation equipment and does not physically exist.
- Synthetic (Predicted) AIS AtoN: signal transmitted from a remote base station, supplementing a physical fixed aid whose position is not monitored.

AIS AtoN shown in this volume are those deployed in a permanent manner, and are listed with their AIS AtoN type and Maritime Mobile Service Identity (MMSI) number. They can also be found listed in the dedicated annex for reference. Additional information may be obtained from the [Canadian Coast Guard e-Navigation Portal](#).

## Reading the Tables

Information on position, characteristic, colour, visible range, bearings, and arcs of visibility is intended for practical use in navigation. It should not be used as a basis for surveys or other work requiring a high order of precision.

### Column Descriptions for an Aid to Navigation (Lights, Lighted Buoys, Fog Signals)

Lights, lighted buoys and fog signals are listed and described in an eight-column table. The contents and principal conventions are used as follows:

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

#### Column 1 – National and International Numbers

The national number (No.) is a number assigned to an aid to navigation to service a specific position. It is unique to its proper volume and can be one to eight digits long, including four decimal places. Generally, the numbering increases in the upstream direction.

The international number (Intl No.) is listed under the national number. It starts with one capital letter and followed by four to seven digits, including three decimal places. These numbers correspond to the numbers given in the *Admiralty List of Lights and Fog Signals* publication by the United Kingdom Hydrographic Office (UKHO).

There are two volumes that cover Canadian aids to navigation:

- Volume G: Western Side of South Atlantic Ocean and East Pacific Ocean
  - This covers the **Pacific Coast** volume of the *List of Lights, Buoys and Fog Signals*.
- Volume H: Northern and Eastern Coasts of Canada
  - This covers the **Newfoundland and Labrador Coast, Atlantic Coast, Inland Waters** and **Arctic Coast** volumes of the *List of Lights, Buoys and Fog Signals*.

#### Column 2 – Name and RACON

The name of an aid to navigation is based off official geographical names as per the [Canadian Geographical Names Database](#) by Natural Resources Canada. When there is no official name that is applicable to the aid, then local names would be used instead.

Other elements can be found in the name such as the type of light signal, the function of the aid (as described in [The Canadian Aids to Navigation System 2023](#) publication), and physical identifier (such as an aid designator on a buoy).

The typographic elements employed allow the following distinctions to be made:

- **Upright and bold type**: land-based lights with nominal range of at least 15 nautical miles
- Upright type: other land-based lights
- *Italic type*: buoys

If an aid to navigation is equipped with a RACON, then that will be indicated in a separate section underneath the aid name and includes the Morse Code letter and equivalent coded signal, and the radar band(s) that the RACON operates in.

### Column 3 – Location and Geographic Positions

Additional information on the location of the aid to navigation may be described to complement what is written in the aid name.

The geographic positions of all aids to navigation listed in this volume are shown in degrees, minutes and seconds and are given in the North American Datum of 1983 (NAD 83) with an accuracy to a tenth of second.

In the case of range lights, the position of the rear light is also given by bearing and distance from the front light. The bearing is from seaward.

### Column 4 –Light Characteristics

[Light characteristics](#) are composed of its [rhythm](#) (which includes the character), [colour](#), and [period](#).

- The [period](#) is not applicable to lights with a fixed (F) character.

Only the light characteristics of the main light of an aid to navigation are indicated in this column. Any additional light (secondary light, emergency light/mode, locator light or aeronautical light) is indicated in the “Remarks” column with their light characteristics.

Details regarding the basic types of light characters can be found in [The Canadian Aids to Navigation System 2023](#) publication.

### Common Light Flash Characters

Below is a list of common light flash characters with their typical flash and eclipse sequence. Definitions of these characters have been included for reference. (Please note that any uncommon light flash characters and variations on the sequence of a character listed below is indicated in the “Remarks” column.)

**Fixed (F) Light:** light which appears continuous and steady and of constant colour.

**Rhythmic Light:** light exhibiting its character in recurring regular cycles.

- **Isophase (Iso):** light in which the alternations of light (flash) and darkness (eclipse) are of equal length.
  - “**Iso 2s**”: flash 1.0 s; eclipse 1.0 s
- **Flashing (FI):** light in which the flash is clearly shorter than the duration of darkness and in which the flashes of light are all of equal duration.
  - **Single-flashing light:** flashing light in which a flash is regularly repeated at a rate of less than 50 flashes per minute.
    - “**FI 4s**”: flash 0.5 s; eclipse 3.5 s
  - **Long-flashing light:** flashing light in which an appearance of light of not less than 2 seconds in duration (long flash) is regularly repeated.
    - “**LFI 10s**”: flash 2.0 s; eclipse 8.0 s
  - **Group-flashing light:** flashing light in which a group of flashes, specified in number, is regularly repeated.
    - “**FI(2) 5s**”: flash 0.4 s; eclipse 0.6 s; flash 0.4 s; eclipse 3.6 s
    - “**FI(2) 10s**”: flash 1.0 s; eclipse 1.0 s; flash 1.0 s; eclipse 7.0 s
    - “**FI(5) 20s**”: 4(flash 0.5 s; eclipse 1.5 s); flash 0.5 s; eclipse 11.5 s
  - **Composite group-flashing light:** light similar to a group flashing light except that successive groups in a period have different numbers of flashes.
    - “**FI(2+1) 6s**”: flash 0.3 s; eclipse 0.4 s; flash 0.3 s; eclipse 1.2 s; flash 0.3 s; eclipse 3.5 s
    - “**FI(2+1) 10s**”: flash 0.5 s; eclipse 0.7 s; flash 0.5 s; eclipse 2.1 s; flash 0.5 s; eclipse 5.7 s



- Occulting (Oc): light in which the flash is clearly longer than the duration of darkness (eclipse) and in which the intervals of darkness are all of equal duration.
  - Single-occulting light: occulting light in which an eclipse is regularly repeated.
  - Group-occulting light: occulting light in which a group of eclipses are regularly repeated. The total duration of light in each period may be equal to the total duration of darkness.
- Quick (Q): light in which flashes are repeated at a rate of not less than 50 flashes per minutes but less than 80 flashes per minute.
  - Continuous quick-flashing light: quick light in which a flash is regularly repeated.
    - “**Q 1s**” : flash 0.3 s; eclipse 0.7 s
  - Group quick-flashing light: quick light in which a specified group of flashes, specified in number, is regularly repeated.
    - “**Q(3) 10s**” : 2(flash 0.3 s; eclipse 0.7 s); flash 0.3 s; eclipse 7.7 s
    - “**Q(9) 15s**” : 8(flash 0.3 s; eclipse 0.7 s); flash 0.3 s; eclipse 6.7 s
  - Group quick-flashing and long-flash light: light in which a group of quick flashes is followed by a single long flash.
    - “**Q(6) + LFI 15s**” : 6(flash 0.3 s; eclipse 0.7 s); flash 2.0 s; eclipse 7.0 s
- Very Quick (VO): very quick-flashing light in which a flash is regularly repeated at a rate of not less than 80 flashes per minute but less than 160 flashes per minute (usually either 100 or 120 flashes per minute).
  - Continuous very quick-flashing light: very quick light in which a flash is regularly repeated.
    - “**VQ 0.5s**” : flash 0.2 s; eclipse 0.3 s
  - Group very quick-flashing light: very quick light in which a specified group of flashes, specified in number, is regularly repeated.
    - “**VQ(3) 5s**” : 2(flash 0.2 s; eclipse 0.3 s); flash 0.2 s; eclipse 3.8 s
    - “**VQ(9) 10s**” : 8(flash 0.2 s; eclipse 0.3 s); flash 0.2 s; eclipse 5.8 s
  - Group very quick-flashing and long-flash light: light in which a group of very quick flashes is followed by a single long flash.
    - “**VQ(6) + LFI 10s**” : 6(flash 0.2 s; eclipse 0.3 s); flash 2.0 s; eclipse 5.0 s
- Morse Code (Mo): light in which flashes of light of two clearly different durations are grouped to represent a character or characters in the Morse Code.
  - “**Mo(A) 6s**” : flash 0.3 s; eclipse 0.6 s; flash 1.0 s; eclipse 4.1 s

Alternating (AI) Light: rhythmic light exhibiting different colours during each cycle.

### Column 5 – Focal Height Above Water

Focal height of a light is above Higher High Water Large Tides, except in the St. Lawrence River west of Trois-Rivières, in the St. Lawrence Seaway, in the Great Lakes and in other inland waters where it is above chart datum.

The focal height is given in metres (m).

### Column 6 – Nominal Range

The nominal range of a light used as a marine aid to navigation is its luminous range in a homogeneous atmosphere in which the meteorological visibility is 10 nautical miles.

The nominal range is given in nautical miles (NM). It is in **upright and bold type** when it is greater than or equal to 15 NM, and in upright type when it is less than 15 NM.

### Column 7 – Description and Height of Structure Above Ground Level

For buoys, the shape and colour(s) of the buoy is described, along with its designator (if applicable).

For fixed aids, the shape and colours of the structure and daymark are described (if applicable).

- For range lights: if a daymark is mentioned, but no shape is described, then it can be assumed that the shape of the daymark is trapezoidal.
- The height of the structure above ground level will be indicated in a separate section underneath the aid description (if applicable).

### Column 8 – Remarks, Audible Signals and AIS

This column is dedicated to any notable remarks regarding an aid to navigation, including separate sections for audible signals and AIS aids to navigation (if applicable).

- **Private aid** (as applicable)
- **Period of service** of the aid to navigation (applies to all aids)
  - Seasonal: AtoN that is in service for a certain service period, usually determined by winter weather.
  - Seasonal (in place year round): AtoN that has a specific service period, but is not removed from its established position between periods.
  - Year round: AtoN that is operational all-year round. This includes summer buoys with winter spar replacements.
    - Year-round lighted spar (YRLS) buoys are mentioned here, if applicable.
- **Winter spar** (buoys only, if applicable)
  - This mention indicates if a summer buoy is replaced by a winter spar during the winter season.
- **Light operation** (as applicable)
  - The light on an aid to navigation operates at night only, unless otherwise indicated here (such as day or 24 hours).
- **Light flash character sequence** (as applicable)
  - The flash and eclipse sequence of any uncommon light flash character or variation on [common light flash characters described above](#) will be indicated here.
- **Arc of visibility** (lighted fixed aids only, if applicable)
  - The light of an aid to navigation is visible from all points of marine approach, unless indicated here (e.g. sector lights). The bearings are given from seaward.
- **Additional lights** (lighted fixed aids only, if applicable)
  - If there are any additional lights to the main light (such as a secondary light, emergency light/mode, locator light or aeronautical light), then they will be indicated here with their light characteristic.
    - Note: The light characteristic of “Emergency Mode” will not be indicated as it is always Iso 1s.
- **Radar reflector** (shore lights only, if applicable)
- **Additional remarks** (as applicable)
  - All other remarks will be listed here such as VHF activation procedures.

The “**Audible Signals**” section will indicate:

- the type of audible signal (bell, fog horn or whistle) and
- any other pertinent information (such as the sequence of blast and silence for fog horns).

The “**AIS**” section will indicate:

- the type of AIS AtoN (physical, virtual or synthetic AIS AtoN),
- the MMSI number, and
- the AtoN Type, as defined by The International Telecommunication Union (ITU), for virtual AIS AtoN.

### Column Descriptions for the RACON Annex

| No. | Name | Latitude N.<br>Longitude W. | Morse Code<br>Identifier | Radar Bands | Period of Service |
|-----|------|-----------------------------|--------------------------|-------------|-------------------|
|-----|------|-----------------------------|--------------------------|-------------|-------------------|

#### Column 1 – National Number

The national number (No.) is a number assigned to an aid to navigation to service a specific position. It is unique to its proper volume and can be one to eight digits long, including four decimal places.

If the RACON is part of a lighted aid, then this will be the same number as found in the table of lights.

#### Column 2 – Name

The name of an aid to navigation is based off official geographical names as per the [Canadian Geographical Names Database](#) by Natural Resources Canada. When there is no official name that is applicable to the aid, then local names would be used instead.

If the RACON is part of a lighted aid, then this will be the same name as found in the table of lights.

#### Column 3 – Geographic Positions

The geographic positions of all aids to navigation listed in this volume are shown in degrees, minutes and seconds and are given in the North American Datum of 1983 (NAD 83) with an accuracy to a tenth of second.

#### Column 4 – Morse Code Identifier

This column indicates the Morse Code letter and equivalent coded signal.

#### Column 5 – Radar Bands

This column indicates the radar band(s) that the RACON operates in.

#### Column 6 – Period of Service

This columns indicates the period of service of the aid.

### Column Descriptions for the AIS AtoN Annex

| LL No. | AIS Broadcast Name | Latitude N.<br>Longitude W. | Type of<br>AIS AtoN | AtoN Type<br>(ITU) | Remarks |
|--------|--------------------|-----------------------------|---------------------|--------------------|---------|
|--------|--------------------|-----------------------------|---------------------|--------------------|---------|

#### Column 1 – LL No.

The national number (LL No.) is a number assigned to an aid to navigation to service a specific position. It is unique to its proper volume and can be one to eight digits long, including four decimal places.

AIS AtoN, including virtual AIS AtoN, are also found in the table of lights.

#### Column 2 – AIS Broadcast Name

Due to the limitations on the number of characters allowed for this information in Message 21, the AIS Broadcast Name is a truncated or abbreviated version of the name found in the table of lights.

#### Column 3 – Geographic Positions

The geographic positions of all aids to navigation listed in this volume are shown in degrees, minutes and seconds and are given in the North American Datum of 1983 (NAD 83) with an accuracy to a tenth of second.

#### Column 4 – Type of AIS AtoN

The column indicates the specific type of AIS AtoN: physical, virtual or synthetic (AIS AtoN).

#### Column 5 – AtoN Type (ITU)

This column refers to the AtoN Type as defined by The International Telecommunication Union (ITU).

#### Column 6 – Remarks

This column indicates the MMSI number and the period of service of the aid.

## Information Relating to Lights

---

### Conversion Table for Heights and Distances (Metres to Feet)

| Metres | Feet    |
|--------|---------|
| 1      | 3.2     |
| 2      | 6.5     |
| 3      | 9.8     |
| 4      | 13.1    |
| 5      | 16.4    |
| 6      | 19.6    |
| 7      | 22.9    |
| 8      | 26.2    |
| 9      | 29.5    |
| 10     | 32.8    |
| 20     | 65.6    |
| 30     | 98.4    |
| 40     | 131.2   |
| 50     | 164.0   |
| 100    | 328.0   |
| 200    | 656.1   |
| 300    | 984.2   |
| 400    | 1,312.3 |
| 500    | 1,640.4 |
| 1,000  | 3,280.8 |
| 2,000  | 6,591.6 |

**1 NAUTICAL MILE = 1852 metres**

Note:

The following conversion factors may also be of assistance:

- multiply feet by 0.3048 to obtain metres
- divide metres by 0.3048 to obtain feet


## Table of Distances

Table of Distances at which objects can be seen at sea, according to their respective elevations and the elevation of the eye of the observer.

| Height (metres) | Distances (nautical miles) |
|-----------------|----------------------------|
| 2               | 2.9                        |
| 3               | 3.6                        |
| 4               | 4.2                        |
| 5               | 4.6                        |
| 6               | 5.1                        |
| 7               | 5.5                        |
| 8               | 5.9                        |
| 9               | 6.2                        |
| 10              | 6.6                        |
| 12              | 7.2                        |
| 14              | 7.8                        |
| 16              | 8.3                        |
| 18              | 8.8                        |
| 20              | 9.3                        |
| 25              | 10.4                       |
| 30              | 11.4                       |
| 35              | 12.3                       |
| 40              | 13.1                       |
| 45              | 13.9                       |
| 50              | 14.7                       |
| 55              | 15.4                       |
| 60              | 16.1                       |
| 70              | 17.4                       |
| 80              | 18.6                       |
| 90              | 19.7                       |
| 100             | 20.8                       |
| 120             | 22.8                       |
| 140             | 24.6                       |
| 160             | 26.3                       |
| 180             | 27.6                       |
| 200             | 29.4                       |
| 250             | 32.9                       |
| 300             | 36.0                       |
| 350             | 38.9                       |
| 400             | 41.6                       |


Example: An observer whose eye is 12 metres above the water can see a light having an elevation of 40 metres above the water at a distance of: **7.2 + 13.1 = 20.3 nautical miles.**

### Nomogram (Geographical Range)



By using the above Nomogram, a geographical range can be determined by placing a straight edge against the height of the respective light and the height of the observer above water level.

## Nominal Range Diagram



Column 7 of the List of Lights gives the nominal range of each light, where there is sufficient light to be seen 2 nautical miles or more when the meteorological visibility is 10 nautical miles.

When the mariner obtains the meteorological visibility from the weather report, he can find the distance the light can be seen at night from the nominal range diagram.

Example: The List of Lights gives the nominal range of 16 nautical miles. The weather report gives the meteorological visibility of 2 nautical miles. The point on the bottom of the diagram marked "16" is followed upwards until it intersects the curve marked "2 Nautical Miles." Follow that height horizontally to the left margin to find that the visibility of the light, which is 5 nautical miles.

Caution: The nominal range diagram is correct when the meteorological visibility is the same in the whole of the distance between the ship and the light. Conditions occur when this may not be true.



## Canadian Coast Guard Aids to Navigation Offices

Mariners or other persons wishing to communicate with the Canadian Coast Guard concerning aids to navigation may do so at the following offices:

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p style="text-align: center;"><b><u>ATLANTIC REGION</u></b></p> <p>Regional Headquarters<br/>P.O. Box 5667<br/>St. John's, NL A1C 5X1</p> <p>Operations Supervisor, Aids to Navigation<br/>175 McIlveen Drive<br/>Saint John, NB<br/>E2L 4B3<br/>Telephone: 1-506-636-4708 <b>(B)</b></p> <p>MCTS Refer to RAMN <b>(H/N)</b></p> <p>Navigational Warnings<br/>Telephone: 1-709-695-2168 <b>(B) (H/N)</b><br/>1-902-564-7751 <b>(B) (H/N)</b><br/>1-800-686-8676 <b>(B) (H/N) (TF)</b></p> <p>Email: <a href="mailto:NAVWARN.MCTSPortAuxBasques@innav.gc.ca">NAVWARN.MCTSPortAuxBasques@innav.gc.ca</a><br/><a href="mailto:NAVWARN.MCTSSydney@innav.gc.ca">NAVWARN.MCTSSydney@innav.gc.ca</a></p> | <p style="text-align: center;"><b><u>CENTRAL REGION</u></b></p> <p style="text-align: center;"><b><u>St. Lawrence Sector</u></b></p> <p>Québec, QC Superintendent, Aids to Navigation<br/>Supervisor, Operations<br/>1550, Avenue D'Estimauville<br/>Québec, QC G1J 5E9</p> <p>Telephone: 1-418-649-6999 <b>(B)</b><br/>1-581-443-6293 <b>(B)</b></p> <p>Email: <a href="mailto:DFO.AtoNStLawrence-StLaurentAalaN.MPO@dfo-mpo.gc.ca">DFO.AtoNStLawrence-StLaurentAalaN.MPO@dfo-mpo.gc.ca</a></p>                                                                                                                                                                   |
| <p style="text-align: center;"><b><u>ARCTIC REGION</u></b></p> <p>Yellowknife, NT Superintendent<br/>Navigational Programs<br/>5120 49th Street, 3rd Floor<br/>Yellowknife, NT<br/>X1A 1P8</p> <p>Telephone: 1-867-444-0109 <b>(B)</b></p> <p>Email: <a href="mailto:DFO.CCGArcticAidsNavigation-AidesalaNavigationArctiqueGCC.MPO@dfo-mpo.gc.ca">DFO.CCGArcticAidsNavigation-AidesalaNavigationArctiqueGCC.MPO@dfo-mpo.gc.ca</a></p> <p>Navigational Warnings<br/>Telephone: 1-867-979-5269 <b>(B) (H/N)</b></p> <p>Email: <a href="mailto:NAVWARN.MCTSIqaluit@innav.gc.ca">NAVWARN.MCTSIqaluit@innav.gc.ca</a></p>                                                                               | <p style="text-align: center;"><b><u>Great Lakes Sector</u></b></p> <p>Sarnia, ON Supervisor, Operations<br/>Aids to Navigation<br/>520 Exmouth Street<br/>Sarnia, ON N7T 8D1</p> <p>Telephone: 1-226-402-1052 <b>(E)</b><br/>1-705-773-4342 <b>(E)</b></p> <p>Email: <a href="mailto:DFO.CCGCentralAtoNGreatLakes-GrandsLacsAalaNCentreGCC.MPO@dfo-mpo.gc.ca">DFO.CCGCentralAtoNGreatLakes-GrandsLacsAalaNCentreGCC.MPO@dfo-mpo.gc.ca</a></p> <p>MCTS Refer to RAMN <b>(H/N)</b></p> <p>Navigational Warnings<br/>Telephone : 1-613-925-0666<b>(B) (H/N)</b></p> <p>Email: <a href="mailto:AVNAV.SCTMPrescott@innav.gc.ca">AVNAV.SCTMPrescott@innav.gc.ca</a></p> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <p style="text-align: center;"><b><u>WESTERN REGION</u></b></p> <p>Victoria, BC Superintendent<br/>Aids to Navigation and Waterways<br/>25 Huron Street<br/>Victoria, BC V8V 4V9</p> <p>Telephone: 1-250-480-2600 <b>(E)</b><br/>1-800-667-2179 <b>(TF)</b></p> <p>Email: <a href="mailto:DFO.CCGWesternAidstoNavigation-AidesalaNavigationOuestGCC.MPO@dfo-mpo.gc.ca">DFO.CCGWesternAidstoNavigation-AidesalaNavigationOuestGCC.MPO@dfo-mpo.gc.ca</a></p> <p>Navigational Warnings<br/>Telephone: 1-250-627-3070 <b>(H/N)</b></p> <p>Email: <a href="mailto:NAVWARN.MCTSPrinceRupert@innav.gc.ca">NAVWARN.MCTSPrinceRupert@innav.gc.ca</a></p>                    |

**(B) Bilingual Service**

**(E) English Only Service**

**(TF) Toll Free**

**(H/N) Holidays and Nights**

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                                                   | Location<br>-----<br>Latitude N.<br>Longitude W.                       | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS          |
|----------------------------------|--------------------------------------------------------------------------|------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - WEST</b> |                                                                          |                                                                        |                          |                                          |                          |                                                                                                   |                                                              |
| 5.8                              | North Rock Light                                                         | N. of Machias Seal<br>Island.<br>44 32 15.8<br>067 05 13.8             | FI R 6s                  | 14.1                                     | 14                       | White cylindrical tower with<br>red horizontal band.                                              | Year round.<br>Flash 1 s; eclipse 5 s.                       |
| 6<br>H4192                       | <b>Machias Seal Island</b>                                               | On summit of<br>island.<br>44 30 06.6<br>067 06 04.1                   | FI W 3s                  | 25.0                                     | <b>18</b>                | White octagonal tower with<br>red top.<br>18.3                                                    | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 2 s.     |
| 7                                | <i>Bull Rock light and<br/>whistle buoy XA1</i>                          | <i>E. side of rock.<br/>44 30 14.8<br/>066 56 18.2</i>                 | <i>FI G 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Green, pillar, marked<br/>"XA1".</i>                                                           | <i>Year round.<br/><br/>Audible signal: Whistle</i>          |
| 7.5                              | <i>Wallace Ledge light<br/>and bell buoy XA2</i>                         | <i>44 32 09.6<br/>066 52 57.1</i>                                      | <i>FI R 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Red, pillar, marked "XA2".</i>                                                                 | <i>Year round.<br/><br/>Audible signal: Bell</i>             |
| 7.7                              | <i>Buck Rock light and<br/>bell buoy XA3</i>                             | <i>E. of rock.<br/>44 36 10.0<br/>066 52 19.9</i>                      | <i>FI G 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Green, pillar, marked<br/>"XA3".</i>                                                           | <i>Year round.<br/><br/>Audible signal: Bell</i>             |
| 8<br>H4188                       | Gannet Rock<br><br><b>Racon G (- - .)<br/>X &amp; S Bands</b>            | S. of Grand Manan.<br>44 30 37.1<br>066 46 52.9                        | .....                    | .....                                    | .....                    | Black and white octagonal<br>tower.<br>22.9                                                       | Year round.                                                  |
| 8.1                              | Gannet Rock North<br>Light                                               | 44 30 38.0<br>066 46 53.6                                              | Oc W 3s                  | 12.9                                     | 11                       | Pipe swing pole.<br>12.9                                                                          | Year round.<br>Flash 2 s; eclipse 1 s.<br>Visible 058°-348°. |
| 8.2                              | Gannet Rock South<br>Light                                               | 44 30 37.2<br>066 46 53.7                                              | Oc W 3s                  | 13.6                                     | 11                       | Pipe swing pole.<br>13.6                                                                          | Year round.<br>Flash 2 s; eclipse 1 s.<br>Visible 193°-164°. |
| 9                                | <i>Old Proprietor light<br/>and whistle buoy X1</i>                      | <i>44 32 44.6<br/>066 38 57.1</i>                                      | <i>FI G 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Green, pillar, marked "X1".</i>                                                                | <i>Year round.<br/><br/>Audible signal: Whistle</i>          |
| 9.5                              | <i>Old Proprietor Shoal<br/>East Cardinal light and<br/>bell buoy XK</i> | <i>44 33 45.6<br/>066 39 39.1</i>                                      | <i>Q(3) W 10s</i>        | <i>.....</i>                             | <i>.....</i>             | <i>Black-yellow-black, pillar,<br/>marked "XK".</i>                                               | <i>Year round.<br/><br/>Audible signal: Bell</i>             |
| 10                               | <i>Tinker Shoal light and<br/>bell buoy XK3</i>                          | <i>N. of shoal.<br/>44 35 49.6<br/>066 42 38.6</i>                     | <i>FI G 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Green, pillar, marked<br/>"XK3".</i>                                                           | <i>Year round.</i>                                           |
| 10.4                             | <i>Long Ledge light and<br/>bell buoy XK4</i>                            | <i>SW. of White Head.<br/>44 36 56.0<br/>066 44 28.8</i>               | <i>Q R 1s</i>            | <i>.....</i>                             | <i>.....</i>             | <i>Red, pillar, marked "XK4".</i>                                                                 | <i>Year round.<br/><br/>Audible signal: Bell</i>             |
| <b>Grand Manan Island</b>        |                                                                          |                                                                        |                          |                                          |                          |                                                                                                   |                                                              |
| 11<br>H4186                      | <b>Southwest Head</b>                                                    | On edge of cliff S.<br>extremity of head.<br>44 36 02.9<br>066 54 19.8 | FI W 10s                 | 47.5                                     | <b>16</b>                | White rectangular tower<br>with red top.<br>9.9                                                   | Year round.                                                  |
| 15<br>H4181.5                    | White Horse Islet                                                        | 44 36 09.7<br>066 48 25.6                                              | LFI G 12s                | 13.4                                     | 4                        | Square skeleton tower, red<br>and white rectangular<br>daymark, green square in<br>centre.<br>6.7 | Year round.<br>Flash 2 s; eclipse 10 s.                      |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                     | Location<br>-----<br>Latitude N.<br>Longitude W.                       | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------|--------------------------------------------|------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - WEST</b> |                                            |                                                                        |                          |                                          |                          |                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 16                               | Constable Ledge light<br>and bell buoy XJ2 | NW. of ledge.<br>44 35 47.3<br>066 46 59.8                             | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XJ2".                                               | Year round.<br><br><b>Audible signal: Bell</b>                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 16.8<br>H4184                    | Seal Cove Outer<br>Breakwater              | On outer end of<br>breakwater.<br>44 38 51.6<br>066 50 19.5            | Fl G 6s                  | 5.0                                      | 4                        | Cylindrical mast, green,<br>white and black square<br>daymark.<br>3.7    | Year round.<br>Flash 1 s; eclipse 5 s.                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 17.5                             | Red Head light buoy<br>XA7                 | 44 38 30.8<br>066 49 01.6                                              | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XA7".                                          | Year round.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 18.2                             | Joe's Point light buoy<br>XA8              | 44 38 24.2<br>066 48 47.4                                              | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "XA8".                                                 | Year round.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 19                               | Ox Head Ledges light<br>buoy XK7           | 44 38 18.2<br>066 45 53.5                                              | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"XK7".                                          | Year round.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 19.3                             | Grand Harbour Middle<br>light buoy XK11    | 44 39 27.8<br>066 45 10.9                                              | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XK11".                                         | Year round.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 20                               | Sand Bar Ledge light<br>buoy XN2           | Off N. end of ledge.<br>44 37 59.5<br>066 44 32.6                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XN2".                                               | Year round.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 21                               | White Head Ledge<br>light buoy XM3         | W. of White Head.<br>44 37 44.6<br>066 43 59.1                         | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XM3".                                          | Year round.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 22<br>H4180                      | Ingalls Head<br>Breakwater                 | On outer end of<br>breakwater.<br>44 39 41.9<br>066 45 16.6            | Q G 1s                   | 5.3                                      | 7                        | Cylindrical mast, green and<br>white square daymark.<br>4.0              | Year round.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 22.5<br>H4176                    | Sam's Islet Light                          | 44 38 51.0<br>066 44 43.8                                              | Fl W 4s                  | .....                                    | 3                        | Cylindrical mast.<br>4.2                                                 | Year round.<br>Radar reflector.                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 23<br>H4172                      | Half Tide Rock<br>(Cheney Passage)         | On rock, in middle<br>of passage.<br>44 39 19.4<br>066 43 42.1         | Fl G 5s                  | 3.9                                      | 4                        | Square skeleton tower,<br>black and white rectangular<br>daymark.<br>3.5 | Year round.<br>Flash 1 s; eclipse 4 s.<br><br><b>Fog Horn</b><br>Blast 1 s; sil. 14 s.<br>Mariners requiring the<br>operation of the fog signal will<br>have to select VHF channel 65<br>and key their microphones five<br>(5) times within 10 seconds.<br>The fog signal will be in<br>operation for 15 minutes. The<br>fog signal can be activated<br>within a 1 NM distance. The fog<br>signal can be activated for<br>another 15 minutes by<br>repeating the above procedure. |
| 24<br>H4178.3                    | Whitehead Harbour                          | 44 37 49.4<br>066 43 39.4                                              | Fl R 4s                  | 4.7                                      | 4                        | Skeleton tower on 3-pile<br>dolphin.<br>2.5                              | Year round.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 25<br>H4178                      | Long Point                                 | Near S. extremity of<br>Whitehead Island.<br>44 36 49.2<br>066 42 34.7 | Iso W 12s                | 15.6                                     | 14                       | White rectangular tower<br>with red top.<br>11.4                         | Year round.<br>Operates 24 h.<br><br><b>Fog Horn</b><br>Blast 2 s; sil. 18 s.                                                                                                                                                                                                                                                                                                                                                                                                     |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.                          | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                      |
|----------------------------------|---------------------------------------------|---------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - WEST</b> |                                             |                                                                           |                          |                                          |                          |                                                                          |                                                                                                          |
| 26                               | Brazil Shoal light and bell buoy XKA        | 44 35 06.6<br>066 40 45.1                                                 | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked "XKA".                                         | Year round.<br><br><b>Audible signal:</b> Bell                                                           |
| 28                               | Prangle Point light and bell buoy XP3       | E. of the point.<br>44 38 31.6<br>066 40 40.1                             | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "XP3".                                             | Year round.<br><br><b>Audible signal:</b> Bell                                                           |
| 28.5                             | West Bay of Fundy ODAS light buoy 4400490   | 44 39 53.3<br>066 21 52.2                                                 | Fl(5) Y 20s              | .....                                    | .....                    | Yellow, ODAS, marked "4400490".                                          | Year round.<br>Operates 24 h.                                                                            |
| 28.6                             | Great Duck Ledge light and whistle buoy XP4 | 44 39 24.6<br>066 40 43.1                                                 | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XP4".                                               | Year round.<br><br><b>Audible signal:</b> Whistle                                                        |
| 29<br>H4174                      | Great Duck Island                           | S. end of island.<br>44 41 03.5<br>066 41 36.4                            | Fl W 10s                 | 16.5                                     | 18                       | Square skeleton tower, red and white rectangular daymark.<br>16.5        | Year round.<br>Flash 1 s; eclipse 9 s.<br><br><b>Fog Horn</b><br>Blast 4 s; sil. 56 s.                   |
| 30<br>H4171                      | Gull Islet                                  | On Gull Islet Ledge.<br>44 41 11.6<br>066 43 41.7                         | Fl G 6s                  | 3.4                                      | .....                    | Green square skeleton tower, green and white square daymark.<br>9.6      | Year round.<br>Flash 1 s; eclipse 5 s.                                                                   |
| 30.5<br>H4170.4                  | Farmer Ledge                                | 44 43 23.7<br>066 43 34.5                                                 | Fl G 4s                  | .....                                    | 4                        | Square skeleton tower, green and white rectangular daymark.<br>4.1       | Year round.<br>Flash 1 s; eclipse 3 s.                                                                   |
| 30.8<br>H4170                    | North Head                                  | On Fisherman's Wharf.<br>44 45 45.0<br>066 45 04.2                        | Fl R 6s                  | 4.4                                      | 3                        | Cylindrical mast.<br>3.5                                                 | Year round.<br>Flash 1 s; eclipse 5 s.                                                                   |
| 32                               | Net Rock Ledges light and bell buoy XV6     | S. of Net Rocks.<br>44 45 18.3<br>066 44 23.9                             | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XV6".                                               | Year round.<br><br><b>Audible signal:</b> Bell                                                           |
| 33<br>H4168                      | Swallowtail                                 | Near edge of high cliff, NE. part of island.<br>44 45 51.1<br>066 43 57.5 | Oc W 6s                  | 37.1                                     | 12                       | White octagonal tower with red top.<br>16.2                              | Year round.<br>Operates 24 h.<br>Flash 4 s; eclipse 2 s.<br><br><b>Fog Horn</b><br>Blast 2 s; sil. 18 s. |
| 33.5<br>H4175                    | Edmunds Rock                                | E. of Ross Island.<br>44 40 24.8<br>066 43 11.4                           | Fl G 4s                  | 3.0                                      | 4                        | Green cylindrical mast.<br>6.6                                           | Year round.                                                                                              |
| 34<br>H4166                      | Long Eddy Point                             | N. end of island.<br>44 47 57.4<br>066 47 06.8                            | Fl R                     | 38.3                                     | 14                       | White rectangular tower with red top.<br>9.3                             | Year round.<br><br><b>Fog Horn</b><br>Blast 4 s; sil. 56 s.                                              |
| 36<br>H4110                      | Southwest Wolf Island                       | On SE. point of island.<br>44 56 11.8<br>066 43 59.5                      | Fl W 10s                 | 38.1                                     | 7                        | White cylindrical tower with red top.<br>11.4                            | Year round.<br>Flash 1 s; eclipse 9 s.                                                                   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                              | Location<br>-----<br>Latitude N.<br>Longitude W.                        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                           |
|----------------------------------|-----------------------------------------------------|-------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - WEST</b> |                                                     |                                                                         |                          |                                          |                          |                                                                          |                                                                                               |
| 39<br><i>H4157.4</i>             | Malloch Beach Wharf                                 | On outer end of wharf.<br>44 54 58.7<br>066 56 27.9                     | LFI R 6s                 | 6.1                                      | 3                        | Cylindrical mast, red and white triangular daymark.<br>6.1               | Year round.<br>Flash 2 s; eclipse 4 s.                                                        |
| 41<br><i>H4152</i>               | <b>Cherry Island</b>                                | On SE. point of island.<br>44 55 07.2<br>066 58 00.0                    | FI W 5s                  | 9.8                                      | 17                       | Cylindrical tower, red and white horizontal bands.<br>7.5                | Year round.<br>Flash 0.5 s; eclipse 4.5 s.<br><br><b>Fog Horn</b><br>Blast 2 s; sil. 18 s.    |
| 43<br><i>H4156</i>               | Wilsons Beach Wharf                                 | 44 55 54.6<br>066 56 26.2                                               | LFI G 6s                 | .....                                    | 4                        | Mast, green, white and black square daymark.<br>3.0                      | Year round.<br>Flash 2 s; eclipse 4 s.                                                        |
| 43.5                             | <i>Green Island Shoal light buoy UH2</i>            | 44 56 48.0<br>066 56 11.5                                               | FI R 4s                  | .....                                    | .....                    | <i>Red, pillar, marked "UH2".</i>                                        | <i>Year round.</i>                                                                            |
| 44<br><i>H4154</i>               | Head Harbour                                        | On the outermost rock of East Quoddy Head.<br>44 57 28.6<br>066 54 00.2 | F R .....                | 17.6                                     | 13                       | Octagonal tower, red and white horizontal bands.<br>15.1                 | Private aid.<br>Year round.<br>Operates 24 h.<br><br><b>Fog Horn</b><br>Blast 4 s; sil. 56 s. |
| 44.5<br><i>H4155</i>             | Head Harbour Inner                                  | 44 56 55.2<br>066 54 46.9                                               | LFI W 6s                 | 12.3                                     | 4                        | Pipe swing pole with white retro-reflective bands at top.                | Year round.<br>Flash 2 s; eclipse 4 s.                                                        |
| 45                               | <i>Leonardville Harbour Entrance light buoy UT2</i> | <i>Leonardville Harbour entrance.</i><br>44 58 06.0<br>066 57 10.0      | FI R 4s                  | .....                                    | .....                    | <i>Red, spar, marked "UT2".</i>                                          | <i>Year round.</i>                                                                            |
| 46<br><i>H4146</i>               | Leonardville                                        | On cliff, at entrance to harbour.<br>44 58 05.6<br>066 57 18.4          | F W .....                | 20.0                                     | 10                       | White pyramid tower with red top.<br>8.5                                 | Year round.                                                                                   |
| 47<br><i>H4146.4</i>             | Leonardville Wharf                                  | Near outer end of wharf.<br>44 58 17.3<br>066 57 09.3                   | Iso G 4s                 | 7.8                                      | 7                        | Cylindrical mast.<br>6.8                                                 | Year round.                                                                                   |
| 47.5<br><i>H4146.4</i>           | Leonardville Breakwater                             | Near outer end of breakwater.<br>44 58 13.3<br>066 57 11.3              | FI G 5s                  | 6.0                                      | 2                        | Pipe tower, green, white and black square daymark.<br>1.8                | Year round.<br>Flash 1 s; eclipse 4 s.                                                        |
| 48<br><i>H4148</i>               | Fairhaven                                           | On outer end of wharf.<br>44 57 49.8<br>067 00 29.5                     | LFI R 6s                 | 4.2                                      | 7                        | Pipe swing pole.<br>3.7                                                  | Year round.<br>Flash 2 s; eclipse 4 s.                                                        |
| 49<br><i>H4147</i>               | Deer Point                                          | On extremity of point.<br>44 55 31.4<br>066 59 05.4                     | LFI R 12s                | 9.6                                      | 7                        | White cylindrical tower.<br>6.2                                          | Year round.<br>Flash 2 s; eclipse 10 s.                                                       |
| 51<br><i>H4145</i>               | Pompey Ledge                                        | On ledge, off E. side of Deer Island.<br>44 58 46.6<br>066 56 42.8      | FI W 4s                  | 3.4                                      | .....                    | Green cylindrical mast.<br>6.6                                           | Year round.<br>Radar reflector.                                                               |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                  | Location<br>-----<br>Latitude N.<br>Longitude W.                        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                       |
|----------------------------------|-----------------------------------------|-------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - WEST</b> |                                         |                                                                         |                          |                                          |                          |                                                                          |                                                                           |
| 51.1                             | Richardsonville Light                   | Deer Island.<br>44 59 36.4<br>066 56 40.6                               | Iso G 4s                 | .....                                    | .....                    | Cylindrical mast, green,<br>white and black square<br>daymark.<br>6.5    | Year round.<br>Radar reflector.                                           |
| 51.5                             | Hospital Island Ledge<br>light buoy UP2 | Quoddy River.<br>44 58 53.0<br>066 54 57.3                              | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "UP2".                                               | Year round.                                                               |
| 52.25                            | Richardson Wharf light<br>buoy UP7      | Deer Island, S. of<br>Lords Cove.<br>44 59 43.0<br>066 56 35.0          | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"UP7".                                            | Year round.                                                               |
| 52.55                            | North Rock light buoy<br>SA             | 44 59 56.0<br>066 52 44.0                                               | FI(2) W 5s               | .....                                    | .....                    | Black-red-black, spar,<br>marked "SA".                                   | Year round.<br>Flash 0.4 s; eclipse 0.6 s;<br>flash 0.4 s; eclipse 3.6 s. |
| 53.5<br>H4142                    | Lords Cove                              | 45 00 11.7<br>066 56 47.0                                               | FI G 4s                  | 1.2                                      | 3                        | Green cylindrical mast,<br>green, white and black<br>square daymark.     | Year round.                                                               |
| 54<br>H4141                      | Bag Ledge light                         | 44 59 59.5<br>066 56 26.0                                               | FI Y 4s                  | 2.7                                      | 2                        | Cylindrical mast with yellow<br>tape.<br>7.0                             | Year round.<br>Radar reflector.                                           |
| 55                               | Simpson Head light<br>buoy SH10         | Deer Island,<br>entrance to Lords<br>Cove.<br>45 00 06.8<br>066 56 22.0 | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "SH10".                                                | Year round.                                                               |
| 56<br>H4140                      | Stuart Town<br>Breakwater               | 45 01 11.8<br>066 56 06.5                                               | FI W 4s                  | 5.6                                      | 6                        | Square skeleton tower, red<br>and white rectangular<br>daymark.          | Year round.<br>Flash 1 s; eclipse 3 s.                                    |
| 57.2<br>H4139                    | Two Hour Rock                           | In Irish Channel.<br>45 01 44.1<br>066 56 06.0                          | FI R 4s                  | 2.5                                      | 4                        | Red square skeleton tower,<br>red, white and red triangle<br>daymark.    | Year round.<br>Radar reflector.                                           |
| 57.25<br>H4138.85                | Jameson Island West                     | W. end of island.<br>45 01 56.0<br>066 55 57.9                          | FI G 4s                  | 1.7                                      | 4                        | Green cylindrical mast.<br>6.7                                           | Year round.<br>Radar reflector.                                           |
| 57.3<br>H4138.6                  | Little Letete Passage                   | N. end of Jameson<br>Island.<br>45 02 08.2<br>066 55 33.5               | FI G 4s                  | 3.5                                      | 4                        | Square skeleton tower,<br>green and white<br>rectangular daymark.<br>6.3 | Year round.<br>Radar reflector.                                           |
| <b>St. Croix River</b>           |                                         |                                                                         |                          |                                          |                          |                                                                          |                                                                           |
| 57.8                             | Joe's Point light and<br>bell buoy S10  | 45 04 40.3<br>067 05 32.5                                               | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "S10".                                               | Year round.<br><b>Audible signal: Bell</b>                                |
| 57.9                             | Lower Bayside light<br>buoy S12         | 45 07 25.2<br>067 07 08.9                                               | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "S12".                                               | Year round.                                                               |
| 58.5                             | Sand Point light buoy<br>S14            | 45 08 29.1<br>067 08 18.3                                               | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "S14".                                               | Year round.                                                               |
| 58.6                             | Oak Point light buoy<br>S16             | 45 09 51.0<br>067 09 38.0                                               | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "S16".                                                 | Seasonal (in place year round).                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                                    | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS     |
|----------------------------------|-----------------------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|---------------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - WEST</b> |                                                           |                                                                  |                          |                                          |                          |                                                                          |                                                         |
| 58.7                             | <i>Spruce Point light<br/>buoy S18</i>                    | 45 10 00.0<br>067 11 30.0                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "S18".                                                 | Seasonal (in place year round).                         |
| <b>Passamaquoddy Bay</b>         |                                                           |                                                                  |                          |                                          |                          |                                                                          |                                                         |
| 62<br>H4130                      | St. Andrews West<br>Channel                               | N. side of channel.<br>45 04 15.2<br>067 04 03.8                 | Fl G 4s                  | 3.1                                      | 4                        | Green cylindrical mast.<br>7.5                                           | Year round.                                             |
| 62.5<br>H4133                    | St. Andrews Biological<br>Station, wharf light            | 45 04 58.1<br>067 05 06.5                                        | Fl Y 4s                  | .....                                    | 2                        | .....                                                                    | Private aid.<br>Year round.                             |
| 63                               | <i>Niger Reef light buoy<br/>SY4</i>                      | N. of reef.<br>45 04 13.8<br>067 04 24.0                         | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "SY4".                                                 | Year round.                                             |
| 64<br>H4127                      | St. Andrews (North<br>Point)                              | 45 04 02.6<br>067 02 50.3                                        | Fl R 4s                  | 7.0                                      | 4                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>12.1  | Year round.                                             |
| 66                               | <i>Navy Bar light and bell<br/>buoy SX3</i>               | NE. of S. point of<br>Navy Island.<br>45 03 30.3<br>067 01 42.0  | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"SX3".                                          | Year round.<br><b>Audible signal: Bell</b>              |
| 67<br>H4126                      | Tongue Shoal                                              | On reef at E.<br>entrance.<br>45 03 44.8<br>067 00 46.2          | LFl W 6s                 | .....                                    | 7                        | Square skeleton tower, red<br>and white rectangular<br>daymark.          | Year round.<br>Flash 2 s; eclipse 4 s.                  |
| 68                               | <i>Macs Island light and<br/>bell buoy S9</i>             | North of island.<br>45 03 23.3<br>066 55 47.9                    | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "S9".                                              | Year round.<br><b>Audible signal: Bell</b>              |
| 70                               | <i>Letete light buoy SQ</i>                               | Letete.<br>45 02 53.0<br>066 54 07.1                             | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"SQ".                                       | Year round.                                             |
| 70.15                            | <i>Letete Outer light buoy<br/>SQ2</i>                    | 45 02 48.3<br>066 54 00.4                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "SQ2".                                               | Year round.                                             |
| 70.25                            | <i>Letete Inner light buoy<br/>SQ3</i>                    | 45 03 00.0<br>066 53 57.4                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"SQ3".                                            | Year round.                                             |
| 70.5                             | <i>Mohawk Ledge North<br/>Cardinal light buoy<br/>SAA</i> | 45 02 31.7<br>066 54 08.0                                        | Q W 1s                   | .....                                    | .....                    | Black-yellow, pillar, marked<br>"SAA".                                   | Year round.                                             |
| 70.6                             | <i>Mohawk Island East<br/>light buoy S5</i>               | 45 02 18.3<br>066 53 55.9                                        | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "S5".                                              | Year round.                                             |
| 71<br>H4120                      | Letete Passage Fog<br>signal                              | On W. extremity of<br>Greens Point.<br>45 02 19.6<br>066 53 30.7 | .....                    | .....                                    | .....                    | White hexagonal tower with<br>red top.<br>4.0                            | Year round.<br><b>Fog Horn</b><br>Blast 3 s; sil. 27 s. |
| 72<br>H4119                      | Back Bay                                                  | On outer end of<br>breakwater.<br>45 03 14.2<br>066 51 40.3      | Fl G 4s                  | 4.3                                      | 4                        | Skeleton tower.<br>4.1                                                   | Year round.                                             |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                        | Location<br>-----<br>Latitude N.<br>Longitude W.                                                  | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                                  | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|----------------------------------|-----------------------------------------------|---------------------------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - WEST</b> |                                               |                                                                                                   |                          |                                          |                          |                                                                                                           |                                                     |
| 72.1                             | Leavitts light buoy<br>SE8                    | E. entrance to<br>Letete Passage.<br>45 03 18.3<br>066 51 43.9                                    | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "SE8".                                                                                | Year round.                                         |
| 72.5                             | Cailiff Rock light buoy<br>SE2                | 45 01 52.7<br>066 52 21.9                                                                         | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"SE2".                                                                            | Year round.                                         |
| 73<br>H4120.4                    | Morgan Ledge                                  | SW. of Greens<br>Point.<br>45 02 14.0<br>066 53 36.3                                              | Fl R 6s                  | 5.0                                      | 7                        | Red square skeleton tower,<br>red and white rectangular<br>daymark with red triangle in<br>centre.<br>6.2 | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 73.25                            | Parker Island light<br>buoy SJ1               | Letete.<br>45 02 10.7<br>066 54 54.4                                                              | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "SJ1".                                                                              | Year round.                                         |
| 73.5                             | Parker Island light<br>buoy SJA               | 45 02 09.9<br>066 55 07.3                                                                         | Fl(2) W 10s              | .....                                    | .....                    | Black-red-black, can,<br>marked "SJA".                                                                    | Year round.                                         |
| 73.75                            | Jameson Island light<br>buoy SJB              | Letete.<br>45 02 10.0<br>066 55 18.5                                                              | Fl(2) W 10s              | .....                                    | .....                    | Black-red-black, spar,<br>marked "SJB".                                                                   | Year round.                                         |
| 74.2                             | Macks Ledge light<br>buoy SJ2                 | Letete.<br>45 02 11.8<br>066 55 24.2                                                              | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "SJ2".                                                                                | Year round.                                         |
| 74.35<br>H4120.5                 | Pomeroy Ledge                                 | 45 02 17.8<br>066 54 41.8                                                                         | Fl R 4s                  | 4.9                                      | 4                        | Red cylindrical mast.<br>9.4                                                                              | Year round.<br>Radar reflector.                     |
| 75                               | Adam Island light and<br>bell buoy S3         | Off N. end of island.<br>45 01 14.3<br>066 53 51.9                                                | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "S3".                                                                               | Year round.<br><b>Audible signal: Bell</b>          |
| 75.32                            | Little Letete Passage<br>light buoy SQ4       | 45 02 57.8<br>066 53 53.2                                                                         | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "SQ4".                                                                                  | Year round.                                         |
| 75.43                            | New Ireland Ledge<br>light buoy SJ4           | Letete.<br>45 02 03.2<br>066 56 00.7                                                              | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "SJ4".                                                                                | Year round.                                         |
| 77<br>H4118                      | Bliss Island                                  | On SW. point of<br>island, S. of W.<br>entrance to Bliss<br>Harbour.<br>45 01 06.2<br>066 51 01.2 | Fl R 4s                  | 12.5                                     | 7                        | Square skeleton tower, red<br>and white rectangular<br>daymark.                                           | Year round.                                         |
| 77.5                             | Bliss Island Fairway<br>light and bell buoy S | 45 00 24.6<br>066 51 15.6                                                                         | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"S".                                                                         | Year round.<br><b>Audible signal: Bell</b>          |
| 78                               | Eastern Chops light<br>and bell buoy KA2      | SW. of Pea Point.<br>45 02 11.3<br>066 48 38.9                                                    | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "KA2".                                                                                | Year round.<br><b>Audible signal: Bell</b>          |
| 79<br>H4115                      | Roaring Bull                                  | On W. side of<br>ledge.<br>45 02 22.6<br>066 48 46.2                                              | Fl R 4s                  | 4.5                                      | 3                        | Red cylindrical tower.<br>5.8                                                                             | Year round.                                         |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                    | Location<br>-----<br>Latitude N.<br>Longitude W.                       | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                         |
|----------------------------------|-------------------------------------------|------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - WEST</b> |                                           |                                                                        |                          |                                          |                          |                                                                          |                                                                                                                             |
| 79.8<br>H4122                    | Letete Harbour                            | On ledge.<br>45 03 06.6<br>066 53 47.6                                 | FI G 4s                  | 2.2                                      | 4                        | Green cylindrical mast.<br>7.2                                           | Year round.                                                                                                                 |
| 80<br>H4123                      | Matthews Ledge                            | 45 03 03.7<br>066 53 47.7                                              | LFI R 6s                 | 4.5                                      | 4                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>9.4   | Year round.<br>Flash 2 s; eclipse 4 s.                                                                                      |
| 81<br>H4114                      | Pea Point                                 | E. side of entrance<br>to Letang Harbour.<br>45 02 20.4<br>066 48 28.2 | F W .....                | 17.3                                     | 12                       | White rectangular tower<br>with red top.<br>10.6                         | Year round.<br>Operates 24 h.<br>Visible 251°-161°.<br><br><b>Fog Horn</b><br>Blast 3 s; sil. 3 s;<br>blast 3 s; sil. 51 s. |
| 81.1<br>H4116                    | Blacks Harbour<br>Entrance                | On NW. corner of<br>wharf.<br>45 02 52.3<br>066 48 28.6                | F R .....                | 7.2                                      | 7                        | Pipe swing pole.<br>6.3                                                  | Year round.                                                                                                                 |
| 81.12<br>H4116.4                 | Blacks Harbour Wharf                      | On NW. corner of<br>wharf.<br>45 03 18.8<br>066 47 41.0                | FI R 6s                  | 7.1                                      | 4                        | Cylindrical mast.<br>6.6                                                 | Year round.<br>Flash 1 s; eclipse 5 s.                                                                                      |
| 81.2                             | Blacks Harbour light<br>and bell buoy KA  | SW. of Pea Point.<br>45 01 09.3<br>066 48 28.9                         | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"KA".                                       | Year round.<br><br><b>Audible signal: Bell</b>                                                                              |
| 82                               | Beaver Harbour light<br>and bell buoy KEA | S. of East Head.<br>45 03 12.3<br>066 43 30.9                          | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"KEA".                                      | Year round.<br><br><b>Audible signal: Bell</b>                                                                              |
| 83<br>H4112                      | Lighthouse Point                          | On S. side of<br>Beaver Harbour.<br>45 03 46.7<br>066 43 59.0          | Iso W 6s                 | 14.2                                     | 13                       | White cylindrical tower with<br>red top.<br>8.6                          | Year round.<br>Operates 24 h.                                                                                               |
| 84<br>H4113                      | Beaver Harbour                            | On outer end of<br>breakwater.<br>45 04 07.9<br>066 44 14.5            | FI G 5s                  | 4.7                                      | 5                        | Cylindrical mast, green,<br>white and black square<br>daymark.<br>3.8    | Year round.<br>Flash 1 s; eclipse 4 s.                                                                                      |
| 84.1                             | Beaver Harbour Wharf<br>Light             | 45 04 08.7<br>066 44 18.1                                              | FI Y 5s                  | 3.0                                      | 2                        | Cylindrical tower.                                                       | Year round.<br>Flash 1 s; eclipse 4 s.                                                                                      |
| 86                               | Seely Head light and<br>bell buoy K1      | S. of head.<br>45 04 08.3<br>066 38 30.9                               | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked "K1".                                              | Year round.<br><br><b>Audible signal: Bell</b>                                                                              |
| 87                               | Maces Bay light and<br>bell buoy KJ1      | S. of Barnaby<br>Head.<br>45 06 42.3<br>066 31 21.9                    | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked "KJ1".                                             | Year round.<br><br><b>Audible signal: Bell</b>                                                                              |
| 88                               | Lepreau Ledges light<br>and bell buoy K3  | S. end of ledges.<br>45 04 37.3<br>066 29 57.9                         | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked "K3".                                              | Year round.<br><br><b>Audible signal: Bell</b>                                                                              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.                         | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                      |
|----------------------------------|---------------------------------------------|--------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - WEST</b> |                                             |                                                                          |                          |                                          |                          |                                                                          |                                                                                                                                                          |
| 90<br>H4108                      | Point Lepreau                               | On point.<br>45 03 31.7<br>066 27 31.3                                   | Fl W 5s                  | 25.5                                     | 14                       | Octagonal tower, red and white horizontal bands.<br>17.6                 | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 4 s.<br><br><b>Fog Horn</b><br>Blast 2 s; sil. 3 s;<br>blast 2 s; sil. 3 s;<br>blast 2 s; sil. 48 s. |
| 91                               | Dipper Harbour light and bell buoy KN       | S. of Fishing Point.<br>45 05 00.3<br>066 24 09.9                        | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked "KN".                                          | Year round.<br><br><b>Audible signal: Bell</b>                                                                                                           |
| 92<br>H4104                      | Dipper Harbour Breakwater                   | Point Lepreau.<br>45 05 40.5<br>066 24 56.7                              | Fl G 4s                  | .....                                    | 4                        | Pipe Swing Pole, green, white and black square daymark.                  | Year round.<br>Flash 1 s; eclipse 3 s.                                                                                                                   |
| 92.1                             | Chance Harbour light buoy KS1               | 45 07 07.3<br>066 20 36.9                                                | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "KS1".                                               | Year round.                                                                                                                                              |
| 93<br>H4100                      | Chance Harbour                              | On Reef Point, W. side of harbour entrance.<br>45 07 06.8<br>066 20 51.5 | LFl W 6s                 | 12.4                                     | 8                        | White cylindrical tower with red horizontal band.<br>7.4                 | Year round.<br>Flash 2 s; eclipse 4 s.                                                                                                                   |
| 93.5                             | Chance Harbour Breakwater Light             | 45 07 17.9<br>066 21 02.7                                                | Fl R 4s                  | .....                                    | .....                    | Pipe swing pole, red retro-reflective bands at top.                      | Year round.<br>Operates 24 h.                                                                                                                            |
| 94                               | Chance Harbour light and bell buoy KS       | Off harbour.<br>45 06 52.8<br>066 19 52.5                                | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked "KS".                                          | Year round.<br><br><b>Audible signal: Bell</b>                                                                                                           |
| 96                               | Western Head light and bell buoy KT1        | Off Musquash Harbour entrance.<br>45 08 34.3<br>066 14 51.9              | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "KT1".                                             | Year round.<br><br><b>Audible signal: Bell</b>                                                                                                           |
| 97<br>H4096                      | Musquash Head                               | At Musquash Head, E. side of entrance.<br>45 08 37.1<br>066 14 14.2      | Fl W 3s                  | 35.1                                     | 20                       | White hexagonal tower with red horizontal band.<br>14.0                  | Private aid.<br>Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 2 s.<br><br><b>Fog Horn</b><br>Blast 4 s; sil. 56 s.                                 |
| 97.5<br>H4098                    | Five Fathom Hole                            | SE. corner of wharf.<br>45 11 11.3<br>066 15 26.0                        | Fl R 3s                  | 7.6                                      | 5                        | Cylindrical mast.<br>6.6                                                 | Year round.<br>Flash 1 s; eclipse 2 s.                                                                                                                   |
| 98                               | Lorneville Approach light and bell buoy JA1 | Off head.<br>45 11 12.8<br>066 08 18.0                                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "JA1".                                             | Year round.<br><br><b>Audible signal: Bell</b>                                                                                                           |
| 98.8                             | Saint John Harbour ODAS light buoy          | 45 11 49.2<br>066 04 42.6                                                | Fl(5) Y 20s              | .....                                    | .....                    | Yellow, ODAS.                                                            | Year round.<br>Operates 24 h.                                                                                                                            |
| 99<br>H4092                      | Lorneville                                  | On outer portion of breakwater.<br>45 11 35.3<br>066 08 53.3             | Fl W 4s                  | 7.0                                      | 6                        | Cylindrical mast.<br>6.6                                                 | Year round.                                                                                                                                              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.  | Name<br>-----<br>RACON                  | Location<br>-----<br>Latitude N.<br>Longitude W.                           | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)   | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                        |
|---------------------------|-----------------------------------------|----------------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------|
| BAY OF FUNDY, N.B. - WEST |                                         |                                                                            |                          |   |       |                                          |                          |                                                                            |                                                                            |
| Saint John Harbour        |                                         |                                                                            |                          |   |       |                                          |                          |                                                                            |                                                                            |
| 100<br>H4082              | Partridge Island                        | Highest point of island.<br>45 14 21.0<br>066 03 13.8                      | FI                       | W | 7.5   | 35.3                                     | 19                       | White hexagonal tower with red vertical stripe.<br>13.6                    | Year round.<br>Operates 24 h.                                              |
| 100.2                     | Lower Cove<br>Cautionary light buoy JD  | 45 15 43.4<br>066 03 26.6                                                  | FI                       | Y | 4s    | .....                                    | .....                    | Yellow, can, marked "JD".                                                  | Year round.                                                                |
| 100.5<br>H4089            | Saint John Harbour front range light    | 45 16 22.3<br>066 04 07.6                                                  | F                        | G | ..... | 20.3                                     | 20                       | Triangular skeleton tower, red daymark with black vertical stripe.<br>18.5 | Year round.<br>Operates 24 h.<br><br>Synthetic AIS AtoN<br>MMSI: 993161085 |
| 100.6<br>H4089.1          | Saint John Harbour rear range light     | 45 16 35.3<br>066 04 16.7<br><br>333°40' 431.3 m from front.               | F                        | G | ..... | 33.2                                     | 20                       | Triangular skeleton tower, red daymark with black vertical stripe.<br>10.5 | Year round.<br>Operates 24 h.<br><br>Synthetic AIS AtoN<br>MMSI: 993161086 |
| 101                       | Partridge Island light and bell buoy J1 | W. side of outer entrance to dredged channel.<br>45 14 12.0<br>066 02 41.3 | Q                        | G | 1s    | .....                                    | .....                    | Green, pillar, marked "J1".                                                | Year round.<br><br>Audible signal: Bell                                    |
| 101.3                     | Partridge Island light buoy J3          | W. side of dredged channel.<br>45 14 19.9<br>066 02 46.9                   | FI                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked "J3".                                                | Year round.                                                                |
| 101.35                    | Partridge Island light buoy J5          | 45 14 28.0<br>066 02 52.6                                                  | FI                       | G | 4s    | .....                                    | .....                    | Green, can, marked "J5".                                                   | Year round.                                                                |
| 101.4                     | Partridge Island light buoy J7          | W. side of dredged channel.<br>45 14 35.8<br>066 02 58.0                   | FI                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked "J7".                                                | Year round.                                                                |
| 102                       | Partridge Island Bar light buoy J9      | On W. side of dredged channel.<br>45 14 44.0<br>066 03 03.7                | FI                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked "J9".                                                | Year round.                                                                |
| 102.16                    | Round Reef light buoy J16               | 45 15 28.0<br>066 03 20.0                                                  | FI                       | R | 4s    | .....                                    | .....                    | Red, conical, marked "J16".                                                | Year round.                                                                |
| 102.18                    | Hilyards Reef light buoy J18            | 45 16 13.3<br>066 04 17.9                                                  | FI                       | R | 4s    | .....                                    | .....                    | Red, conical, marked "J18".                                                | Year round.                                                                |
| 102.19                    | Navy Island light buoy J19              | 45 16 08.8<br>066 04 23.0                                                  | FI                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked "J19".                                               | Year round.                                                                |
| 102.3                     | Saint John Harbour light buoy J12       | E. side of channel.<br>45 15 06.1<br>066 03 10.4                           | FI                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "J12".                                                 | Year round.                                                                |
| 103                       | Courtenay Bay light buoy JC4            | E. side of channel.<br>45 15 11.0<br>066 02 50.2                           | FI                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "JC4".                                                 | Year round.                                                                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.                                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)               | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                        |
|----------------------------------|----------------------------------------------|----------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - WEST</b> |                                              |                                                                                  |                          |                                          |                          |                                                                                        |                                                                                                                                                                            |
| 104<br>H4083                     | Courtenay Bay Breakwater                     | Near outer end of breakwater.<br>45 15 26.4<br>066 02 42.2                       | Iso R 2s                 | 13.0                                     | 8                        | White hexagonal tower with red top.<br>9.9                                             | Year round.                                                                                                                                                                |
| 105                              | Courtenay Bay Turn light buoy JC5            | On W. side of turn in channel.<br>45 15 15.4<br>066 03 00.0                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "JC5".                                                           | Year round.                                                                                                                                                                |
| 105.8                            | Courtenay Bay Turn light buoy JC8            | 45 15 23.6<br>066 02 47.1                                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "JC8".                                                               | Year round.                                                                                                                                                                |
| 106                              | Courtenay Bay light buoy JC9                 | W. side of channel.<br>45 15 29.5<br>066 02 54.0                                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "JC9".                                                           | Year round.                                                                                                                                                                |
| 106.1                            | Courtenay Bay light buoy JC10                | 45 15 33.4<br>066 02 43.8                                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "JC10".                                                              | Year round.                                                                                                                                                                |
| 108                              | Courtenay Bay light buoy JC15                | 45 15 51.3<br>066 02 40.8                                                        | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked "JC15".                                                          | Year round.                                                                                                                                                                |
| 108.16                           | Courtenay Bay light buoy JC16                | 45 15 52.6<br>066 02 32.6                                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "JC16".                                                              | Year round.                                                                                                                                                                |
| 110                              | Courtenay Basin light buoy JC20              | E. side of channel.<br>45 16 11.2<br>066 02 23.5                                 | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "JC20".                                                            | Year round.                                                                                                                                                                |
| 110                              | Gannet Dry Ledge light buoy N6               | W. of ledge.<br>43 36 38.3<br>066 12 45.0                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "N6".                                                              | Year round.                                                                                                                                                                |
| 110.2<br>H4083.2                 | Courtenay Bay Dock 1 Light                   | 45 16 22.8<br>066 02 21.7                                                        | F R                      | .....                                    | .....                    | On 10-pile dolphin.                                                                    | Private aid.<br>Year round.<br>Operates 24 h.                                                                                                                              |
| 110.3<br>H4083.4                 | <b>Courtenay Bay Inner front range light</b> | 45 16 25.2<br>066 02 19.0                                                        | F G                      | .....                                    | 6.3                      | <b>15</b><br>Triangular skeleton tower, red daymark with black vertical stripe.<br>6.0 | Year round.<br>Operates 24 h.                                                                                                                                              |
| 110.4<br>H4083.41                | <b>Courtenay Bay Inner rear range light</b>  | 45 16 27.8<br>066 02 17.6<br><br>021°10' 86.2 m from front.                      | F G                      | .....                                    | 9.9                      | <b>16</b><br>Triangular skeleton tower, red daymark with black vertical stripe.<br>8.9 | Year round.<br>Operates 24 h.                                                                                                                                              |
| 110.8<br>H4083.6                 | Courtenay Bay Outer Channel Sector           | 45 15 57.2<br>066 02 50.4                                                        | F R<br>W<br>G            | .....                                    | 8.0                      | 12<br>Square skeleton tower, orange and white rectangular daymark.<br>6.6              | Year round.<br>Operates 24 h.<br><b>R</b> 001°30'-002°30';<br><b>AI RW</b> 002°30'-003°;<br><b>W</b> 003°-005°;<br><b>AI GW</b> 005°-005°30';<br><b>G</b> 005°30'-006°30'. |
| 111                              | Courtenay Bay light buoy JC                  | Junction of Courtenay Bay Channel and Main Channel.<br>45 14 55.0<br>066 03 02.7 | Fl(2+1) R 6s             | .....                                    | .....                    | Red-green-red, pillar, marked "JC".                                                    | Year round.                                                                                                                                                                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## BAY OF FUNDY, N.B. - WEST

|                  |                                         |                                                             |          |       |       |                                              |                                                                              |
|------------------|-----------------------------------------|-------------------------------------------------------------|----------|-------|-------|----------------------------------------------|------------------------------------------------------------------------------|
| 112              | America Rock light<br>and bell buoy J14 | On E. side of<br>channel.<br>45 15 16.7<br>066 03 17.8      | Fl R 4s  | ..... | ..... | Red, pillar, marked "J14".                   | Year round.<br><br><b>Audible signal: Bell</b>                               |
| 113.1            | Saint John Pier<br>Hazard Light         | Pier 13.<br>45 15 33.0<br>066 03 38.5                       | LFl G 6s | ..... | 2     | Green pipe tower.                            | Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 4 s.<br>Radar reflector. |
| 113.3<br>H4085.5 | Pier 12                                 | On E. corner of<br>pier.<br>45 15 37.8<br>066 03 41.4       | Iso G 2s | 2.5   | 4     | Orange rectangular<br>skeleton tower.<br>2.1 | Private aid.<br>Year round.                                                  |
| 114<br>H4089.4   | Pier 1                                  | On extreme NW.<br>end of pier.<br>45 16 04.0<br>066 04 15.4 | F G      | ..... | 3.9   | 6<br>Skeleton tower.<br>3.2                  | Private aid.<br>Year round.<br>Operates 24 h.                                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                         | Location<br>-----<br>Latitude N.<br>Longitude W.       | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS          |           |
|--------------------------|------------------------------------------------|--------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------|-----------|
| SAINT JOHN RIVER         |                                                |                                                        |                          |                                          |                          |                                                                          |                                                              |           |
| 114.5                    | Rowans Point light<br>buoy JE2                 | 45 16 15.4<br>066 05 18.7                              | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "JE2".                                                 | Seasonal (in place year round).                              |           |
| 116<br>H4090             | Swift Point                                    | W. of point.<br>45 16 56.7<br>066 07 16.8              | Fl G 4s                  | 28.1                                     | 5                        | White square tower with<br>red upper portion.<br>13.9                    | Seasonal.<br>Flash 1 s; eclipse 3 s.                         |           |
| 116.3                    | Ketepec light buoy<br>JK1                      | Entrance to marina.<br>45 16 55.8<br>066 09 17.4       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "JK1".                                               | Seasonal (in place year round).                              |           |
| 116.5                    | Brothers Cove light<br>buoy AM2                | 45 18 22.3<br>066 06 36.9                              | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "AM2".                                                 | Seasonal (in place year round).                              |           |
| 118                      | Red Rock light buoy<br>AM3                     | W. of rock.<br>45 18 30.3<br>066 06 16.9               | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"AM3".                                            | Seasonal (in place year round).                              |           |
| 118.3                    | Rothsay light buoy<br>AP1                      | 45 23 40.3<br>066 00 17.8                              | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "AP1".                                               | Seasonal (in place year round).                              |           |
| 119<br>H4090.1           | McColgan Point                                 | N. of point.<br>45 19 56.0<br>066 06 34.4              | LFI W 12s                | 11.3                                     | 6                        | White square tower with<br>red upper portion.<br>8.2                     | Seasonal.<br>Flash 2 s; eclipse 10 s.                        |           |
| 119.5                    | McColgan Point South<br>Cardinal light buoy JN | 45 19 41.4<br>066 06 27.0                              | Q(6) +<br>LFI            | W 15s                                    | .....                    | Yellow-black, spar, marked<br>"JN".                                      | Seasonal (in place year round).                              |           |
| 120.5                    | Brandy Point light<br>buoy J25                 | Off point.<br>45 19 55.3<br>066 11 12.9                | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "J25".                                                | Seasonal (in place year round).                              |           |
| 121<br>H4090.3           | Sand Point                                     | E. side of river.<br>45 20 33.4<br>066 11 55.8         | F R                      | .....                                    | 22.8                     | 7                                                                        | White skeleton tower, red<br>enclosed upper portion.<br>17.7 | Seasonal. |
| 122<br>H4090.5           | Belyas Point                                   | On W. side of river.<br>45 22 41.4<br>066 12 57.8      | Fl G 5s                  | 12.7                                     | 4                        | White square tower with<br>red upper portion.<br>11.9                    | Seasonal.<br>Flash 1 s; eclipse 4 s.                         |           |
| 122.1                    | Purdys Point light<br>buoy J38                 | Off point.<br>45 22 37.8<br>066 12 37.9                | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "J38".                                                 | Seasonal (in place year round).                              |           |
| 122.2                    | Belyas Point light<br>buoy J37                 | Off point.<br>45 22 38.7<br>066 12 54.3                | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "J37".                                               | Seasonal (in place year round).                              |           |
| 122.4                    | Victoria Beach light<br>buoy J41               | 45 25 45.7<br>066 10 03.9                              | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "J41".                                               | Seasonal (in place year round).                              |           |
| 123                      | Catons Island light<br>buoy JP                 | Off S. side of<br>island.<br>45 27 55.3<br>066 06 38.9 | Fl(2+1) G 6s             | .....                                    | .....                    | Green-red-green, spar,<br>marked "JP".                                   | Seasonal (in place year round).                              |           |
| 124.5                    | Isle of Pines light buoy<br>J48                | 45 29 05.2<br>066 05 02.8                              | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "J48".                                                 | Seasonal (in place year round).                              |           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                              | Location<br>-----<br>Latitude N.<br>Longitude W.                               | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)            | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|-----------------------------------------------------|--------------------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------|
| SAINT JOHN RIVER         |                                                     |                                                                                |                          |   |       |                                          |                          |                                                                                     |                                                     |
| 125<br>H4090.7           | Oak Point                                           | On E. extremity of<br>point, W. side of<br>river.<br>45 30 26.7<br>066 04 49.1 | LFI                      | G | 10s   | 15.5                                     | 8                        | White square tower with<br>red upper portion.<br>14.1                               | Seasonal.                                           |
| 126<br>H4090.9           | Oak Point Wharf                                     | On S. side of wharf,<br>W. side of river.<br>45 31 09.8<br>066 04 35.8         | FI                       | G | 4s    | 3.0                                      | 5                        | Pipe swing pole.<br>3.0                                                             | Seasonal.                                           |
| 131.1                    | Evandale ODAS light<br>buoy                         | 45 36 12.8<br>066 03 02.5                                                      | Fl(5)                    | Y | 20s   | .....                                    | .....                    | Yellow, ODAS.                                                                       | Seasonal.                                           |
| 131.5<br>H4091           | Gorhams Bluff                                       | On the bluff.<br>45 32 28.9<br>066 02 05.0                                     | FI                       | R | 4s    | 7.7                                      | 3                        | Triangular skeleton tower.<br>3.6                                                   | Seasonal.                                           |
| 135<br>H4091.1           | Gagetown                                            | W. side of river.<br>45 46 06.9<br>066 08 25.2                                 | F                        | G | ..... | 11.9                                     | 8                        | White square tower with<br>red top.<br>9.8                                          | Seasonal.                                           |
| 136<br>H4091.2           | Lower Jemseg                                        | On Huestis Island.<br>45 46 52.0<br>066 06 21.5                                | FI                       | R | 4s    | 8.7                                      | 4                        | Square skeleton tower,<br>orange and white<br>rectangular daymark.<br>6.6           | Seasonal.                                           |
| Grand Lake               |                                                     |                                                                                |                          |   |       |                                          |                          |                                                                                     |                                                     |
| 137<br>H4091.3           | Robertson Point                                     | 45 52 20.1<br>066 06 10.8                                                      | FI                       | R | 4s    | 12.3                                     | 4                        | White cylindrical tower.<br>7.6                                                     | Seasonal.                                           |
| 137.7                    | Channel Entrance light<br>buoy EA                   | 45 52 18.3<br>066 08 13.9                                                      | Mo(A)                    | W | 6s    | .....                                    | .....                    | Red-white, spar, marked<br>"EA".                                                    | Seasonal (in place year round).                     |
| 138                      | Douglas Harbour light<br>buoy EN1                   | W. side of channel<br>entrance.<br>45 54 30.2<br>066 05 47.9                   | FI                       | G | 4s    | .....                                    | .....                    | Green, spar, marked<br>"EN1".                                                       | Seasonal (in place year round).                     |
| 139                      | Grand Point Bar South<br>Cardinal light buoy<br>EAB | At outer end of bar.<br>45 54 12.2<br>066 04 04.9                              | Q(6) +<br>LFI            | W | 15s   | .....                                    | .....                    | Yellow-black, spar, marked<br>"EAB".                                                | Seasonal (in place year round).                     |
| 139.75                   | Goat Island light buoy<br>E75                       | Grand Lake.<br>46 00 42.2<br>066 00 31.0                                       | FI                       | G | 4s    | .....                                    | .....                    | Green, spar, marked "E75".                                                          | Seasonal (in place year round).                     |
| 140<br>H4091.4           | Fanjoys Point                                       | 45 54 27.9<br>066 01 22.1                                                      | Iso                      | R | 4s    | 12.2                                     | 4                        | White cylindrical tower with<br>red horizontal band.<br>7.4                         | Seasonal.                                           |
| 141<br>H4091.5           | Cox Point                                           | On point.<br>46 01 02.8<br>065 59 43.7                                         | FI                       | R | 4s    | 9.4                                      | 4                        | Triangular skeleton tower,<br>red and white rectangular<br>slatwork daymark.<br>3.6 | Seasonal.                                           |
| 141.3                    | Barton Island light<br>buoy E86                     | 46 03 56.2<br>065 56 17.4                                                      | FI                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "E86".                                                            | Seasonal (in place year round).                     |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## SAINT JOHN RIVER

|                  |                 |                                                               |           |      |       |                                                             |                           |
|------------------|-----------------|---------------------------------------------------------------|-----------|------|-------|-------------------------------------------------------------|---------------------------|
| 141.4<br>H4091.7 | Newcastle Creek | On seaward end of<br>breakwater.<br>46 03 22.0<br>066 00 07.6 | Fl R 4s   | 3.0  | ..... | Mast.                                                       | Private aid.<br>Seasonal. |
| 141.5<br>H4091.9 | Hawkes Point    | W. side of point.<br>46 04 47.8<br>065 55 08.8                | Iso W 10s | 11.2 | 7     | White cylindrical tower with<br>red horizontal band.<br>7.3 | Seasonal.                 |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                                                                  | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                                                                                                                                                      |
|----------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - EAST</b> |                                                                                         |                                                                 |                          |                                          |                          |                                                                          |                                                                                                                                                                                                                                                                                                                          |
| 145                              | Saint John Harbour<br>light and whistle buoy<br>J<br><br><b>Racon N (-.)<br/>X Band</b> | S. of Partridge<br>Island.<br>45 12 55.3<br>066 02 36.9         | Mo(A) W 6s .....         | .....                                    | .....                    | Red-white, pillar, marked<br>"J".                                        | Year round.<br><br><b>Audible signal: Whistle</b>                                                                                                                                                                                                                                                                        |
| 145.3<br>H4080                   | Black Point                                                                             | S. tip of point.<br>45 12 59.8<br>066 00 27.9                   | Iso R 4s                 | 11.1                                     | 14                       | Red and white cylindrical<br>tower.<br>8.2                               | Year round.                                                                                                                                                                                                                                                                                                              |
| 145.4                            | Black Point light and<br>bell spoil ground buoy<br>JB                                   | SW. of point.<br>45 12 27.3<br>066 01 00.9                      | Fl Y 4s .....            | .....                                    | .....                    | Yellow, pillar, marked "JB".                                             | Year round.<br><br><b>Audible signal: Bell</b>                                                                                                                                                                                                                                                                           |
| 146<br>H4078                     | Cape Spencer                                                                            | Pitch of cape.<br>45 11 42.5<br>065 54 35.5                     | Fl W 11s                 | 61.6                                     | 14                       | Red and white cylindrical<br>tower.<br>8.6                               | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 10 s.                                                                                                                                                                                                                                                                |
| 147<br>H4077                     | Black River                                                                             | On SW. point<br>entrance to river.<br>45 15 27.4<br>065 48 39.6 | Fl W 5s                  | 13.9                                     | 7                        | Pipe swing pole.                                                         | Year round.<br>Flash 1 s; eclipse 4 s.                                                                                                                                                                                                                                                                                   |
| 147.1<br>H4079.5                 | LNG West Initial (060)<br>Sector                                                        | 45 12 34.6<br>065 59 22.2                                       | F R<br>W<br>G            | .....                                    | 23.3                     | .....                                                                    | On building.<br><br>Private aid.<br>Year round.<br>Operates 24 h.<br><b>R</b> 057°30'-058°39';<br><b>AI RW</b> 058°39'-059°39';<br><b>W</b> 059°39'-060°21';<br><b>AI WG</b> 060°21'-061°21';<br><b>G</b> 061°21'-062°30'.<br>For sole use of LNG vessels<br>transmitting to and from<br>Canaport facility (Occasional). |
| 147.12<br>H4079.5                | LNG East Secondary<br>(310) Sector                                                      | 45 12 34.6<br>065 59 22.2                                       | F R<br>W<br>G            | .....                                    | 23.3                     | .....                                                                    | On building.<br><br>Private aid.<br>Year round.<br>Operates 24 h.<br><b>R</b> 307°30'-308°39';<br><b>AI RW</b> 308°39'-309°39';<br><b>W</b> 309°39'-310°21';<br><b>AI WG</b> 310°21'-311°21';<br><b>G</b> 311°21'-312°30'.<br>For sole use of vessels<br>transmitting to and from<br>Canaport facility (Occasional).     |
| 147.13<br>H4078.7                | LNG East Initial (000)<br>Sector                                                        | 45 12 51.9<br>065 56 51.2                                       | F R<br>W<br>G            | .....                                    | 18.3                     | .....                                                                    | On building.<br><br>Private aid.<br>Year round.<br>Operates 24 h.<br><b>R</b> 358°36'-359°06';<br><b>AI RW</b> 359°06'-359°48';<br><b>W</b> 359°48'-000°12';<br><b>AI GW</b> 000°12'-000°54';<br><b>G</b> 000°54'-002°06'.<br>For sole use of vessels<br>transmitting to and from<br>Canaport facility (Occasional).     |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                                  | Location<br>-----<br>Latitude N.<br>Longitude W.        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                                                                                                                                                  |
|----------------------------------|---------------------------------------------------------|---------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - EAST</b> |                                                         |                                                         |                          |                                          |                          |                                                                          |                                                                                                                                                                                                                                                                                                                      |
| 147.14<br>H4078.5                | LNG West Secondary<br>(088) Sector                      | 45 12 16.4<br>065 55 34.6                               | F R<br>W<br>G            | .....                                    | 23.4                     | .....                                                                    | On building.<br><br>Private aid.<br>Year round.<br>Operates 24 h.<br><b>R</b> 085°54'-087°06';<br><b>AI RW</b> 087°06'-087°48';<br><b>W</b> 087°48'-088°12';<br><b>AI WG</b> 088°12'-088°54';<br><b>G</b> 088°54'-089°24'.<br>For sole use of vessels<br>transmitting to and from<br>Canaport facility (Occasional). |
| 147.15                           | LNG West Turn Point<br>Sector Light                     | 45 12 16.4<br>065 55 34.6                               | F W                      | .....                                    | 22.8                     | 13                                                                       | On building.<br><br>Private aid.<br>Year round.<br>Operates 24 h.<br><b>FI W</b> 81°45'-82°45';<br><b>F W</b> 82°45'-83°15';<br><b>FI W</b> 83°15'-84°15'.                                                                                                                                                           |
| 147.16                           | LNG East Turn Point<br>Sector Light                     | 45 12 16.4<br>065 55 34.6                               | F W                      | .....                                    | 22.8                     | 10                                                                       | On building.<br><br>Private aid.<br>Year round.<br>Operates 24 h.<br><b>FI W</b> 23°30'-25°30';<br><b>F W</b> 25°30'-26°30';<br><b>FI W</b> 26°30'-28°30'.                                                                                                                                                           |
| 147.17<br>H4079.35               | LNG MD1 Jetty Light                                     | 45 12 21.0<br>065 59 00.4                               | FI Y                     | 4s                                       | 7.3                      | 5                                                                        | Cylindrical mast.<br><br>Private aid.<br>Year round.                                                                                                                                                                                                                                                                 |
| 147.171<br>H4079.3               | LNG BD1 Jetty Light                                     | 45 12 19.2<br>065 58 53.2                               | FI G                     | 4s                                       | .....                    | 5                                                                        | Cylindrical mast.<br><br>Private aid.<br>Year round.                                                                                                                                                                                                                                                                 |
| 147.173<br>H4079.25              | LNG BD4 Jetty Light                                     | 45 12 18.8<br>065 58 48.2                               | FI G                     | 4s                                       | 7.7                      | 5                                                                        | Cylindrical mast.<br><br>Private aid.<br>Year round.                                                                                                                                                                                                                                                                 |
| 147.174<br>H4079.2               | LNG MD6 Jetty Light                                     | 45 12 19.3<br>065 58 41.4                               | FI Y                     | 4s                                       | 7.7                      | 5                                                                        | Cylindrical mast.<br><br>Private aid.<br>Year round.                                                                                                                                                                                                                                                                 |
| 147.21                           | LNG Cautionary light<br>buoy                            | 45 12 23.8<br>065 58 19.3                               | FI Y                     | 4s                                       | .....                    | .....                                                                    | Yellow, can.<br><br>Private aid.<br>Year round.<br>Operates 24 h.                                                                                                                                                                                                                                                    |
| 147.22<br>H4078.6                | LNG Black Rock light                                    | 45 12 19.6<br>065 56 58.2                               | FI Y                     | 4s                                       | 4.8                      | 3                                                                        | On rock.<br><br>Private aid.<br>Year round.<br>Operates 24 h.                                                                                                                                                                                                                                                        |
| 148                              | The Sisters South<br>Cardinal light and bell<br>buoy KB | On S. side of rocks.<br>45 14 30.3<br>065 46 55.8       | Q(6) +<br>LFI            | W 15s                                    | .....                    | .....                                                                    | Yellow-black, pillar, marked<br>"KB".<br><br>Year round.<br><b>Audible signal: Bell</b>                                                                                                                                                                                                                              |
| 149                              | Quaco Ledge North<br>Cardinal light and bell<br>buoy KW | NW. of ledge.<br>45 14 42.3<br>065 22 09.8              | Q                        | W 1s                                     | .....                    | .....                                                                    | Black-yellow, pillar, marked<br>"KW".<br><br>Year round.<br><b>Audible signal: Bell</b>                                                                                                                                                                                                                              |
| 150<br>H4076                     | <b>West Quaco</b>                                       | On Quaco Head.<br>45 19 25.3<br>065 32 08.8             | FI                       | W 10s                                    | 26.0                     | <b>21</b><br>11.7                                                        | White rectangular tower<br>with red top.<br><br>Year round.<br>Operates 24 h.<br>Flash 0.3 s; eclipse 9.7 s.<br><br><b>Fog Horn</b><br>Blast 3 s; sil. 27 s.                                                                                                                                                         |
| 151                              | Quaco light and bell<br>buoy K15                        | SE. of Quaco Head<br>Reef.<br>45 19 16.3<br>065 31 15.8 | FI                       | G 4s                                     | .....                    | .....                                                                    | Green, pillar, marked<br>"K15".<br><br>Year round.<br><b>Audible signal: Bell</b>                                                                                                                                                                                                                                    |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.         | Name<br>-----<br>RACON                 | Location<br>-----<br>Latitude N.<br>Longitude W.                    | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                      |
|----------------------------------|----------------------------------------|---------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.B. - EAST</b> |                                        |                                                                     |                          |                                          |                          |                                                                          |                                                                                                                                                                          |
| 152<br>H4074                     | St. Martins                            | On outer end of E.<br>breakwater pier.<br>45 21 18.0<br>065 31 55.0 | LFI R 6s                 | 7.2                                      | 4                        | Triangular skeleton tower.<br>5.9                                        | Year round.<br>Flash 2 s; eclipse 4 s.                                                                                                                                   |
| 155<br>H4064                     | Alma                                   | On outer end of<br>public wharf.<br>45 36 00.0<br>064 56 37.0       | Iso R 4s                 | .....                                    | 4                        | Cylindrical mast, red and<br>white triangular daymark.<br>6.0            | Year round.                                                                                                                                                              |
| 155.5                            | Alma light and bell<br>buoy KX         | 45 35 32.3<br>064 55 59.8                                           | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"KX".                                       | Year round.<br>(Winter spar.)<br><br><b>Audible signal: Bell</b>                                                                                                         |
| 156                              | Cape Enrage light and<br>bell buoy K19 | Off reef extending<br>S. from cape.<br>45 35 08.8<br>064 47 16.3    | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"K19".                                          | Year round.<br><br><b>Audible signal: Bell</b>                                                                                                                           |
| 157<br>H4060                     | Cape Enragé                            | Pitch of cape.<br>45 35 38.1<br>064 46 47.7                         | Fl G 6s                  | 40.7                                     | 10                       | White square tower with<br>red upper portion.<br>9.2                     | Private aid.<br>Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s.<br><br><b>Fog Horn</b><br>Blast 2 s; sil. 3 s;<br>blast 2 s; sil. 3 s;<br>blast 2 s; sil. 48 s. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.  | Name<br>-----<br>RACON                     | Location<br>-----<br>Latitude N.<br>Longitude W.              | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)    | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------|--------------------------------------------|---------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.S.</b> |                                            |                                                               |                          |                                          |                          |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 163<br>H4032              | Apple River                                | On Cape Capstan,<br>N. entrance.<br>45 28 24.0<br>064 51 22.9 | LFI W 12s                | 20.8                                     | 9                        | White square tower.<br>11.2                                                 | Year round.<br>Flash 2 s; eclipse 10 s.                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 164<br>H3928              | Île Haute                                  | On highest point.<br>45 15 03.4<br>065 00 19.8                | FI W 4s                  | 112.1                                    | 7                        | Square skeleton tower.<br>13.0                                              | Year round.<br>Visibility of light may be<br>obscured when the navigator is<br>less than 2.5 nautical miles<br>from light.                                                                                                                                                                                                                                                                                                                                                                          |
| 165                       | Advocate Harbour<br>light and bell buoy MM | At entrance to<br>harbour.<br>45 19 10.3<br>064 48 00.8       | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"MM".                                          | Year round.<br><b>Audible signal: Bell</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 166<br>H3934              | Advocate Harbour                           | On S. side of<br>entrance.<br>45 19 07.1<br>064 46 59.9       | FI R 4s                  | .....                                    | 5                        | Square skeleton tower, red<br>and white rectangular<br>daymark.             | Year round.<br>Flash 1 s; eclipse 3 s.                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 167<br>H3938              | Cape d'Or                                  | On extreme point.<br>45 17 27.0<br>064 46 27.5                | LFI W 6s                 | 20.3                                     | 8                        | White square tower with<br>red top, connected to white<br>building.<br>10.7 | Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 4 s.                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Minas Basin</b>        |                                            |                                                               |                          |                                          |                          |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 171<br>H3950              | Cape Sharp                                 | On S. extremity of<br>cape.<br>45 21 52.2<br>064 23 31.5      | Oc W 10s                 | 17.4                                     | 11                       | White square tower with<br>red upper portion.<br>11.7                       | Year round.<br>Operates 24 h.<br>Flash 7 s; eclipse 3 s.<br><br><b>Fog Horn</b><br>Blast 4 s; sil. 56 s.<br>Mariners requiring the<br>operation of the fog signal will<br>have to select VHF channel 65<br>and key their microphones five<br>(5) times within 10 seconds.<br>The fog signal will be in<br>operation for 15 minutes. The<br>fog signal can be activated<br>within a 1 NM distance. The fog<br>signal can be activated for<br>another 15 minutes by<br>repeating the above procedure. |
| 172<br>H3952              | Parrsboro                                  | At entrance to<br>harbour.<br>45 23 12.8<br>064 18 59.5       | LFI G 6s                 | 8.4                                      | 7                        | White square tower with<br>red top.<br>8.5                                  | Year round.<br>Flash 2 s; eclipse 4 s.<br><br><b>Fog Horn</b><br>Blast 3 s; sil. 27 s.                                                                                                                                                                                                                                                                                                                                                                                                              |
| 173<br>H3954              | Parrsboro Wharf                            | SE. corner of wharf.<br>45 23 24.2<br>064 19 06.6             | FI R 4s                  | 5.1                                      | 3                        | Pipe swing pole.<br>3.7                                                     | Year round.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 189.5<br>H3957            | Delhaven Shore Light                       | 45 12 04.5<br>064 22 42.2                                     | FI R 4s                  | 4.8                                      | 4                        | Pipe swing pole.<br>4.8                                                     | Seasonal.<br>Radar reflector.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 190                       | Delhaven Entrance                          | 45 12 02.8<br>064 22 40.4                                     | FI R 4s                  | 4.9                                      | 4                        | Pipe swing pole.<br>4.9                                                     | Year round.<br>Radar reflector.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON         | Location<br>-----<br>Latitude N.<br>Longitude W.                                       | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                      |
|--------------------------|--------------------------------|----------------------------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| BAY OF FUNDY, N.S.       |                                |                                                                                        |                          |   |       |                                          |                          |                                                                                                   |                                                                                          |
| 191<br>H3956             | Minas Basin                    | On outer SW.<br>corner of wharf at<br>Delhaven.<br>45 12 07.6<br>064 22 48.5           | F                        | R | ..... | 7.3                                      | 5                        | Pipe swing pole, red and<br>white triangular daymark.<br>5.2                                      | Year round.<br>Radar reflector.                                                          |
| 192<br>H3942             | Halls Harbour                  | On end of wharf.<br>45 12 06.6<br>064 37 11.8                                          | Fl                       | R | 4s    | 5.8                                      | 7                        | Cylindrical mast, red and<br>white triangular daymark.<br>5.6                                     | Year round.                                                                              |
| 193<br>H3932             | Black Rock                     | S. shore Minas<br>channel.<br>45 10 13.2<br>064 45 42.6                                | Fl(2)                    | W | 12s   | 15.9                                     | 12                       | White cylindrical tower with<br>red horizontal band.<br>10.4                                      | Year round.<br>Flash 1 s; eclipse 2 s;<br>flash 1 s; eclipse 8 s.                        |
| 194                      | Harbourville                   | Near outer end of<br>W. pier.<br>45 09 09.3<br>064 48 42.2                             | Fl                       | R | 4s    | 9.8                                      | 5                        | Square skeleton tower, red<br>and white rectangular<br>daymark, red triangle in<br>centre.<br>6.6 | Year round.                                                                              |
| 195<br>H3926             | Margaretsville                 | On extremity of<br>point, S. of<br>breakwater.<br>45 03 00.3<br>065 03 57.8            | Oc(2)                    | W | 20s   | 11.2                                     | 10                       | Square tower, white and<br>black horizontal bands.<br>9.7                                         | Year round.<br>Flash 4 s; eclipse 3 s;<br>flash 10 s; eclipse 3 s.<br>Visible 095°-236°. |
| 197.3<br>H3920           | Port Lorne breakwater<br>Light | S. shore.<br>44 56 57.7<br>065 15 55.7                                                 | Fl                       | R | 4s    | 3.0                                      | 2                        | Pipe swing pole, red<br>triangular daymark.                                                       | Year round.<br>Flash 1 s; eclipse 3 s.                                                   |
| 198<br>H3918             | Hampton Breakwater             | E. of W. breakwater<br>at Chute Cove.<br>44 54 24.9<br>065 21 05.6                     | Fl                       | R | 4s    | 18.9                                     | 2                        | White tower.<br>9.8                                                                               | Year round.                                                                              |
| 199<br>H3916             | Parkers Cove                   | On end of E.<br>breakwater.<br>44 48 51.1<br>065 32 18.1                               | LFl                      | G | 12s   | 8.0                                      | 2                        | Cylindrical mast.<br>6.3                                                                          | Year round.<br>Flash 2 s; eclipse 10 s.                                                  |
| 199.5<br>H3914           | Delap Cove Wharf               | E. of Digby Gut.<br>44 46 11.8<br>065 38 11.7                                          | Fl                       | W | 4s    | 6.0                                      | 3                        | Pipe swing pole.<br>6.8                                                                           | Seasonal.                                                                                |
| 201<br>H3890             | Prim Point                     | Digby Gut, W. point<br>of entrance to<br>Annapolis Basin.<br>44 41 28.0<br>065 47 10.8 | Iso                      | W | 6s    | 24.8                                     | 13                       | White rectangular tower<br>with red vertical stripes.<br>13.9                                     | Year round.<br>Operates 24 h.                                                            |
| 202<br>H3892             | Digby Gut                      | E. side of entrance<br>to Digby Gut.<br>44 41 17.4<br>065 45 35.1                      | LFl                      | G | 6s    | 20.0                                     | .....                    | Square skeleton tower,<br>green and white<br>rectangular daymark.                                 | Year round.<br>Flash 2 s; eclipse 4 s.                                                   |
| 203.5                    | Battery Point Wharf<br>Light   | 44 40 29.3<br>065 45 12.4                                                              | Fl                       | G | 4s    | .....                                    | 17                       | Square skeleton tower,<br>green and white<br>rectangular daymark.                                 | Year round.<br>Flash 1 s; eclipse 3 s.                                                   |
| 204                      | Bear Island light buoy<br>V1   | E. of Fannan<br>Ledge.<br>44 38 57.9<br>065 44 48.8                                    | Fl                       | G | 4s    | .....                                    | .....                    | Green, spar, marked "V1".                                                                         | Year round.                                                                              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON           | Location<br>-----<br>Latitude N.<br>Longitude W.                               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS      |                                               |
|--------------------------|----------------------------------|--------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------|
| BAY OF FUNDY, N.S.       |                                  |                                                                                |                          |                                          |                          |                                                                                                   |                                                          |                                               |
| 205                      | The Raquette light<br>buoy V2    | 44 37 55.4<br>065 45 05.8                                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "V2".                                                                           | Year round.                                              |                                               |
| 206.2                    | Digby Breakwater<br>Light        | 44 37 33.0<br>065 45 02.1                                                      | Fl R 4s                  | 15.5                                     | 4                        | Cylindrical mast, red and<br>white triangular daymark.<br>3.0                                     | Year round.<br>Flash 1 s; eclipse 3 s.                   |                                               |
| 209.1                    | Port Wade Light Buoy<br>VE1      | Annapolis Basin.<br>44 39 36.0<br>065 42 05.4                                  | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "VE1".                                                                        | Year round.                                              |                                               |
| 209.3                    | Black Point light buoy<br>VE3    | Annapolis Basin.<br>44 40 57.4<br>065 39 07.8                                  | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "VE3".                                                                         | Year round.                                              |                                               |
| 209.8                    | Goat Island light buoy<br>VE4    | NW. of island.<br>44 42 18.9<br>065 37 16.8                                    | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"VE4".                                                                    | Year round.                                              |                                               |
| Annapolis River          |                                  |                                                                                |                          |                                          |                          |                                                                                                   |                                                          |                                               |
| 210<br>H3906             | Schafners Point                  | On N. side of river.<br>44 42 35.5<br>065 37 08.6                              | F W                      | .....                                    | 13.3                     | 10                                                                                                | White square tower with<br>red upper portion.<br>11.1    | Private aid.<br>Year round.<br>Operates 24 h. |
| 210.3                    | Marsh Point light buoy<br>VE5    | 44 42 47.6<br>065 34 42.5                                                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"VE5".                                                                   | Year round.                                              |                                               |
| 211<br>H3908             | Annapolis                        | NE. of pier.<br>44 44 39.6<br>065 31 11.8                                      | F R                      | .....                                    | 9.1                      | 8                                                                                                 | White square tower with<br>red upper portion.<br>8.5     | Private aid.<br>Year round.                   |
| 213                      | Centreville light buoy<br>MA     | Trout Cove<br>entrance.<br>44 33 20.0<br>066 02 40.0                           | Mo(A) W                  | 6s                                       | .....                    | .....                                                                                             | Red-white, pillar, marked<br>"MA".                       | Year round.                                   |
| 214<br>H3888             | Centreville Breakwater<br>Light  | On W. side of cove.<br>44 33 05.5<br>066 02 02.6                               | Fl G 4s                  | 13.6                                     | 7                        | Square skeleton tower, red<br>and white rectangular<br>daymark, green square in<br>centre.<br>7.7 | Year round.<br>Flash 1 s; eclipse 3 s.                   |                                               |
| 216<br>H3884             | Boars Head                       | On W. side of N.<br>entrance to Petit<br>Passage.<br>44 24 14.5<br>066 12 55.0 | Fl W 4s                  | 28.0                                     | 17                       | White square tower with<br>red upper portion.<br>11.6                                             | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 3 s. |                                               |
| 217<br>H3885             | Tiverton                         | Near outer end of<br>breakwater.<br>44 23 47.0<br>066 12 45.0                  | Fl Y 4s                  | 4.7                                      | 6                        | Cylindrical mast.<br>3.6                                                                          | Year round.<br>Flash 1 s; eclipse 3 s.                   |                                               |
| 220                      | Northwest Ledge light<br>buoy M4 | Off Beatson Rocks.<br>44 18 17.0<br>066 25 55.0                                | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "M4".                                                                         | Year round.                                              |                                               |
| 221<br>H3874             | Grand Passage                    | N. point of Brier<br>Island.<br>44 17 13.0<br>066 20 31.2                      | Fl W 9s                  | 14.3                                     | 21                       | White rectangular tower<br>with red top.<br>8.6                                                   | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 8 s. |                                               |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## BAY OF FUNDY, N.S.

|                |                                                    |                                                                                 |             |       |       |                                                                                            |                                        |
|----------------|----------------------------------------------------|---------------------------------------------------------------------------------|-------------|-------|-------|--------------------------------------------------------------------------------------------|----------------------------------------|
| 222            | Cow Ledge Shoal light<br>buoy HA4                  | E. of North Point.<br>44 17 11.0<br>066 20 03.0                                 | Fl R 4s     | ..... | ..... | Red, pillar, marked "HA4".                                                                 | Year round.                            |
| 223<br>H3872   | Brier Island                                       | On W. point of<br>island.<br>44 14 55.0<br>066 23 32.0                          | Fl(3) W 18s | 22.2  | 14    | White octagonal tower with<br>horizontal red bands.<br>16.7                                | Year round.<br>Operates 24 h.          |
| 224            | Gull Rock light buoy<br>HA1                        | S. of rock.<br>44 12 08.0<br>066 23 11.0                                        | Fl G 4s     | ..... | ..... | Green, pillar, marked<br>"HA1".                                                            | Year round.                            |
| 225            | Southwest Ledge<br>(Brier Island) light<br>buoy M2 | Off W. end of ledge.<br>44 10 09.0<br>066 27 12.0                               | Fl R 4s     | ..... | ..... | Red, pillar, marked "M2".                                                                  | Year round.                            |
| 226            | Dartmouth Point light<br>buoy HA2                  | Grand Passage.<br>44 14 45.0<br>066 19 57.0                                     | Fl R 4s     | ..... | ..... | Red, pillar, marked "HA2".                                                                 | Year round.                            |
| 227<br>H3878   | Peter Island                                       | S. entrance to<br>Grand Passage.<br>44 15 25.7<br>066 20 13.1                   | LFl G 6s    | ..... | 6     | Square skeleton tower, red<br>and white rectangular<br>daymark, green square in<br>centre. | Year round.<br>Flash 2 s; eclipse 4 s. |
| 227.5          | Peter Island North                                 | Grand Passage.<br>44 15 37.4<br>066 20 15.3                                     | Q G 1s      | ..... | ..... | Green cylindrical mast.<br>6.4                                                             | Year round.<br>Radar reflector.        |
| 228<br>H3880   | Westport                                           | On outer end of<br>public wharf and<br>breakwater.<br>44 15 53.2<br>066 20 51.9 | Fl G 4s     | 5.0   | 6     | Pipe swing pole.<br>3.3                                                                    | Year round.<br>Flash 1 s; eclipse 3 s. |
| 228.5<br>H3875 | Freeport South<br>Breakwater                       | On breakwater.<br>44 16 00.4<br>066 19 44.5                                     | Fl W 4s     | 4.2   | 6     | Pipe swing pole.<br>3.3                                                                    | Year round.<br>Flash 1 s; eclipse 3 s. |
| 229<br>H3876   | Freeport                                           | On outer end of<br>public wharf.<br>44 16 27.8<br>066 20 08.5                   | F R         | ..... | 8.7   | 7<br>Pipe swing pole.<br>6.8                                                               | Year round.                            |

## St. Marys Bay

|              |                                  |                                                        |          |       |       |                                                              |                                        |
|--------------|----------------------------------|--------------------------------------------------------|----------|-------|-------|--------------------------------------------------------------|----------------------------------------|
| 230<br>H3864 | Little River                     | On outer end of<br>wharf.<br>44 26 37.4<br>066 07 44.7 | LFl G 6s | 7.5   | 7     | Cylindrical mast, green and<br>white square daymark.<br>6.8  | Year round.<br>Flash 2 s; eclipse 4 s. |
| 230.2        | East Sandy Cove                  | On outer end of<br>wharf.<br>44 29 10.8<br>066 05 04.3 | Fl R 4s  | 4.3   | 5     | Pipe swing pole, red and<br>white triangular daymark.<br>3.7 | Year round.<br>Flash 1 s; eclipse 3 s. |
| 232.1        | Sissiboo Outer light<br>buoy HJ1 | Weymouth<br>Harbour.<br>44 26 54.6<br>066 01 15.9      | Fl G 4s  | ..... | ..... | Green, spar, marked "HJ1".                                   | Year round.                            |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.  | Name<br>-----<br>RACON                        | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                          |
|---------------------------|-----------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.S.</b> |                                               |                                                                  |                          |                                          |                          |                                                                          |                                                                              |
| 234.3                     | East Sandy Cove light<br>buoy HK3             | 44 28 48.5<br>066 04 39.0                                        | Fl G 4s .....            | .....                                    |                          | Green, spar, marked<br>"HK3".                                            | Year round.                                                                  |
| 236.5<br>H3858            | Comeauville Wharf                             | On wharf.<br>44 17 31.2<br>066 07 56.3                           | Fl R 4s 5.4              | 4                                        |                          | Square skeleton tower.<br>3.5                                            | Private aid.<br>Year round.                                                  |
| 237                       | Saulnierville light buoy<br>HE                | Approach to<br>Saulnierville wharf.<br>44 16 00.0<br>066 09 24.0 | Mo(A) W 6s .....         | .....                                    |                          | Red-white, pillar, marked<br>"HE".                                       | Year round.                                                                  |
| 237.5<br>H3855            | Saulnierville<br>Breakwater                   | Near end of<br>breakwater.<br>44 15 51.2<br>066 08 18.3          | Fl R 4s 8.5              | 7                                        |                          | Square skeleton tower, red<br>and white triangular<br>daymark.<br>8.6    | Year round.<br>Flash 1 s; eclipse 3 s.                                       |
| 238<br>H3852              | Meteghan River                                | At inner end of<br>breakwater.<br>44 13 11.8<br>066 08 37.2      | Fl W 4s 7.5              | 6                                        |                          | Pipe swing pole.                                                         | Year round.                                                                  |
| 239                       | Meteghan light buoy<br>HC2                    | NW. of Meteghan<br>breakwater.<br>44 11 43.0<br>066 12 00.0      | Fl R 4s .....            | .....                                    |                          | Red, conical, marked<br>"HC2".                                           | Year round.                                                                  |
| 239.3                     | Meteghan Outer light<br>buoy HC3              | 44 11 51.0<br>066 10 54.0                                        | Fl G 4s .....            | .....                                    |                          | Green, spar, marked<br>"HC3".                                            | Year round.                                                                  |
| 239.4                     | Meteghan Inner light<br>buoy HC4              | 44 11 50.0<br>066 10 12.0                                        | Fl R 4s .....            | .....                                    |                          | Red, spar, marked "HC4".                                                 | Year round.                                                                  |
| 239.5<br>H3851            | Meteghan Breakwater                           | On outer end of<br>breakwater.<br>44 11 44.1<br>066 10 00.1      | LFl R 6s .....           | 6                                        |                          | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.8   | Year round.<br>Flash 2 s; eclipse 4 s.                                       |
| 241<br>H3848              | <b>Cape St. Marys</b>                         | E. side of bay.<br>44 05 09.2<br>066 12 39.6                     | Fl W 5s 31.8             | 15                                       |                          | White rectangular tower<br>with red top.<br>8.7                          | Private aid.<br>Year round.<br>Operates 24 h.<br>Flash 0.5 s; eclipse 4.5 s. |
| 242                       | Cape St. Marys light<br>buoy NV               | S. of cape.<br>44 04 10.3<br>066 12 35.0                         | Mo(A) W 6s .....         | .....                                    |                          | Red-white, pillar, marked<br>"NV".                                       | Year round.                                                                  |
| 243<br>H3846              | Cape St. Marys<br>Breakwater                  | On rubble<br>breakwater.<br>44 05 03.5<br>066 12 15.0            | Fl G 4s 8.0              | 4                                        |                          | Pipe Swing Pole, green,<br>white and black square<br>daymark.            | Year round.<br>Flash 1 s; eclipse 3 s.<br>Radar reflector.                   |
| 245                       | Trinity Ledge<br>bifurcation light buoy<br>NP | S. of ledge.<br>43 58 47.3<br>066 18 26.0                        | Fl(2+1) R 6s .....       | .....                                    |                          | Red-green-red, pillar,<br>marked "NP".                                   | Year round.                                                                  |
| 246                       | Port Maitland light<br>buoy NU                | N. of Port Maitland<br>breakwater.<br>43 59 36.3<br>066 10 18.0  | Mo(A) W 6s .....         | .....                                    |                          | Red-white, spar, marked<br>"NU".                                         | Year round.                                                                  |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                   | Name<br>-----<br>RACON                                                                  | Location<br>-----<br>Latitude N.<br>Longitude W.                     | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                |
|--------------------------------------------|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| <b>BAY OF FUNDY, N.S.</b>                  |                                                                                         |                                                                      |                          |                                          |                          |                                                                                         |                                                                                                    |
| 247<br>H3840                               | Port Maitland Wharf<br>Light                                                            | 43 59 09.5<br>066 09 32.9                                            | LFI G 6s                 | 6.1                                      | 5                        | Square skeleton tower,<br>green and white<br>rectangular daymark.<br>6.9                | Year round.<br>Flash 2 s; eclipse 4 s.<br>Radar reflector.                                         |
| 250.1                                      | Port Maitland West<br>Breakwater light                                                  | 43 59 09.6<br>066 09 39.6                                            | FI R 4s                  | .....                                    | 4                        | Cylindrical mast, red and<br>white triangular daymark.<br>3.0                           | Year round.                                                                                        |
| 251                                        | Lurcher Shoal<br>bifurcation light buoy<br>NM<br><br><b>Racon K (- . - )<br/>X Band</b> | W. of Southwest<br>Shoal.<br>43 48 57.2<br>066 29 58.0               | FI(2+1) R 6s             | .....                                    | .....                    | Red-green-red, pillar,<br>marked "NM".                                                  | Year round.                                                                                        |
| 251.5                                      | Lurcher Northeast<br>Shoal light buoy N9                                                | 43 53 00.3<br>066 26 10.0                                            | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked "N9".                                                             | Year round.                                                                                        |
| 252                                        | Sandford light buoy<br>NT2                                                              | Off Sandford.<br>43 55 50.8<br>066 10 53.0                           | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "NT2".                                                              | Year round.                                                                                        |
| 253<br>H3838                               | Sandford Sector                                                                         | 43 55 07.6<br>066 09 14.7                                            | Iso R<br>W<br>G 2s       | 8.3                                      | 12                       | Square skeleton tower,<br>white rectangular daymark<br>with red horizontal band.<br>6.9 | Year round.<br>Operates 24 h.<br>R 090°57'-134°57';<br>W 134°57'-136°57';<br>G 136°57' to 180°57'. |
| 255.7<br>H3837                             | Cheggoggin Point<br>Breakwater                                                          | On end of<br>breakwater.<br>43 51 09.5<br>066 09 40.2                | FI G 4s                  | .....                                    | 7                        | Square skeleton tower,<br>green and white<br>rectangular daymark.<br>6.1                | Year round.<br>Flash 1 s; eclipse 3 s.                                                             |
| 256                                        | Cheggoggin Point light<br>buoy NQ1                                                      | Off SW. extreme of<br>Cheggoggin Point.<br>43 50 35.2<br>066 10 38.5 | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NQ1".                                                         | Year round.                                                                                        |
| <b>Yarmouth Harbour and<br/>Approaches</b> |                                                                                         |                                                                      |                          |                                          |                          |                                                                                         |                                                                                                    |
| 259                                        | Cat Rock light buoy<br>Y3                                                               | S. of Cape Forchu.<br>43 46 57.3<br>066 09 29.5                      | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked "Y3".                                                             | Year round.<br><br><b>Audible signal: Whistle</b>                                                  |
| 260<br>H3820                               | Cape Forchu<br><br><b>Racon B (- . . . )<br/>X Band</b>                                 | E. Cape, S. point,<br>Yarmouth Sound.<br>43 47 38.8<br>066 09 19.3   | LFI W 12s                | 34.6                                     | 12                       | White hexagonal tower with<br>red vertical stripe.<br>23.5                              | Private aid.<br>Year round.<br>Flash 2 s; eclipse 10 s.                                            |
| 260.5                                      | Johns Cove light buoy<br>Y5                                                             | 43 47 50.3<br>066 08 44.9                                            | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "Y5".                                                               | Year round.                                                                                        |
| 261<br>H3822                               | Ships Stern                                                                             | On N. end of Ships<br>Stern.<br>43 48 31.7<br>066 08 45.9            | FI W 4s                  | .....                                    | 4                        | Pipe swing pole.<br>3.5                                                                 | Year round.                                                                                        |
| 262                                        | Privateer Rock light<br>buoy Y12                                                        | E. of Ships Stern.<br>43 48 34.0<br>066 08 38.8                      | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "Y12".                                                                | Year round.                                                                                        |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## BAY OF FUNDY, N.S.

|              |                                             |                                                      |          |       |       |                                                        |             |
|--------------|---------------------------------------------|------------------------------------------------------|----------|-------|-------|--------------------------------------------------------|-------------|
| 263<br>H3826 | Bunker Island                               | SW. point of island.<br>43 48 44.6<br>066 08 36.2    | Iso R 4s | 9.8   | ..... | White square tower with<br>red vertical stripe.<br>9.1 | Year round. |
| 264          | Sollows Rock East<br>light buoy Y17         | SE. of rock.<br>43 48 50.2<br>066 08 40.1            | Q G 1s   | ..... | ..... | Green, spar, marked "Y17".                             | Year round. |
| 265          | Yarmouth Main<br>Channel light buoy<br>Y24  | S. of Elders Head.<br>43 49 33.7<br>066 07 54.2      | Fl R 4s  | ..... | ..... | Red, spar, marked "Y24".                               | Year round. |
| 266          | Yarmouth South<br>Channel light buoy<br>Y26 | 43 49 51.6<br>066 07 38.8                            | Fl R 4s  | ..... | ..... | Red, spar, marked "Y26".                               | Year round. |
| 267          | Hen and Chickens<br>light buoy Y4           | On W. side of<br>shoal.<br>43 47 41.5<br>066 08 36.4 | Fl R 4s  | ..... | ..... | Red, pillar, marked "Y4".                              | Year round. |
| 268          | Roaring Bull light buoy<br>Y2               | 43 45 10.3<br>066 09 41.0                            | Fl R 4s  | ..... | ..... | Red, pillar, marked "Y2".                              | Year round. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.           | Name<br>-----<br>RACON                             | Location<br>-----<br>Latitude N.<br>Longitude W.                  | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|------------------------------------|----------------------------------------------------|-------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NOVA SCOTIA SOUTHWEST COAST</b> |                                                    |                                                                   |                          |                                          |                          |                                                                          |                                                     |
| 271                                | Chebogue Point South<br>Cardinal light buoy E      | W. of extremity of<br>point.<br>43 43 46.6<br>066 07 06.8         | Q(6) + W 15s<br>LFI      | .....                                    | .....                    | Yellow-black, pillar, marked<br>"E".                                     | Year round.                                         |
| 271.3                              | Chebogue River Inner<br>light buoy E3              | 43 44 54.3<br>066 06 04.0                                         | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "E3".                                                | Year round.                                         |
| 271.8                              | Chebogue River light<br>buoy E8                    | 43 45 05.3<br>066 05 17.0                                         | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "E8".                                                  | Year round.                                         |
| 271.9                              | Chebogue River Inner<br>light buoy E9              | 43 45 11.3<br>066 05 08.0                                         | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "E9".                                                | Year round.                                         |
| 272<br>H3818                       | <b>Green Island</b>                                | Centre of island.<br>43 41 23.1<br>066 08 38.3                    | Oc W 3s                  | 25.0                                     | <b>18</b>                | Square skeleton tower, red<br>and white rectangular<br>daymark.          | Year round.<br>Flash 2 s; eclipse 1 s.              |
| 272.11                             | Chebogue River light<br>buoy E11                   | 43 45 18.3<br>066 05 08.5                                         | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "E11".                                               | Year round.                                         |
| 272.135                            | Chebogue River Inner<br>light buoy E13/5           | 43 45 41.5<br>066 05 25.5                                         | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"E13/5".                                          | Year round.                                         |
| 272.18                             | Chebogue River Inner<br>light buoy E18             | 43 46 09.3<br>066 05 40.0                                         | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "E18".                                                 | Year round.                                         |
| 272.23                             | Chebogue Ledge light<br>buoy EA1                   | Southern approach.<br>43 43 09.3<br>066 07 34.5                   | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "EA1".                                                | Year round.                                         |
| 274.14                             | Little River Harbour<br>light buoy NS17/1          | Chebogue.<br>43 42 10.3<br>066 02 21.5                            | Q G 1s                   | .....                                    | .....                    | Green, can, marked<br>"NS17/1".                                          | Year round.                                         |
| 274.2                              | Soldiers Ledge South<br>Cardinal light buoy<br>NSA | 43 30 45.3<br>066 02 31.0                                         | Q(6) + W 15s<br>LFI      | .....                                    | .....                    | Yellow-black, pillar, marked<br>"NSA".                                   | Year round.                                         |
| 274.22                             | Schooner Passage<br>Rock light buoy NSE            | Tusket Islands.<br>43 39 24.0<br>066 02 28.5                      | Fl(2) W 10s              | .....                                    | .....                    | Black-red-black, pillar,<br>marked "NSE".                                | Year round.                                         |
| 274.4                              | Soldiers Ledge North<br>Cardinal light buoy<br>NSB | 43 33 23.5<br>066 03 00.0                                         | Q W 1s                   | .....                                    | .....                    | Black-yellow, pillar, marked<br>"NSB".                                   | Year round.                                         |
| 274.8                              | Haymaker Ledge light<br>buoy NS8                   | Schooner Passage.<br>43 38 21.3<br>066 01 36.8                    | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "NS8".                                               | Year round.                                         |
| 274.9                              | Allen Rock light buoy<br>NS9                       | Schooner Passage,<br>Tusket Islands.<br>43 38 22.1<br>066 02 05.3 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NS9".                                          | Year round.                                         |
| 275                                | Murder Island light<br>buoy NSH                    | W. of island.<br>43 40 04.2<br>066 03 39.0                        | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"NSH".                                      | Year round.                                         |
| 276                                | Schooner Passage<br>light buoy NS11                | N. of Owl's Head.<br>43 39 39.6<br>066 02 58.0                    | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NS11".                                         | Year round.                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.           | Name<br>-----<br>RACON                | Location<br>-----<br>Latitude N.<br>Longitude W.                                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                                                                  |
|------------------------------------|---------------------------------------|---------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA SOUTHWEST COAST</b> |                                       |                                                                                 |                          |                                          |                          |                                                                                         |                                                                                                                                                                                                                                      |
| 277                                | Pinkneys Point light<br>buoy NS17     | S. of point.<br>43 41 52.3<br>066 03 16.0                                       | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"NS17".                                                          | Year round.                                                                                                                                                                                                                          |
| 278<br>H3819                       | Pinkneys Point                        | On outer end of<br>rubble breakwater<br>extension.<br>43 42 12.7<br>066 03 10.5 | Fl G 4s .....            | .....                                    | 4                        | Pipe Swing Pole, green,<br>white and black square<br>daymark.                           | Year round.<br>Flash 1 s; eclipse 3 s.                                                                                                                                                                                               |
| 278.2<br>H3819.1                   | Pinkneys Point Fog<br>Signal          | 43 42 11.6<br>066 03 12.1                                                       | ..... .....              | .....                                    | .....                    | Square skeleton tower.<br>4.1                                                           | Year round.<br><br><b>Fog Horn</b><br>Blast 3 s; sil. 3 s;<br>blast 3 s; sil. 51 s.                                                                                                                                                  |
| 279<br>H3817.4                     | Little River Harbour                  | S. extremity of Big<br>Cook Island.<br>43 42 36.4<br>066 02 02.2                | Fl W 4s 6.9              | .....                                    | 5                        | Square skeleton tower,<br>white rectangular daymark<br>with red horizontal band.<br>3.1 | Year round.                                                                                                                                                                                                                          |
| 279.5<br>H3817.5                   | Little River Harbour<br>East          | On outer end of<br>breakwater.<br>43 42 41.7<br>066 01 53.7                     | Fl R 4s 3.0              | .....                                    | 4                        | Pipe swing pole.<br>3.0                                                                 | Year round.<br>Flash 1 s; eclipse 3 s.                                                                                                                                                                                               |
| 280<br>H3814                       | Candlebox Island                      | N. entrance,<br>Schooner Passage.<br>43 39 44.6<br>066 02 43.3                  | LFl R 6s 14.1            | .....                                    | 13                       | White rectangular tower<br>with red top.<br>11.6                                        | Year round.<br>Flash 2 s; eclipse 4 s.<br><br><b>Fog Horn</b><br>Blast 3 s; sil. 27 s.                                                                                                                                               |
| 281                                | The Sluice West                       | W. side of rock.<br>43 40 13.1<br>066 00 53.1                                   | Fl W 5s 4.5              | .....                                    | 4                        | Square skeleton tower, red<br>and white rectangular<br>daymark.                         | Year round.<br>Flash 1 s; eclipse 4 s.                                                                                                                                                                                               |
| 282<br>H3816                       | The Sluice East                       | E. side of rock.<br>43 40 12.1<br>066 00 48.1                                   | Fl W 5s 4.5              | .....                                    | 4                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>3.6                  | Year round.<br>Flash 1 s; eclipse 4 s.                                                                                                                                                                                               |
| 282.5<br>H3805.8                   | Pearl Rock                            | 43 38 13.6<br>066 01 22.9                                                       | Fl R 4s 5.0              | .....                                    | .....                    | Red cylindrical mast.<br>8.2                                                            | Year round.                                                                                                                                                                                                                          |
| 283<br>H3806                       | Peases Island                         | On S. point of one<br>of the Tusket<br>Islands.<br>43 37 42.6<br>066 01 34.9    | LFl W 6s 16.0            | .....                                    | 9                        | White cylindrical tower with<br>red top.<br>11.5                                        | Year round.<br>Flash 2 s; eclipse 4 s.<br>Visible from all points of<br>approach from southward; also<br>through Schooner Passage and<br>Ellenwoods Channel.<br><br><b>Fog Horn</b><br>Blast 3 s; sil. 3 s;<br>blast 3 s; sil. 51 s. |
| 283.2                              | Peases Island Ledge<br>light buoy NS4 | S. of ledge.<br>43 37 29.8<br>066 01 15.8                                       | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "NS4".                                                              | Year round.                                                                                                                                                                                                                          |
| 284<br>H3817                       | Frenchman Point                       | On rock, SW. of<br>point.<br>43 38 07.2<br>066 00 59.4                          | Iso R 2s .....           | .....                                    | 5                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.1                  | Year round.                                                                                                                                                                                                                          |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                     | Location<br>-----<br>Latitude N.<br>Longitude W.        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                             |             |
|-----------------------------|--------------------------------------------|---------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-------------|
| NOVA SCOTIA SOUTHWEST COAST |                                            |                                                         |                          |                                          |                          |                                                                          |                                                                                                                                 |             |
| 285                         | Frenchman Point light<br>buoy T3           | S. of the point.<br>43 38 05.8<br>065 59 59.3           | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "T3".                                              | Year round.                                                                                                                     |             |
| 285.2                       | Gull Ledge light buoy<br>NE2               | Tusket Islands.<br>43 37 08.6<br>065 54 51.4            | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"NE2".                                           | Year round.                                                                                                                     |             |
| 285.5                       | Old Woman South<br>Cardinal light buoy TT  | 43 37 46.3<br>065 58 47.9                               | Q(6) +<br>LFI            | W 15s                                    | .....                    | .....                                                                    | Yellow-black, pillar, marked<br>"TT".                                                                                           | Year round. |
| 286                         | Lobster Rock light<br>buoy T9              | E. of Lobster Island.<br>43 39 29.3<br>065 59 11.9      | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "T9".                                                | Year round.                                                                                                                     |             |
| 286.5                       | Sylvin Ledge light<br>buoy T7              | Off S. end of ledge.<br>43 38 49.3<br>065 59 13.9       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "T7".                                                | Year round.                                                                                                                     |             |
| 287.5                       | Old Man light buoy T1                      | 43 36 35.3<br>065 59 57.9                               | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "T1".                                              | Year round.                                                                                                                     |             |
| 288                         | Spectacle Shoal light<br>buoy NSC          | SW. of Spectacle<br>Ledge.<br>43 35 59.6<br>066 03 47.6 | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"NSC".                                      | Year round.                                                                                                                     |             |
| 289<br>H3812                | Seal Island                                | S. point of island.<br>43 23 40.0<br>066 00 51.0        | Fl W 10s                 | 33.4                                     | 19                       | White octagonal tower with<br>red top.<br>21.3                           | Year round.<br>Flash 1 s; eclipse 9 s.<br><br>Fog Horn<br>Blast 2 s; sil. 3 s;<br>blast 2 s; sil. 3 s;<br>blast 2 s; sil. 48 s. |             |
| 290.2                       | Blond Rock East<br>Cardinal light buoy NK  | 43 20 26.9<br>065 58 43.4                               | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, pillar,<br>marked "NK".                              | Year round.                                                                                                                     |             |
| 291                         | Lower Wedgeport light<br>buoy TC3          | E. of Black Ledges.<br>43 41 33.1<br>065 59 27.7        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "TC3".                                               | Year round.                                                                                                                     |             |
| 292<br>H3805.5              | Lower Wedgeport                            | 43 42 38.6<br>065 59 22.4                               | Fl R 4s                  | 4.0                                      | 4                        | Skeleton tower on 5-pile<br>dolphin.<br>2.0                              | Year round.<br>Radar reflector.                                                                                                 |             |
| 293<br>H3805.4              | Goose Bay                                  | 43 42 13.6<br>065 59 20.0                               | Fl R 4s                  | 3.4                                      | 4                        | Skeleton tower on 5-pile<br>dolphin.<br>2.1                              | Year round.<br>Radar reflector.                                                                                                 |             |
| 293.2<br>H3805.7            | Snipe Reef                                 | 43 40 27.5<br>065 59 08.3                               | Fl R 4s                  | 4.1                                      | 4                        | Red cylindrical mast.<br>7.0                                             | Year round.                                                                                                                     |             |
| 293.55                      | Snipe Reef bifurcation<br>light buoy TA    | 43 39 27.3<br>065 58 20.9                               | Fl(2+1) G 6s             | .....                                    | .....                    | Green-red-green, pillar,<br>marked "TA".                                 | Year round.                                                                                                                     |             |
| 293.6                       | Western Bar Island<br>South light buoy TA3 | 43 40 12.4<br>065 57 38.1                               | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "TA3".                                               | Year round.                                                                                                                     |             |
| 293.7                       | Fish Ledge West light<br>buoy TA5          | 43 41 25.3<br>065 57 51.9                               | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "TA5".                                               | Year round.                                                                                                                     |             |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.           | Name<br>-----<br>RACON                              | Location<br>-----<br>Latitude N.<br>Longitude W.              | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                     |
|------------------------------------|-----------------------------------------------------|---------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA SOUTHWEST COAST</b> |                                                     |                                                               |                          |                                          |                          |                                                                          |                                                                                         |
| 294<br>H3804                       | <b>Tusket River</b>                                 | Big Fish Island,<br>SW. point.<br>43 42 12.6<br>065 57 05.9   | FI W 10s                 | 18.6                                     | <b>16</b>                | White square tower with<br>red upper portion.<br>11.2                    | Year round.<br>Flash 1 s; eclipse 9 s.                                                  |
| 294.3<br>H3805                     | Tusket Wedge                                        | 43 42 47.6<br>065 58 00.3                                     | FI G 4s                  | 8.3                                      | 4                        | Pipe Swing Pole, green,<br>white and black square<br>daymark.<br>6.8     | Year round.                                                                             |
| 294.55<br>H3819.5                  | Sluice Point Wharf<br>Light                         | At the end of wharf.<br>43 46 21.2<br>065 57 02.4             | FI R 4s                  | .....                                    | 4                        | Pipe swing pole.                                                         | Year round.                                                                             |
| 294.551                            | Wilson Island North<br>light buoy TE2               | Indian Sluice Bay.<br>43 44 04.6<br>065 56 41.6               | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "TE2".                                                 | Year round.                                                                             |
| 294.56                             | Mikes Island Ledge<br>light buoy TE10               | Indian Sluice Bay.<br>43 45 07.8<br>065 56 39.3               | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "TE10".                                                | Year round.                                                                             |
| 294.6<br>H3803                     | Surette's Island<br>Breakwater                      | 43 43 12.3<br>065 54 19.5                                     | FI G 4s                  | .....                                    | .....                    | Cylindrical mast.                                                        | Year round.                                                                             |
| 294.7                              | East Money Outer<br>South cardinal light<br>buoy ND | Lobster Bay.<br>43 40 48.3<br>065 53 58.0                     | Q(6) +<br>LFI W 15s      | .....                                    | .....                    | Yellow-black, spar, marked<br>"ND".                                      | Year round.                                                                             |
| 294.8<br>H3803.4                   | Bar Island                                          | S. of island.<br>43 42 01.7<br>065 54 12.1                    | FI G 4s                  | 4.0                                      | 4                        | Green cylindrical mast.<br>8.6                                           | Year round.                                                                             |
| 295<br>H3800                       | Whitehead Island                                    | On S. point of<br>island.<br>43 39 45.8<br>065 52 02.6        | FI G 15s                 | 30.0                                     | 10                       | Red and white rectangular<br>tower with red top.<br>11.9                 | Year round.<br>Flash 1 s; eclipse 14 s.<br><br><b>Fog Horn</b><br>Blast 3 s; sil. 27 s. |
| 295.5<br>H3801                     | Lower Argyle<br>Breakwater                          | 43 43 24.0<br>065 50 31.8                                     | FI R 4s                  | 9.6                                      | 3                        | Pipe swing pole, red<br>triangular daymark.                              | Year round.                                                                             |
| 295.9<br>H3803.6                   | Gull Island                                         | 43 39 37.6<br>065 54 55.3                                     | FI W 4s                  | 8.6                                      | 6                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.1   | Year round.                                                                             |
| 296.2                              | Abbotts Harbour light<br>buoy AC1                   | S. of Abbotts<br>Harbour Island.<br>43 39 25.1<br>065 49 29.0 | Q G 1s                   | .....                                    | .....                    | Green, can, marked "AC1".                                                | Year round.                                                                             |
| 296.3                              | Ledge Harbour light<br>buoy AA3                     | Off S. end of island.<br>43 38 47.8<br>065 49 12.4            | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"AA3".                                          | Year round.                                                                             |
| 297.12                             | Black Ledge Light                                   | Argyle, N.S.<br>43 42 11.0<br>065 51 00.5                     | FI G 4s                  | .....                                    | .....                    | Green cylindrical mast,<br>green, white and green<br>square daymark.     | Year round.<br>Radar reflector.                                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## NOVA SCOTIA SOUTHWEST COAST

|                  |                                 |                                                                           |         |       |       |                                             |                                        |
|------------------|---------------------------------|---------------------------------------------------------------------------|---------|-------|-------|---------------------------------------------|----------------------------------------|
| 297.6            | Pumpkin Ledge light<br>buoy A6  | Lobster bay, S.<br>approach lower<br>Argyle.<br>43 40 33.3<br>065 51 25.3 | Fl R 4s | ..... | ..... | Red, spar, marked "A6".                     | Year round.                            |
| 299<br>H3798     | Pubnico Harbour                 | 43 35 53.4<br>065 46 55.6                                                 | Fl R 3s | ..... | 7     | Red and white cylindrical<br>tower.<br>11.5 | Year round.<br>Flash 1 s; eclipse 2 s. |
| 300              | Pubnico Ledges light<br>buoy P5 | E. side of ledges.<br>43 36 16.3<br>065 46 53.9                           | Fl G 4s | ..... | ..... | Green, pillar, marked "P5".                 | Year round.                            |
| 300.5<br>H3798.4 | Lower East Pubnico              | On wharf.<br>43 36 21.3<br>065 46 41.9                                    | Fl R 6s | 7.5   | 4     | Pipe swing pole.<br>6.6                     | Year round.<br>Flash 1 s; eclipse 5 s. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                                         | Location<br>-----<br>Latitude N.<br>Longitude W.                        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS      |
|----------------------------------------------------|----------------------------------------------------------------|-------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS</b> |                                                                |                                                                         |                          |                                          |                          |                                                                          |                                                          |
| 301.5                                              | Dennis Point Shoal<br>light buoy PB                            | Pubnico Harbour.<br>43 37 03.0<br>065 47 02.0                           | Fl(2+1) G 6s             | .....                                    | .....                    | Green-red-green, pillar,<br>marked "PB".                                 | Year round.                                              |
| 302.5                                              | Pubnico light buoy P1                                          | 43 35 10.3<br>065 48 13.9                                               | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "P1".                                                | Year round.                                              |
| 303                                                | Johns Island Ledge<br>light buoy ND4                           | W. of ledge.<br>43 30 30.3<br>065 49 10.4                               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "ND4".                                               | Year round.                                              |
| 304                                                | Cockerwitt Passage<br>light buoy D                             | Off W. entrance to<br>passage.<br>43 29 09.3<br>065 46 28.9             | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"D".                                        | Year round.                                              |
| 304.1                                              | Robinson Ball light<br>buoy D1                                 | Woods Harbour.<br>43 29 29.8<br>065 45 58.5                             | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "D1".                                                 | Year round.                                              |
| 305                                                | Outer Island North<br>light buoy D2                            | Off N. end of shoal<br>N. of Outer Island.<br>43 29 35.3<br>065 45 39.9 | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "D2".                                                | Year round.                                              |
| 305.5                                              | Ball Ledge light buoy<br>D3                                    | Cockerwitt<br>Passage.<br>43 30 00.1<br>065 45 18.0                     | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "D3".                                                | Year round.                                              |
| 306                                                | Outer Island South<br>light buoy C                             | S. of Outer Island.<br>43 26 23.3<br>065 44 43.9                        | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"C".                                        | Year round.                                              |
| 306.002                                            | Inner Island<br>Southwest Shoal West<br>Cardinal light buoy NF | Shag Harbour.<br>43 28 50.1<br>065 43 24.4                              | Q(9) W 15s               | .....                                    | .....                    | Yellow-black-yellow, spar,<br>marked "NF".                               | Year round.                                              |
| 306.003<br>H3792                                   | Shag Harbour<br>Entrance Light                                 | 43 29 20.4<br>065 43 04.4                                               | Fl G 4s                  | 4.2                                      | 6                        | Green cylindrical mast.                                                  | Year round.                                              |
| 306.016                                            | Shag Harbour West<br>Turn light buoy NF16                      | 43 29 25.7<br>065 42 40.7                                               | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "NF16".                                                | Year round.                                              |
| 306.023                                            | Shag Harbour East<br>Turn light buoy NF23                      | 43 29 24.7<br>065 42 17.7                                               | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"NF23".                                           | Year round.                                              |
| 307<br>H3790                                       | Outer Island                                                   | On S. point.<br>43 27 23.2<br>065 44 36.2                               | Fl W 10s                 | 13.7                                     | 10                       | White square tower with<br>red top.<br>11.6                              | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 9 s. |
| 307.02                                             | Cornwall Rock light<br>buoy N2                                 | W. of Cape Sable<br>light.<br>43 22 51.0<br>065 41 49.5                 | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "N2".                                                | Year round.                                              |
| 308.5<br>H3793.5                                   | Shag Harbour Ledges                                            | 43 29 22.7<br>065 42 53.5                                               | Fl R 4s                  | 5.3                                      | 4                        | Red cylindrical mast.                                                    | Year round.<br>Operates 24 h.                            |
| 309<br>H3793.6                                     | Shag Harbour Wharf                                             | On outer NE. end of<br>wharf.<br>43 29 32.9<br>065 42 18.0              | Fl R 4s                  | 7.2                                      | 4                        | Cylindrical mast.                                                        | Year round.                                              |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.             | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|----------------------------------------------------|---------------------------------------------|--------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS</b> |                                             |                                                              |                          |                                          |                          |                                                                          |                                                     |
| 311<br>H3793                                       | Prospect Point Wharf Light                  | On outer end of wharf.<br>43 29 23.9<br>065 43 08.2          | Fl Y 4s                  | 7.8                                      | 5                        | Cylindrical mast.<br>6.6                                                 | Year round.                                         |
| 311.5                                              | Solomans Island light buoy D5               | S. end of Cockerwit Passage.<br>43 30 30.0<br>065 45 07.0    | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "D5".                                              | Year round.                                         |
| 311.6                                              | Chetwyn Reef light buoy D6                  | Woods Harbour, S. entrance.<br>43 30 32.6<br>065 45 00.1     | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "D6".                                                | Year round.                                         |
| 312<br>H3794                                       | Woods Harbour                               | On Big Ledge.<br>43 31 10.5<br>065 44 43.1                   | LFl W 6s                 | 6.3                                      | 11                       | White square tower with red top.<br>6.3                                  | Year round.<br>Flash 2 s; eclipse 4 s.              |
| 313<br>H3795                                       | Lower Woods Harbour                         | On outer end of new breakwater.<br>43 31 21.9<br>065 44 15.2 | Fl R 4s                  | .....                                    | .....                    | Pipe swing pole, red and white triangular daymark.<br>3.2                | Year round.<br>Flash 1 s; eclipse 3 s.              |
| 315<br>H3796                                       | Falls Point Wharf                           | On wharf extension.<br>43 31 45.6<br>065 44 23.5             | Fl G 4s                  | 8.7                                      | 1                        | Cylindrical mast, green and white square daymark.<br>6.6                 | Year round.<br>Flash 1 s; eclipse 3 s.              |
| 315.2<br>H3796.2                                   | The Falls                                   | NW. end of ledge.<br>43 32 04.7<br>065 44 36.8               | Fl R 4s                  | 5.0                                      | .....                    | Red cylindrical mast, red and white triangular daymark.<br>7.2           | Year round.<br>Radar reflector.                     |
| 315.3<br>H3796.3                                   | Angels Island                               | 43 32 11.8<br>065 44 36.4                                    | LFl W 6s                 | 4.0                                      | 7                        | Cylindrical mast, red and white rectangular daymark.<br>4.9              | Year round.<br>Flash 2 s; eclipse 4 s.              |
| 315.4                                              | Northern End Woods Harbour Breakwater Light | 43 31 50.7<br>065 44 33.2                                    | Fl R 4s                  | .....                                    | 2                        | Post, red, white, and red triangular daymark.                            | Year round.<br>Flash 1 s; eclipse 3 s.              |
| 315.5<br>H3797                                     | Northern End Ledge                          | N. side of ledge.<br>43 32 09.4<br>065 46 08.8               | Fl G 4s                  | 4.9                                      | 4                        | Square skeleton tower, green, white and black square daymark.            | Year round.                                         |
| 316<br>H3788                                       | Bear Point Wharf                            | S. end of wharf.<br>43 29 10.1<br>065 39 19.6                | Fl R 4s                  | 4.7                                      | .....                    | Cylindrical mast, red and white triangular daymark.<br>3.6               | Year round.                                         |
| 317                                                | Bear Point Ledge light buoy C9              | Off ledge.<br>43 28 38.3<br>065 38 38.9                      | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "C9".                                                | Year round.                                         |
| 317.1<br>H3786.7                                   | Newellton East Breakwater Light             | 43 28 26.4<br>065 37 59.2                                    | Fl G 4s                  | 4.0                                      | 2                        | Pipe swing pole.<br>3.4                                                  | Year round.<br>Radar reflector.                     |
| 318.01                                             | Salt Rock light buoy C10                    | 43 28 26.9<br>065 38 16.9                                    | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "C10".                                                 | Year round.                                         |
| 318.5<br>H3787.2                                   | Newellton West Breakwater Light             | NE. corner, new pier extension.<br>43 28 24.6<br>065 38 01.7 | LFl R 6s                 | .....                                    | 6                        | Square skeleton tower, red and white rectangular daymark.<br>6.0         | Year round.<br>Flash 2 s; eclipse 4 s.              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON            | Location<br>-----<br>Latitude N.<br>Longitude W.          | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                             |
|----------------------------------------------------|-----------------------------------|-----------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS</b> |                                   |                                                           |                          |                                          |                          |                                                                          |                                                                                 |
| 319                                                | Newellton Reef light<br>buoy C8   | Near NW. end of<br>reef.<br>43 28 04.3<br>065 38 54.9     | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "C8".                                                  | Year round.                                                                     |
| 319.3                                              | Apple Rock light buoy<br>C5       | 43 27 43.3<br>065 39 43.9                                 | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked "C5".                                                | Year round.                                                                     |
| 319.4                                              | West Head<br>Breakwater East      | 43 27 35.4<br>065 39 04.9                                 | Fl G 4s .....            | 2                                        | .....                    | .....                                                                    | Year round.                                                                     |
| 319.5<br>H3786.2                                   | West Head<br>Breakwater           | On breakwater<br>extension.<br>43 27 38.7<br>065 39 14.2  | Fl R 4s 9.8 .....        | .....                                    | .....                    | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.1   | Year round.<br>Flash 1 s; eclipse 3 s.                                          |
| 320<br>H3786                                       | West Head, Cape<br>Sable Island   | On the head.<br>43 27 23.8<br>065 39 16.9                 | F R ..... 15.6           | 7                                        | .....                    | Red and white cylindrical<br>tower.<br>6.1                               | Year round.<br><b>Fog Horn</b><br>Blast 3 s; sil. 3 s;<br>blast 3 s; sil. 51 s. |
| 320.01                                             | Ryders Reef light buoy<br>C1      | Barrington<br>Passage.<br>43 27 22.5<br>065 41 05.0       | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked "C1".                                                | Year round.                                                                     |
| 321                                                | Hospital Reef light<br>buoy C2    | N. of reef.<br>43 26 46.3<br>065 40 19.9                  | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "C2".                                                | Year round.                                                                     |
| 322                                                | Hospital Ledge light<br>buoy CA2  | Off N. end of Reef.<br>43 26 36.3<br>065 39 45.9          | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "CA2".                                               | Year round.                                                                     |
| 322.07                                             | Eleazer Island light<br>buoy CC3  | Clark's Harbour.<br>43 26 05.0<br>065 38 29.0             | Fl G 4s .....            | .....                                    | .....                    | Green, can, marked "CC3".                                                | Year round.                                                                     |
| 322.1                                              | Hospital Reef light<br>buoy CA1   | Clark's Harbour.<br>43 26 42.0<br>065 39 40.0             | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"CA1".                                            | Year round.                                                                     |
| 323<br>H3785                                       | Clark's Harbour                   | Near end of public<br>wharf.<br>43 26 33.5<br>065 38 08.7 | Fl G 4s 7.3              | 4                                        | .....                    | Pipe swing pole.<br>6.1                                                  | Year round.<br>Flash 1 s; eclipse 3 s.                                          |
| 323.07                                             | Clark's Harbour light<br>buoy CA5 | Cape Sable Island.<br>43 26 28.0<br>065 38 34.0           | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"CA5".                                            | Year round.                                                                     |
| 323.5<br>H3785.4                                   | Swims Point                       | Outer end of wharf.<br>43 25 57.0<br>065 37 54.9          | LFl G 6s 8.0             | 5                                        | .....                    | Cylindrical mast, green and<br>white square daymark.<br>6.7              | Year round.<br>Flash 2 s; eclipse 4 s.                                          |
| 323.6                                              | Little Green Island               | Clark's Harbour.<br>43 26 06.5<br>065 39 13.2             | Fl G 4s .....            | 4                                        | .....                    | Green cylindrical mast,<br>green white and black<br>daymark.<br>3.5      | Year round.<br>Flash 1 s; eclipse 3 s.<br>Radar reflector.                      |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS

|                          |                                                             |                                                                         |                    |              |              |                                                       |                                 |
|--------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|--------------------|--------------|--------------|-------------------------------------------------------|---------------------------------|
| 323.7<br><i>H3785.6</i>  | Fish Island                                                 | W. of N. end of<br>island.<br>43 25 40.4<br>065 39 15.8                 | FI R 4s            | 6.9          | 4            | Red cylindrical mast.<br>6.9                          | Year round.                     |
| 323.91<br><i>H3785.8</i> | Pork Ledge Light                                            | Cape Sable.<br>43 25 25.8<br>065 39 25.6                                | FI G 4s            | .....        | 4            | Green cylindrical mast.                               | Year round.<br>Radar reflector. |
| 324                      | <i>Doctors Channel West<br/>Cardinal light buoy<br/>NAC</i> | <i>SW. of S. end of<br/>Fish Island.<br/>43 24 59.3<br/>065 39 18.9</i> | <i>Q(9) W 15s</i>  | <i>.....</i> | <i>.....</i> | <i>Yellow-black-yellow, pillar,<br/>marked "NAC".</i> | <i>Year round.</i>              |
| 325                      | <i>Cape Sable light buoy<br/>N</i>                          | <i>S. of SW. ledge.<br/>43 20 12.3<br/>065 40 45.9</i>                  | <i>Mo(A) W 6s</i>  | <i>.....</i> | <i>.....</i> | <i>Red-white, pillar, marked<br/>"N".</i>             | <i>Year round.</i>              |
| 326                      | <i>Ox Eye Rock light<br/>buoy NA2</i>                       | <i>S. of rock.<br/>43 23 30.3<br/>065 38 42.9</i>                       | <i>FI R 4s</i>     | <i>.....</i> | <i>.....</i> | <i>Red, pillar, marked "NA2".</i>                     | <i>Year round.</i>              |
| 326.02                   | <i>Black Head Ledge<br/>light buoy NA4</i>                  | <i>Clark's Harbour.<br/>43 23 46.5<br/>065 39 13.0</i>                  | <i>Q R 1s</i>      | <i>.....</i> | <i>.....</i> | <i>Red, conical, marked<br/>"NA4".</i>                | <i>Year round.</i>              |
| 326.5                    | <i>LaHave Bank ODAS<br/>light buoy 44150</i>                | <i>42 30 00.0<br/>064 02 00.0</i>                                       | <i>FI(5) Y 20s</i> | <i>.....</i> | <i>.....</i> | <i>Yellow, ODAS, marked<br/>"44150".</i>              | <i>Year round.</i>              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                                              | Location<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                              | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                       |
|-------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                                     |                                                             |                          |                                          |                          |                                                                                                       |                                                                                                                                           |
| 327<br>H3784                        | <b>Cape Sable</b><br><br><b>Racon C (- . - . )</b><br><b>X Band</b> | On cape.<br>43 23 24.0<br>065 37 16.9                       | FI W 5s                  | 29.7                                     | <b>18</b>                | White octagonal tower with<br>red top.<br><br>30.0                                                    | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 4 s.<br>Emergency light: FI(6) W 15s.<br><br><b>Fog Horn</b><br>Blast 4 s; sil. 56 s. |
| 328                                 | Hawk Channel light<br>buoy JS53                                     | E. entrance of<br>channel.<br>43 23 58.0<br>065 35 20.0     | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"JS53".                                                                      | Year round.                                                                                                                               |
| 329                                 | White Knoll Ledge<br>light buoy JS55                                | SE. of ledge.<br>43 25 13.0<br>065 34 17.5                  | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"JS55".                                                                      | Year round.                                                                                                                               |
| 329.5<br>H3784.4                    | Daniels Head                                                        | End of rubble<br>breakwater.<br>43 26 54.6<br>065 35 09.7   | FI G 4s                  | 9.4                                      | <b>4</b>                 | Square skeleton tower, red<br>and white rectangular<br>daymark, green square in<br>centre.<br><br>6.6 | Year round.                                                                                                                               |
| 329.6                               | Daniels Head light<br>buoy JU50                                     | 43 26 57.0<br>065 34 55.0                                   | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "JU50".                                                                             | Year round.                                                                                                                               |
| 330                                 | Stoney Island light<br>buoy JQ                                      | N. of Stoney Island<br>Shoal.<br>43 27 24.5<br>065 32 44.5  | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"JQ".                                                                    | Year round.                                                                                                                               |
| 331                                 | Congress Shoal light<br>buoy JS59                                   | E. of shoal.<br>43 27 58.0<br>065 32 48.0                   | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"JS59".                                                                        | Year round.                                                                                                                               |
| 331.2<br>H3787.41                   | Stoney Island Outer<br>Breakwater                                   | On outer end of<br>breakwater.<br>43 28 06.4<br>065 33 56.2 | FI G 3s                  | 9.6                                      | .....                    | Square skeleton tower, red<br>and white rectangular<br>daymark, green square in<br>centre.<br><br>6.7 | Year round.<br>Flash 1 s; eclipse 2 s.                                                                                                    |
| 331.44                              | Stoney Island light<br>buoy JQ52                                    | Barrington Bay.<br>43 27 57.5<br>065 33 40.3                | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "JQ52".                                                                           | Year round.                                                                                                                               |
| 331.5<br>H3787.5                    | Cripple Creek<br>Breakwater Light                                   | 43 29 22.5<br>065 33 35.3                                   | Iso G 4s                 | .....                                    | <b>2</b>                 | Pipe swing pole.<br>3.5                                                                               | Year round.                                                                                                                               |
| 331.6                               | Cripple Creek light<br>buoy JS61                                    | 43 29 21.0<br>065 33 18.0                                   | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"JS61".                                                                        | Year round.                                                                                                                               |
| 333.5                               | Wesses Ledge light<br>buoy JS70                                     | 43 31 02.5<br>065 34 58.0                                   | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "JS70".                                                                             | Year round.                                                                                                                               |
| 334                                 | Barrington Passage<br>Channel light buoy<br>JS76                    | Entrance to<br>channel.<br>43 31 26.0<br>065 35 51.0        | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "JS76".                                                                           | Year round.                                                                                                                               |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                             | Location<br>-----<br>Latitude N.<br>Longitude W.                          | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                |
|-------------------------------------|----------------------------------------------------|---------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                    |                                                                           |                          |                                          |                          |                                                                          |                                                                                                                                                                    |
| 336<br>H3782                        | <b>Baccaro Point</b>                               | E. side of entrance<br>to Barrington Bay.<br>43 26 59.0<br>065 28 15.0    | Mo(D) W 10s              | 15.0                                     | 15                       | White square tower with<br>red upper portion.<br>14.0                    | Year round.<br>Flash 5 s; eclipse 1 s;<br>flash 1 s; eclipse 1 s;<br>flash 1 s; eclipse 1 s.<br>Visible 207°-127°.<br><br><b>Fog Horn</b><br>Blast 2 s; sil. 18 s. |
| 337                                 | <i>Bantam Rocks light<br/>buoy JS56</i>            | W. of the rocks.<br>43 25 42.0<br>065 29 16.0                             | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "JS56".                                              | Year round.                                                                                                                                                        |
| 338                                 | <i>Brazil Rock South<br/>Cardinal light buoy J</i> | S. of rock.<br>43 21 00.0<br>065 26 44.0                                  | Q(6) +<br>LFI W 15s      | .....                                    | .....                    | Yellow-black, pillar, marked<br>"J".                                     | Year round.                                                                                                                                                        |
| 339                                 | <i>Cuckold Rock light<br/>buoy JJ51</i>            | SE. of rock,<br>entrance to Port La<br>Tour.<br>43 27 06.0<br>065 27 18.0 | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"JJ51".                                           | Year round.                                                                                                                                                        |
| 340                                 | <i>Port La Tour light buoy<br/>JN</i>              | SE. of Whale Back.<br>43 29 27.0<br>065 26 42.0                           | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"JN".                                       | Year round.                                                                                                                                                        |
| 340.01                              | <i>Outer Rock South<br/>Cardinal light buoy JJ</i> | 43 26 00.0<br>065 26 35.0                                                 | Q(6) +<br>LFI W 15s      | .....                                    | .....                    | Yellow-black, spar, marked<br>"JJ".                                      | Year round.                                                                                                                                                        |
| 340.03                              | <i>Port La Tour light buoy<br/>JJ56</i>            | 43 27 51.7<br>065 26 59.2                                                 | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "JJ56".                                                | Year round.                                                                                                                                                        |
| 340.04                              | <i>Port La Tour light buoy<br/>JJ57</i>            | 43 28 33.0<br>065 27 08.5                                                 | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"JJ57".                                           | Year round.                                                                                                                                                        |
| 342                                 | <i>Port La Tour Inner<br/>light buoy JN53</i>      | Off Mohawk Ledge.<br>43 30 20.8<br>065 27 08.2                            | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"JN53".                                           | Year round.                                                                                                                                                        |
| 343<br>H3781                        | Upper Port La Tour                                 | Outer end of E.<br>breakwater.<br>43 30 16.9<br>065 28 12.7               | LFI R 6s                 | 7.3                                      | 5                        | Pipe swing pole, red and<br>white triangular daymark.<br>6.8             | Year round.<br>Flash 2 s; eclipse 4 s.                                                                                                                             |
| 344<br>H3780                        | Port La Tour                                       | On outer end of<br>breakwater.<br>43 29 58.0<br>065 28 14.2               | FI G 4s                  | 6.3                                      | .....                    | Cylindrical mast, green and<br>white square daymark.<br>3.8              | Year round.<br>Flash 1 s; eclipse 3 s.                                                                                                                             |
| 345<br>H3779                        | Port Latour Harbour                                | On Whale Back<br>Rock.<br>43 29 34.0<br>065 26 58.8                       | FI G 4s                  | 5.5                                      | 2                        | Cylindrical mast, green,<br>white and black square<br>daymark.<br>3.8    | Year round.                                                                                                                                                        |
| 346                                 | <i>Barrel Rock light buoy<br/>JA56</i>             | SW. of rock.<br>43 29 44.0<br>065 27 06.0                                 | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "JA56".                                                | Year round.                                                                                                                                                        |
| 346.01                              | <i>Port La Tour light buoy<br/>JN51</i>            | 43 29 55.5<br>065 26 39.4                                                 | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"JN51".                                           | Year round.                                                                                                                                                        |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                                | Location<br>-----<br>Latitude N.<br>Longitude W.              | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                     |
|-------------------------------------|-------------------------------------------------------|---------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                       |                                                               |                          |                                          |                          |                                                                          |                                                                                                                                         |
| 347                                 | Port La Tour light buoy<br>JA                         | S. of Blanche<br>Island.<br>43 26 33.0<br>065 24 09.0         | Mo(A) W 6s .....         | .....                                    |                          | Red-white, pillar, marked<br>"JA".                                       | Year round.                                                                                                                             |
| 348<br>H3778                        | The Salvages                                          | SE. end of island.<br>43 28 08.1<br>065 22 44.0               | LFI W 12s 15.6           | 10                                       |                          | White rectangular tower<br>with red top.<br>12.0                         | Year round.<br>Flash 2 s; eclipse 10 s.<br><br><b>Fog Horn</b><br>Blast 2 s; sil. 3 s;<br>blast 2 s; sil. 3 s;<br>blast 2 s; sil. 48 s. |
| 349<br>H3774                        | Long Rock Light and<br>Fog Signal                     | On SE. end of<br>island.<br>43 30 26.2<br>065 20 44.2         | LFI W 6s 28.3            | 11                                       |                          | White octagonal tower with<br>red top.<br>12.0                           | Year round.<br>Flash 2 s; eclipse 4 s.<br>Visible 187°-106°30'.<br><br><b>Fog Horn</b><br>Blast 6 s; sil. 54 s.                         |
| 350                                 | Budget Rock light and<br>bell buoy SN51               | At entrance to<br>Negro Harbour.<br>43 31 35.0<br>065 20 41.5 | FI G 4s .....            | .....                                    |                          | Green, pillar, marked<br>"SN51".                                         | Year round.<br><br><b>Audible signal: Bell</b>                                                                                          |
| 350.02                              | East Point light buoy<br>SN52                         | Port La Tour.<br>43 31 48.9<br>065 20 53.0                    | FI R 4s .....            | .....                                    |                          | Red, spar, marked "SN52".                                                | Year round.                                                                                                                             |
| 350.5                               | The Nubble North<br>Cardinal light buoy<br>SNC        | 43 32 00.0<br>065 23 30.0                                     | Q W 1s .....             | .....                                    |                          | Black-yellow, pillar, marked<br>"SNC".                                   | Year round.                                                                                                                             |
| 351                                 | Grog Rock light buoy<br>SP54                          | SW. of rock.<br>43 32 20.6<br>065 21 51.5                     | FI R 4s .....            | .....                                    |                          | Red, pillar, marked "SP54".                                              | Year round.                                                                                                                             |
| 351.02                              | Apple Island light buoy<br>SP56                       | Port La Tour.<br>43 32 36.4<br>065 21 51.5                    | FI R 4s .....            | .....                                    |                          | Red, spar, marked "SP56".                                                | Year round.                                                                                                                             |
| 351.04                              | North East Harbour<br>light buoy SP59                 | Port La Tour.<br>43 33 08.0<br>065 22 04.0                    | FI G 4s .....            | .....                                    |                          | Green, spar, marked<br>"SP59".                                           | Year round.                                                                                                                             |
| 352<br>H3776                        | Ingomar Wharf                                         | On outer end of<br>wharf.<br>43 33 45.7<br>065 21 46.8        | LFI R 6s 5.5             | 5                                        |                          | Cylindrical mast, red and<br>white triangular daymark.<br>3.7            | Year round.<br>Flash 2 s; eclipse 4 s.                                                                                                  |
| 352.5<br>H0665                      | Shingle Point light<br>buoy SN60                      | Off point.<br>43 32 49.0<br>065 24 15.0                       | FI R 4s .....            | .....                                    |                          | Red, pillar, marked "SN60".                                              | Year round.                                                                                                                             |
| 353                                 | East Entrance fairway<br>light and whistle buoy<br>SN | At E. entrance to<br>harbour.<br>43 31 01.5<br>065 18 50.0    | Mo(A) W 6s .....         | .....                                    |                          | Red-white, pillar, marked<br>"SN".                                       | Year round.<br><br><b>Audible signal: Whistle</b>                                                                                       |
| 354                                 | Jig Rock light buoy<br>S51                            | Off rock.<br>43 35 58.3<br>065 15 51.4                        | FI G 4s .....            | .....                                    |                          | Green, pillar, marked<br>"S51".                                          | Year round.                                                                                                                             |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                         | Location<br>-----<br>Latitude N.<br>Longitude W.                   | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                 |
|-------------------------------------|------------------------------------------------|--------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                |                                                                    |                          |                                          |                          |                                                                          |                                                                     |
| 355<br>H3762                        | Cape Roseway                                   | Near SE. point of<br>McNutt Island.<br>43 37 21.4<br>065 15 50.0   | Fl W 10s                 | 33.1                                     | 10                       | White octagonal tower with<br>red top.<br>17.3                           | Year round.<br>Flash 1 s; eclipse 9 s.<br>Visible 187°- 055°.       |
| 357                                 | Shelburne light buoy S                         | Off entrance to<br>Shelburne Harbour.<br>43 37 36.0<br>065 13 51.0 | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"S".                                        | Year round.                                                         |
| 357.5                               | Old Cow Reef<br>bifurcation light buoy<br>SAC  | 43 38 18.0<br>065 13 12.0                                          | Fl(2+1) R 6s             | .....                                    | .....                    | Red-green-red, pillar,<br>marked "SAC".                                  | Year round.                                                         |
| 357.8                               | Strap Tub South<br>Cardinal light buoy<br>KSA  | Shelburne.<br>43 39 00.0<br>065 14 07.8                            | Q(6) +<br>LFI W 15s      | .....                                    | .....                    | Yellow-black, spar, marked<br>"KSA".                                     | Year round.                                                         |
| 359<br>H3763                        | Lower Sandy Point                              | On outer end of<br>wharf.<br>43 40 48.7<br>065 18 10.8             | Fl W 4s                  | 4.3                                      | 5                        | Pipe swing pole.<br>3.7                                                  | Year round.                                                         |
| 360.01                              | Gunning Cove light<br>buoy SA51                | 43 41 01.5<br>065 20 18.0                                          | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"SA51".                                           | Year round.                                                         |
| 360.02                              | Sandy Point Inner light<br>buoy S56            | Shelburne.<br>43 42 22.8<br>065 19 38.4                            | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "S56".                                               | Year round.                                                         |
| 360.1                               | Middle Rock light buoy<br>S52                  | Shelburne.<br>43 40 34.8<br>065 18 50.4                            | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "S52".                                               | Year round.                                                         |
| 360.11                              | Irving Oil Wharf Ruins<br>light buoy SD52      | Shelburne.<br>43 45 23.3<br>065 19 26.9                            | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "SD52".                                                | Year round.                                                         |
| 360.8                               | Lower Sandy Point<br>South Breakwater<br>Light | 43 40 44.0<br>065 18 07.1                                          | Fl R 5s                  | .....                                    | 2                        | Pipe tower, red and white<br>triangular daymark.                         | Year round.<br>Flash 1 s; eclipse 4 s.                              |
| 361<br>H3765                        | Gunning Cove                                   | On large rock, N.<br>end of shoal.<br>43 40 53.3<br>065 20 06.9    | Fl W 4s                  | 4.3                                      | 6                        | Cylindrical mast.<br>3.8                                                 | Private aid.<br>Year round.                                         |
| 362.8                               | Sandy Point light buoy<br>S54                  | SE. coast,<br>Shelburne Harbour.<br>43 41 25.3<br>065 19 39.9      | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "S54".                                               | Year round.                                                         |
| 363<br>H3766                        | Sandy Point                                    | Shelburne.<br>43 41 29.3<br>065 19 31.5                            | F R .....                | 14.3                                     | 6                        | White square tower.<br>13.4                                              | Private aid.<br>Year round.<br>Operates 24 h.<br>Visible 310°-188°. |
| 366.01                              | Lower Jordan Bay<br>Outer light buoy KS57      | Shelburne.<br>43 40 45.2<br>065 13 59.6                            | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"KS57".                                         | Year round.                                                         |
| 366.02                              | Lower Jordan Bay<br>Outer light buoy KS56      | Shelburne.<br>43 40 46.2<br>065 13 58.8                            | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "KS56".                                              | Year round.                                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.                      | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                 |
|-------------------------------------|---------------------------------------------|-----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                             |                                                                       |                          |                                          |                          |                                                                          |                                                                                     |
| 366.03                              | Lower Jordan Bay<br>Inner light buoy KS59   | Shelburne.<br>43 40 49.7<br>065 14 08.9                               | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"KS59".                                         | Year round.                                                                         |
| 366.04                              | Lower Jordan Bay<br>Inner light buoy KS58   | Shelburne.<br>43 40 50.1<br>065 14 08.5                               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "KS58".                                              | Year round.                                                                         |
| 366.05                              | Lower Jordan Bay<br>light buoy KS54         | 43 40 43.3<br>065 13 52.0                                             | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "KS54".                                                | Year round.                                                                         |
| 366.06                              | Lower Jordan Bay<br>light buoy KS55         | Jordan Bay and<br>Green Harbour.<br>43 40 41.6<br>065 13 53.6         | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"KS55".                                           | Year round.                                                                         |
| 366.1                               | Lower Jordan Bay<br>Fairway light buoy KS   | 43 39 44.7<br>065 13 05.0                                             | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"KS".                                       | Year round.                                                                         |
| 366.35                              | Lower Jordan Bay<br>light buoy KS53         | 43 40 38.2<br>065 13 45.1                                             | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"KS53".                                           | Year round.                                                                         |
| 366.8                               | Lower Jordan Bay<br>light buoy KS61         | Jordan Bay and<br>Green Harbour.<br>43 40 56.3<br>065 14 14.9         | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"KS61".                                         | Year round.                                                                         |
| 367<br>H3759.4                      | Lower Jordan Bay<br>Wharf                   | On most northerly<br>end of wharf.<br>43 40 52.0<br>065 14 23.0       | LFl W 6s                 | 3.0                                      | .....                    | Cylindrical mast, red and<br>white rectangular daymark.<br>3.8           | Year round.<br>Flash 2 s; eclipse 4 s.                                              |
| 367.7                               | Green Harbour light<br>buoy KPA             | NE. of Jenkins<br>Island.<br>43 43 14.0<br>065 09 37.5                | Mo(A) W 6s               | .....                                    | .....                    | Red-white, spar, marked<br>"KPA".                                        | Year round.                                                                         |
| 368                                 | Green Harbour light<br>and bell buoy KP     | 43 40 14.6<br>065 09 33.0                                             | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"KP".                                       | Year round.<br><b>Audible signal: Bell</b>                                          |
| 368.02                              | West Green Harbour<br>Outer light buoy KP56 | Shelburne.<br>43 43 14.8<br>065 09 48.2                               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "KP56".                                              | Year round.                                                                         |
| 369                                 | Bull Rock light buoy<br>KK51                | SW. of rock.<br>43 37 32.0<br>065 08 11.5                             | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"KK51".                                         | Year round.                                                                         |
| 369.04                              | Southwest Rock light<br>buoy KK57           | 43 40 00.3<br>065 06 13.9                                             | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"KK57".                                           | Year round.                                                                         |
| <b>Lockeport</b>                    |                                             |                                                                       |                          |                                          |                          |                                                                          |                                                                                     |
| 370<br>H3750                        | Lockeport                                   | On Gull Rock,<br>entrance to<br>harbour.<br>43 39 18.3<br>065 05 55.9 | LFl W 15s                | 16.7                                     | 12                       | White rectangular tower<br>with red top.<br>12.1                         | Year round.<br>Flash 4 s; eclipse 11 s.<br><b>Fog Horn</b><br>Blast 3 s; sil. 27 s. |
| 371                                 | Laurier Rock light<br>buoy KK61             | SW. of rock.<br>43 41 01.8<br>065 05 45.9                             | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"KK61".                                           | Year round.                                                                         |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                        | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|-----------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                               |                                                                  |                          |                                          |                          |                                                                          |                                                     |
| 371.02                              | Laurier Rock light<br>buoy KK64               | 43 41 16.3<br>065 05 47.9                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "KK64".                                                | Year round.                                         |
| 372                                 | Carter Island light<br>buoy KK69              | S. of island.<br>43 42 08.3<br>065 05 58.9                       | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"KK69".                                           | Year round.                                         |
| 372.03                              | Lockeport Inner<br>Harbour light buoy<br>KK72 | 43 42 06.8<br>065 06 33.9                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "KK72".                                                | Year round.                                         |
| 373.5<br>H3758                      | Osborne Harbour                               | On outer end of<br>wharf.<br>43 42 52.6<br>065 06 33.6           | LFl R 6s                 | 4.7                                      | 5                        | Cylindrical mast, red and<br>white triangular daymark.                   | Year round.<br>Flash 2 s; eclipse 4 s.              |
| 374<br>H3753                        | Carter Island                                 | On S. end of island.<br>43 42 19.3<br>065 06 04.0                | Fl W 6s                  | 16.4                                     | 7                        | White cylindrical tower, red<br>horizontal band.<br>11.5                 | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 375<br>H3754                        | Lockeport Breakwater                          | Near outer end of<br>S. breakwater.<br>43 42 05.6<br>065 06 25.8 | Fl G 5s                  | 3.0                                      | 4                        | Cylindrical mast, green and<br>white square daymark.<br>3.0              | Year round.<br>Flash 1 s; eclipse 4 s.              |
| 380<br>H3755                        | Lockeport North                               | On outer end of N.<br>breakwater.<br>43 42 09.0<br>065 06 25.9   | Q R 1s                   | 3.0                                      | 3                        | Cylindrical mast, red and<br>white triangular daymark.<br>3.0            | Year round.                                         |
| 382.01                              | Outer Farm Ledge<br>light buoy KE52           | 43 38 27.0<br>065 02 15.0                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "KE52".                                              | Year round.                                         |
| 383.1                               | Black Point Fairway<br>light buoy KE          | 43 39 31.3<br>065 04 18.9                                        | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"KE".                                       | Year round.                                         |
| 383.5                               | Lockeport West<br>Cardinal light buoy<br>KEA  | 43 40 14.3<br>065 04 57.9                                        | Q(9) W 15s               | .....                                    | .....                    | Yellow-black-yellow, pillar,<br>marked "KEA".                            | Year round.                                         |
| 384<br>H3748                        | Little Harbour Wharf                          | On outer end of<br>wharf.<br>43 42 57.5<br>065 01 48.1           | Fl R 4s                  | 3.0                                      | 7                        | Pipe swing pole.                                                         | Year round.<br>Flash 1 s; eclipse 3 s.              |
| 384.5                               | Little Harbour light<br>buoy KC53             | Port Joli.<br>43 42 54.0<br>065 00 51.0                          | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"KC53".                                           | Year round.                                         |
| 386                                 | Little Harbour East<br>Cardinal light buoy KC | 43 42 29.4<br>064 59 42.0                                        | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, pillar,<br>marked "KC".                              | Year round.                                         |
| 386.01                              | Bantam Rock light<br>buoy KA51                | 43 43 12.0<br>064 58 00.0                                        | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"KA51".                                         | Year round.                                         |
| 387                                 | Port Hebert light buoy<br>UX                  | SW. of Thrum<br>Point.<br>43 46 19.0<br>064 54 47.0              | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"UX".                                       | Year round.                                         |
| 387.01                              | Shingle Point light<br>buoy UX53              | 43 48 30.0<br>064 55 24.0                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"UX53".                                           | Year round.                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                          | Location<br>-----<br>Latitude N.<br>Longitude W.                      | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                 | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                 |
|-------------------------------------|-------------------------------------------------|-----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                 |                                                                       |                          |                                          |                          |                                                                                          |                                                                     |
| 387.04                              | Port Hebert light buoy UX56                     | 43 48 49.0<br>064 55 42.0                                             | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked "UX56".                                                             | Year round.                                                         |
| 387.5                               | Shingle Point light buoy UX55                   | Port Joli.<br>43 48 42.5<br>064 55 33.0                               | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked "UX55".                                                            | Year round.                                                         |
| 388<br>H3746                        | Port Hebert                                     | On Shingle Point,<br>E. side of harbour.<br>43 48 46.9<br>064 55 30.4 | Fl R 5s                  | 8.0                                      | 4                        | Square skeleton tower, red and white rectangular daymark, red triangle in centre.<br>6.6 | Year round.<br>Flash 1 s; eclipse 4 s.                              |
| 391                                 | Little Hope Shoal light buoy UV52               | S. of Shoal.<br>43 47 15.0<br>064 49 53.0                             | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "UV52".                                                              | Year round.                                                         |
| 394.01                              | Little Hope Island East Cardinal light buoy UEF | 43 48 12.6<br>064 46 27.2                                             | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, pillar, marked "UEF".                                                | Year round.                                                         |
| 394.5                               | Mouton Head light buoy US51                     | E. of Port Mouton Light.<br>43 51 45.0<br>064 46 16.8                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "US51".                                                            | Year round.                                                         |
| 395                                 | Port Mouton light buoy UN                       | E. of Mouton Island.<br>43 53 31.0<br>064 42 30.0                     | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked "UN".                                                          | Year round.                                                         |
| 396<br>H3742                        | Port Mouton                                     | NE. point,<br>Spectacle Island.<br>43 55 05.6<br>064 48 14.4          | LFl W 12s                | 16.8                                     | 6                        | White square tower with red top.<br>7.5                                                  | Year round.<br>Flash 2 s; eclipse 10 s.<br>Visible 069°30'-291°30'. |
| 396.1                               | Willow Cove Entrance light buoy UT52            | Port Mouton.<br>43 54 59.8<br>064 50 11.7                             | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "UT52".                                                                | Year round.                                                         |
| 396.2                               | Willow Cove Entrance light buoy UT53            | Port Mouton.<br>43 54 58.2<br>064 50 10.9                             | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "UT53".                                                              | Year round.                                                         |
| 396.3                               | Willow Cove Entrance light buoy UT54            | Port Mouton.<br>43 54 56.8<br>064 50 11.8                             | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "UT54".                                                                | Year round.                                                         |
| 396.4<br>H3742.04                   | Spectacle Islands West                          | Off W. side of islands.<br>43 54 32.0<br>064 48 42.4                  | Fl R 4s                  | .....                                    | 4                        | Red cylindrical mast, red and white rectangular daymark.<br>3.1                          | Year round.<br>Flash 1 s; eclipse 3 s.                              |
| 396.5                               | Wobamkek Beach light buoy US57                  | Port Mouton.<br>43 54 20.0<br>064 48 14.0                             | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "US57".                                                            | Year round.                                                         |
| 397.5                               | Middle Rock East Cardinal light buoy US         | Port Mouton.<br>43 53 37.5<br>064 47 03.0                             | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, pillar, marked "US".                                                 | Year round.                                                         |
| 398                                 | Willow Cove light buoy UT                       | N. of cove.<br>43 55 07.2<br>064 50 09.8                              | Mo(A) W 6s               | .....                                    | .....                    | Red-white, spar, marked "UT".                                                            | Year round.                                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                 | Location<br>-----<br>Latitude N.<br>Longitude W.                      | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                    |
|-------------------------------------|----------------------------------------|-----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                        |                                                                       |                          |                                          |                          |                                                                                                   |                                                                                        |
| 399.5<br>H3742.5                    | Port Mouton Inner                      | On fish plant wharf.<br>43 55 010.0<br>064 50 49.8                    | LFI R 6s                 | 4.3                                      | 5                        | Cylindrical mast, triangular<br>daymark.<br>3.5                                                   | Year round.<br>Flash 2 s; eclipse 4 s.                                                 |
| 400                                 | Charley Island light<br>buoy UN59      | Port Mouton.<br>43 55 22.5<br>064 50 10.4                             | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"UN59".                                                                    | Year round.                                                                            |
| 400.5                               | Port Mouton Channel<br>light buoy UN66 | Port Mouton.<br>43 55 29.2<br>064 50 25.3                             | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "UN66".                                                                       | Year round.                                                                            |
| 400.7                               | Port Mouton light buoy<br>UN74         | Port Mouton.<br>43 55 17.0<br>064 50 34.8                             | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "UN74".                                                                       | Year round.                                                                            |
| 401                                 | Port Mouton light buoy<br>UN80         | Port Mouton.<br>43 55 12.9<br>064 50 43.6                             | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "UN80".                                                                       | Year round.                                                                            |
| 401.5<br>H3472.3                    | Port Mouton<br>Breakwater Light        | 43 55 16.0<br>064 50 33.0                                             | FI G 4s                  | .....                                    | 3                        | Cylindrical mast.                                                                                 | Year round.                                                                            |
| 402                                 | Spectacle Ledge light<br>buoy UN55     | N. of ledge.<br>43 56 09.0<br>064 47 28.5                             | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"UN55".                                                                  | Year round.                                                                            |
| 403<br>H3742.6                      | Hunts Landing                          | On outer end of<br>breakwater.<br>43 57 05.3<br>064 46 07.5           | Iso R 4s                 | 7.6                                      | 4                        | Square skeleton tower, red<br>and white rectangular<br>daymark, red triangle in<br>centre.<br>3.5 | Year round.<br>Visible 060°30'-291°30'.                                                |
| 403.4                               | Brazil Rocks light buoy<br>UN54        | 43 54 54.5<br>064 44 42.0                                             | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "UN54".                                                                       | Year round.                                                                            |
| 404                                 | White Point Rock light<br>buoy UQ52    | S. of rock.<br>43 55 36.5<br>064 43 02.0                              | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "UQ52".                                                                       | Year round.                                                                            |
| 405<br>H3740                        | <b>Western Head</b>                    | W. side of entrance<br>to Liverpool Bay.<br>43 59 20.8<br>064 39 44.5 | FI W 15s                 | 16.8                                     | 15                       | White octagonal tower with<br>red top.<br>13.8                                                    | Year round.<br>Operates 24 h.<br>Flash 0.5 s; eclipse 14 .5 s.<br>Visible 180° - 062°. |
| 407<br>H3735                        | Coffin Island                          | 44 02 03.5<br>064 37 42.5                                             | FI W 4s                  | 14.9                                     | 6                        | White cylindrical tower with<br>red top.                                                          | Year round.<br>Flash 1 s; eclipse 3 s.                                                 |
| 408.1                               | Moose Harbour light<br>buoy UB1        | 44 01 17.8<br>064 39 35.8                                             | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"UB1".                                                                     | Year round.                                                                            |
| 408.2<br>H3736                      | Moose Point                            | Outer end of<br>breakwater.<br>44 01 10.2<br>064 39 45.5              | Iso G 2s                 | .....                                    | 5                        | Cylindrical mast.                                                                                 | Year round.                                                                            |
| 408.5                               | Brooklyn Pier light<br>buoy UM52       | 44 02 38.4<br>064 41 32.3                                             | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "UM52".                                                                       | Year round.                                                                            |
| 409<br>H3730                        | Brooklyn Pier                          | Near outer end of<br>breakwater.<br>44 02 40.4<br>064 41 30.3         | FI R 4s                  | .....                                    | 7                        | Cylindrical mast.                                                                                 | Year round.<br>Flash 1 s; eclipse 3 s.                                                 |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                                | Location<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)   | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS      |
|-------------------------------------|-------------------------------------------------------|-------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------|----------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                       |                                                             |                          |                                          |                          |                                                                            |                                                          |
| 410                                 | Fort Point Shoal light<br>buoy UM53                   | 44 02 46.3<br>064 42 03.9                                   | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"UM53".                                           | Year round.                                              |
| 410.5                               | Liverpool Harbour light<br>buoy UM58                  | 44 02 47.5<br>064 42 26.4                                   | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "UM58".                                                  | Year round.                                              |
| 411                                 | Liverpool Harbour light<br>buoy UM59                  | 44 02 43.7<br>064 42 30.5                                   | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"UM59".                                             | Year round.                                              |
| 411.5                               | Liverpool Harbour light<br>buoy UM60                  | 44 02 43.8<br>064 42 36.0                                   | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "UM60".                                                  | Year round.                                              |
| 412.2                               | West Berlin light buoy<br>UJ                          | Medway Harbour.<br>44 03 40.3<br>064 35 18.8                | Mo(A) W 6s               | .....                                    | .....                    | Red-white, spar, marked<br>"UJ".                                           | Year round.                                              |
| 412.3                               | Liverpool Harbour light<br>buoy UM64                  | 44 02 33.3<br>064 42 49.3                                   | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "UM64".                                                  | Year round.                                              |
| 412.5                               | Blueberry Bay light<br>buoy UJ52                      | Medway Harbour.<br>44 04 01.3<br>064 35 10.8                | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "UJ52".                                                  | Year round.                                              |
| 413                                 | Port Medway light<br>buoy UA51                        | 44 03 23.3<br>064 31 28.8                                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"UA51".                                           | Year round.                                              |
| 414                                 | Medway South<br>Cardinal light and<br>whistle buoy UA | SW. of Southwest<br>Breaker.<br>44 04 58.3<br>064 31 24.8   | Q(6) +<br>LFI W 15s      | .....                                    | .....                    | Yellow-black, pillar, marked<br>"UA".                                      | Year round.<br><b>Audible signal:</b> Whistle            |
| 414.5                               | Long Cove East<br>Cardinal light and bell<br>buoy UC  | 44 05 12.0<br>064 32 14.0                                   | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, pillar,<br>marked "UC".                                | Year round.<br><b>Audible signal:</b> Bell               |
| 415<br>H3722                        | Medway Head                                           | W. side of entrance.<br>44 06 10.6<br>064 32 23.3           | Fl W 12s                 | 24.3                                     | 11                       | White square tower with<br>red upper portion.<br>8.7                       | Year round.<br>Operates 24 h.<br>Flash 4 s; eclipse 8 s. |
| 415.3<br>H0577                      | Fosters Islets light<br>buoy UA64                     | Medway Harbour.<br>44 08 02.3<br>064 34 25.8                | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "UA64".                                                | Year round.                                              |
| 415.5<br>H3721                      | Frying Pan Island                                     | 44 06 04.2<br>064 31 23.8                                   | LFI R 12s                | 10.5                                     | 8                        | Triangular skeleton tower,<br>red and white rectangular<br>daymark.<br>5.4 | Year round.<br>Flash 2 s; eclipse 10 s.                  |
| 416.3                               | Great Island<br>bifurcation light buoy<br>UAA         | Off Island.<br>44 07 48.3<br>064 32 28.8                    | F(2+1) R 6s              | .....                                    | .....                    | Red-green-red, pillar,<br>marked "UAA".                                    | Year round.                                              |
| 416.4                               | Medway Harbour light<br>buoy UE51                     | 44 08 33.3<br>064 32 28.8                                   | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"UE51".                                             | Year round.                                              |
| 416.5<br>H3725                      | Voglers Cove West<br>Direction                        | On outer end of<br>breakwater.<br>44 09 09.7<br>064 32 43.4 | Fl R 3s                  | 4.5                                      | 4                        | Cylindrical mast.<br>3.6                                                   | Year round.<br>Flash 1 s; eclipse 2 s.                   |
| 416.51                              | Medway Harbour<br>(West Berlin) light<br>buoy UJ54    | Liverpool.<br>44 04 02.7<br>064 35 05.6                     | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "UJ54".                                                  | Year round.                                              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                                     | Location<br>-----<br>Latitude N.<br>Longitude W.                                             | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                            |                                                                                              |                          |                                          |                          |                                                                          |                                                     |
| 416.515                             | Medway Harbour<br>(West Berlin) light<br>buoy UJ55         | 44 04 02.0<br>064 35 06.2                                                                    | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"UJ55".                                           | Year round.                                         |
| 416.52                              | Medway Harbour<br>(West Berlin) light<br>buoy UJ56         | Liverpool.<br>44 04 04.6<br>064 35 03.7                                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "UJ56".                                                | Year round.                                         |
| 416.525                             | West Berlin light buoy<br>UJ57                             | 44 04 04.9<br>064 35 02.0                                                                    | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"UJ57".                                           | Year round.<br>Operates 24 h.                       |
| 416.53                              | Medway Harbour<br>(West Berlin) light<br>buoy UJ58         | Liverpool.<br>44 04 06.7<br>064 35 05.2                                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "UJ58".                                                | Year round.                                         |
| 416.54                              | Medway Harbour<br>(West Berlin) light<br>buoy UJ59         | Liverpool.<br>44 04 07.6<br>064 35 02.7                                                      | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"UJ59".                                           | Year round.                                         |
| 416.55                              | Medway Harbour<br>(West Berlin) light<br>buoy UJ61         | Liverpool.<br>44 04 10.3<br>064 35 00.8                                                      | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"UJ61".                                           | Year round.                                         |
| 417.5<br>H3718                      | Cherry Cove                                                | On point of land<br>between Little<br>Harbour and Back<br>Cove.<br>44 09 29.8<br>064 28 53.2 | Iso G 4s                 | 6.7                                      | 5                        | Cylindrical mast.<br>3.7                                                 | Year round.                                         |
| 417.81                              | Little Harbour (Cherry<br>Cove) light buoy TU53            | Liverpool.<br>44 09 36.8<br>064 28 40.3                                                      | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"TU53".                                           | Year round.                                         |
| 418                                 | Little Harbour Cherry<br>Cove light buoy TU                | 44 09 31.6<br>064 28 00.3                                                                    | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"TU".                                       | Year round.                                         |
| 419                                 | Little Harbour (Cherry<br>Cove) light buoy TU54            | Medway Harbour.<br>44 09 37.7<br>064 28 48.2                                                 | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "TU54".                                                | Year round.                                         |
| 419.5                               | Seal Point light and<br>bell buoy TS52                     | S. of point.<br>44 10 23.3<br>064 23 51.8                                                    | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "TS52".                                              | Year round.<br><b>Audible signal:</b> Bell          |
| 420                                 | Cape LaHave Island<br>South light and whistle<br>buoy TS51 | SE. of island.<br>44 09 18.3<br>064 22 13.8                                                  | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"TS51".                                         | Year round.<br><b>Audible signal:</b> Whistle       |
| 420.5                               | Black Rock East<br>Cardinal light and<br>whistle buoy T    | 44 09 38.7<br>064 18 43.7                                                                    | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, pillar,<br>marked "T".                               | Year round.<br><b>Audible signal:</b> Whistle       |
| 421.2                               | Crooked Channel light<br>buoy TS56                         | 44 13 31.9<br>064 22 51.3                                                                    | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "TS56".                                                | Year round.                                         |
| 421.5                               | Crooked Channel light<br>buoy TS61                         | 44 13 50.9<br>064 22 29.9                                                                    | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"TS61".                                           | Year round.                                         |
| 422                                 | False LaHave light<br>and bell buoy T51                    | E. of Cape LaHave<br>Island.<br>44 12 36.3<br>064 19 03.7                                    | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "T51".                                             | Year round.<br><b>Audible signal:</b> Bell          |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.     | Name<br>-----<br>RACON                                  | Location<br>-----<br>Latitude N.<br>Longitude W.                                   | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                 | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|------------------------------|---------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------|-----------------------------------------------------|
| NOVA SCOTIA, SOUTHEAST COAST |                                                         |                                                                                    |                          |   |       |                                          |                          |                                                                                          |                                                     |
| 423<br>H3710                 | Moshers Island                                          | On island, W. side<br>of entrance to<br>LaHave River.<br>44 14 14.6<br>064 18 59.1 | F                        | W | ..... | 23.3                                     | 13                       | White cylindrical tower with<br>red top.<br>11.4                                         | Year round.<br>Visible 106°-351°.                   |
| 423.8                        | Crooked Channel light<br>buoy TS64                      | 44 14 03.9<br>064 22 08.3                                                          | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "TS64".                                                              | Year round.                                         |
| 424.1                        | West Dublin light buoy<br>TS65                          | 44 14 22.5<br>064 21 58.5                                                          | Fl                       | G | 4s    | .....                                    | .....                    | Green, spar, marked<br>"TS65".                                                           | Year round.                                         |
| 424.7                        | West Dublin light buoy<br>TS70                          | Liverpool.<br>44 14 28.4<br>064 22 11.8                                            | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "TS70".                                                                | Year round.                                         |
| 425                          | La Have light and bell<br>buoy TA                       | Entrance to La<br>Have River.<br>44 14 57.4<br>064 18 39.3                         | Mo(A)                    | W | 6s    | .....                                    | .....                    | Red-white, pillar, marked<br>"TA".                                                       | Year round.<br><br>Audible signal: Bell             |
| 426.25                       | Cockawee Shoal<br>bifurcation light and<br>bell buoy TD | N. of East<br>Spectacle Island.<br>44 15 30.4<br>064 20 15.8                       | Fl(2+1)                  | R | 6s    | .....                                    | .....                    | Red-green-red, pillar,<br>marked "TD".                                                   | Year round.<br><br>Audible signal: Bell             |
| 426.5                        | Cockawee Shoal light<br>buoy T54/2                      | 44 15 41.8<br>064 21 26.3                                                          | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "T54/2".                                                               | Year round.                                         |
| 427                          | Cockawee Shoal West<br>light buoy T56                   | W. of shoal.<br>44 15 50.6<br>064 21 32.8                                          | Q                        | R | 1s    | .....                                    | .....                    | Red, pillar, marked "T56".                                                               | Year round.                                         |
| 428<br>H3711                 | Dublin Shore South<br>Cardinal Light                    | On wharf.<br>44 16 01.2<br>064 21 50.2                                             | Q(6) +<br>LFI            | W | 15s   | 8.4                                      | 5                        | Black cylindrical mast with<br>yellow band at top.<br>3.4                                | Year round.<br>Radar reflector.                     |
| 429                          | Dublin Shore light<br>buoy T59                          | 44 16 14.4<br>064 21 17.2                                                          | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked "T59".                                                             | Year round.                                         |
| 429.2                        | Dublin Shore East<br>light T60                          | 44 16 13.3<br>064 21 14.7                                                          | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "T60".                                                               | Year round.                                         |
| 430                          | Bull Rock light buoy<br>T63                             | Entrance to La<br>Have River.<br>44 16 22.4<br>064 20 54.8                         | Q                        | G | 1s    | .....                                    | .....                    | Green, pillar, marked "T63".                                                             | Year round.<br><br>Audible signal: Bell             |
| 431.5<br>H3710.5             | Krout Point                                             | 44 17 24.9<br>064 20 47.1                                                          | Fl                       | R | 5s    | .....                                    | 4                        | Square skeleton tower.                                                                   | Year round.<br>Flash 1 s; eclipse 4 s.              |
| 432<br>H3708                 | West Ironbound Island                                   | On S. side of<br>island, entrance to<br>LaHave River.<br>44 13 43.7<br>064 16 28.0 | LFI                      | W | 12s   | 23.6                                     | 8                        | Square skeleton tower,<br>white rectangular daymark<br>with red horizontal band.<br>10.0 | Year round.<br>Flash 2 s; eclipse 10 s.             |
| 432.2                        | West Ironbound light<br>and bell buoy T52               | SW. of Ironbound<br>breaker.<br>44 13 24.9<br>064 17 12.8                          | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "T52".                                                               | Year round.<br><br>Audible signal: Bell             |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                          | Location<br>-----<br>Latitude N.<br>Longitude W.           | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------|-------------------------------------------------|------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                 |                                                            |                          |                                          |                          |                                                                          |                                                                                                                                                                                                                                                                                                                                                                          |
| 433                                 | Pollock Shoal light and bell buoy TC52          | S. of Shoal.<br>44 14 38.3<br>064 14 28.7                  | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "TC52".                                              | Year round.<br><br><b>Audible signal: Bell</b>                                                                                                                                                                                                                                                                                                                           |
| 434                                 | Cross Island light and whistle buoy E50         | 44 17 28.9<br>064 11 01.3                                  | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "E50".                                               | Year round.<br><br><b>Audible signal: Whistle</b>                                                                                                                                                                                                                                                                                                                        |
| 435<br>H3700                        | Feltzen South                                   | At end of breakwater.<br>44 19 47.6<br>064 16 49.7         | FI G 6s                  | 6.1                                      | 4                        | Cylindrical mast.<br>3.6                                                 | Year round.<br>Flash 1 s; eclipse 5 s.                                                                                                                                                                                                                                                                                                                                   |
| 435.5                               | Lunenburg Bay light buoy EF                     | 44 19 56.5<br>064 13 22.6                                  | FI(2) W 5s               | .....                                    | .....                    | Black-red-black, spar, marked "EF".                                      | Year round.<br>Flash 0.4 s; eclipse 0.6 s;<br>flash 0.4 s; eclipse 3.6 s.                                                                                                                                                                                                                                                                                                |
| 436                                 | Sculpin Shoal light and bell buoy E52           | SW. of shoal.<br>44 20 08.3<br>064 15 13.3                 | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "E52".                                               | Year round.<br><br><b>Audible signal: Bell</b>                                                                                                                                                                                                                                                                                                                           |
| 437                                 | Long Shoal light buoy E57                       | E. of shoal.<br>44 21 13.7<br>064 17 18.1                  | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked "E57".                                             | Year round.                                                                                                                                                                                                                                                                                                                                                              |
| 437.5                               | Lower South Cove Entrance light buoy EM55       | 44 20 43.1<br>064 18 50.3                                  | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "EM55".                                              | Year round.                                                                                                                                                                                                                                                                                                                                                              |
| 438<br>H3702                        | Battery Point Breakwater                        | Near outer end of breakwater.<br>44 21 37.0<br>064 17 46.7 | Iso R 4s                 | 7.5                                      | .....                    | White square tower with red upper portion.<br>8.0                        | Year round.<br>Operates 24 h.<br><br><b>Fog Horn</b><br>Blast 2 s; sil. 18 s.<br>Mariners requiring the operation of the fog signal will have to press the button of the VHF radio five (5) consecutive times at 1 second intervals on channel 65A (156,275 MHz). The signal will be in operation for 30 minutes. After this delay, the same operation must be repeated. |
| 439                                 | Lunenburg Harbour Outer light buoy E64          | 44 21 54.6<br>064 18 02.1                                  | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "E64".                                                 | Year round.                                                                                                                                                                                                                                                                                                                                                              |
| 439.8                               | Lunenburg Harbour Marine Railway light buoy E66 | SW. of marine railway wharf.<br>44 22 19.3<br>064 18 16.5  | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "E66".                                                 | Year round.                                                                                                                                                                                                                                                                                                                                                              |
| 441                                 | Lunenburg Harbour light buoy E77                | 44 22 28.0<br>064 18 37.6                                  | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "E77".                                               | Year round.                                                                                                                                                                                                                                                                                                                                                              |
| 442                                 | Lunenburg bifurcation light and bell buoy EDA   | N. entrance to Lunenburg Bay.<br>44 20 21.7<br>064 11 10.9 | FI(2+1) G 6s             | .....                                    | .....                    | Green-red-green, pillar, marked "EDA".                                   | Year round.<br><br><b>Audible signal: Bell</b>                                                                                                                                                                                                                                                                                                                           |
| 443<br>H3698                        | Cross Island                                    | E. point of island.<br>44 18 43.7<br>064 10 06.4           | FI W 10s                 | 24.9                                     | 10                       | White cylindrical tower with red top.<br>8.7                             | Year round.<br>Flash 1 s; eclipse 9 s.                                                                                                                                                                                                                                                                                                                                   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## NOVA SCOTIA, SOUTHEAST COAST

|                   |                                             |                                                       |            |       |       |                                                                                         |                                                                           |
|-------------------|---------------------------------------------|-------------------------------------------------------|------------|-------|-------|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| 444<br>H3699      | East Point Island                           | 44 20 59.2<br>064 12 15.0                             | LFI G 6s   | 9.6   | 6     | Square skeleton tower, red and white square daymark with green square in centre.<br>6.9 | Year round.<br>Flash 2 s; eclipse 4 s.                                    |
| <b>Mahone Bay</b> |                                             |                                                       |            |       |       |                                                                                         |                                                                           |
| 445               | Tanner Pass light and whistle buoy EA51     | Tanner Pass entrance.<br>44 22 01.9<br>064 11 32.6    | FI G 4s    | ..... | ..... | Green, pillar, marked "EA51".                                                           | Year round.<br><b>Audible signal:</b> Whistle                             |
| 446<br>H3694      | Gunning Point Island (Tanner Island)        | On E. end of island.<br>44 22 01.5<br>064 12 04.3     | LFI W 6s   | ..... | 6     | Skeleton tower, red and white daymark.                                                  | Year round.<br>Flash 2 s; eclipse 4 s.                                    |
| 447               | Middle Ledge light and whistle buoy M52     | W. of ledge.<br>44 22 31.2<br>064 07 52.8             | FI R 4s    | ..... | ..... | Red, pillar, marked "M52".                                                              | Year round.<br><b>Audible signal:</b> Whistle                             |
| 448               | Bull Rock light and bell buoy M54           | S. of rock.<br>44 24 30.4<br>064 09 23.7              | FI R 4s    | ..... | ..... | Red, pillar, marked "M54".                                                              | Year round.<br><b>Audible signal:</b> Bell                                |
| 448.5             | Chockle Cap light and bell buoy M55         | 44 24 36.4<br>064 12 39.7                             | FI G 4s    | ..... | ..... | Green, pillar, marked "M55".                                                            | Year round.<br><b>Audible signal:</b> Bell                                |
| 449.25            | Hobsons Island North Cardinal light buoy ME | 44 25 19.0<br>064 13 38.6                             | Q W 1s     | ..... | ..... | Black-yellow, pillar, marked "ME".                                                      | Year round.                                                               |
| 449.4             | Middle Patch light buoy M                   | 44 25 27.4<br>064 15 05.4                             | FI(2) W 5s | ..... | ..... | Black-red-black, can, marked "M".                                                       | Year round.<br>Flash 0.4 s; eclipse 0.6 s;<br>flash 0.4 s; eclipse 3.6 s. |
| 449.5             | Southwest Ledge light buoy M60              | S. of ledge.<br>44 25 47.4<br>064 16 18.7             | FI R 4s    | ..... | ..... | Red, spar, marked "M60".                                                                | Year round.                                                               |
| 450               | Covey Ledge light buoy M61                  | NE. of ledge.<br>44 25 48.4<br>064 17 30.7            | FI G 4s    | ..... | ..... | Green, spar, marked "M61".                                                              | Year round.                                                               |
| 450.8             | Westhaver Island light buoy M67             | SE. of island.<br>44 26 18.4<br>064 20 33.7           | Q G 1s     | ..... | ..... | Green, spar, marked "M67".                                                              | Year round.                                                               |
| 451<br>H3688      | Westhaver Island                            | Mahone Harbour entrance.<br>44 26 09.8<br>064 20 15.3 | FI W 5s    | 9.6   | 7     | White pyramidal tower with red top.<br>7.6                                              | Year round.<br>Flash 1 s; eclipse 4 s.                                    |
| 452.5             | Mahone Harbour light buoy M72               | 44 26 43.3<br>064 21 59.3                             | FI R 4s    | ..... | ..... | Red, pillar, marked "M72".                                                              | Year round.                                                               |
| 452.7             | East Shoal light and bell buoy MC55         | 44 27 12.4<br>064 12 36.7                             | FI G 4s    | ..... | ..... | Green, pillar, marked "MC55".                                                           | Year round.<br><b>Audible signal:</b> Bell                                |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.     | Name<br>-----<br>RACON                                  | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)   | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|------------------------------|---------------------------------------------------------|-----------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|----------------------------------------------------------------------------|-----------------------------------------------------|
| NOVA SCOTIA, SOUTHEAST COAST |                                                         |                                                                 |                          |   |       |                                          |                          |                                                                            |                                                     |
| 453<br>H3682                 | Kaulback Island front<br>range light                    | N. end of island.<br>44 28 11.3<br>064 16 53.3                  | F                        | W | ..... | 10.2                                     | 12                       | White square tower with<br>red top and red vertical<br>stripe.<br>6.1      | Year round.<br>Operates 24 h.                       |
| 454<br>H3682.1               | Kaulback Island rear<br>range light                     | 44 28 11.2<br>064 16 58.4<br><br>268°03' 113.1 m<br>from front. | F                        | W | ..... | 19.8                                     | 12                       | White square tower with<br>red top and red vertical<br>stripe.<br>6.1      | Year round.                                         |
| 454.2                        | Martins Point light<br>Buoy MS56                        | 44 28 53.2<br>064 17 37.4                                       | FI                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "MS56".                                                  | Seasonal.                                           |
| 454.4                        | Beacon Shoal light<br>buoy MS57                         | 44 28 50.0<br>064 17 49.7                                       | Q                        | G | 1s    | .....                                    | .....                    | Green, spar, marked<br>"MS57".                                             | Seasonal.                                           |
| 454.5<br>H3683               | Western Shore<br>Breakwater                             | On seaward end of<br>breakwater.<br>44 31 21.5<br>064 18 16.1   | LFI                      | G | 6s    | 4.0                                      | 3                        | Square skeleton tower,<br>green, white and black<br>square daymark.<br>3.6 | Year round.<br>Flash 2 s; eclipse 4 s.              |
| 454.51<br>H3683.2            | Western Shore Inner                                     | 44 31 20.9<br>064 18 18.0                                       | LFI                      | R | 6s    | 5.2                                      | 3                        | Cylindrical mast with<br>enclosed lower portion.<br>3.6                    | Year round.<br>Flash 2 s; eclipse 4 s.              |
| 454.55                       | Little Fish Island light<br>buoy MC70                   | N. of island.<br>44 32 12.9<br>064 15 02.7                      | FI                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "MC70".                                                  | Year round.                                         |
| 454.6                        | Dauphinee Point light<br>buoy MC66                      | S. of point.<br>44 32 09.4<br>064 15 39.7                       | FI                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "MC66".                                                  | Year round.                                         |
| 454.62                       | Gold Ledges light<br>buoy MU57                          | 44 32 26.4<br>064 18 28.7                                       | FI                       | G | 4s    | .....                                    | .....                    | Green, spar, marked<br>"MU57".                                             | Year round.                                         |
| 454.63                       | Middle Rock light buoy<br>MU53                          | 44 32 09.4<br>064 17 25.7                                       | Q                        | G | 1s    | .....                                    | .....                    | Green, spar, marked<br>"MU53".                                             | Year round.                                         |
| 454.65                       | South Gooseberry<br>Shoal bifurcation light<br>buoy MCA | Off S. end of shoal.<br>44 31 16.9<br>064 15 58.7               | FI(2+1)                  | R | 6s    | .....                                    | .....                    | Red-green-red, pillar,<br>marked "MCA".                                    | Year round.                                         |
| 454.7                        | Sheep Ledge light and<br>bell buoy MC59                 | 44 30 06.4<br>064 15 51.7                                       | FI                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"MC59".                                           | Year round.<br><br>Audible signal: Bell             |
| 455                          | Lynch Shoal light and<br>bell buoy MA57                 | SE. of Quaker<br>Island.<br>44 30 30.4<br>064 12 48.7           | FI                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"MA57".                                           | Year round.<br><br>Audible signal: Bell             |
| 456<br>H3680                 | Quaker Island                                           | Off Chester<br>Harbour.<br>44 30 53.7<br>064 13 57.2            | LFI                      | W | 6s    | 30.8                                     | 4                        | White pyramidal tower with<br>red at top.<br>6.2                           | Year round.<br>Flash 2 s; eclipse 4 s.              |
| 457                          | Coachman Ledge light<br>and whistle buoy<br>MA55        | N. of ledge.<br>44 30 01.4<br>064 10 36.7                       | FI                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"MA55".                                           | Year round.<br><br>Audible signal: Whistle          |
| 457.2                        | Shoal Cove light buoy<br>MK53                           | 44 29 51.9<br>064 07 21.2                                       | FI                       | G | 4s    | .....                                    | .....                    | Green, spar, marked<br>"MK53".                                             | Year round.                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                              | Location<br>-----<br>Latitude N.<br>Longitude W.                          | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|-----------------------------------------------------|---------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                     |                                                                           |                          |                                          |                          |                                                                          |                                                     |
| 457.4                               | Blandford light buoy<br>MK58                        | 44 29 44.9<br>064 06 42.4                                                 | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "MK58".                                                | Year round.                                         |
| 459                                 | Blandford light and<br>bell buoy MK52               | NW. of Blandford<br>Shoal.<br>44 29 43.4<br>064 08 14.7                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "MK52".                                              | Year round.<br><br><b>Audible signal:</b> Bell      |
| 460                                 | Big Tancook Island<br>light and bell buoy<br>MN51   | N. of island.<br>44 28 19.4<br>064 10 45.7                                | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"MN51".                                         | Year round.<br><br><b>Audible signal:</b> Bell      |
| 461<br>H3677                        | Little Tancook Island<br>Wharf Outer                | On outer end of<br>wharf.<br>44 28 18.2<br>064 08 30.7                    | LFl W 6s                 | 7.1                                      | 5                        | Square skeleton tower, red<br>and white rectangular<br>daymark.          | Year round.<br>Flash 2 s; eclipse 4 s.              |
| 463<br>H3676                        | Big Tancook Island                                  | On outer end of<br>wharf, Northwest<br>Cove.<br>44 27 52.3<br>064 10 17.9 | Fl G 4s                  | .....                                    | 4                        | Pipe Swing Pole, green,<br>white and black square<br>daymark.<br>6.1     | Year round.<br>Flash 1 s; eclipse 3 s.              |
| 464                                 | Reef Point light and<br>whistle buoy MD55           | E. of point.<br>44 27 25.4<br>064 08 36.7                                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"MD55".                                         | Year round.<br><br><b>Audible signal:</b> Whistle   |
| 466                                 | New Harbour light and<br>bell buoy MA               | W. of New Harbour<br>Point.<br>44 28 14.4<br>064 06 48.7                  | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"MA".                                       | Year round.<br><br><b>Audible signal:</b> Bell      |
| 467<br>H3674                        | New Harbour                                         | On S. side of<br>entrance.<br>44 28 21.3<br>064 05 31.9                   | Fl R 5s                  | .....                                    | 4                        | Cylindrical mast.<br>3.6                                                 | Year round.<br>Flash 1 s; eclipse 4 s.              |
| 468                                 | West Head light and<br>bell buoy MD53               | N. of East<br>Ironbound Island.<br>44 26 44.4<br>064 06 27.7              | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"MD53".                                         | Year round.<br><br><b>Audible signal:</b> Bell      |
| 469<br>H3672                        | East Ironbound Island                               | Near centre of<br>island.<br>44 26 22.4<br>064 04 59.7                    | Iso W 6s                 | 44.5                                     | 13                       | White rectangular tower<br>with red top.<br>13.9                         | Year round.                                         |
| 470                                 | East Ironbound South<br>light and bell buoy<br>MC52 | S. of island.<br>44 25 37.4<br>064 05 08.7                                | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "MC52".                                              | Year round.<br><br><b>Audible signal:</b> Bell      |
| 471<br>H3670                        | Pearl Island                                        | Off St. Margaret's<br>and Mahone Bays.<br>44 22 57.2<br>064 02 54.0       | Fl W 10s                 | 19.0                                     | 8                        | White square tower.<br>11.6                                              | Year round.<br>Flash 0.5 s; eclipse 9.5 s.          |
| 473                                 | Northeast Shoal light<br>and bell buoy DA51         | E. of shoal.<br>44 24 59.4<br>064 01 19.7                                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"DA51".                                         | Year round.<br><br><b>Audible signal:</b> Bell      |
| 474                                 | Horseshoe Ledge light<br>and whistle buoy<br>DA53   | Off S. end of ledge.<br>44 28 15.3<br>063 58 21.8                         | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"DA53".                                         | Year round.<br><br><b>Audible signal:</b> Whistle   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                  | Location<br>-----<br>Latitude N.<br>Longitude W.                  | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS      |
|-------------------------------------|-----------------------------------------|-------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                         |                                                                   |                          |                                          |                          |                                                                          |                                                          |
| 475                                 | Seal Ledge light and whistle buoy MA54  | E. of East Ironbound Island.<br>44 27 19.4<br>064 02 36.7         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "MA54".                                              | Year round.<br><br><b>Audible signal:</b> Whistle        |
| 476                                 | Aspotogan light and bell buoy DF        | SE. approach to Aspotogan Harbour.<br>44 29 27.3<br>064 00 13.8   | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked "DF".                                          | Year round.<br><br><b>Audible signal:</b> Bell           |
| <b>St. Margarets Bay</b>            |                                         |                                                                   |                          |                                          |                          |                                                                          |                                                          |
| 477.2                               | Horse Island light buoy DP51            | St. Margaret's Bay.<br>44 32 05.3<br>064 00 38.8                  | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "DP51".                                            | Year round.                                              |
| 477.4                               | Northwest Cove light buoy DP54          | E. of wharf.<br>44 32 01.0<br>064 01 20.0                         | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "DP54".                                                | Year round.                                              |
| 478<br>H3665                        | Hubbards Cove                           | On Green Point, W. side of entrance.<br>44 37 16.1<br>064 03 14.6 | Fl G 6s                  | 11.5                                     | 6                        | Square skeleton tower, green and white rectangular daymark.<br>6.9       | Year round.<br>Flash 1 s; eclipse 5 s.                   |
| 478.2                               | Fox Cove Wharf Light                    | 44 36 49.4<br>064 03 28.3                                         | Q W 1s                   | .....                                    | 3                        | Pipe swing pole, black, white and black triangular daymark.              | Year round.<br>Operates 24 h.                            |
| 478.4                               | Mill Cove Wharf Light                   | 44 34 53.7<br>064 03 16.0                                         | Fl G 4s                  | .....                                    | 3                        | Pipe Swing Pole, green, white and black square daymark.                  | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 3 s. |
| 479                                 | Slaughenwhite Ledge light buoy DY52     | SW. of ledge.<br>44 37 01.7<br>064 02 21.8                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "DY52".                                                | Year round.                                              |
| 479.01                              | Slaughenwhite Ledge light buoy DY54     | 44 37 24.4<br>064 02 43.7                                         | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "DY54".                                                | Year round.                                              |
| 480<br>H3664                        | Croucher Island                         | 44 38 23.3<br>063 57 29.7                                         | LFl W 12s                | 29.2                                     | 6                        | Triangular skeleton mast, red and white rectangular daymark.<br>11.3     | Year round.<br>Flash 2 s; eclipse 10 s.                  |
| 480.1                               | Redmond Cove light buoy DV52            | 44 36 02.3<br>063 56 11.7                                         | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "DV52".                                                | Year round.                                              |
| 480.2                               | Ringdove Shoal light and bell buoy DA58 | W. of shoal.<br>44 35 45.3<br>063 58 03.8                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "DA58".                                              | Year round.<br><br><b>Audible signal:</b> Bell           |
| 481<br>H3667                        | Northwest Cove Wharf                    | On outer end of wharf.<br>44 32 01.2<br>064 01 24.8               | LFl R 6s                 | 4.7                                      | 4                        | Pipe swing pole.<br>3.7                                                  | Year round.<br>Flash 2 s; eclipse 4 s.                   |
| 482<br>H3663                        | Paddy Head Island Light                 | On SE. extremity of island.<br>44 31 20.3<br>063 56 45.7          | F W                      | .....                                    | 11.0                     | 9<br>White square tower with red upper portion.<br>9.4                   | Year round.                                              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                     | Location<br>-----<br>Latitude N.<br>Longitude W.                              | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                                            | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                 |
|-------------------------------------|--------------------------------------------|-------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                            |                                                                               |                          |                                          |                          |                                                                                                                     |                                                                                                     |
| 484                                 | Crawford Ledge light<br>and bell buoy DA56 | W. extremity of<br>shoal.<br>44 30 46.3<br>063 57 25.7                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "DA56".                                                                                         | Year round.<br><br><b>Audible signal: Bell</b>                                                      |
| 486<br>H3661                        | Peggy's Cove Wharf                         | On outer end of<br>wharf.<br>44 29 36.4<br>063 54 59.6                        | Fl G 3s                  | 4.6                                      | 4                        | Pipe Swing Pole, green,<br>white and black square<br>daymark.<br>3.7                                                | Year round.<br>Flash 1 s; eclipse 2 s.                                                              |
| 487<br>H3660                        | Peggy's Point                              | E. side of entrance<br>to St. Margaret's<br>Bay.<br>44 29 30.4<br>063 55 07.2 | Fl R 5s                  | 22.0                                     | 10                       | White octagonal tower with<br>red top.<br>13.2                                                                      | Year round.<br>Operates 24 h.<br>Flash 1.5 s; eclipse 3.5 s.<br>Visible 290°-136°.                  |
| 487.5<br>H3659                      | Dover West                                 | On wharf.<br>44 29 34.7<br>063 52 05.4                                        | LFl G 6s                 | 5.2                                      | 4                        | Pipe swing pole.<br>3.7                                                                                             | Year round.<br>Flash 2 s; eclipse 4 s.                                                              |
| 488<br>H3658                        | West Dover Light                           | On S. end of<br>Callahan Island.<br>44 29 24.3<br>063 51 40.7                 | Fl(2+1) G 6s             | 15.2                                     | 4                        | Pipe swing pole, red and<br>white rectangular daymark<br>with red diamond and<br>green square in the centre.<br>6.1 | Year round.                                                                                         |
| 488.5                               | Flemming Ledge light<br>buoy AT60          | 44 29 09.2<br>063 51 15.9                                                     | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "AT60".                                                                                           | Year round.                                                                                         |
| 489<br>H3657                        | East Dover Wharf                           | 44 29 44.6<br>063 50 41.6                                                     | LFl R 6s                 | 4.5                                      | 4                        | Pipe swing pole, red and<br>white triangular daymark.<br>3.7                                                        | Year round.<br>Flash 2 s; eclipse 4 s.                                                              |
| 489.5                               | White Island light buoy<br>AY53            | Off Island.<br>44 29 16.8<br>063 49 58.8                                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"AY53".                                                                                    | Year round.                                                                                         |
| 490                                 | Dover Castle light<br>buoy AT              | S. of Dover Island.<br>44 26 42.5<br>063 53 33.5                              | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"AT".                                                                                  | Year round.                                                                                         |
| 491                                 | Shag Bay Breakers<br>light buoy AT50       | Off SW. extremity<br>of shoal.<br>44 28 03.3<br>063 50 10.7                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "AT50".                                                                                         | Year round.<br><br><b>Audible signal: Bell</b>                                                      |
| 492<br>H3655                        | Prospect Wharf                             | On outer end of<br>public wharf.<br>44 28 07.9<br>063 47 03.3                 | Fl G 4s                  | 4.5                                      | 4                        | Pipe swing pole.<br>3.7                                                                                             | Year round.<br>Flash 1 s; eclipse 3 s.                                                              |
| 494                                 | Prospect light and bell<br>buoy AM62       | SE. of Saul Point.<br>44 27 53.3<br>063 46 33.7                               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "AM62".                                                                                         | Year round.<br><br><b>Audible signal: Bell</b>                                                      |
| 494.01                              | Saul Island light buoy<br>AM64             | Terence Bay.<br>44 28 03.3<br>063 46 49.8                                     | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "AM64".                                                                                           | Year round.                                                                                         |
| 495<br>H3652                        | Betty Island                               | On Brig Point.<br>44 26 19.7<br>063 46 00.4                                   | LFl W 6s                 | 19.2                                     | 13                       | Square skeleton tower,<br>white rectangular daymark<br>with red horizontal band.                                    | Year round.<br>Flash 2 s; eclipse 4 s.<br>Visible from all points of marine<br>approach from the S. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## NOVA SCOTIA, SOUTHEAST COAST

|                  |                                       |                                                     |                  |       |       |                                   |                                                |
|------------------|---------------------------------------|-----------------------------------------------------|------------------|-------|-------|-----------------------------------|------------------------------------------------|
| 496              | Grampus Rock light and bell buoy AM52 | Off the rock.<br>44 25 31.4<br>063 43 39.1          | Fl R 4s .....    | ..... | ..... | Red, pillar, marked "AM52".       | Year round.<br><br><b>Audible signal: Bell</b> |
| 496.5<br>H3651.4 | Lower Prospect                        | On wharf.<br>44 27 03.4<br>063 43 32.1              | Fl W 4s          | 3.0   | 4     | Pipe swing pole.<br>3.7           | Year round.<br>Flash 1 s; eclipse 3 s.         |
| 497              | Terence Bay light and bell buoy AD    | 44 26 53.5<br>063 40 36.8                           | Mo(A) W 6s ..... | ..... | ..... | Red-white, pillar, marked "AD".   | Year round.<br><br><b>Audible signal: Bell</b> |
| 498<br>H3650     | Terence Bay                           | On Tennant Point.<br>44 27 36.6<br>063 42 20.4      | LFl W 6s .....   | ..... | 8     | White pyramid tower with red top. | Year round.<br>Flash 2 s; eclipse 4 s.         |
| 498.2            | Tennant Point light buoy AD56         | E. of Terence Rock.<br>44 27 23.2<br>063 41 19.3    | Fl R 4s .....    | ..... | ..... | Red, spar, marked "AD56".         | Year round.                                    |
| 499<br>H3651     | Terence Bay Wharf                     | On outer end of wharf.<br>44 28 04.4<br>063 42 52.2 | LFl W 6s         | 4.7   | 4     | Pipe swing pole.<br>3.7           | Year round.<br>Flash 2 s; eclipse 4 s.         |

## Halifax Harbour and Approaches

|       |                                             |                                               |                   |       |       |                                          |                                                |
|-------|---------------------------------------------|-----------------------------------------------|-------------------|-------|-------|------------------------------------------|------------------------------------------------|
| 499.9 | Stapleton Rock West Cardinal light buoy AAB | 44 27 32.9<br>063 39 33.7                     | Q(9) W 15s .....  | ..... | ..... | Yellow-black-yellow, spar, marked "AAB". | Year round.                                    |
| 501.1 | Fawson Rock light buoy AA57                 | 44 28 01.9<br>063 38 15.1                     | Fl G 4s .....     | ..... | ..... | Green, spar, marked "AA57".              | Year round.                                    |
| 501.2 | Pennant Harbour light buoy AA55             | 44 27 48.3<br>063 38 28.2                     | Fl G 4s .....     | ..... | ..... | Green, can, marked "AA55".               | Year round.                                    |
| 501.3 | Pennant Harbour light buoy AA54             | 44 27 38.0<br>063 38 30.8                     | Fl R 4s .....     | ..... | ..... | Red, conical, marked "AA54".             | Year round.                                    |
| 501.4 | Pennant Harbour bifurcation light buoy AAA  | 44 27 09.9<br>063 38 55.9                     | F(2+1) G 6s ..... | ..... | ..... | Green-red-green, spar, marked "AAA".     | Year round.                                    |
| 501.5 | Pennant Harbour light buoy AA53             | 44 26 48.2<br>063 39 23.6                     | Fl G 4s .....     | ..... | ..... | Green, spar, marked "AA53".              | Year round.                                    |
| 501.6 | Pennant Harbour light buoy AA51             | 44 26 32.6<br>063 39 48.0                     | Fl G 4s .....     | ..... | ..... | Green, spar, marked "AA51".              | Year round.                                    |
| 501.7 | Pennant Harbour light buoy AA52             | 44 26 10.3<br>063 39 36.6                     | Fl R 4s .....     | ..... | ..... | Red, spar, marked "AA52".                | Year round.                                    |
| 502   | Pennant Point light and bell buoy AA50      | SW. of point.<br>44 25 33.3<br>063 39 07.0    | Fl R 4s .....     | ..... | ..... | Red, pillar, marked "AA50".              | Year round.<br><br><b>Audible signal: Bell</b> |
| 503   | Smithson Rock light and bell buoy HE2       | SW. of the rock.<br>44 24 16.4<br>063 36 59.4 | Fl R 4s .....     | ..... | ..... | Red, pillar, marked "HE2".               | Year round.<br><br><b>Audible signal: Bell</b> |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.                         | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|----------------------------------------------|--------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                              |                                                                          |                          |                                          |                          |                                                                          |                                                     |
| 503.03                              | Sambro light buoy<br>HE7                     | 44 26 14.5<br>063 35 52.8                                                | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"HE7".                                            | Year round.                                         |
| 503.05                              | Sambro light buoy<br>HE10                    | 44 26 51.0<br>063 34 50.5                                                | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "HE10".                                                | Year round.                                         |
| 503.1                               | Nick Shoal light buoy<br>HE16                | Sambro.<br>44 27 40.6<br>063 32 49.6                                     | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "HE16".                                                | Year round.                                         |
| 503.11                              | Morris Point light buoy<br>HE17              | Sambro.<br>44 28 00.6<br>063 32 40.9                                     | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"HE17".                                           | Year round.                                         |
| 503.5                               | Thrumcap Rock light<br>buoy HE3              | 44 25 25.0<br>063 36 41.6                                                | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"HE3".                                          | Year round.                                         |
| 503.52                              | Sambro Red Spar light<br>buoy HE6            | 44 25 17.1<br>063 36 15.6                                                | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "HE6".                                                 | Year round.                                         |
| 504                                 | Inner Sambro light and<br>bell buoy HS6      | SW. of W. end of<br>Inner Sambro<br>Island.<br>44 27 05.0<br>063 35 48.0 | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "HS6".                                               | Year round.<br><br><b>Audible signal: Bell</b>      |
| 504.01                              | Inner Sambro Island<br>light buoy HA2        | Sambro.<br>44 27 22.0<br>063 35 09.0                                     | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "HA2".                                               | Year round.                                         |
| 504.02                              | Cowley Rock<br>bifurcation light buoy<br>HSA | Sambro.<br>44 27 32.0<br>063 35 46.5                                     | Fl(2+1) R 6s .....       | .....                                    | .....                    | Red-green-red, spar,<br>marked "HSA".                                    | Year round.                                         |
| 504.5                               | Cronie Reef light buoy<br>HS12               | 44 28 21.4<br>063 35 35.3                                                | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "HS12".                                                | Year round.                                         |
| 504.7                               | Bull Point light buoy<br>HS13                | 44 28 19.0<br>063 35 42.8                                                | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"HS13".                                           | Year round.                                         |
| 505<br>H3644                        | Sambro Harbour                               | On extremity of Bull<br>Point.<br>44 28 30.0<br>063 35 45.5              | F G ..... 10.5           | 7                                        | .....                    | White pyramid tower with<br>red top.<br>8.4                              | Year round.                                         |
| 505.1                               | Big Island light buoy<br>HR2                 | 44 28 41.3<br>063 35 22.1                                                | Q R 1s .....             | .....                                    | .....                    | Red, conical, marked<br>"HR2".                                           | Year round.                                         |
| 505.2                               | Big Island light buoy<br>HR4                 | 44 28 47.8<br>063 35 13.4                                                | Fl R 4s .....            | .....                                    | .....                    | Red, conical, marked<br>"HR4".                                           | Year round.                                         |
| 505.3                               | Big Island light buoy<br>HR5                 | 44 28 51.2<br>063 35 10.7                                                | Fl G 4s .....            | .....                                    | .....                    | Green, can, marked "HR5".                                                | Year round.                                         |
| 505.8                               | Sambro light buoy<br>HS19                    | 44 28 37.0<br>063 35 50.3                                                | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"HS19".                                           | Year round.                                         |
| 505.81                              | Sambro Harbour light<br>buoy HS20            | 44 28 38.0<br>063 35 45.5                                                | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "HS20".                                                | Year round.                                         |
| 505.82                              | Sambro Harbour light<br>buoy HS22            | 44 28 41.0<br>063 35 49.0                                                | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "HS22".                                                | Year round.                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                                | Location<br>-----<br>Latitude N.<br>Longitude W.         | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS           |
|-------------------------------------|-------------------------------------------------------|----------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                       |                                                          |                          |                                          |                          |                                                                          |                                                               |
| 505.83                              | Sambro Harbour light<br>buoy HS24                     | 44 28 43.1<br>063 35 53.0                                | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "HS24".                                                | Year round.                                                   |
| 506.6                               | Lobster Claw light<br>buoy HE13                       | S. of Lobster Claw.<br>44 27 18.0<br>063 34 06.5         | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HE13".                                         | Year round.                                                   |
| 507<br>H3632                        | <b>Sambro</b>                                         | Centre of island.<br>44 26 12.0<br>063 33 48.0           | Fl W 6s                  | 42.7                                     | <b>23</b>                | White octagonal tower with<br>red horizontal bands.<br>20.7              | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s.      |
| 508                                 | Sambro Harbour light<br>and whistle buoy HS           | S. of Southwest<br>Breaker.<br>44 24 30.0<br>063 33 36.5 | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"HS".                                       | Year round.<br><b>Audible signal:</b> Whistle                 |
| 508.2                               | Pennel Shoal light<br>buoy HS2                        | Sambro.<br>44 25 15.8<br>063 33 49.6                     | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "HS2".                                                 | Year round.                                                   |
| 508.22                              | Shag Rock light buoy<br>HS2/2                         | Sambro.<br>44 25 38.5<br>063 34 16.3                     | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"HS2/2".                                         | Year round.                                                   |
| 508.4                               | Sambro Island West<br>light buoy HS4                  | Sambro.<br>44 26 00.0<br>063 34 42.0                     | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "HS4".                                                 | Year round.                                                   |
| 508.42                              | Four Fathom Shoal<br>light buoy HS4/2                 | Sambro.<br>44 26 23.6<br>063 35 08.0                     | Q R 1s                   | .....                                    | .....                    | Red, conical, marked<br>"HS4/2".                                         | Year round.                                                   |
| 508.44                              | Fairweather Rock East<br>Cardinal light buoy<br>HSE   | Sambro.<br>44 26 44.0<br>063 35 42.4                     | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, can,<br>marked "HSE".                                | Year round.                                                   |
| 509                                 | Sisters light and bell<br>buoy HD3                    | S. of The Sisters.<br>44 26 14.0<br>063 31 26.0          | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HD3".                                          | Year round.<br><b>Audible signal:</b> Bell                    |
| 509.5                               | Halifax Bravo light<br>buoy HB                        | 44 26 37.0<br>063 27 33.0                                | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"HB".                                       | Year round.                                                   |
| 510                                 | Halifax Alpha light and<br>whistle buoy HA            | 44 21 45.0<br>063 24 15.0                                | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"HA".                                       | Year round.<br><b>Audible signal:</b> Whistle                 |
| 511                                 | Ketch Harbour light<br>buoy HE19                      | Ketch Harbour<br>entrance.<br>44 28 19.6<br>063 32 16.0  | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HE19".                                         | Year round.                                                   |
| 512                                 | Bell Rock light buoy<br>HD5                           | E. of Ketch Head.<br>44 29 00.0<br>063 31 03.0           | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HD5".                                          | Year round.                                                   |
| 512.5                               | Duncan Reef light<br>buoy H1                          | 44 29 36.0<br>063 30 34.0                                | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked "H1".                                              | Year round.                                                   |
| 513<br>H3600                        | Chebucto Head<br><b>Racon Z (- . . . )<br/>X Band</b> | On summit.<br>44 30 26.6<br>063 31 21.8                  | Fl W 20s                 | 47.8                                     | 10                       | White octagonal tower with<br>red top.<br>12.9                           | Year round.<br>Operates 24 h.<br>Flash 0.5 s; eclipse 19.5 s. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                                                     | Location<br>-----<br>Latitude N.<br>Longitude W.      | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)    | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                        |
|-------------------------------------|----------------------------------------------------------------------------|-------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                                            |                                                       |                          |                                          |                          |                                                                             |                                                                                            |
| 514                                 | Halifax Charlie light<br>and bell buoy HC                                  | 44 30 06.2<br>063 29 57.7                             | Mo(A) W 6s .....         | .....                                    | .....                    | Red-white, pillar, marked<br>"HC".                                          | Year round.<br><br><b>Audible signal:</b> Bell                                             |
| 515                                 | Navy West Cautionary<br>light and whistle buoy<br>HNWC                     | 44 32 41.0<br>063 25 15.0                             | Fl Y 4s .....            | .....                                    | .....                    | Yellow, pillar, marked<br>"HNWC".                                           | Year round.<br><br><b>Audible signal:</b> Whistle                                          |
| 516                                 | Inner Automatic light<br>buoy H4                                           | NE. of Chebucto<br>Head.<br>44 31 39.5<br>063 30 03.6 | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "H4".                                                   | Year round.                                                                                |
| 517                                 | Bear Cove light and<br>bell buoy H6<br><br><b>Racon N (- .)<br/>X Band</b> | NE. of cove.<br>44 32 36.3<br>063 31 19.6             | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "H6".                                                   | Year round.<br><br><b>Audible signal:</b> Bell<br><br>Physical AIS AtoN<br>MMSI: 993161063 |
| 517.5                               | Bear Cove bifurcation<br>light buoy HK                                     | NW. of shoal.<br>44 32 41.2<br>063 32 00.6            | Fl(2+1) G 6s .....       | .....                                    | .....                    | Green-red-green, pillar,<br>marked "HK".                                    | Year round.                                                                                |
| 518                                 | Neverfail Shoal light<br>and bell buoy H8                                  | 44 33 15.5<br>063 31 27.6                             | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "H8".                                                   | Year round.<br><br><b>Audible signal:</b> Bell                                             |
| 519                                 | Lichfield Shoal light<br>and whistle buoy H7                               | E. end of shoal.<br>44 33 22.5<br>063 31 59.5         | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked "H7".                                                 | Year round.<br><br><b>Audible signal:</b> Whistle                                          |
| 519.5                               | Neverfail Shoal North<br>light buoy HN7                                    | 44 33 30.8<br>063 31 03.8                             | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"HN7".                                             | Year round.                                                                                |
| 520                                 | Thrumcap light and<br>bell buoy HN6                                        | S. of Thrumcap<br>Shoal.<br>44 33 49.3<br>063 30 11.6 | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "HN6".                                                  | Year round.<br><br><b>Audible signal:</b> Bell                                             |
| 521                                 | Herring Cove light and<br>bell buoy HM1                                    | SE. of Tribune<br>Head.<br>44 33 52.2<br>063 32 54.7  | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"HM1".                                             | Year round.<br><br><b>Audible signal:</b> Bell                                             |
| 521.3                               | Herring Cove light<br>buoy HM4                                             | Near breakwater.<br>44 34 09.2<br>063 33 25.8         | Q R 1s .....             | .....                                    | .....                    | Red, spar, marked "HM4".                                                    | Year round.<br>Operates 24 h.                                                              |
| 521.5                               | Halifax Harbour Smart<br>buoy                                              | 44 33 21.3<br>063 32 38.7                             | Fl(5) Y 20s .....        | .....                                    | .....                    | Yellow, ODAS.                                                               | Year round.<br>Operates 24 h.                                                              |
| 522<br>H3604                        | Herring Cove Light                                                         | Tribune Head.<br>44 34 00.7<br>063 33 19.8            | F G ..... 19.5           | 6                                        |                          | Triangular skeleton tower,<br>red and white rectangular<br>daymark.<br>10.3 | Year round.                                                                                |
| 523                                 | Mars Rock light buoy<br>H9                                                 | Off SE. side of rock.<br>44 34 19.1<br>063 32 11.3    | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked "H9".                                                 | Year round.                                                                                |
| 523.1                               | Mars Rock North light<br>buoy H11                                          | 44 34 58.8<br>063 32 15.1                             | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"H11".                                             | Year round.<br>Operates 24 h.                                                              |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.     | Name<br>-----<br>RACON                                  | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics    | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM)                                                         | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|------------------------------|---------------------------------------------------------|-----------------------------------------------------------------|-----------------------------|------------------------------------------|----------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| NOVA SCOTIA, SOUTHEAST COAST |                                                         |                                                                 |                             |                                          |                                                                                  |                                                                          |                                                     |
| 523.4<br>H3602               | Sandwich Point front<br>range light                     | 44 34 56.6<br>063 32 56.7                                       | F G .....<br>38.4           | .....                                    | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>6.1  | Year round.<br>Operates 24 h.                                            |                                                     |
| 523.5<br>H3602.1             | <b>Sandwich Point rear<br/>range light</b>              | 44 35 11.4<br>063 33 05.7<br><br>336°29' 489.5 m<br>from front. | Oc G 10s 50.8               | <b>18</b>                                | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.         | Year round.<br>Operates 24 h.<br>Flash 8 s; eclipse 2 s.                 |                                                     |
| 524                          | Lighthouse Bank light<br>and bell buoy H12              | W. of bank.<br>44 35 36.3<br>063 31 59.5                        | FI R 4s .....<br>.....      | .....                                    | Red, pillar, marked "H12".                                                       | Year round.<br><br><b>Audible signal: Bell</b>                           |                                                     |
| 524.3                        | Outer Middle Ground<br>West Cardinal light<br>buoy HKB  | 44 35 50.0<br>063 32 33.8                                       | Q(9) W 15s .....<br>.....   | .....                                    | Yellow-black-yellow, pillar,<br>marked "HKB".                                    | Year round.<br>Operates 24 h.                                            |                                                     |
| 525                          | Outer Middle Ground<br>bifurcation light buoy<br>HAC    | N. of Lighthouse<br>bank.<br>44 35 54.8<br>063 32 24.0          | FI(2+1) G 6s .....<br>..... | .....                                    | Green-red-green, pillar,<br>marked "HAC".                                        | Year round.                                                              |                                                     |
| 525.2                        | Southeast Middle<br>Ground light buoy H15               | 44 36 11.3<br>063 32 33.6                                       | FI G 4s .....<br>.....      | .....                                    | Green, pillar, marked<br>"H15".                                                  | Year round.                                                              |                                                     |
| 526                          | Maugher Beach light<br>buoy H14                         | SW. of beach.<br>44 35 58.3<br>063 32 12.6                      | Q R 1s .....<br>.....       | .....                                    | Red, pillar, marked "H14".                                                       | Year round.                                                              |                                                     |
| 526.5                        | Middle Ground South<br>Cardinal light buoy<br>HKC       | 44 36 07.6<br>063 32 52.0                                       | Q(6) + W 15s .....<br>LFI   | .....                                    | Yellow-black, pillar, marked<br>"HKC".                                           | Year round.<br>Operates 24 h.                                            |                                                     |
| 526.6                        | Fergusons Cove light<br>buoy HK17                       | 44 36 30.1<br>063 33 22.0                                       | FI G 4s .....<br>.....      | .....                                    | Green, pillar, marked<br>"HK17".                                                 | Year round.<br>Operates 24 h.                                            |                                                     |
| 526.7                        | Middle Ground West<br>Cardinal light buoy<br>HKD        | 44 36 35.4<br>063 32 56.3                                       | Q(9) W 15s .....<br>.....   | .....                                    | Yellow-black-yellow, pillar,<br>marked "HKD".                                    | Year round.<br>Operates 24 h.                                            |                                                     |
| 527<br>H3607                 | Maugher Beach                                           | Near W. end of<br>beach.<br>44 36 08.2<br>063 32 00.9           | Iso W 4s 17.4               | 10                                       | White octagonal tower with<br>red top.<br>17.8                                   | Year round.                                                              |                                                     |
| 527.5                        | Northeast Middle<br>Ground light buoy H17               | 44 36 41.2<br>063 32 49.6                                       | FI G 4s .....<br>.....      | .....                                    | Green, pillar, marked<br>"H17".                                                  | Year round.<br>Operates 24 h.                                            |                                                     |
| 528<br>H3606                 | <b>Halifax Harbour<br/>Middle front range<br/>light</b> | NW. end of<br>McNabs Island.<br>44 36 50.5<br>063 32 11.0       | F R .....<br>18.0           | <b>18</b>                                | Tripod skeleton tower,<br>white daymark with red<br>vertical stripe.             | Year round.<br>Operates 24 h.                                            |                                                     |
| 528.1<br>H3606.1             | <b>Halifax Harbour<br/>Middle rear range<br/>light</b>  | 44 37 01.0<br>063 32 12.1<br><br>356°13' 322.0 m<br>from front. | Oc R 10s 29.0               | <b>18</b>                                | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>21.9 | Year round.<br>Operates 24 h.<br>Flash 8 s; eclipse 2 s.                 |                                                     |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                                 | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                       |
|-------------------------------------|--------------------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                        |                                                                  |                          |                                          |                          |                                                                                                   |                                                                                           |
| 529                                 | Pleasant Shoal light<br>buoy H19                       | Off E. extremity of<br>shoal.<br>44 37 00.2<br>063 33 06.4       | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"H19".                                                                   | Year round.<br><br><b>Audible signal: Bell</b>                                            |
| 531                                 | Hens and Chickens<br>light buoy HQ2                    | SE. of Hens and<br>Chickens.<br>44 36 50.0<br>063 33 44.0        | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "HQ2".                                                                          | Year round.                                                                               |
| 532                                 | Purcells Cove light<br>buoy HQ1                        | E. of cove.<br>44 36 41.9<br>063 33 56.9                         | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"HQ1".                                                                     | Year round.                                                                               |
| 532.5                               | Northwest Arm light<br>buoy HQD                        | 44 37 02.6<br>063 34 22.7                                        | FI(2) W 5s               | .....                                    | .....                    | Black-red-black, spar,<br>marked "HQD".                                                           | Year round.<br>Flash 0.4 s; eclipse 0.6 s;<br>flash 0.4 s; eclipse 3.6 s.                 |
| 533                                 | Imperial Oil Wharf No.<br>1 light buoy HP22            | 44 38 02.3<br>063 31 56.6                                        | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "HP22".                                                                         | Year round.                                                                               |
| 534                                 | Eastern Passage light<br>buoy HP21                     | 44 37 46.5<br>063 31 56.8                                        | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"HP21".                                                                    | Year round.                                                                               |
| 535                                 | Ives Knoll light buoy<br>H22                           | W. of Knoll.<br>44 37 39.4<br>063 32 54.0                        | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "H22".                                                                        | Year round.                                                                               |
| 536                                 | Ives Knoll light buoy<br>HT2                           | N. of the Knoll.<br>44 37 50.2<br>063 32 44.7                    | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "HT2".                                                                        | Year round.                                                                               |
| 538<br>H3618                        | <b>Halifax Harbour<br/>Inner front range<br/>light</b> | On W. side of<br>Georges Island.<br>44 38 26.2<br>063 33 37.2    | F W<br>F W               | .....<br>.....                           | .....<br>17.7            | 15<br>15<br>White octagonal tower, red<br>vertical stripe with red<br>upper portion.<br>16.4      | Year round.<br>Operates 24 h.<br>Increased intensity on line of<br>range.<br>W 290°-181°. |
| 539<br>H3618.1                      | <b>Halifax Harbour<br/>Inner rear range light</b>      | 44 40 01.7<br>063 34 28.2<br><br>339°08' 3153.7 m<br>from front. | Oc W 10s                 | 37.7                                     | 24                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>17.4                  | Year round.<br>Operates 24 h.<br>Flash 7 s; eclipse 3 s.                                  |
| 540.1                               | Dartmouth Cove West<br>Entrance light buoy<br>HU1      | 44 39 42.0<br>063 33 38.4                                        | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"HU1".                                                                     | Year round.                                                                               |
| 544                                 | Barrie Beach light and<br>bell buoy HP2/2              | NW. of Devils<br>Island.<br>44 35 11.2<br>063 28 47.3            | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked<br>"HP2/2".                                                                   | Year round.<br><br><b>Audible signal: Bell</b>                                            |
| 545<br>H3596                        | Devils Island                                          | SE. end of island.<br>44 34 49.5<br>063 27 35.3                  | LFI R 6s                 | 6.0                                      | 7                        | Square skeleton tower, red<br>and white rectangular<br>daymark, red triangle in<br>centre.<br>6.6 | Year round.<br>Flash 2 s; eclipse 4 s.                                                    |
| 546                                 | Eastern Passage light<br>and whistle buoy HP           | SW. of Devils<br>Island.<br>44 34 05.0<br>063 27 23.0            | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"HP".                                                                | Year round.<br><br><b>Audible signal: Whistle</b>                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.           | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                       |
|-------------------------------------|---------------------------------------------|------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                             |                                                            |                          |                                          |                          |                                                                          |                                                                                           |
| 546.5                               | Lawlor Island light<br>buoy HP3             | E. of island.<br>44 35 56.1<br>063 29 08.0                 | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"HP3".                                            | Year round.                                                                               |
| 547<br>H3609                        | Lawlor Island Sector                        | On E. side of<br>island.<br>44 36 21.8<br>063 29 45.4      | F R<br>W<br>G            | .....                                    | 4.8                      | 10<br>Triangular skeleton mast.<br>3.8                                   | Year round.<br>Operates 24 h.<br>G 133°-140°30';<br>W 140°30'-142°30';<br>R 142°30'-155°. |
| 547.2                               | Lawlor Island light<br>buoy HP11            | NE. of island.<br>44 36 31.8<br>063 29 58.4                | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"HP11".                                           | Year round.                                                                               |
| 547.3                               | Eastern Passage<br>Wharf Light              | 44 36 41.3<br>063 29 50.1                                  | Fl Y 4s .....            | .....                                    | .....                    | Pipe swing pole.                                                         | Year round.<br>Operates 24 h.                                                             |
| 549                                 | Eastern Passage light<br>buoy HP13          | 44 36 40.4<br>063 30 20.9                                  | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked<br>"HP13".                                           | Year round.                                                                               |
| 550                                 | Eastern Passage light<br>buoy HP15          | Opposite Texaco<br>Co. wharf.<br>44 36 45.3<br>063 30 35.6 | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"HP15".                                           | Year round.                                                                               |
| 551                                 | Eastern Passage light<br>buoy HP16          | 44 37 03.0<br>063 30 32.8                                  | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "HP16".                                                | Year round.                                                                               |
| 552                                 | Eastern Passage light<br>buoy HP17          | 44 37 05.8<br>063 30 50.6                                  | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"HP17".                                           | Year round.                                                                               |
| 557                                 | Seaview Point light<br>buoy H39             | 44 40 37.6<br>063 37 14.0                                  | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked "H39".                                               | Year round.                                                                               |
| 559                                 | Wrights Point light<br>buoy H42             | 44 41 19.8<br>063 37 22.6                                  | Q R 1s .....             | .....                                    | .....                    | Red, spar, marked "H42".                                                 | Year round.                                                                               |
| 560                                 | Dartmouth Yacht Club<br>light buoy HY6      | 44 41 59.0<br>063 36 48.0                                  | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "HY6".                                               | Private aid.<br>Seasonal.                                                                 |
| 560.5<br>H3631                      | Dartmouth Yacht Club                        | On breakwater.<br>44 42 01.3<br>063 36 49.1                | Fl G 4s .....            | 5.2                                      | 4                        | Square tower.<br>3.0                                                     | Private aid.<br>Seasonal.                                                                 |
| 560.6                               | Navy Island<br>Cautionary light buoy<br>HYC | W. of island.<br>44 41 43.8<br>063 37 06.6                 | Fl Y 4s .....            | .....                                    | .....                    | Yellow, spar, marked<br>"HYC".                                           | Year round.<br>Operates 24 h.                                                             |
| 561                                 | Wrights Cove light<br>buoy HY2              | NW. of Navy Island.<br>44 42 00.3<br>063 37 23.6           | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "HY2".                                                 | Year round.                                                                               |
| 561.5                               | Bedford Basin light<br>buoy H45             | 44 42 25.3<br>063 39 07.6                                  | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked "H45".                                               | Year round.                                                                               |
| 562                                 | Wellesley Rock light<br>buoy H46            | S. of the rock.<br>44 42 37.3<br>063 39 26.1               | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "H46".                                                 | Year round.                                                                               |
| 562.3                               | Spruce Island light<br>buoy H48             | W. of island.<br>44 43 00.3<br>063 39 54.6                 | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "H48".                                                 | Year round.                                                                               |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## NOVA SCOTIA, SOUTHEAST COAST

|        |                                                   |                                              |            |       |       |                                 |                                            |
|--------|---------------------------------------------------|----------------------------------------------|------------|-------|-------|---------------------------------|--------------------------------------------|
| 563    | Shut-in Island light and bell buoy HX             | SE. of island.<br>44 36 39.8<br>063 16 01.2  | Mo(A) W 6s | ..... | ..... | Red-white, pillar, marked "HX". | Year round.<br><b>Audible signal: Bell</b> |
| 563.04 | Three Fathom Harbour light buoy HX7               | 44 38 05.9<br>063 16 35.2                    | Fl G 4s    | ..... | ..... | Green, spar, marked "HX7".      | Year round.                                |
| 563.05 | Three Fathom Harbour light buoy HX8               | 44 38 16.1<br>063 16 38.0                    | Fl R 4s    | ..... | ..... | Red, spar, marked "HX8".        | Year round.                                |
| 563.2  | Bull Rock light buoy HX2                          | 44 37 20.0<br>063 16 14.0                    | Fl R 4s    | ..... | ..... | Red, spar, marked "HX2".        | Year round.                                |
| 564    | Chezzetcook Harbour light and bell buoy HJ2       | Off Story Head.<br>44 39 42.6<br>063 13 40.5 | Fl R 4s    | ..... | ..... | Red, pillar, marked "HJ2".      | Year round.<br><b>Audible signal: Bell</b> |
| 564.03 | East Chezzetcook light buoy HJ4                   | E. shore.<br>44 41 18.8<br>063 13 47.7       | Q R 1s     | ..... | ..... | Red, spar, marked "HJ4".        | Seasonal.                                  |
| 564.22 | East Chezzetcook light buoy HJ2/2                 | Eastern shore.<br>44 41 16.4<br>063 13 52.7  | Fl R 4s    | ..... | ..... | Red, spar, marked "HJ2/2".      | Seasonal.                                  |
| 565    | Codray Shoal light and bell buoy HH2              | SW. of shoal.<br>44 40 24.5<br>063 10 38.6   | Fl R 4s    | ..... | ..... | Red, pillar, marked "HH2".      | Year round.<br><b>Audible signal: Bell</b> |
| 565.04 | Petpeswick light buoy HH8                         | Eastern shore.<br>44 42 14.6<br>063 10 09.8  | Fl R 4s    | ..... | ..... | Red, spar, marked "HH8".        | Seasonal.                                  |
| 565.05 | Petpeswick light buoy HH9                         | Eastern shore.<br>44 42 27.1<br>063 10 03.9  | Fl G 4s    | ..... | ..... | Green, spar, marked "HH9".      | Seasonal.                                  |
| 566.02 | Musquodoboit light buoy YV7                       | 44 40 44.0<br>063 04 23.4                    | Q G 1s     | ..... | ..... | Green, spar, marked "YV7".      | Year round.                                |
| 566.03 | Musquodoboit Harbour light buoy YV10              | 44 41 09.6<br>063 04 45.6                    | Q R 1s     | ..... | ..... | Red, spar, marked "YV10".       | Year round.                                |
| 566.04 | Musquodoboit Harbour green lighted spar buoy YV11 | 44 41 26.2<br>063 04 47.5                    | Fl G 4s    | ..... | ..... | Green, spar, marked "YV11".     | Year round.                                |
| 566.05 | Musquodoboit Harbour light buoy YV12              | 44 41 26.2<br>063 04 42.8                    | Fl R 4s    | ..... | ..... | Red, spar, marked "YV12".       | Year round.                                |
| 566.06 | Musquodoboit Harbour light buoy YV13              | 44 41 34.0<br>063 04 43.7                    | Fl G 4s    | ..... | ..... | Green, spar, marked "YV13".     | Year round.                                |
| 566.08 | Musquodoboit (Flat Rock) light buoy YV15          | Eastern shore.<br>44 41 41.4<br>063 04 45.0  | Q G 1s     | ..... | ..... | Green, spar, marked "YV15".     | Year round.                                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                         | Location<br>-----<br>Latitude N.<br>Longitude W.                     | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)   | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|------------------------------------------------|----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                |                                                                      |                          |                                          |                          |                                                                            |                                                     |
| 566.11                              | Musquodoboit (French Pt) lighted red spar YV18 | Eastern shore.<br>44 42 31.2<br>063 04 57.0                          | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "YV18".                                                  | Year round.                                         |
| 566.12                              | Musquodoboit (Francis Nose Is) light buoy YV21 | E. shore.<br>44 42 52.9<br>063 05 03.1                               | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "YV21".                                                | Year round.                                         |
| 566.5                               | Musquodoboit Ledge light and bell buoy YV3     | W. side of ledge.<br>44 39 36.0<br>063 04 16.0                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "YV3".                                               | Year round.<br><b>Audible signal: Bell</b>          |
| 568<br>H3578                        | Musquodoboit Harbour Light                     | On pier on Shag Ledge.<br>44 41 41.7<br>063 04 41.6                  | Q R 1s                   | 5.5                                      | .....                    | Red cylindrical mast, red and white triangular daymark.<br>3.6             | Year round.                                         |
| 569<br>H3579                        | French Point                                   | 44 42 21.0<br>063 04 33.3                                            | F R                      | .....                                    | 8                        | White pyramid tower with red top.<br>9.4                                   | Year round.<br>Visible 278°-090°.                   |
| 570<br>H3570                        | Jeddore Rock                                   | On summit of rock.<br>44 39 47.1<br>063 00 37.3                      | LFl W 12s                | 29.5                                     | 8                        | Skeleton tower.                                                            | Year round.<br>Flash 2 s; eclipse 10 s.             |
| 570.5                               | Arnold Rock light and bell buoy YT3            | S. of rock.<br>44 39 04.2<br>063 00 29.5                             | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "YT3".                                               | Year round.<br><b>Audible signal: Bell</b>          |
| 572                                 | Thorn Shoal light and bell buoy YT5            | On alignment of Jeddore Harbour range.<br>44 41 24.0<br>063 00 010.0 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "YT5".                                               | Year round.<br><b>Audible signal: Bell</b>          |
| 572.3                               | Jeddore Harbour light buoy YT7                 | 44 42 18.6<br>063 00 46.8                                            | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "YT7".                                                 | Year round.                                         |
| 572.6                               | Jeddore Harbour light buoy YT9                 | 44 43 10.7<br>063 00 16.9                                            | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "YT9".                                                  | Year round.                                         |
| 573                                 | Marsh Point light buoy YT11                    | 44 43 23.6<br>063 00 11.7                                            | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked "YT11".                                              | Year round.                                         |
| 576                                 | Bar Shoal light buoy YT8                       | 44 42 31.3<br>063 00 36.8                                            | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "YT8".                                                   | Year round.                                         |
| 577                                 | Brig Rock light and bell buoy YT2              | W. of rock.<br>44 37 08.4<br>062 56 18.7                             | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "YT2".                                                 | Year round.<br><b>Audible signal: Bell</b>          |
| 578                                 | Porter Island West light and bell buoy YS6     | 44 41 29.0<br>062 51 46.1                                            | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "YS6".                                                 | Year round.<br><b>Audible signal: Bell</b>          |
| 579                                 | Little Harbour Head light buoy YS9             | N. of head.<br>44 42 22.3<br>062 50 29.9                             | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "YS9".                                               | Year round.                                         |
| 580<br>H3568                        | Egg Island                                     | Centre of island.<br>44 39 52.8<br>062 51 48.4                       | LFl W 6s                 | 7.6                                      | 12                       | Square skeleton tower, white rectangular daymark with red horizontal band. | Year round.<br>Flash 2 s; eclipse 4 s.              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                                   | Location<br>-----<br>Latitude N.<br>Longitude W.               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|----------------------------------------------------------|----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                          |                                                                |                          |                                          |                          |                                                                                         |                                                     |
| 580.3                               | <i>Pyches Rock East<br/>Cardinal light buoy YS</i>       | 44 39 50.3<br>062 50 30.6                                      | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, pillar,<br>marked "YS".                                             | Year round.                                         |
| 582                                 | <i>Owls Head Harbour<br/>light and bell buoy<br/>YP2</i> | SE. of head.<br>44 41 20.0<br>062 45 01.4                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "YP2".                                                              | Year round.<br><br><b>Audible signal:</b> Bell      |
| 583<br>H3566                        | Owls Head                                                | On extremity of<br>head.<br>44 43 14.6<br>062 47 59.5          | LFl W 6s                 | 25.8                                     | 6                        | Square skeleton tower,<br>white rectangular daymark<br>with red horizontal band.<br>9.7 | Year round.<br>Flash 2 s; eclipse 4 s.              |
| 584                                 | <i>Ship Harbour light and<br/>whistle buoy YM1</i>       | SE. of Little Rock.<br>44 41 06.3<br>062 42 07.1               | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"YM1".                                                         | Year round.<br><br><b>Audible signal:</b> Whistle   |
| 585<br>H3564                        | Ship Harbour                                             | On Wolfes Point.<br>44 44 55.5<br>062 45 23.7                  | LFl G 6s                 | .....                                    | 4                        | Skeleton tower, white and<br>red rectangular daymark.<br>6.6                            | Year round.<br>Flash 2 s; eclipse 4 s.              |
| 586                                 | <i>Bull Rock bifurcation<br/>light and bell buoy YM</i>  | S. of rock.<br>44 44 05.6<br>062 41 29.6                       | Fl(2+1) R 6s             | .....                                    | .....                    | Red-green-red, pillar,<br>marked "YM".                                                  | Year round.<br><br><b>Audible signal:</b> Bell      |
| 586.01                              | <i>Black Rock light buoy<br/>YM8</i>                     | 44 46 18.5<br>062 47 55.0                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "YM8".                                                                | Seasonal.                                           |
| 586.03                              | <i>Ship Harbour light<br/>buoy YM12</i>                  | 44 46 57.0<br>062 49 09.3                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "YM12".                                                               | Seasonal.                                           |
| 586.04                              | <i>Ship Harbour light<br/>buoy YM14</i>                  | 44 47 57.2<br>062 50 10.0                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "YM14".                                                               | Seasonal.                                           |
| 586.07                              | <i>Ship Harbour light<br/>buoy YM17</i>                  | 44 48 08.0<br>062 50 30.1                                      | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"YM17".                                                          | Seasonal.                                           |
| 587                                 | <i>Tangier Harbour light<br/>and whistle buoy YJ</i>     | SE. of Mooseback<br>Point.<br>44 44 06.2<br>062 37 38.3        | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"YJ".                                                      | Year round.<br><br><b>Audible signal:</b> Whistle   |
| 588                                 | <i>Popes Harbour light<br/>and bell buoy YE2</i>         | W. of Popes Head.<br>44 46 23.9<br>062 36 47.8                 | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "YE2".                                                              | Year round.<br><br><b>Audible signal:</b> Bell      |
| 588.03                              | <i>Brig Rock light buoy<br/>YE5</i>                      | 44 46 56.5<br>062 38 22.0                                      | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "YE5".                                                              | Year round.                                         |
| 589<br>H3560                        | Popes Harbour                                            | On W. point of<br>Harbour Island.<br>44 47 40.3<br>062 39 01.4 | Fl R 4s                  | 9.4                                      | 8                        | Pipe swing pole, red and<br>white triangular daymark.                                   | Year round.<br>Flash 1 s; eclipse 3 s.              |
| 590                                 | <i>Spry Bay light and bell<br/>buoy YA2</i>              | Off entrance.<br>44 45 37.2<br>062 33 28.6                     | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "YA2".                                                              | Year round.<br><br><b>Audible signal:</b> Bell      |
| 590.01                              | <i>Maloney Shoal light<br/>buoy YA3</i>                  | 44 46 42.1<br>062 34 41.8                                      | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "YA3".                                                              | Year round.                                         |
| 590.02                              | <i>Mad Moll Reef light<br/>buoy YA4</i>                  | 44 46 42.3<br>062 33 48.6                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "YA4".                                                                | Year round.                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                              | Location<br>-----<br>Latitude N.<br>Longitude W.                          | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|-----------------------------------------------------|---------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                     |                                                                           |                          |                                          |                          |                                                                          |                                                     |
| 590.03                              | Neverfail Shoal light<br>buoy YA5                   | 44 47 24.3<br>062 34 29.4                                                 | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "YA5".                                               | Year round.<br>Operates 24 h.                       |
| 590.04                              | Spry Bay light buoy<br>YA6                          | 44 47 28.0<br>062 34 01.3                                                 | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "YA6".                                                 | Year round.<br>Operates 24 h.                       |
| 590.05                              | Ram Rock light buoy<br>YA7                          | 44 48 36.8<br>062 35 56.3                                                 | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "YA7".                                               | Year round.<br>Operates 24 h.                       |
| 590.06                              | Bald Rock light buoy<br>YA8                         | 44 48 42.9<br>062 35 34.9                                                 | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "YA8".                                                 | Year round.<br>Operates 24 h.                       |
| 593                                 | Geddes Shoal light<br>and whistle buoy X26          | SW. of shoal.<br>44 44 28.0<br>062 28 09.0                                | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "X26".                                               | Year round.<br><br><b>Audible signal:</b> Whistle   |
| 593.6                               | MacDonald Rock light<br>buoy XU4                    | 44 48 54.0<br>062 28 41.0                                                 | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XU4".                                               | Year round.                                         |
| 594<br>H3541                        | Sheet Rock                                          | Entrance to<br>harbour.<br>44 49 50.4<br>062 29 30.6                      | Fl W 4s                  | 25.7                                     | 7                        | White cylindrical tower with<br>red horizontal band.<br>9.7              | Year round.                                         |
| 595                                 | White Rock light buoy<br>XU10                       | 44 51 00.5<br>062 29 38.0                                                 | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "XU10".                                                | Year round.                                         |
| 596                                 | Watt Point light buoy<br>XU14                       | 44 53 49.5<br>062 29 16.0                                                 | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "XU14".                                                | Year round.                                         |
| 596.01                              | Northeast Arm light<br>buoy XX1                     | 44 55 06.0<br>062 30 56.0                                                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XX1".                                          | Year round.                                         |
| 596.04                              | Mussel Shoal light<br>buoy XU18                     | E. shore.<br>44 54 36.5<br>062 31 09.0                                    | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "XU18".                                                | Year round.                                         |
| 597                                 | Sheet Harbour<br>Passage light and bell<br>buoy XP7 | S. of Hardwood<br>Island.<br>44 49 06.0<br>062 25 54.0                    | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XP7".                                          | Year round.<br><br><b>Audible signal:</b> Bell      |
| 600                                 | Beaver Harbour light<br>and whistle buoy XK1        | Off harbour.<br>44 47 55.0<br>062 17 03.0                                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XK1".                                          | Year round.<br><br><b>Audible signal:</b> Whistle   |
| 601                                 | Beaver Island light<br>and bell buoy XK3            | E. of island.<br>44 49 33.0<br>062 19 28.0                                | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XK3".                                          | Year round.<br><br><b>Audible signal:</b> Bell      |
| 602<br>H3534                        | Beaver Island                                       | E. end of island.<br>44 49 29.2<br>062 20 16.0                            | Fl W                     | 19.9                                     | 14                       | White cylindrical tower with<br>red top.<br>8.6                          | Year round.                                         |
| 605                                 | Bassoon Reefs light<br>and bell buoy XH1            | S. extremity of the<br>SE. portion of reefs.<br>44 50 41.0<br>062 13 34.0 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XH1".                                          | Year round.<br><br><b>Audible signal:</b> Bell      |
| 606.3                               | Tuffin Island light buoy<br>XA6                     | N. of island.<br>44 54 53.5<br>062 10 45.5                                | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "XA6".                                               | Year round.                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                   | Location<br>-----<br>Latitude N.<br>Longitude W.                       | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                    |
|-------------------------------------|------------------------------------------|------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                          |                                                                        |                          |                                          |                          |                                                                                   |                                                                                        |
| 606.5                               | Tuffin Island light and bell buoy XA4    | SW. of island.<br>44 54 12.0<br>062 10 50.5                            | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XA4".                                                        | Year round.<br><br><b>Audible signal:</b> Bell                                         |
| 606.7                               | Halibut Island light and bell buoy XA3   | 44 53 06.0<br>062 10 55.0                                              | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "XA3".                                                      | Year round.<br><br><b>Audible signal:</b> Bell                                         |
| 607                                 | Bowen Ledge light and bell buoy XA2      | SW. of ledge.<br>44 51 59.0<br>062 10 15.0                             | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XA2".                                                        | Year round.<br><br><b>Audible signal:</b> Bell                                         |
| 608                                 | White Island light and bell buoy VV1     | Off E. extremity of White Island breaker.<br>44 52 59.8<br>062 06 16.3 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "VV1".                                                      | Year round.<br><br><b>Audible signal:</b> Bell                                         |
| 609                                 | Lockwood Rock light and whistle buoy V24 | S. of rock.<br>44 51 39.0<br>062 04 21.0                               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "V24".                                                        | Year round.<br><br><b>Audible signal:</b> Whistle                                      |
| 610                                 | Necum Point light buoy VV12              | 44 57 16.0<br>062 08 59.0                                              | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "VV12".                                                         | Year round.                                                                            |
| 610.5                               | Frenchman Rock light buoy VV8            | 44 55 56.5<br>062 07 03.5                                              | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "VV8".                                                          | Year round.                                                                            |
| 611                                 | Seal Ledge light and bell buoy VT5       | NE. of ledge.<br>44 57 28.0<br>061 59 31.0                             | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "VT5".                                                      | Year round.<br><br><b>Audible signal:</b> Bell                                         |
| 612<br>H3530                        | Marie Joseph (Thrumcap Island)           | On Islet.<br>44 57 25.6<br>062 02 25.7                                 | Fl R 4s                  | 12.2                                     | 4                        | Square skeleton tower, red and white rectangular daymark, red triangle in centre. | Year round.                                                                            |
| 613                                 | Liscomb light and whistle buoy VP        | E. of Hawbolt Rock.<br>44 55 00.0<br>061 53 33.0                       | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked "VP".                                                   | Year round.<br><br><b>Audible signal:</b> Whistle                                      |
| 614                                 | Liscomb Shoal light and bell buoy VP5    | SE. of shoal.<br>44 58 31.0<br>061 57 50.0                             | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "VP5".                                                      | Year round.<br><br><b>Audible signal:</b> Bell                                         |
| 615<br>H3526                        | Liscomb Island                           | 44 59 15.8<br>061 57 58.4                                              | Fl W 10s                 | 21.9                                     | 14                       | White octagonal tower with red top.<br><br>13.7                                   | Year round.<br>Flash 1 s; eclipse 9 s.<br><br><b>Fog Horn</b><br>Blast 3 s; sil. 27 s. |
| 619                                 | Little Liscomb light and bell buoy VM3   | SE. of Crook Point.<br>44 59 10.3<br>061 53 27.0                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "VM3".                                                      | Year round.<br><br><b>Audible signal:</b> Bell                                         |
| 621                                 | Saint Marys River light and bell buoy VK | S. of Wedge Island.<br>44 59 35.9<br>061 49 41.7                       | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked "VK".                                                   | Year round.<br><br><b>Audible signal:</b> Bell                                         |
| 621.5                               | Barachois Point light and bell buoy VK3  | Off point.<br>45 01 16.3<br>061 51 44.8                                | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "VK3".                                                      | Year round.<br><br><b>Audible signal:</b> Bell                                         |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                            | Location<br>-----<br>Latitude N.<br>Longitude W.                     | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)              | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                              |
|-------------------------------------|---------------------------------------------------|----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                   |                                                                      |                          |                                          |                          |                                                                                       |                                                                                                                                  |
| 622                                 | Horse Shoal light buoy<br>VK11                    | 45 03 05.0<br>061 53 43.6                                            | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"VK11".                                                      | Year round.                                                                                                                      |
| 623.5                               | Rude Shoal light and<br>bell buoy VH5             | Off shoal.<br>45 04 12.5<br>061 48 26.5                              | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"VH5".                                                       | Year round.<br><b>Audible signal:</b> Bell                                                                                       |
| 625                                 | Nixonmate Shoal light<br>and whistle buoy VH2     | SW. of shoal.<br>45 01 46.6<br>061 45 14.5                           | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "VH2".                                                            | Year round.<br><b>Audible signal:</b> Whistle                                                                                    |
| 626.1                               | Mouton Harbour Outer<br>Channel light buoy<br>VC1 | 45 05 34.3<br>061 42 53.7                                            | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"VC1".                                                         | Seasonal (in place year round).                                                                                                  |
| 626.2                               | Mouton Harbour Outer<br>Channel light buoy<br>VC2 | 45 05 34.5<br>061 42 56.0                                            | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "VC2".                                                              | Seasonal (in place year round).                                                                                                  |
| 626.3                               | Mouton Harbour Outer<br>Channel light buoy<br>VC3 | 45 05 33.6<br>061 43 00.4                                            | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"VC3".                                                         | Seasonal (in place year round).                                                                                                  |
| 626.4                               | Mouton Harbour Inner<br>Channel light buoy<br>VC4 | 45 05 34.7<br>061 43 14.2                                            | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "VC4".                                                              | Seasonal (in place year round).                                                                                                  |
| 626.6                               | Mouton Harbour Inner<br>Channel light buoy<br>VC5 | 45 05 34.4<br>061 43 15.8                                            | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"VC5".                                                         | Seasonal (in place year round).                                                                                                  |
| 626.7                               | Mouton Harbour Inner<br>Channel light buoy<br>VC7 | 45 05 37.9<br>061 43 26.0                                            | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"VC7".                                                         | Seasonal (in place year round).                                                                                                  |
| 626.9                               | Bickerton Island light<br>buoy V1                 | 45 05 02.0<br>061 42 04.0                                            | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "V1".                                                             | Seasonal (in place year round).                                                                                                  |
| 627.1                               | Bickerton East<br>Bifurcation light buoy<br>VCC   | 45 05 36.2<br>061 42 33.0                                            | FI(2+1) G 6s             | .....                                    | .....                    | Green-red-green, spar,<br>marked "VCC".                                               | Seasonal (in place year round).                                                                                                  |
| 627.5                               | Bickerton East Outer<br>light buoy V3             | 45 05 42.7<br>061 42 38.3                                            | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "V3".                                                             | Seasonal (in place year round).                                                                                                  |
| 628.1                               | Bickerton East Middle<br>light buoy V4            | 45 05 55.9<br>061 43 03.9                                            | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "V4".                                                               | Seasonal (in place year round).                                                                                                  |
| 628.5                               | Bickerton East Inner<br>light buoy V6             | 45 06 12.2<br>061 43 22.1                                            | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "V6".                                                               | Seasonal (in place year round).                                                                                                  |
| 629<br>H3514                        | <b>Port Bickerton</b>                             | Near W. extremity<br>of Barachois Head.<br>45 05 24.0<br>061 42 01.7 | FI W 3s                  | 20.6                                     | 17                       | White square building with<br>red roof and white square<br>tower with red top.<br>9.2 | Year round.<br>Flash 1 s; eclipse 2 s.<br>Visible 280°-136°.<br><b>Fog Horn</b><br>Blast 3 s; sil. 3 s;<br>blast 3 s; sil. 51 s. |
| 629.5<br>H3516                      | Mouton Harbour Outer<br>front range light         | 45 05 29.9<br>061 43 49.6                                            | F W                      | .....                                    | 3.8                      | 14<br>Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.6     | Year round.                                                                                                                      |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.     | Name<br>-----<br>RACON                        | Location<br>-----<br>Latitude N.<br>Longitude W.                                        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                             | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |             |
|------------------------------|-----------------------------------------------|-----------------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------|-------------|
| NOVA SCOTIA, SOUTHEAST COAST |                                               |                                                                                         |                          |                                          |                          |                                                                                                      |                                                     |             |
| 629.6<br>H3516.1             | Mouton Harbour Outer<br>rear range light      | 45 05 29.4<br>061 43 56.0<br><br>263°39' 141.9 m<br>from front.                         | F W .....                | 7.6                                      | 14                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>6.6                          | Year round.                                         |             |
| 629.8<br>H3516.3             | Mouton Harbour                                | On crib.<br>45 05 40.8<br>061 43 28.5                                                   | Iso R 1s                 | 4.5                                      | 4                        | Square skeleton tower, red<br>and white triangular<br>daymark with red triangle in<br>center.<br>3.6 | Year round.                                         |             |
| 629.9<br>H3516.4             | Mouton Harbour<br>Wharf Light                 | 45 05 41.8<br>061 43 35.1                                                               | Fl G 4s                  | 4.3                                      | 4                        | Cylindrical mast, green and<br>white square daymark.<br>3.5                                          | Year round.<br>Flash 1 s; eclipse 3 s.              |             |
| 631.2<br>H3515               | Port Bickerton East<br>wharf Light            | On outer end of<br>wharf.<br>45 06 18.8<br>061 43 21.9                                  | Iso R 4s                 | 4.3                                      | 4                        | Cylindrical mast.<br>3.6                                                                             | Year round.                                         |             |
| 632                          | Port Bickerton light<br>and bell buoy V       | SW. of Taylor<br>Shoal.<br>45 01 12.5<br>061 39 09.0                                    | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"V".                                                                    | Year round.<br><br>Audible signal: Bell             |             |
| 633.01                       | Rose Shoal South<br>Cardinal light buoy<br>TY | 45 04 33.0<br>061 37 20.1                                                               | Q(6) +<br>LFI            | W 15s                                    | .....                    | .....                                                                                                | Yellow-black, pillar, marked<br>"TY".               | Year round. |
| 633.02                       | Bull Rock light buoy<br>TY5                   | Liscomb.<br>45 05 11.0<br>061 38 32.5                                                   | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "TY5".                                                                           | Seasonal (in place year round).                     |             |
| 634<br>H3512                 | Fishermans Harbour                            | W. extremity of<br>Shingle beach on<br>S. side of harbour.<br>45 06 42.0<br>061 40 41.1 | Fl G 4s                  | 7.1                                      | 7                        | Square skeleton tower,<br>green, white and green<br>square daymark.<br>7.9                           | Seasonal.<br>Flash 1 s; eclipse 3 s.                |             |
| 634.4                        | South Easter South<br>Cardinal light buoy TU  | SW. of South<br>Easter.<br>45 02 45.0<br>061 35 12.0                                    | Q(6) +<br>LFI            | W 15s                                    | .....                    | .....                                                                                                | Yellow-black, pillar, marked<br>"TU".               | Year round. |
| 635                          | Isaac's Harbour light<br>and bell buoy TT     | E. of Jarvis Bank.<br>45 02 14.9<br>061 32 35.0                                         | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"TT".                                                                   | Year round.<br><br>Audible signal: Bell             |             |
| 635.5                        | Tom Cod light buoy<br>TT2                     | 45 04 27.3<br>061 33 00.7                                                               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "TT2".                                                                           | Year round.                                         |             |
| 636                          | Goose Island light<br>buoy TT4                | S. extremity of<br>island.<br>45 05 54.5<br>061 34 36.2                                 | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "TT4".                                                                           | Year round.                                         |             |
| 636.04                       | Isaac's Harbour light<br>buoy TT7             | Liscomb.<br>45 09 34.0<br>061 39 20.0                                                   | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "TT7".                                                                           | Year round.                                         |             |
| 636.1                        | Avondale Reef light<br>buoy TT10              | 45 09 43.0<br>061 39 02.0                                                               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "TT10".                                                                          | Year round.                                         |             |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                     | Location<br>-----<br>Latitude N.<br>Longitude W.                                        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS             |
|-------------------------------------|--------------------------------------------|-----------------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                            |                                                                                         |                          |                                          |                          |                                                                          |                                                                 |
| 636.2                               | Middle Ground light<br>buoy TX1            | Off Saladin Point.<br>45 07 32.0<br>061 35 21.0                                         | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "TX1".                                               | Year round.                                                     |
| 638<br>H3508                        | Drum Head                                  | On outer end of<br>breakwater.<br>45 08 43.2<br>061 36 09.2                             | Fl R 4s                  | 4.2                                      | 5                        | Cylindrical mast, red and<br>white triangular daymark.<br>3.6            | Seasonal.<br>Flash 1 s; eclipse 3 s.                            |
| 639<br>H3504                        | Country Island                             | S. side of island.<br>45 05 59.8<br>061 32 31.9                                         | Fl W 20s                 | 16.5                                     | .....                    | White octagonal tower with<br>red top.<br>13.7                           | Year round.<br>Flash 2 s; eclipse 18 s.                         |
| 639.5                               | Split Rock light and<br>whistle buoy TS2   | SW. of rock.<br>45 07 08.0<br>061 29 45.4                                               | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "TS2".                                               | Year round.<br><b>Audible signal:</b> Whistle                   |
| 639.7                               | Brandy Ledge light<br>and bell buoy TQ2    | S. of ledge.<br>45 06 54.4<br>061 26 56.2                                               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "TQ2".                                               | Year round.<br><b>Audible signal:</b> Bell                      |
| 640                                 | Coddles Harbour light<br>and bell buoy TS6 | Off S. extremity of<br>Coddles Island.<br>45 08 33.8<br>061 30 48.0                     | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "TS6".                                               | Year round.<br><b>Audible signal:</b> Bell                      |
| 641<br>H3502                        | Coddles Harbour                            | On Thrumcap<br>Island, entrance to<br>harbour.<br>45 09 21.3<br>061 31 01.0             | Fl W 4s                  | 9.8                                      | 6                        | Pipe swing pole, red and<br>white rectangular daymark.                   | Seasonal.<br>Flash 1 s; eclipse 3 s.                            |
| 642                                 | Shoal Point light and<br>bell buoy TP1     | S. of Eastern Head.<br>45 09 02.0<br>061 25 28.0                                        | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"TP1".                                          | Year round.<br><b>Audible signal:</b> Bell                      |
| 643                                 | Eastern Head light<br>buoy TP2             | NE. of point.<br>45 10 00.8<br>061 26 14.4                                              | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "TP2".                                                 | Year round.                                                     |
| 644<br>H3500                        | New Harbour Cove                           | On outer end of<br>breakwater.<br>45 10 13.5<br>061 27 01.6                             | Fl(2) G 6s               | 8.2                                      | 4                        | Skeleton tower, enclosed<br>lower portion.<br>3.5                        | Seasonal.<br>Flash 1 s; eclipse 1 s;<br>flash 1 s; eclipse 3 s. |
| 645.6                               | Larry's River light<br>buoy TK1            | 45 11 54.2<br>061 21 07.1                                                               | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"TK1".                                          | Seasonal.                                                       |
| 646<br>H3484                        | Berry Head                                 | On E. point of head,<br>W. side of entrance<br>to harbour.<br>45 11 28.8<br>061 18 39.9 | LFl W 6s                 | .....                                    | 12                       | White rectangular tower<br>with red top.<br>6.2                          | Year round.<br>Flash 2 s; eclipse 4 s.                          |
| 646.1                               | Torbay light and bell<br>buoy TH           | 45 10 48.7<br>061 16 24.2                                                               | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"TH".                                       | Year round.<br><b>Audible signal:</b> Bell                      |
| 646.2                               | Torbay French Rock<br>light buoy TH2       | 45 11 14.2<br>061 16 47.0                                                               | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "TH2".                                                 | Seasonal (in place year round).                                 |
| 646.3                               | Torbay Ledges light<br>buoy TH3            | 45 11 37.0<br>061 17 21.0                                                               | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "TH3".                                               | Year round.                                                     |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                                            | Location<br>-----<br>Latitude N.<br>Longitude W.                               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                         |
|-------------------------------------|-------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                                   |                                                                                |                          |                                          |                          |                                                                                                   |                                                                             |
| 646.4                               | Torbay Ledges light<br>buoy TH4                                   | 45 11 44.6<br>061 17 13.7                                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "TH4".                                                                          | Seasonal (in place year round).                                             |
| 646.7                               | Webber Shoal light<br>buoy TH7                                    | Torbay.<br>45 12 40.3<br>061 19 28.3                                           | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "TH7".                                                                        | Seasonal (in place year round).                                             |
| 646.9                               | Larrys River light buoy<br>TH10                                   | 45 12 54.6<br>061 22 02.7                                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "TH10".                                                                         | Year round.                                                                 |
| 647.2<br>H3497                      | Larry's River<br>Northeast Breakwater                             | On outer end of<br>breakwater.<br>45 12 58.1<br>061 22 06.3                    | Iso R 4s                 | 3.9                                      | 10                       | Square skeleton tower, red<br>and white rectangular<br>daymark, red triangle in<br>centre.<br>3.3 | Year round.                                                                 |
| 648.1                               | Charlos Harbour<br>Fairway light buoy TN                          | 45 14 22.5<br>061 18 45.5                                                      | Mo(A) W 6s               | .....                                    | .....                    | Red-white, spar, marked<br>"TN".                                                                  | Year round.                                                                 |
| 654<br>H3478                        | Hog Island                                                        | E. end of island.<br>45 13 43.6<br>061 13 11.0                                 | Fl W 4s                  | 10.6                                     | .....                    | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>9.9                            | Seasonal.<br>Visible 196°-062°.<br><b>Fog Horn</b><br>Blast 2 s; sil. 18 s. |
| 655                                 | Flying Point Shoals<br>light and whistle buoy<br>TA4              | W. of shoals.<br>45 11 59.5<br>061 13 09.3                                     | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "TA4".                                                                        | Year round.<br><b>Audible signal:</b> Whistle                               |
| 656                                 | Port Felix light and bell<br>buoy TA7                             | S. of Hog Island.<br>45 13 16.3<br>061 13 11.2                                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"TA7".                                                                   | Year round.<br><b>Audible signal:</b> Bell                                  |
| 656.6                               | Whitehaven Harbour<br>light buoy PU15                             | S. of Kelp Shoal.<br>45 14 04.3<br>061 10 41.5                                 | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"PU15".                                                                    | Year round.                                                                 |
| 657<br>H3476                        | Three Top Island                                                  | SE. point of island,<br>entrance to<br>Whitehead.<br>45 12 28.9<br>061 09 31.9 | Fl G 4s                  | 16.9                                     | 8                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>9.7                            | Year round.<br>Flash 1 s; eclipse 3 s.<br>Visible 150°-033°.                |
| 657.5                               | Gammon Islands light<br>buoy PU5                                  | Southern Passage.<br>45 12 08.0<br>061 08 35.8                                 | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"PU5".                                                                     | Year round.                                                                 |
| 658                                 | Southwest Bull light<br>and bell buoy PU1                         | SE. of rock.<br>45 11 09.1<br>061 08 20.3                                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"PU1".                                                                   | Year round.<br><b>Audible signal:</b> Bell                                  |
| 659<br>H3474                        | White Head Island                                                 | SW. side of island.<br>45 11 49.1<br>061 08 10.8                               | LFl W 6s                 | 18.2                                     | 10                       | Square tower, red, white<br>and red rectangular<br>daymark.<br>10.6                               | Year round.<br>Flash 2 s; eclipse 4 s.                                      |
| 661.2                               | White Point Ledges<br>South Cardinal light<br>and whistle buoy PQ | 45 13 28.2<br>060 58 46.6                                                      | Q(6) +<br>LFl W 15s      | .....                                    | .....                    | Yellow-black, pillar, marked<br>"PQ".                                                             | Year round.<br><b>Audible signal:</b> Whistle                               |
| 662                                 | Horne Shoal light and<br>bell buoy PQ4                            | W. side of Horne<br>Shoal.<br>45 15 27.4<br>061 01 03.4                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "PQ4".                                                                        | Year round.<br><b>Audible signal:</b> Bell                                  |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                             | Location<br>-----<br>Latitude N.<br>Longitude W.    | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                                                                                                                                                        |
|-------------------------------------|----------------------------------------------------|-----------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                    |                                                     |                          |                                          |                          |                                                                          |                                                                                                                                                                                                                                                                                                                            |
| 662.2                               | Dover Bay light buoy PQ6                           | 45 16 25.9<br>061 01 03.6                           | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "PQ6".                                                 | Year round.                                                                                                                                                                                                                                                                                                                |
| 662.5<br>H3473                      | Walsh Point Fog Signal                             | 45 16 17.2<br>061 01 27.0                           | .....                    | .....                                    | .....                    | Triangular skeleton mast.                                                | Seasonal.<br><br><b>Fog Horn</b><br>Blast 2 s; sil. 18 s.<br>Mariners requiring the operation of the fog signal will have to select VHF channel 65 (156.275Mhz) and key their microphones five (5) times within 10 secs. The signal will be in operation for 30 min. After this delay the same operation must be repeated. |
| 662.9                               | Dover Harbour light buoy PQ11                      | 45 16 50.5<br>061 01 34.0                           | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "PQ11".                                              | Year round.                                                                                                                                                                                                                                                                                                                |
| 662.91                              | Dover Harbour light buoy PQ12                      | 45 16 51.7<br>061 01 34.9                           | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "PQ12".                                                | Year round.                                                                                                                                                                                                                                                                                                                |
| 662.94                              | Dover Harbour light buoy PQ15                      | 45 17 13.9<br>061 02 09.1                           | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "PQ15".                                              | Year round.                                                                                                                                                                                                                                                                                                                |
| 663<br>H3472                        | Dover Harbour                                      | Burnt Island.<br>45 16 41.5<br>061 01 12.4          | Fl W 4s                  | 8.1                                      | 7                        | Square skeleton tower, red and white rectangular daymark.<br>6.7         | Year round.                                                                                                                                                                                                                                                                                                                |
| 663.2<br>H3471                      | Rock Island                                        | 45 16 58.1<br>061 01 42.6                           | LFl R 6s                 | .....                                    | 5                        | Cylindrical mast, red and white triangular daymark.                      | Seasonal.<br>Flash 2 s; eclipse 4 s.                                                                                                                                                                                                                                                                                       |
| 664.03                              | Little Dover Run light buoy PP7                    | 45 16 08.5<br>060 59 02.0                           | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "PP7".                                               | Year round.                                                                                                                                                                                                                                                                                                                |
| 664.032                             | Little Dover Run light buoy PP11                   | 45 16 19.2<br>060 59 22.0                           | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "PP11".                                            | Year round.                                                                                                                                                                                                                                                                                                                |
| 664.034                             | Little Dover Run light buoy PP15                   | 45 16 25.9<br>060 59 36.6                           | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "PP15".                                              | Year round.                                                                                                                                                                                                                                                                                                                |
| 664.035                             | Little Dover Run light buoy PP22                   | 45 16 39.4<br>061 00 15.1                           | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "PP22".                                                | Year round.                                                                                                                                                                                                                                                                                                                |
| 664.037                             | Little Dover Run light buoy PP25                   | 45 16 52.4<br>061 00 44.3                           | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "PP25".                                              | Year round.                                                                                                                                                                                                                                                                                                                |
| 664.038                             | Little Dover Run light buoy PP26                   | 45 17 13.5<br>061 01 28.1                           | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "PP26".                                                | Year round.                                                                                                                                                                                                                                                                                                                |
| 664.039                             | Little Dover Run light buoy PP29                   | Canso.<br>45 17 22.1<br>061 01 50.7                 | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "PP29".                                              | Year round.                                                                                                                                                                                                                                                                                                                |
| 664.1                               | Little Dover Harbour Fairway light and bell buoy P | E. of Thrumcap Island.<br>45 16 00.0<br>060 57 18.8 | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked "P".                                           | Year round.<br><br><b>Audible signal: Bell</b>                                                                                                                                                                                                                                                                             |
| 664.5                               | Banquereau ODAS light buoy 44139                   | 44 14 03.0<br>057 05 44.4                           | Fl(5) Y 20s              | .....                                    | .....                    | Yellow, ODAS, marked "44139".                                            | Year round.                                                                                                                                                                                                                                                                                                                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                                                    | Location<br>-----<br>Latitude N.<br>Longitude W.                                        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)               | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                             |
|-------------------------------------|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                                                           |                                                                                         |                          |                                          |                          |                                                                                        |                                                                                                                 |
| 664.7                               | East Scotia Slope<br>ODAS light buoy<br>44137                             | 42 15 42.0<br>061 59 54.0                                                               | Fl(5) Y 20s              | .....                                    | .....                    | Yellow, ODAS, marked<br>"44137".                                                       | Year round.<br>Operates 24 h.                                                                                   |
| 664.8                               | Southwest Grand<br>Banks ODAS light<br>buoy 44138                         | 44 13 00.0<br>053 36 00.0                                                               | Fl(5) Y 20s              | .....                                    | .....                    | Yellow, ODAS.                                                                          | Year round.                                                                                                     |
| 666.8                               | Andrew Island East<br>Cardinal light and<br>whistle buoy PK               | E. of island.<br>45 17 36.0<br>060 52 58.0                                              | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, pillar,<br>marked "PK".                                            | Year round.<br><b>Audible signal:</b> Whistle                                                                   |
| 667.015                             | Pink Rock light buoy<br>PK2                                               | Canso.<br>45 19 04.3<br>060 55 35.7                                                     | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "PK2".                                                               | Year round.                                                                                                     |
| 668<br>H3458                        | <b>Cranberry Islands</b><br><br><b>Racon B (- . . .)</b><br><b>X Band</b> | S. part of island, off<br>Cape Canso.<br>45 19 29.6<br>060 55 38.2                      | Fl W 15s                 | 16.9                                     | <b>21</b>                | Square skeleton tower, red<br>and white rectangular<br>daymark.                        | Year round.<br>Flash 1 s; eclipse 14 s.<br><br><b>Fog Horn</b><br>Blast 3 s; sil. 3 s;<br>blast 3 s; sil. 51 s. |
| 669                                 | Grime Shoal light and<br>whistle buoy CV1                                 | E. of Grime Rock.<br>45 21 05.3<br>060 50 44.6                                          | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"CV1".                                                        | Year round.<br><b>Audible signal:</b> Whistle                                                                   |
| 669.5                               | Bass Rock light and<br>bell buoy PJ2                                      | S. of rock.<br>45 20 38.4<br>060 52 54.7                                                | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "PJ2".                                                             | Year round.<br><b>Audible signal:</b> Bell                                                                      |
| 669.8                               | Frying Pan Shoal light<br>and bell buoy PJ3                               | E. of shoal.<br>45 19 58.2<br>060 55 41.1                                               | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "PJ3".                                                           | Year round.<br><b>Audible signal:</b> Bell                                                                      |
| 670                                 | Man of War Rock light<br>and bell buoy PK7                                | E. of rock.<br>45 19 41.4<br>060 56 56.4                                                | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"PK7".                                                        | Year round.<br><b>Audible signal:</b> Bell                                                                      |
| 670.5                               | Pas Reef light buoy<br>PJ6                                                | 45 20 02.7<br>060 56 56.5                                                               | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "PJ6".                                                               | Year round.                                                                                                     |
| 671                                 | Grassy Island light<br>buoy PJ12                                          | S. of island.<br>45 19 58.3<br>060 58 10.7                                              | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "PJ12".                                                              | Year round.                                                                                                     |
| 672<br>H3460                        | Canso front range light                                                   | S. of Lanigan<br>Beach, near S.<br>entrance to<br>harbour.<br>45 19 56.2<br>060 58 46.5 | F R                      | .....                                    | 11.9                     | 13<br>White square tower with<br>red upper portion and red<br>vertical stripe.<br>10.1 | Year round.                                                                                                     |
| 673<br>H3460.1                      | Canso rear range light                                                    | 45 19 55.4<br>060 59 03.2<br><br>266°29' 365.8 m<br>from front.                         | F R                      | .....                                    | 28.5                     | 13<br>White square tower with<br>red upper portion and red<br>vertical stripe.<br>13.8 | Year round.                                                                                                     |
| 674<br>H3462                        | Canso Harbour front<br>range light                                        | On N. end of<br>breakwater.<br>45 20 14.3<br>060 59 03.9                                | F G                      | .....                                    | 4.5                      | 7<br>Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.0       | Year round.                                                                                                     |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                     | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics     | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                                                                                    | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|--------------------------------------------|-----------------------------------------------------------------|------------------------------|------------------------------------------|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NOVA SCOTIA, SOUTHEAST COAST</b> |                                            |                                                                 |                              |                                          |                          |                                                                                                                                                             |                                                     |
| 674.2<br>H3462.1                    | Canso Harbour rear<br>range light          | 45 20 12.4<br>060 59 03.1<br><br>164°28' 62.0 m<br>from front.  | F G .....<br><br><br>        | 6.6                                      | 7                        | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>5.1                                                                                 | Year round.                                         |
| 675.1                               | Canso Harbour Turn<br>light buoy PC14      | 45 20 19.4<br>060 59 08.5                                       | Q R 1s .....<br><br><br>     | .....                                    | .....                    | Red, spar, marked "PC14".                                                                                                                                   | Year round.                                         |
| 677<br>H3464.5                      | Starling Rock                              | On crib.<br>45 20 23.6<br>060 59 04.6                           | Q G 1s<br><br><br>           | 6.3                                      | 4                        | White cylindrical tower with<br>green horizontal band,<br>green and white square<br>daymark facing S., W., and<br>N. with black square in<br>centre.<br>3.6 | Year round.                                         |
| 678<br>H3464                        | Piscataqui Island                          | W. shore of island.<br>45 20 33.6<br>060 59 09.1                | FI W 5s .....<br><br><br>    | .....                                    | 6                        | Square skeleton tower, red<br>and white rectangular<br>daymark.                                                                                             | Year round.<br>Flash 2 s; eclipse 3 s.              |
| 679<br>H3465                        | Hart Island front<br>range light           | 45 20 37.6<br>060 59 25.3                                       | F R .....<br><br><br>        | 4.1                                      | 17                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.6                                                                                 | Year round.                                         |
| 679.1<br>H3465.1                    | Hart Island rear<br>range light            | 45 20 33.9<br>060 59 24.3<br><br>169°45' 116.7 m<br>from front. | F R .....<br><br><br>        | 9.3                                      | 17                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>8.2                                                                                 | Year round.                                         |
| 679.5<br>H3468                      | Harbour Shoal                              | On crib.<br>45 20 20.5<br>060 59 38.6                           | FI G 4s<br><br><br>          | 6.4                                      | 6                        | White cylindrical tower with<br>green horizontal band,<br>green and white square<br>daymark facing E., W., and<br>N. with black square in<br>centre.<br>3.6 | Year round.                                         |
| 680.2                               | Hart Island light buoy<br>PC6              | NW. of island.<br>45 20 45.7<br>060 59 28.2                     | Q R 1s .....<br><br><br>     | .....                                    | .....                    | Red, spar, marked "PC6".                                                                                                                                    | Year round.                                         |
| 680.5                               | Piscataqui Island light<br>buoy PC5        | NW. of island.<br>45 20 53.8<br>060 59 27.8                     | FI G 4s .....<br><br><br>    | .....                                    | .....                    | Green, spar, marked<br>"PC5".                                                                                                                               | Year round.                                         |
| 681                                 | Bald Rock light and<br>bell buoy PC2       | N. entrance to<br>Canso Harbour.<br>45 21 10.8<br>060 59 36.1   | FI R 4s .....<br><br><br>    | .....                                    | .....                    | Red, pillar, marked "PC2".                                                                                                                                  | Year round.<br><br><b>Audible signal:</b> Bell      |
| 682                                 | Canso Harbour light<br>and whistle buoy PC | N. entrance to<br>harbour.<br>45 21 42.9<br>060 59 41.5         | Mo(A) W 6s .....<br><br><br> | .....                                    | .....                    | Red-white, pillar, marked<br>"PC".                                                                                                                          | Year round.<br><br><b>Audible signal:</b> Whistle   |
| 683<br>H3456                        | Queensport                                 | On Rook Island,<br>Chedabucto Bay.<br>45 20 52.6<br>061 16 18.9 | FI W 4s<br><br><br>          | 16.5                                     | 7                        | White house with red top.<br>10.7                                                                                                                           | Year round.                                         |
| 683.1                               | Guysborough Harbour<br>light buoy CQ2      | 45 22 29.1<br>061 29 06.6                                       | FI R 4s .....<br><br><br>    | .....                                    | .....                    | Red, conical, marked<br>"CQ2".                                                                                                                              | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## NOVA SCOTIA, SOUTHEAST COAST

|        |                                       |                           |         |       |       |                           |           |
|--------|---------------------------------------|---------------------------|---------|-------|-------|---------------------------|-----------|
| 684.02 | Guysborough Harbour<br>light buoy CQ5 | 45 22 55.3<br>061 29 20.3 | Fl G 4s | ..... | ..... | Green, can, marked "CQ5". | Seasonal. |
|--------|---------------------------------------|---------------------------|---------|-------|-------|---------------------------|-----------|



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## NOVA SCOTIA AND CAPE BRETON ISLAND

## Chedabucto Bay

|       |                                  |                           |            |       |       |                                     |             |
|-------|----------------------------------|---------------------------|------------|-------|-------|-------------------------------------|-------------|
| 686.5 | Chedabucto Bay light<br>buoy CF  | 45 23 54.4<br>061 03 00.5 | Mo(A) W 6s | ..... | ..... | Red-white, pillar, marked<br>"CF".  | Year round. |
| 686.7 | Chedabucto Bay light<br>buoy C2  | 45 25 38.1<br>061 06 17.7 | Q R 1s     | ..... | ..... | Red, pillar, marked "C2".           | Year round. |
| 686.8 | Chedabucto Bay light<br>buoy CGB | 45 28 24.3<br>061 10 23.7 | Mo(A) W 6s | ..... | ..... | Red-white, pillar, marked<br>"CGB". | Year round. |

## Strait of Canso

|        |                                                   |                           |             |       |       |                                    |                                            |
|--------|---------------------------------------------------|---------------------------|-------------|-------|-------|------------------------------------|--------------------------------------------|
| 687.1  | Argos Shoal light buoy<br>CS1                     | 45 29 11.3<br>061 12 16.6 | Q G 1s      | ..... | ..... | Green, pillar, marked<br>"CS1".    | Year round.                                |
| 687.2  | Chedabucto Bay light<br>and bell buoy C7          | 45 28 07.2<br>061 10 49.8 | Fl G 4s     | ..... | ..... | Green, pillar, marked "C7".        | Year round.<br><b>Audible signal: Bell</b> |
| 687.3  | Chedabucto Bay light<br>and bell buoy C8          | 45 28 42.2<br>061 09 55.7 | Fl R 4s     | ..... | ..... | Red, pillar, marked "C8".          | Year round.<br><b>Audible signal: Bell</b> |
| 687.35 | Chedabucto Bay West<br>ODAS light buoy<br>4400489 | 45 29 13.0<br>061 08 28.0 | Fl(5) Y 20s | ..... | ..... | Yellow, ODAS, marked<br>"4400489". | Year round.                                |
| 687.4  | Chedabucto Bay light<br>buoy C10                  | 45 30 40.3<br>061 12 18.4 | Fl R 4s     | ..... | ..... | Red, pillar, marked "C10".         | Year round.                                |
| 687.5  | Chedabucto Bay light<br>and bell buoy C11         | 45 31 48.4<br>061 14 17.8 | Fl G 4s     | ..... | ..... | Green, pillar, marked<br>"C11".    | Year round.<br><b>Audible signal: Bell</b> |
| 687.7  | Chedabucto Bay light<br>buoy C13                  | 45 32 17.8<br>061 15 28.6 | Q G 1s      | ..... | ..... | Green, pillar, marked<br>"C13".    | Year round.                                |
| 687.8  | Chedabucto Bay light<br>buoy C14                  | 45 32 37.3<br>061 15 45.6 | Fl R 4s     | ..... | ..... | Red, pillar, marked "C14".         | Year round.                                |
| 688    | Chedabucto Bay light<br>buoy C16                  | 45 32 31.3<br>061 17 30.6 | Q R 1s      | ..... | ..... | Red, pillar, marked "C16".         | Year round.                                |
| 688.1  | Chedabucto Bay light<br>buoy C17                  | 45 32 39.3<br>061 18 27.6 | Fl G 4s     | ..... | ..... | Green, pillar, marked<br>"C17".    | Year round.                                |
| 688.2  | Chedabucto Bay light<br>buoy C18                  | 45 33 29.3<br>061 19 17.6 | Fl R 4s     | ..... | ..... | Red, pillar, marked "C18".         | Year round.                                |
| 688.4  | Chedabucto Bay light<br>buoy C20                  | 45 33 44.3<br>061 19 57.6 | Q R 1s      | ..... | ..... | Red, pillar, marked "C20".         | Year round.                                |
| 688.5  | Chedabucto Bay light<br>buoy C21                  | 45 34 58.8<br>061 22 01.6 | Fl G 4s     | ..... | ..... | Green, pillar, marked<br>"C21".    | Year round.                                |
| 689.1  | Eddy Point Cautionary<br>light buoy CY            | 45 31 27.7<br>061 14 37.5 | Fl Y 4s     | ..... | ..... | Yellow, spar, marked "CY".         | Year round.                                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.           | Name<br>-----<br>RACON                            | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)         | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS       |
|------------------------------------|---------------------------------------------------|-----------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------|
| NOVA SCOTIA AND CAPE BRETON ISLAND |                                                   |                                                                 |                          |   |       |                                          |                          |                                                                                  |                                                           |
| 689.3<br>H3421                     | Eddy Point front<br>range light                   | SE. entrance, Strait<br>of Canso.<br>45 31 12.2<br>061 15 07.4  | Oc                       | G | 11s   | 11.9                                     | 15                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>12.3 | Year round.<br>Operates 24 h.<br>Flash 10 s; eclipse 1 s. |
| 689.4<br>H3421.1                   | Eddy Point rear<br>range light                    | 45 31 05.6<br>061 14 53.7<br><br>124°51' 361.0 m<br>from front. | F                        | G | ..... | 26.1                                     | 15                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>19.0 | Year round.<br>Operates 24 h.                             |
| 689.7<br>H3419                     | Port Malcolm front<br>range light                 | Seacoal Bay<br>Entrance.<br>45 34 32.7<br>061 17 16.9           | F                        | W | ..... | 19.7                                     | 25                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>9.6  | Year round.<br>Operates 24 h.                             |
| 689.8<br>H3419.1                   | Port Malcolm rear<br>range light                  | 45 34 52.3<br>061 17 40.4<br><br>319°50' 790.7 m<br>from front. | F                        | W | ..... | 46.6                                     | 25                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>19.1 | Year round.<br>Operates 24 h.                             |
| 690.3<br>H3425                     | Middle Melford front<br>range light               | 45 32 21.7<br>061 18 53.2                                       | F                        | G | ..... | 13.7                                     | 15                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>7.8  | Year round.<br>Operates 24 h.<br>Locator light: Fl W 4s.  |
| 690.4<br>H3425.1                   | Middle Melford rear<br>range light                | 45 32 21.6<br>061 18 57.6<br><br>268°05' 92.4 m<br>from front.  | F                        | G | ..... | 20.7                                     | 15                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>13.8 | Year round.<br>Operates 24 h.<br>Locator light: Fl W 4s.  |
| 692<br>H3426                       | Park Point front<br>range light                   | On point, W. side of<br>Strait.<br>45 32 35.8<br>061 19 16.0    | F                        | G | ..... | 12.3                                     | 17                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>11.1 | Year round.<br>Operates 24 h.                             |
| 693<br>H3426.1                     | Park Point rear range<br>light                    | 45 32 27.3<br>061 19 07.9<br><br>146°18' 316.9 m<br>from front. | F                        | G | ..... | 25.1                                     | 17                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>19.3 | Year round.<br>Operates 24 h.                             |
| 694.4<br>H3427                     | Laceys Rocks (Cahil<br>Rock) front range<br>light | SE. of rocks.<br>45 34 13.2<br>061 21 17.5                      | F                        | G | ..... | 12.9                                     | 18                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>12.7 | Year round.<br>Operates 24 h.                             |
| 694.5<br>H3427.1                   | Laceys Rocks (Cahil<br>Rock) rear range<br>light  | 45 34 16.5<br>061 21 24.2<br><br>304°46' 176.1 m<br>from front. | Oc                       | G | 11s   | 27.5                                     | 18                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>12.3 | Year round.<br>Operates 24 h.<br>Flash 10 s; eclipse 1 s. |
| 695                                | Point Tupper light<br>buoy C26                    | 45 36 20.8<br>061 22 33.1                                       | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "C26".                                                       | Year round.                                               |
| 696<br>H3430                       | Point Tupper                                      | Canso.<br>45 36 27.4<br>061 22 27.0                             | F                        | R | ..... | 29.6                                     | .....                    | Mast on small shed.                                                              | Private aid.<br>Year round.                               |
| 696.5                              | Premier Shoal light<br>buoy CL4                   | 45 36 47.3<br>061 22 10.6                                       | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "CL4".                                                         | Year round.                                               |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.           | Name<br>-----<br>RACON              | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)         | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                            |
|------------------------------------|-------------------------------------|------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NOVA SCOTIA AND CAPE BRETON ISLAND |                                     |                                                                  |                          |   |       |                                          |                          |                                                                                  |                                                                                                                                                                                                |
| 697<br>H3434                       | Cape Porcupine<br>front range light | S. side of Canso<br>Causeway.<br>45 38 41.9<br>061 25 05.8       | F                        | G | ..... | 9.9                                      | 16                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>6.1  | Seasonal.                                                                                                                                                                                      |
| 698<br>H3434.1                     | Cape Porcupine rear<br>range light  | 45 38 00.3<br>061 24 22.7<br><br>144°06' 1583.3 m<br>from front. | F                        | G | ..... | 21.8                                     | 18                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>13.8 | Seasonal.                                                                                                                                                                                      |
| 699                                | Dixon Rock light buoy<br>C28        | 45 38 31.3<br>061 24 11.6                                        | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "C28".                                                       | Year round.                                                                                                                                                                                    |
| 700<br>H3432                       | Canso Canal SE.                     | 45 38 46.6<br>061 24 32.0                                        | Fl                       | Y | 4s    | 4.8                                      | .....                    | Cylindrical mast.                                                                | Private aid.<br>Year round.                                                                                                                                                                    |
| 700.5<br>H3432.5                   | Canso Causeway                      | 45 38 50.8<br>061 24 45.6                                        | Fl                       | R | 4s    | 16.2                                     | .....                    | .....                                                                            | Private aid.<br>Year round.<br>Operates 24 h.<br>Secondary light: F R.<br>Secondary light: F W.<br>Preparing to open bridge.<br>FR - Bridge completely closed.<br>FW - Bridge completely open. |
| 701<br>H3436                       | Balache Point front<br>range light  | N. end of Canso<br>Lock.<br>45 38 57.7<br>061 24 59.4            | Oc                       | R | 11s   | 6.0                                      | .....                    | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.5      | Seasonal.<br>Operates 24 h.<br>Flash 10 s; eclipse 1 s.                                                                                                                                        |
| 702<br>H3436.1                     | Balache Point rear<br>range light   | 45 38 53.0<br>061 24 51.8<br><br>131°30' 219.8 m<br>from front.  | Oc                       | R | 11s   | 13.0                                     | .....                    | White pyramid tower with<br>red vertical stripe.<br>7.5                          | Seasonal.<br>Operates 24 h.<br>Flash 10 s; eclipse 1 s.                                                                                                                                        |
| 703<br>H3433                       | Canso Canal NE.<br>mooring berth    | 45 39 11.3<br>061 25 12.6                                        | Fl                       | Y | 4s    | 5.5                                      | .....                    | Cylindrical mast.                                                                | Private aid.<br>Year round.                                                                                                                                                                    |
| 704<br>H3423                       | Janvrin Island front<br>range light | At Thomas Head.<br>45 32 31.3<br>061 12 01.6                     | F                        | Y | ..... | 12.6                                     | 15                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>9.6  | Year round.<br>Operates 24 h.<br>Locator light: Fl W 4s.                                                                                                                                       |
| 704.1<br>H3423.1                   | Janvrin Island rear<br>range light  | 45 32 31.6<br>061 11 47.8<br><br>088°10' 300.2 m<br>from front.  | F                        | Y | ..... | 25.0                                     | 15                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>15.1 | Year round.<br>Operates 24 h.<br>Locator light: Fl W 4s.                                                                                                                                       |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                            | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|---------------------------------|---------------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                                   |                                                                  |                          |                                          |                          |                                                                          |                                                     |
| <b>Isle Madame</b>              |                                                   |                                                                  |                          |                                          |                          |                                                                          |                                                     |
| 704.85                          | Hautfond Shoal light<br>buoy CK2                  | 45 28 00.3<br>061 03 21.6                                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "CK2".                                                 | Year round.                                         |
| 704.855                         | Campbells Shoal light<br>buoy CK8                 | 45 30 10.3<br>061 01 33.6                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "CK8".                                                 | Year round.                                         |
| 704.86                          | Picard Reef light buoy<br>CM1                     | 45 29 58.4<br>061 05 38.2                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"CM1".                                            | Year round.                                         |
| 704.861                         | Jerseyman Shoal light<br>buoy CM2                 | Chedabucto Bay.<br>45 29 33.4<br>061 04 43.4                     | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "CM2".                                                 | Year round.                                         |
| 704.864                         | Crid Passage light<br>buoy CM5                    | 45 30 16.3<br>061 03 46.4                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"CM5".                                            | Year round.                                         |
| 704.9                           | Crichton Island light<br>buoy CN2                 | 45 30 03.3<br>061 07 21.6                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "CN2".                                                 | Year round.                                         |
| 704.93                          | Crichton Head light<br>buoy CN5                   | 45 30 53.2<br>061 06 40.6                                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "CN5".                                                | Year round.                                         |
| 704.94                          | Crichton Head light<br>buoy CN6                   | 45 30 53.5<br>061 06 22.1                                        | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"CN6".                                           | Year round.                                         |
| 706<br>H3416                    | West Arichat Wharf                                | On outer end of<br>wharf.<br>45 30 50.8<br>061 04 59.2           | Fl G 4s                  | 4.0                                      | 4                        | Pipe swing pole.<br>3.6                                                  | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 707<br>H3406                    | Jerseyman Island                                  | On Beach Point,<br>Arichat Harbour.<br>45 30 13.3<br>061 03 19.9 | Fl R 4s                  | 7.6                                      | 5                        | White square tower with<br>red upper portion.<br>7.8                     | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 708<br>H3404                    | Marache Point                                     | S. entrance to<br>Arichat Harbour.<br>45 28 50.3<br>061 02 04.6  | F W                      | .....                                    | 10.2                     | 12<br>White square tower with<br>red upper portion.<br>7.9               | Year round.<br>Visible 338°-224°.                   |
| 709                             | Cerberus Rock light<br>and whistle buoy CH4       | S. of rock.<br>45 27 37.0<br>061 06 15.0                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "CH4".                                               | Year round.<br><b>Audible signal:</b> Whistle       |
| 709.55                          | Chedabucto Bay East<br>ODAS light buoy<br>4400488 | 45 26 42.2<br>060 57 14.5                                        | Fl(5) Y 20s              | .....                                    | .....                    | Yellow, ODAS, marked<br>"4400488".                                       | Year round.                                         |
| 710                             | Petit-de-Grat light and<br>whistle buoy CJ        | 45 28 18.3<br>060 58 15.6                                        | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"CJ".                                       | Year round.<br><b>Audible signal:</b> Whistle       |
| 711                             | Petit-de-Grat light and<br>bell buoy CJ1          | 45 28 59.4<br>060 58 26.9                                        | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"CJ1".                                          | Year round.<br><b>Audible signal:</b> Bell          |
| 712                             | Arrow Point light buoy<br>CJ2                     | SW. of Big Arrow<br>Rock.<br>45 29 05.2<br>060 58 15.9           | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "CJ2".                                                 | Seasonal (in place year round).                     |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                   | Location<br>-----<br>Latitude N.<br>Longitude W.                                                         | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                         |             |
|--------------------------|------------------------------------------|----------------------------------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------------|
| CAPE BRETON ISLAND, N.S. |                                          |                                                                                                          |                          |                                          |                          |                                                                          |                                                                             |             |
| 712.09                   | Petit-de-Grat Light<br>Buoy NR10         | 45 31 10.0<br>060 57 13.0                                                                                | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "NR10".                                                | Seasonal.                                                                   |             |
| 713<br>H3398             | Petit-de-Grat Outer<br>front range light | W. of Petit-de-Grat<br>Inlet.<br>45 29 47.2<br>060 58 23.7                                               | F W                      | .....                                    | 8.3                      | 19                                                                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.5 | Year round. |
| 714<br>H3398.1           | Petit-de-Grat Outer<br>rear range light  | 45 29 49.1<br>060 58 23.7<br><br>356°01' 59.9 m<br>from front.                                           | F W                      | .....                                    | 14.8                     | 19                                                                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>9.5 | Year round. |
| 716                      | Mouse Island light<br>buoy CJ5           | 45 29 46.4<br>060 57 49.8                                                                                | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "CJ5".                                               | Seasonal (in place year round).<br>(Winter spar.)                           |             |
| 716.1                    | Mouse Island light<br>buoy CJ6           | 45 29 46.3<br>060 57 46.6                                                                                | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "CJ6".                                                 | Seasonal (in place year round).<br>(Winter spar.)                           |             |
| 717                      | Petit-de-Grat Harbour<br>light buoy CJ9  | 45 29 55.2<br>060 57 40.5                                                                                | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "CJ9".                                               | Seasonal (in place year round).<br>(Winter spar.)                           |             |
| 718<br>H3399             | Petit-de-Grat Inner<br>front range light | E. side of island.<br>45 30 03.6<br>060 57 31.5                                                          | F Y                      | .....                                    | 12.0                     | 16                                                                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.8 | Year round. |
| 719<br>H3399.1           | Petit-de-Grat Inner<br>rear range light  | 45 30 05.3<br>060 57 29.8<br><br>033°56' 64.1 m<br>from front.                                           | F Y                      | .....                                    | 15.4                     | 16                                                                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.5 | Year round. |
| 719.1<br>H3401           | Cowley Point<br>Breakwater               | W. side of inlet, on<br>end of breakwater.<br>45 30 06.3<br>060 57 47.5                                  | Fl G 4s                  | 4.9                                      | 4                        | Cylindrical mast, green and<br>white square daymark.<br>3.8              | Year round.<br>Flash 1 s; eclipse 3 s.                                      |             |
| 720                      | Marchand Ledge light<br>buoy CJ18        | 45 30 12.1<br>060 57 40.8                                                                                | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "CJ18".                                                | Seasonal (in place year round).<br>(Winter spar.)                           |             |
| 721<br>H3396             | Petit-de-Grat<br>Breakwater              | On outer end of<br>breakwater at N.<br>entrance to Petit-<br>de-Grat Inlet.<br>45 31 04.5<br>060 57 02.9 | Fl G 4s                  | .....                                    | 4                        | Square skeleton tower,<br>green and white<br>rectangular daymark.        | Seasonal.<br>Flash 1 s; eclipse 3 s.                                        |             |
| 722<br>H3376             | Green Island Light                       | Summit of island.<br>45 28 41.3<br>060 53 57.6                                                           | Fl(2) W 20s              | 34.1                                     | 10                       | White cylindrical tower with<br>red top.<br>11.5                         | Year round.<br>Flash 1 s; eclipse 3 s;<br>flash 1 s; eclipse 15 s.          |             |
| 723                      | Orpheus Rock light<br>and bell buoy NQ1  | E. side of rock.<br>45 28 41.3<br>060 51 00.6                                                            | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NQ1".                                          | Year round.<br><br>Audible signal: Bell                                     |             |
| 724                      | Petite Anse light and<br>bell buoy NS1   | 45 29 39.5<br>060 54 55.2                                                                                | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NS1".                                          | Year round.<br><br>Audible signal: Bell                                     |             |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## CAPE BRETON ISLAND, N.S.

## Lennox Passage

|              |                                                               |                                                                              |            |       |       |                                                                        |                                                   |
|--------------|---------------------------------------------------------------|------------------------------------------------------------------------------|------------|-------|-------|------------------------------------------------------------------------|---------------------------------------------------|
| 727          | Beak Point Shoal<br>(Petit Nez) light and<br>whistle buoy NQ3 | Off E. side of shoal.<br>45 33 08.9<br>060 50 59.6                           | FI G 4s    | ..... | ..... | Green, pillar, marked<br>"NQ3".                                        | Year round.<br><br><b>Audible signal:</b> Whistle |
| 728.5        | Cape Ronde light<br>buoy NT1                                  | 45 34 46.1<br>060 52 57.8                                                    | FI G 4s    | ..... | ..... | Green, spar, marked "NT1".                                             | Seasonal (in place year round).                   |
| 729<br>H3392 | Grandique Point                                               | On beach.<br>45 35 36.6<br>061 01 20.3                                       | LFI G 6s   | 9.2   | 7     | White pyramid tower with<br>red top.<br>9.5                            | Seasonal.<br>Flash 2 s; eclipse 4 s.              |
| 730<br>H3388 | Hawk Island                                                   | Entrance to<br>Poulamon Bay.<br>45 35 40.3<br>060 59 42.3                    | FI G 4s    | 12.9  | 4     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>9.7 | Seasonal.<br>Visible 240°30'-265°30'.             |
| 730.5        | Goillon Reef light buoy<br>NT12                               | 45 36 03.3<br>060 59 00.6                                                    | FI R 4s    | ..... | ..... | Red, spar, marked "NT12".                                              | Seasonal.                                         |
| 731<br>H3384 | Ouetique Island                                               | On S. point.<br>45 36 35.2<br>060 57 26.3                                    | FI R 4s    | 23.4  | 5     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>8.6 | Seasonal.<br>Flash 1 s; eclipse 3 s.              |
| 732<br>H3386 | River Bourgeois                                               | On point, E. side of<br>entrance.<br>45 37 32.8<br>060 56 51.1               | Iso R 4s   | 7.1   | ..... | White square tower with<br>red top.<br>7.7                             | Private aid.<br>Seasonal.                         |
| 733          | Saint Peters Bay light<br>buoy NQ12                           | W. side of channel<br>at S. entrance to<br>bay.<br>45 37 07.2<br>060 53 18.4 | FI R 4s    | ..... | ..... | Red, spar, marked "NQ12".                                              | Seasonal (in place year round).                   |
| 734<br>H3380 | Jerome Point                                                  | Near canal<br>entrance.<br>45 38 53.9<br>060 52 21.8                         | F R        | ..... | 15.5  | 4<br>White square tower with<br>red upper portion.<br>10.9             | Seasonal.                                         |
| 735          | Haddock Rock light<br>and bell buoy NP2                       | W. of rock.<br>45 35 50.6<br>060 49 37.4                                     | FI R 4s    | ..... | ..... | Red, pillar, marked "NP2".                                             | Year round.<br><br><b>Audible signal:</b> Bell    |
| 736          | Lower L'Ardoise light<br>and whistle buoy NM                  | N. of Red Point.<br>45 34 49.3<br>060 45 52.4                                | Mo(A) W 6s | ..... | ..... | Red-white, pillar, marked<br>"NM".                                     | Year round.<br><br><b>Audible signal:</b> Whistle |
| 737<br>H3372 | Little Harbour Wharf                                          | 45 34 59.3<br>060 44 27.5                                                    | F R        | ..... | 4.9   | 8<br>Cylindrical mast.<br>4.4                                          | Seasonal.                                         |
| 737.05       | Lower L'Ardoise light<br>buoy NN5                             | Isle Madame.<br>45 35 51.2<br>060 46 15.4                                    | FI G 4s    | ..... | ..... | Green, spar, marked<br>"NN5".                                          | Seasonal.                                         |
| 738          | Michaud Ledges light<br>and whistle buoy N18                  | 45 32 48.9<br>060 44 03.8                                                    | FI R 4s    | ..... | ..... | Red, pillar, marked "N18".                                             | Seasonal.<br><br><b>Audible signal:</b> Whistle   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                                 | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                            |
|---------------------------------|--------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                                        |                                                                 |                          |                                          |                          |                                                                          |                                                                                |
| 739                             | Black Breaker Rock<br>South Cardinal light<br>buoy NHA | L'Archeveque.<br>45 35 24.9<br>060 34 48.2                      | Q(6) + W 15s<br>LFI      | .....                                    | .....                    | Yellow-black, spar, marked<br>"NHA".                                     | Seasonal (in place year round).                                                |
| 741                             | L'Archevêque light<br>buoy NH                          | 45 36 57.1<br>060 34 01.0                                       | Mo(A) W 6s               | .....                                    | .....                    | Red-white, can, marked<br>"NH".                                          | Seasonal (in place year round).                                                |
| 741.01                          | L'Archevêque light<br>buoy NH3                         | 45 37 12.1<br>060 34 21.4                                       | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"NH3".                                            | Seasonal (in place year round).                                                |
| 741.03                          | L'Archevêque light<br>buoy NH4                         | 45 37 16.0<br>060 34 26.3                                       | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "NH4".                                                 | Seasonal (in place year round).                                                |
| 741.04                          | L'Archevêque light<br>buoy NH8                         | 45 37 21.9<br>060 34 36.8                                       | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "NH8".                                                 | Seasonal (in place year round).                                                |
| 741.05                          | L'Archevêque light<br>buoy NH10                        | 45 37 27.6<br>060 34 32.2                                       | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "NH10".                                                | Seasonal (in place year round).                                                |
| 742                             | St. Esprit light buoy<br>N16                           | SE. of Bad<br>Neighbour Shoal.<br>45 35 12.2<br>060 30 25.6     | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "N16".                                               | Seasonal.                                                                      |
| 743<br>H3368                    | St. Esprit Island                                      | E. end of island.<br>45 37 19.2<br>060 29 17.6                  | LFI W 6s                 | 23.8                                     | 7                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>9.9   | Year round.<br>Flash 2 s; eclipse 4 s.                                         |
| 745                             | Fourchu light buoy<br>N14                              | S. of Fourchu<br>Head.<br>45 42 00.2<br>060 12 45.6             | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "N14".                                               | Seasonal.<br>(Winter spar.)                                                    |
| 746                             | Fourchu light buoy<br>NC2                              | W. entrance to<br>Fourchu Harbour.<br>45 42 57.2<br>060 13 07.6 | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "NC2".                                                 | Seasonal.                                                                      |
| 746.1                           | Fourchu light buoy<br>NC3                              | 45 43 04.2<br>060 13 26.4                                       | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"NC3".                                            | Seasonal (in place year round).                                                |
| 746.2                           | Fourchu light buoy<br>NC4                              | 45 43 06.6<br>060 13 25.2                                       | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "NC4".                                                 | Seasonal (in place year round).                                                |
| 747<br>H3362                    | Fourchu Head                                           | Near E. extremity of<br>head.<br>45 43 02.8<br>060 13 46.4      | LFI W 6s                 | 18.9                                     | 12                       | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>9.0   | Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 4 s.<br>Visible 096°-065°. |
| 747.3                           | North Fourchu light<br>buoy NC24                       | 45 43 12.0<br>060 14 21.0                                       | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "NC24".                                              | Seasonal.                                                                      |
| 750<br>H3360                    | <b>Guyon Island</b>                                    | On island.<br>45 45 57.3<br>060 06 45.7                         | FI W 21s                 | 12.8                                     | 17                       | White octagonal tower with<br>red top.<br>12.8                           | Year round.<br>Flash 1 s; eclipse 20 s.                                        |
| 751                             | Guyon Island light and<br>whistle buoy J12             | E. of island.<br>45 46 03.2<br>060 02 41.6                      | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "J12".                                               | Seasonal.<br><br><b>Audible signal:</b> Whistle                                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                     | Location<br>-----<br>Latitude N.<br>Longitude W.                                  | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS            |
|---------------------------------|--------------------------------------------|-----------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                            |                                                                                   |                          |                                          |                          |                                                                          |                                                                |
| 752                             | Green Rock light and bell buoy JX3         | NE. of rock.<br>45 49 23.8<br>060 03 11.6                                         | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked "JX3".                                             | Seasonal.<br><br><b>Audible signal:</b> Bell                   |
| 752.6<br>H3359                  | Rouses Point                               | 45 50 35.0<br>060 07 56.8                                                         | LFl Y 6s                 | 9.0                                      | 12                       | Square skeleton tower, red and white rectangular daymark.                | Year round.<br>Flash 2 s; eclipse 4 s.                         |
| 752.7                           | Gabarus light buoy JX10                    | 45 50 34.8<br>060 08 14.2                                                         | Fl R 4s .....            | .....                                    | .....                    | Red, conical, marked "JX10".                                             | Year round.                                                    |
| 753<br>H3358                    | Gabarus                                    | On Harbour Point, S. shore of bay.<br>45 50 35.2<br>060 08 50.3                   | F R .....                | 16.5                                     | 8                        | White hexagonal tower with red top.<br>9.5                               | Year round.                                                    |
| <b>Louisbourg Harbour</b>       |                                            |                                                                                   |                          |                                          |                          |                                                                          |                                                                |
| 754                             | Louisbourg light and whistle buoy JT       | Off entrance to Louisbourg.<br>45 52 33.4<br>059 54 05.5                          | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked "JT".                                          | Seasonal.<br><br><b>Audible signal:</b> Whistle                |
| 755                             | Louisbourg light and bell buoy JT1         | E. of Harbour Shoal.<br>45 53 56.4<br>059 56 51.6                                 | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked "JT1".                                             | Seasonal.<br>(Winter spar.)<br><br><b>Audible signal:</b> Bell |
| 756<br>H3344                    | Louisbourg                                 | On Lighthouse Point, N. side of entrance to harbour.<br>45 54 24.0<br>059 57 30.5 | LFl W 6s                 | 31.9                                     | 13                       | White octagonal tower with red top.<br>15.4                              | Year round.<br>Flash 2 s; eclipse 4 s.<br>Visible 100°-250°.   |
| 756.5                           | Nag Rock bifurcation light buoy JTA        | 45 54 11.4<br>059 58 19.2                                                         | Fl(2+1) R 6s             | .....                                    | .....                    | Red-green-red, spar, marked "JTA".                                       | Seasonal (in place year round).                                |
| 757<br>H3348                    | Louisbourg front range light               | On W. side of harbour.<br>45 54 05.8<br>059 59 23.1                               | F Y .....                | 7.0                                      | 14                       | Square skeleton tower, white daymark with red vertical stripe.<br>4.8    | Year round.                                                    |
| 758<br>H3348.1                  | Louisbourg rear range light                | 45 54 05.6<br>059 59 30.7<br><br>267°56' 165.8 m from front.                      | F Y .....                | 12.7                                     | 14                       | Square skeleton tower, white daymark with red vertical stripe.<br>6.3    | Year round.                                                    |
| 758.5                           | Nag Rock light buoy JU4                    | 45 54 17.4<br>059 58 03.9                                                         | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "JU4".                                                 | Year round.<br>Operates 24 h.                                  |
| 759                             | Russell Point West Cardinal light buoy JTB | 45 54 24.3<br>059 58 14.6                                                         | Q(9) W 15s               | .....                                    | .....                    | Yellow-black-yellow, spar, marked "JTB".                                 | Seasonal (in place year round).                                |
| 760                             | Battery Shoal light buoy JT11              | 45 54 30.4<br>059 58 21.7                                                         | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked "JT11".                                              | Seasonal (in place year round).<br>(Winter spar.)              |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## CAPE BRETON ISLAND, N.S.

|                        |                                          |                                                                                        |               |       |       |                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------|------------------------------------------|----------------------------------------------------------------------------------------|---------------|-------|-------|------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 761<br>H3342           | Little Lorraine<br>(Lorembec)            | Extremity of W.<br>headland at<br>entrance to<br>harbour.<br>45 56 56.3<br>059 51 34.2 | F G .....     | 10.7  | 7     | White cylindrical tower with<br>red top.<br>4.6                        | Seasonal.<br><br><b>Fog Horn</b><br>Blast 2 s; sil. 18 s.<br>The operation of the fog signal<br>will be made remotely on<br>channel 65A (156,275 MHz).<br>Mariners requiring the<br>operation of the fog signal will<br>have to press the button of the<br>VHF radio five (5) consecutive<br>times at 1 second interval on<br>channel 65A. The signal will be<br>in operation for 30 minutes.<br>After this delay, the same<br>operation must be repeated. |
| 762                    | Baleine Cove light and<br>bell buoy JM2  | S. of East Head.<br>45 56 20.3<br>059 50 45.7                                          | Fl R 4s ..... | ..... | ..... | Red, pillar, marked "JM2".                                             | Seasonal.<br><br><b>Audible signal:</b> Bell                                                                                                                                                                                                                                                                                                                                                                                                               |
| 763                    | Portnova light and<br>whistle buoy J10   | SE. of Portnova<br>Island.<br>45 55 38.8<br>059 46 11.0                                | Fl R 4s ..... | ..... | ..... | Red, pillar, marked "J10".                                             | Seasonal.<br><br><b>Audible signal:</b> Whistle                                                                                                                                                                                                                                                                                                                                                                                                            |
| 764                    | Bar Reef light and bell<br>buoy JJ3      | E. of Helen Rock.<br>45 59 10.4<br>059 46 50.2                                         | Fl G 4s ..... | ..... | ..... | Green, pillar, marked "JJ3".                                           | Seasonal.<br><br><b>Audible signal:</b> Bell                                                                                                                                                                                                                                                                                                                                                                                                               |
| 764.4                  | Main-à-Dieu light buoy<br>JJ10           | 45 59 54.7<br>059 50 01.3                                                              | Q R 1s .....  | ..... | ..... | Red, spar, marked "JJ10".                                              | Seasonal (in place year round).                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 764.5                  | Black Rock light buoy<br>JJ11            | 45 59 46.9<br>059 50 01.9                                                              | Fl G 4s ..... | ..... | ..... | Green, spar, marked<br>"JJ11".                                         | Seasonal (in place year round).                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 765                    | Mad Dick Rock light<br>and bell buoy JJ6 | Off S. side of rock.<br>45 59 59.5<br>059 49 22.0                                      | Fl R 4s ..... | ..... | ..... | Red, pillar, marked "JJ6".                                             | Seasonal.<br><br><b>Audible signal:</b> Bell                                                                                                                                                                                                                                                                                                                                                                                                               |
| 765.1<br>H0745.6       | Main-à-Dieu Harbour                      | 46 00 13.7<br>059 50 22.2                                                              | Fl R 4s       | 6.3   | 4     | Triangular skeleton tower,<br>enclosed lower portion.<br>3.6           | Year round.<br>Flash 1 s; eclipse 3 s.                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 765.3<br>H0745.4       | Battery Point (Main-à-<br>Dieu)          | 46 00 17.3<br>059 50 25.4                                                              | Fl G 4s       | 4.0   | 4     | Cylindrical mast.<br>2.3                                               | Year round.<br>Flash 1 s; eclipse 3 s.                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 765.4<br>H0745         | Moque Head                               | 46 00 25.4<br>059 49 21.7                                                              | LFl W 6s      | 12.1  | 12    | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.8 | Year round.<br>Flash 2 s; eclipse 4 s.                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Scatarie Island</b> |                                          |                                                                                        |               |       |       |                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 765.7                  | Howe Point light and<br>whistle buoy JJ2 | 45 59 14.3<br>059 41 57.7                                                              | Fl R 4s ..... | ..... | ..... | Red, pillar, marked "JJ2".                                             | Seasonal.<br><br><b>Audible signal:</b> Whistle                                                                                                                                                                                                                                                                                                                                                                                                            |
| 766<br>H0744           | Main-à-Dieu                              | On West Point of<br>Scatarie Island.<br>46 00 13.6<br>059 47 41.0                      | Fl W 4s       | 24.7  | 7     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>9.9 | Year round.<br>Flash 1 s; eclipse 3 s.                                                                                                                                                                                                                                                                                                                                                                                                                     |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON               | Location<br>-----<br>Latitude N.<br>Longitude W.                         | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS      |
|---------------------------------|--------------------------------------|--------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|----------------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                      |                                                                          |                          |                                          |                          |                                                                                 |                                                          |
| 767<br>H0742                    | Scatarie Island                      | NE. point of island.<br>46 02 04.3<br>059 40 33.7                        | FI W 10s                 | 19.5                                     | 13                       | Square tower, rectangular<br>daymark with horizontal red<br>and white band.     | Year round.<br>Flash 1 s; eclipse 9 s.                   |
| 768<br>H0746                    | Port Morien                          | On SW. end of<br>breakwater.<br>46 07 50.8<br>059 52 13.2                | FI R 4s                  | 5.4                                      | 5                        | Cylindrical mast.<br>4.3                                                        | Year round.<br>Flash 1 s; eclipse 3 s.                   |
| 768.5                           | Port Morien light buoy<br>JA6        | 46 07 41.3<br>059 52 03.7                                                | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "JA6".                                                        | Seasonal (in place year round).                          |
| 769                             | Cow Reef light buoy<br>JA2           | 46 09 42.3<br>059 48 46.7                                                | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "JA2".                                                        | Seasonal (in place year round).                          |
| 770<br>H0750                    | Flint Island                         | Off Northern Head.<br>46 10 51.0<br>059 46 13.2                          | LFI W 6s                 | 22.6                                     | 8                        | White hexagonal tower with<br>red top.<br>17.8                                  | Year round.<br>Flash 2 s; eclipse 4 s.                   |
| 771                             | Glace Bay Light and<br>Bell Buoy KV  | NE. of bay.<br>46 13 28.8<br>059 55 37.8                                 | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"KV".                                              | Seasonal.<br><b>Audible signal: Bell</b>                 |
| 771.01                          | Glace Bay Outer light<br>buoy KV2    | 46 12 31.8<br>059 56 25.5                                                | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "KV2".                                                        | Seasonal.                                                |
| 771.04                          | Glace Bay Inner light<br>buoy KV5    | 46 12 02.9<br>059 56 42.6                                                | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "KV5".                                                      | Seasonal.                                                |
| 771.05                          | Glace Bay Inner light<br>buoy KV6    | 46 12 04.2<br>059 56 45.8                                                | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "KV6".                                                        | Seasonal.                                                |
| 771.5                           | Glace Bay Outer light<br>buoy KV1    | 46 12 30.0<br>059 56 21.0                                                | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "KV1".                                                      | Seasonal.                                                |
| 772<br>H0752                    | Glace Bay front range<br>light       | On S. side of<br>entrance to Glace<br>Cove.<br>46 11 47.7<br>059 56 56.5 | F R .....                | 8.4                                      | 11                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>5.5 | Year round.<br>Operates 24 h.                            |
| 773<br>H0752.1                  | Glace Bay rear range<br>light        | 46 11 44.8<br>059 56 58.7<br><br>208°17' 101.7 m<br>from front.          | F R .....                | 13.0                                     | 11                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>9.5 | Year round.<br>Operates 24 h.                            |
| 773.5                           | Glace Bay, South<br>breakwater Light | Near outer end of<br>S. breakwater.<br>46 11 55.1<br>059 56 49.4         | Q G 1s                   | .....                                    | 3                        | Pipe Swing Pole, green,<br>white and black square<br>daymark.                   | Year round.<br>Operates 24 h.                            |
| 774<br>H0756                    | Glace Bay North<br>Breakwater        | On outer end of N.<br>breakwater.<br>46 11 56.7<br>059 56 51.8           | FI R 3s                  | 9.0                                      | 6                        | Pipe swing pole, red and<br>white triangular daymark.                           | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 2 s. |
| 774.4                           | Lingan Harbour light<br>buoy KQ2     | 46 13 45.5<br>060 02 04.7                                                | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "KQ2".                                                      | Seasonal.                                                |
| 774.5                           | Lingan Harbour light<br>buoy KQ7     | 46 13 44.0<br>060 02 28.1                                                | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"KQ7".                                                 | Seasonal.                                                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON              | Location<br>-----<br>Latitude N.<br>Longitude W.                     | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                    |
|--------------------------|-------------------------------------|----------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|------------------------------------------------------------------------|
| CAPE BRETON ISLAND, N.S. |                                     |                                                                      |                          |   |       |                                          |                          |                                                                          |                                                                        |
| 774.6<br>H0757.5         | Lingan front range light            | 46 13 44.6<br>060 02 43.5                                            | F                        | G | ..... | 4.8                                      | 7                        | Pipe swing pole, white daymark with red vertical stripe.<br>3.8          | Seasonal.                                                              |
| 774.7<br>H0757.51        | Lingan rear range light             | 46 13 44.5<br>060 02 45.0<br><br>269°49' 30.6 m from front.          | F                        | G | ..... | 7.0                                      | 7                        | Pipe swing pole, white daymark with red vertical stripe.<br>5.6          | Seasonal.                                                              |
| Sydney Harbour           |                                     |                                                                      |                          |   |       |                                          |                          |                                                                          |                                                                        |
| 775<br>H0758             | Low Point                           | E. side of entrance to Sydney Harbour.<br>46 16 01.5<br>060 07 32.9  | Fl                       | W | 5s    | 25.8                                     | 18                       | White octagonal tower with red top.<br>20.8                              | Year round.<br>Operates 24 h.<br>Flash 0.5 s; eclipse 4.5 s.           |
| 777.02                   | Allen Point light buoy SA8          | 46 11 26.2<br>060 15 49.2                                            | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "SA8".                                                 | Seasonal.                                                              |
| 778<br>H0760             | Sydney Bar                          | On pier, W. extremity of Southeast Bar.<br>46 12 20.7<br>060 13 07.1 | Fl                       | G | 5s    | 8.9                                      | 4                        | On white building.<br>2.0                                                | Year round.<br>Flash 1 s; eclipse 4 s.                                 |
| 778.5                    | Sydney Northwest Bar light buoy SD2 | 46 12 27.0<br>060 14 04.4                                            | Q                        | R | 1s    | .....                                    | .....                    | Red, spar, marked "SD2".                                                 | Year round.                                                            |
| 780<br>H0762.6           | North Sydney                        | 46 12 21.2<br>060 14 52.2                                            | Fl                       | R | 4s    | 7.7                                      | 3                        | Pipe swing pole.<br>6.7                                                  | Year round.<br>Flash 1 s; eclipse 3 s.                                 |
| 782<br>H0761             | Sydney front range light            | On point, E. side of North West Arm.<br>46 10 39.7<br>060 15 30.0    | F                        | G | ..... | 23.8                                     | .....                    | Square skeleton tower, white daymark with red vertical stripe.<br>9.0    | Year round.<br>Operates 24 h.                                          |
| 783<br>H0761.1           | Sydney rear range light             | 46 09 11.6<br>060 17 01.5<br><br>216°35' 3352.8 m from front.        | Oc                       | G | 10s   | 60.2                                     | .....                    | Square skeleton tower, white daymark with red stripe.<br>9.0             | Year round.<br>Operates 24 h.<br>Flash 9 s; eclipse 1 s.               |
| 784<br>H0764             | Sydney South Arm front range light  | Near N. extremity of point.<br>46 09 26.5<br>060 12 13.3             | Oc                       | G | 10s   | 12.0                                     | .....                    | Square skeleton tower, white daymark with red vertical stripe.<br>15.6   | Year round.<br>Operates 24 h.<br>Flash 9 s; eclipse 1 s.               |
| 785<br>H0764.1           | Sydney South Arm rear range light   | 46 09 22.2<br>060 12 11.1<br><br>160°32' 140.4 m from front.         | F                        | G | ..... | 18.8                                     | 16                       | Square skeleton tower, white daymark with red vertical stripe.<br>15.6   | Year round.<br>Operates 24 h.                                          |
| 785.5                    | Barachois light buoy S18            | At entrance to creek.<br>46 09 32.8<br>060 12 53.0                   | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "S18".                                                 | Year round.                                                            |
| 785.7<br>H0767           | Point Edward Main Jetty North       | 46 09 22.0<br>060 13 02.6                                            | F                        | R | ..... | 7.0                                      | 6                        | Mast.<br>4.6                                                             | Private aid.<br>Year round.<br>Operates 24 h.<br>Secondary light: F R. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                           | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                    |
|---------------------------------|--------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|------------------------------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                                  |                                                                 |                          |                                          |                          |                                                                          |                                                                        |
| 785.8<br>H0766.2                | Point Edward Main<br>Jetty South                 | 46 09 13.9<br>060 13 02.9                                       | F R .....<br>.....       | 7.3                                      | .....                    | Skeleton tower.<br>3.6                                                   | Private aid.<br>Year round.<br>Operates 24 h.<br>Secondary light: F R. |
| 785.84<br>H0768                 | Crawleys Creek front<br>range light              | 46 09 00.9<br>060 13 21.0                                       | Iso R 4s                 | 4.1                                      | .....                    | Pyramid tower, white<br>daymark with black vertical<br>stripe.           | Year round.                                                            |
| 785.85<br>H0768.1               | Crawleys Creek rear<br>range light               | 46 08 57.7<br>060 13 27.7<br><br>235°21' 174.5 m<br>from front. | Iso R 4s                 | 9.3                                      | .....                    | Pyramid tower, white<br>daymark with black vertical<br>stripe.           | Year round.                                                            |
| 786                             | Battery Point light<br>buoy S19                  | Off point.<br>46 08 59.7<br>060 12 29.4                         | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "S19".                                               | Year round.                                                            |
| 786.1                           | Sydney Cautionary<br>light buoy SSA              | 46 08 38.0<br>060 12 12.2                                       | Fl Y 4s                  | .....                                    | .....                    | Yellow, spar, marked<br>"SSA".                                           | Year round.                                                            |
| 787                             | Dobsons Point light<br>buoy S20                  | On edge of shoal.<br>46 08 27.7<br>060 12 13.7                  | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "S20".                                                 | Year round.                                                            |
| 787.2                           | South Bar Ruins light<br>buoy SS1                | 46 11 58.1<br>060 12 17.2                                       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "SS1".                                               | Seasonal (in place year round).                                        |
| 787.21                          | South Bar South<br>Cardinal light buoy SS        | 46 12 09.1<br>060 13 04.9                                       | Q(6) +<br>LFl W 15s      | .....                                    | .....                    | Yellow-black, spar, marked<br>"SS".                                      | Seasonal.                                                              |
| 788                             | Sydney Harbour South<br>Arm light buoy S23       | 46 07 49.0<br>060 12 11.5                                       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "S23".                                               | Seasonal.                                                              |
| 789                             | Cran Rock light buoy<br>S2                       | 46 16 25.6<br>060 11 29.1                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "S2".                                                  | Year round (YRLS).                                                     |
| 789.11                          | Sydney Harbour light<br>buoy S13                 | 46 12 03.3<br>060 13 15.1                                       | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "S13".                                               | Year round.<br>Operates 24 h.                                          |
| 789.12                          | Sydney Harbour light<br>buoy S14                 | 46 11 32.5<br>060 13 29.3                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "S14".                                                 | Year round.<br>Operates 24 h.                                          |
| 789.14                          | Sydney Harbour light<br>buoy S16                 | 46 10 44.7<br>060 13 05.5                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "S16".                                                 | Year round.<br>Operates 24 h.                                          |
| 789.15                          | Sydney Harbour West<br>Cardinal light buoy<br>SW | 46 14 03.9<br>060 11 33.1                                       | Q(9) W 15s               | .....                                    | .....                    | Yellow-black-yellow, spar,<br>marked "SW".                               | Year round.<br>Operates 24 h.                                          |
| 789.16                          | Sydney Harbour East<br>Cardinal light buoy SE    | 46 13 03.6<br>060 13 19.5                                       | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, spar,<br>marked "SE".                                | Year round.<br>Operates 24 h.                                          |
| 789.2                           | Sydney Harbour light<br>buoy S4                  | 46 15 27.7<br>060 10 38.5                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "S4".                                                  | Year round.<br>Operates 24 h.                                          |
| 789.3                           | Sydney Harbour light<br>buoy S6                  | 46 14 44.6<br>060 11 21.8                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "S6".                                                  | Year round.<br>Operates 24 h.                                          |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                                 | Location<br>-----<br>Latitude N.<br>Longitude W.                              | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)         | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                            |
|---------------------------------|--------------------------------------------------------|-------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                                        |                                                                               |                          |                                          |                          |                                                                                  |                                                                                                                                                                |
| 789.5                           | Point Aconi Fairway<br>light and whistle buoy<br>U     | 46 21 28.2<br>060 14 49.1                                                     | LFI W 10s                | .....                                    | .....                    | Red-white, pillar, marked<br>"U".                                                | Seasonal.<br><br><b>Audible signal:</b> Whistle                                                                                                                |
| 789.6                           | Sydney Harbour light<br>buoy S8                        | 46 13 52.9<br>060 12 14.1                                                     | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "S8".                                                          | Year round.<br>Operates 24 h.                                                                                                                                  |
| 789.8                           | Sydney Harbour light<br>buoy S10                       | 46 13 03.0<br>060 13 09.7                                                     | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "S10".                                                         | Year round.<br>Operates 24 h.                                                                                                                                  |
| 789.9                           | Sydney Harbour light<br>buoy S11                       | 46 12 30.1<br>060 13 12.3                                                     | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "S11".                                                       | Year round.<br>Operates 24 h.                                                                                                                                  |
| <b>Little Bras d'Or</b>         |                                                        |                                                                               |                          |                                          |                          |                                                                                  |                                                                                                                                                                |
| 790                             | Little Bras d'Or<br>Entrance light and bell<br>buoy U1 | 46 19 27.2<br>060 16 33.6                                                     | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked "U1".                                                      | Seasonal.<br><br><b>Audible signal:</b> Bell                                                                                                                   |
| 791                             | Alder Point light buoy<br>U4                           | Entrance to Little<br>Bras d'Or, W. of<br>point.<br>46 18 56.2<br>060 17 05.2 | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "U4".                                                        | Seasonal.                                                                                                                                                      |
| 791.5                           | Little Bras d'Or<br>Entrance light buoy U9             | At the entrance to<br>the harbour.<br>46 18 46.2<br>060 17 05.2               | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked "U9".                                                      | Seasonal.                                                                                                                                                      |
| 792<br>H0772                    | Little Bras d'Or front<br>range light                  | On N. side of<br>entrance.<br>46 18 43.9<br>060 17 13.8                       | F R                      | .....                                    | 8.8                      | 6<br>Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.6 | Year round.                                                                                                                                                    |
| 793<br>H0772.1                  | Little Bras d'Or rear<br>range light                   | 46 18 34.3<br>060 17 22.3<br><br>211°46' 354.0 m<br>from front.               | F R                      | .....                                    | 12.7                     | 3<br>Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.    | Year round.                                                                                                                                                    |
| 794.2                           | McCreadyville light<br>buoy U12                        | 46 18 38.7<br>060 17 07.4                                                     | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "U12".                                                       | Seasonal.                                                                                                                                                      |
| 794.4<br>H0774                  | <b>Little Bras d'Or Inner<br/>Sector</b>               | 46 17 53.8<br>060 17 09.8                                                     | F R<br>W<br>G            | .....                                    | 4.1                      | <b>15</b><br>Triangular skeleton tower,<br>enclosed lower portion.<br>3.4        | Year round.<br><b>R</b> 180°15'-182°05';<br><b>AI RW</b> 182°05'-182°30';<br><b>W</b> 182°30'-183°;<br><b>AI GW</b> 183°-183°25';<br><b>G</b> 183°25'-185°15'. |
| 796<br>H0770                    | Point Aconi                                            | On point.<br>46 20 10.3<br>060 17 31.9                                        | LFI W 6s                 | 26.9                                     | 14                       | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>9.9           | Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 4 s.                                                                                                       |
| 797                             | Carey Beach light and<br>bell buoy Q1                  | W. of Table Rock.<br>46 19 06.7<br>060 23 13.1                                | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked "Q1".                                                      | Seasonal.<br><br><b>Audible signal:</b> Bell                                                                                                                   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## CAPE BRETON ISLAND, N.S.

|              |                                              |                                                                      |          |       |       |                                            |                                                                                                                                                                                      |
|--------------|----------------------------------------------|----------------------------------------------------------------------|----------|-------|-------|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 797.5        | Carey Beach light and bell buoy Q2           | 46 19 05.8<br>060 23 19.2                                            | Fl R 4s  | ..... | ..... | Red, pillar, marked "Q2".                  | Seasonal.<br><br><b>Audible signal: Bell</b>                                                                                                                                         |
| 798          | Black Rock Point light buoy Q3               | N. of Black Rock Shoal.<br>46 18 52.4<br>060 23 26.2                 | Q G 1s   | ..... | ..... | Green, pillar, marked "Q3".                | Seasonal.                                                                                                                                                                            |
| 799<br>H0778 | Black Rock Point                             | S. side of entrance to Great Bras d'Or.<br>46 18 18.8<br>060 23 29.8 | LFl W 6s | 25.8  | 13    | White square tower with red top.<br>12.4   | Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 4 s.<br>Visible 047°-227°.                                                                                                       |
| 800<br>H0779 | <b>Black Rock Point Sector</b>               | On point near shore.<br>46 18 18.7<br>060 23 32.1                    | F R W G  | ..... | 16.6  | <b>19</b><br>Square skeleton tower.<br>3.5 | Seasonal.<br>Operates 24 h.<br><b>G</b> 045°15'-048°20';<br><b>AI GW</b> 048°20'-048°35';<br><b>W</b> 048°35'-049°35';<br><b>AI RW</b> 049°35'-049°50';<br><b>R</b> 049°50'-053°45'. |
| 801          | Great Bras d'Or Entrance Outer light buoy Q4 | W. of Black Rock Point light.<br>46 18 39.6<br>060 23 43.0           | Fl R 4s  | ..... | ..... | Red, pillar, marked "Q4".                  | Seasonal.                                                                                                                                                                            |
| 801.5        | Little Shoal light buoy Q5                   | 46 18 17.4<br>060 23 58.8                                            | Fl G 4s  | ..... | ..... | Green, pillar, marked "Q5".                | Seasonal.                                                                                                                                                                            |
| 802          | Great Bras d'Or Inner light buoy Q6          | Off The Bar.<br>46 17 56.8<br>060 24 20.1                            | Fl R 4s  | ..... | ..... | Red, pillar, marked "Q6".                  | Seasonal.                                                                                                                                                                            |
| 802.1        | Gooseberry Beach light buoy Q7               | NW. of the beach.<br>46 17 54.0<br>060 24 18.4                       | Fl G 4s  | ..... | ..... | Green, pillar, marked "Q7".                | Seasonal.                                                                                                                                                                            |
| 802.2        | Carey Point light buoy Q8                    | 46 17 43.0<br>060 24 33.9                                            | Q R 1s   | ..... | ..... | Red, pillar, marked "Q8".                  | Seasonal.                                                                                                                                                                            |

## Great Bras d'Or

|                |                                   |                                                              |     |   |       |      |   |                                                                             |                                      |
|----------------|-----------------------------------|--------------------------------------------------------------|-----|---|-------|------|---|-----------------------------------------------------------------------------|--------------------------------------|
| 803<br>H0782   | Great Bras d'Or front range light | On Noire Point.<br>46 17 25.5<br>060 24 48.3                 | F   | G | ..... | 15.7 | 6 | White pyramid tower with red upper portion and red vertical stripe.<br>9.9  | Seasonal.<br>Operates 24 h.          |
| 804<br>H0782.1 | Great Bras d'Or rear range light  | 46 17 11.5<br>060 25 01.2<br><br>212°25' 514.6 m from front. | F   | G | ..... | 19.1 | 6 | White pyramid tower with red upper portion and red vertical stripe.<br>16.4 | Seasonal.<br>Operates 24 h.          |
| 804.5<br>H0784 | Duffus Point                      | On wharf.<br>46 16 51.6<br>060 25 30.1                       | Fl  | W | 5s    | 7.4  | 4 | Pipe swing pole.<br>6.9                                                     | Seasonal.<br>Flash 1 s; eclipse 4 s. |
| 804.6<br>H0786 | Kellys Cove Wharf                 | S. corner of wharf.<br>46 17 19.3<br>060 26 13.5             | LFl | W | 6s    | 5.0  | 4 | Pipe swing pole.<br>3.8                                                     | Seasonal.<br>Flash 2 s; eclipse 4 s. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.             | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                        |                             |
|--------------------------|----------------------------------------------|--------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------|-----------------------------|
| CAPE BRETON ISLAND, N.S. |                                              |                                                              |                          |                                          |                          |                                                                          |                                                                            |                             |
| 804.8                    | Great Bras D'Or Inner light buoy Q10         | 46 16 26.8<br>060 26 46.5                                    | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "Q10".                                               | Seasonal.                                                                  |                             |
| 805                      | Chain Point Shoal light buoy Q11             | 46 15 40.0<br>060 27 29.8                                    | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "Q11".                                             | Seasonal.                                                                  |                             |
| 805.8                    | Seal Reefs light buoy Q12                    | E. of reefs.<br>46 14 04.2<br>060 29 20.2                    | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "Q12".                                               | Seasonal.                                                                  |                             |
| 806                      | Seal Reefs light buoy Q14                    | 46 13 50.2<br>060 29 34.7                                    | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "Q14".                                               | Seasonal.                                                                  |                             |
| 807                      | Lime Rock light buoy Q15                     | SW. of McLean Point.<br>46 13 27.2<br>060 29 57.3            | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "Q15".                                             | Seasonal.                                                                  |                             |
| 809.7<br>H0792           | Man of War Point front range light           | 46 11 31.7<br>060 32 39.5                                    | F Y                      | .....                                    | 18.1                     | 10                                                                       | Triangular skeleton tower, white daymark with red vertical stripe.<br>9.6  | Seasonal.<br>Operates 24 h. |
| 809.8<br>H0792.1         | Man of War Point rear range light            | 46 11 13.6<br>060 33 04.0<br><br>223°03' 768.8 m from front. | F Y                      | .....                                    | 28.5                     | 16                                                                       | Triangular skeleton tower, white daymark with red vertical stripe.<br>20.2 | Seasonal.<br>Operates 24 h. |
| 810.7<br>H0796           | MacFarlane Point front range light           | 46 07 34.1<br>060 36 15.1                                    | F Y                      | .....                                    | 18.0                     | 17                                                                       | Triangular skeleton tower, white daymark with red vertical stripe.<br>9.7  | Seasonal.<br>Operates 24 h. |
| 810.8<br>H0796.1         | MacFarlane Point rear range light            | 46 07 38.0<br>060 36 03.4<br><br>065°15' 277.2 m from front. | F Y                      | .....                                    | 31.0                     | 15                                                                       | Triangular skeleton tower, white daymark with red vertical stripe.<br>10.2 | Seasonal.<br>Operates 24 h. |
| 811<br>H0798             | MacKenzie Point                              | W. of MacDonald Point.<br>46 06 59.4<br>060 38 56.0          | Fl R 4s                  | 21.3                                     | 2                        | Square skeleton tower, red and white rectangular daymark.<br>6.7         | Seasonal.<br>Flash 1 s; eclipse 3 s.                                       |                             |
| 811.1                    | MacRae Point light buoy Q20                  | 46 06 32.2<br>060 39 56.2                                    | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "Q20".                                               | Seasonal.                                                                  |                             |
| 811.2                    | Fraser Point light buoy Q21                  | 46 06 19.2<br>060 39 56.2                                    | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "Q21".                                             | Seasonal.                                                                  |                             |
| 812                      | MacRae Point Shoal bifurcation light buoy QA | 46 06 02.0<br>060 40 31.1                                    | Fl(2+1) G 6s             | .....                                    | .....                    | Green-red-green, spar, marked "QA".                                      | Seasonal.                                                                  |                             |
| St. Patricks Channel     |                                              |                                                              |                          |                                          |                          |                                                                          |                                                                            |                             |
| 813.5                    | Bone Shoal light buoy A2                     | S. of Shoal.<br>46 05 19.5<br>060 44 27.5                    | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "A2".                                                  | Seasonal.                                                                  |                             |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                | Location<br>-----<br>Latitude N.<br>Longitude W.                              | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)    | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                                                                                                                                                            |
|---------------------------------|---------------------------------------|-------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                       |                                                                               |                          |                                          |                          |                                                                             |                                                                                                                                                                                                                                                                                                                                |
| 814                             | Bone Island light buoy<br>A3          | At N. edge of shoal<br>off Bone island.<br>46 05 03.6<br>060 44 52.5          | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "A3".                                                   | Seasonal.                                                                                                                                                                                                                                                                                                                      |
| 815<br>H0800                    | Kidston Island                        | On NE. point,<br>entrance to<br>Baddeck Harbour.<br>46 05 53.3<br>060 44 31.3 | LFl G 12s                | 13.3                                     | 6                        | White square tower with<br>red upper portion.<br>14.3                       | Private aid.<br>Seasonal.<br>Flash 2 s; eclipse 10 s.                                                                                                                                                                                                                                                                          |
| 815.1<br>H0801                  | Kidston Island West<br>End            | 46 05 33.2<br>060 45 00.7                                                     | Fl R 6s                  | 13.5                                     | 4                        | White cylindrical tower with<br>red horizontal band.<br>10.6                | Private aid.<br>Seasonal.<br>Flash 1 s; eclipse 5 s.                                                                                                                                                                                                                                                                           |
| 815.3                           | Stony Shoal light buoy<br>A4          | 46 04 54.5<br>060 46 18.4                                                     | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "A4".                                                     | Seasonal.                                                                                                                                                                                                                                                                                                                      |
| 816                             | Brian Point light buoy<br>A9          | Off point.<br>46 03 39.7<br>060 51 47.3                                       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "A9".                                                   | Seasonal.                                                                                                                                                                                                                                                                                                                      |
| 817                             | MacIvers Point light<br>buoy A11      | N. of point.<br>46 02 27.2<br>060 55 33.3                                     | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "A11".                                                  | Seasonal.                                                                                                                                                                                                                                                                                                                      |
| 818                             | MacIvers Point West<br>light buoy A13 | W. of point.<br>46 02 12.2<br>060 55 40.0                                     | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "A13".                                                  | Seasonal.                                                                                                                                                                                                                                                                                                                      |
| 818.5                           | MacIvers Point light<br>buoy A14      | 46 02 05.4<br>060 55 47.7                                                     | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "A14".                                                    | Seasonal.                                                                                                                                                                                                                                                                                                                      |
| 819                             | MacIvers Point light<br>buoy A16      | 46 01 58.7<br>060 55 58.3                                                     | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "A16".                                                    | Seasonal.                                                                                                                                                                                                                                                                                                                      |
| 820<br>H0802                    | MacIvers Point front<br>range light   | On shore.<br>46 02 05.9<br>060 55 27.8                                        | Iso W 2s                 | 3.6                                      | 10                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.6 | Seasonal.<br>To activate the range lights,<br>mariners can key their<br>radio/microphone 5 pulses of<br>0.5 seconds each and within 10<br>seconds the light will be<br>activated for 15 minutes. The<br>lights will stay activated for 15<br>minutes and can be reactivated<br>as required. Use channel 65 –<br>156.275 hertz. |
| 821<br>H0802.1                  | MacIvers Point rear<br>range light    | 46 02 06.4<br>060 55 26.2<br><br>066°23' 33.0 m<br>from front.                | Iso W 2s                 | 8.1                                      | 10                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>6.5 | Seasonal.<br>To activate the range lights,<br>mariners can key their<br>radio/microphone 5 pulses of<br>0.5 seconds each and within 10<br>seconds the light will be<br>activated for 15 minutes. The<br>lights will stay activated for 15<br>minutes and can be reactivated<br>as required. Use channel 65 –<br>156.275 hertz. |
| 822                             | MacIvers Bank East<br>light buoy A17  | 46 01 48.7<br>060 56 18.3                                                     | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "A17".                                                  | Seasonal.                                                                                                                                                                                                                                                                                                                      |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                  | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)           | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|---------------------------------|-----------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                         |                                                                 |                          |                                          |                          |                                                                                    |                                                     |
| 823                             | MacIvers Bank light<br>buoy A19         | 46 01 35.4<br>060 56 54.3                                       | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "A19".                                                         | Seasonal.                                           |
| 823.1                           | Little Narrows Gypsum<br>light buoy LN3 | 46 02 00.2<br>060 55 40.9                                       | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"LN3".                                                    | Private aid.<br>Seasonal.                           |
| 823.2                           | Little Narrows Gypsum<br>light buoy LN4 | Bras d'Or Lakes.<br>46 01 55.0<br>060 55 42.2                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "LN4".                                                         | Private aid.<br>Seasonal.                           |
| 823.3                           | Little Narrows Gypsum<br>light buoy LN5 | Bras d'Or Lakes.<br>46 01 48.5<br>060 55 30.4                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"LN5".                                                    | Private aid.<br>Seasonal.                           |
| 823.4                           | Little Narrows Gypsum<br>light buoy LN6 | Bras d'Or Lakes.<br>46 01 37.3<br>060 55 30.6                   | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "LN6".                                                         | Private aid.<br>Seasonal.                           |
| 823.5                           | Little Narrows Gypsum<br>light buoy LN7 | Bras d'Or Lakes.<br>46 01 29.0<br>060 55 31.0                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"LN7".                                                    | Private aid.<br>Seasonal.                           |
| 823.6                           | Little Narrows Gypsum<br>light buoy LN8 | Bras d'Or Lakes.<br>46 01 29.5<br>060 55 42.3                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "LN8".                                                         | Private aid.<br>Seasonal.                           |
| 823.7                           | Little Narrows Gypsum<br>light buoy LN9 | 46 01 24.0<br>060 55 52.8                                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"LN9".                                                    | Private aid.<br>Seasonal.                           |
| 825<br>H0803                    | Morrisons Cove front<br>range light     | On shore.<br>46 00 40.9<br>060 56 18.0                          | F Y                      | .....                                    | 3.4                      | 10 Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.5     | Seasonal.                                           |
| 826<br>H0803.1                  | Morrisons Cove rear<br>range light      | 46 00 20.9<br>060 56 25.9<br><br>195°31' 640.9 m<br>from front. | F Y                      | .....                                    | 6.5                      | 10 Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>6.5     | Seasonal.                                           |
| 828                             | Donald Williams Point<br>light buoy A22 | NE. of point.<br>46 00 39.1<br>060 57 34.1                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "A22".                                                           | Seasonal.                                           |
| 829                             | Eel Shoal light buoy<br>A25             | W. end of shoal.<br>46 00 20.3<br>060 57 43.0                   | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "A25".                                                         | Seasonal.                                           |
| 829.1                           | Great Bras d'Or light<br>buoy A27       | 45 59 50.4<br>060 58 50.5                                       | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "A27".                                                         | Seasonal.                                           |
| 829.2                           | Great Bras d'Or light<br>buoy A28       | 45 59 40.7<br>060 59 03.3                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "A28".                                                           | Seasonal.                                           |
| 829.3                           | Little Narrows light<br>buoy A29        | 45 59 25.6<br>060 59 15.5                                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"A29".                                                    | Seasonal.                                           |
| 829.5<br>H0804.4                | Little Narrows front<br>range light     | SW. of Gypsum<br>Plant.<br>45 59 49.2<br>060 58 08.2            | F Y                      | .....                                    | 4.7                      | 10 Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.5 | Seasonal.<br>Operates 24 h.                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON             | Location<br>-----<br>Latitude N.<br>Longitude W.                                                  | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                                  |
|--------------------------|------------------------------------|---------------------------------------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CAPE BRETON ISLAND, N.S. |                                    |                                                                                                   |                          |   |       |                                          |                          |                                                                                 |                                                                                                                                                                                                      |
| 829.6<br>H0804.41        | Little Narrows rear<br>range light | 45 59 45.5<br>060 58 10.9<br><br>206°44' 127.6 m<br>from front.                                   | F                        | Y | ..... | 10.2                                     | 10                       | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.4 | Seasonal.<br>Operates 24 h.                                                                                                                                                                          |
| 831<br>H0806             | Whycocomagh                        | On Lovett Point, N.<br>side of channel.<br>45 57 40.6<br>061 04 40.5                              | LFI                      | W | 6s    | 7.0                                      | .....                    | Skeleton tower, enclosed<br>lower portion.<br>6.8                               | Seasonal.<br>Flash 2 s; eclipse 4 s.                                                                                                                                                                 |
| Barra Strait             |                                    |                                                                                                   |                          |   |       |                                          |                          |                                                                                 |                                                                                                                                                                                                      |
| 834<br>H0818             | Grand Narrows Bridge               | On centre of swing<br>bridge between<br>Kelly and Uniacke<br>Points.<br>45 57 31.9<br>060 47 49.5 | F                        | W | ..... | 16.7                                     | .....                    | Cylindrical mast.<br>2.2                                                        | Private aid.<br>Year round.<br>Operates 24 h.<br>Lights show red up and down<br>channel when swing bridge is<br>closed, green when open.<br>White light is always visible.<br>Maintained by railway. |
| 835<br>H0822             | Derby Point                        | On point.<br>45 56 22.4<br>060 48 03.5                                                            | FI                       | R | 4s    | 15.7                                     | 6                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.7          | Seasonal.                                                                                                                                                                                            |
| 835.8                    | McPhee Island light<br>buoy E3     | 45 56 28.8<br>060 32 12.4                                                                         | FI                       | G | 4s    | .....                                    | .....                    | Green, spar, marked "E3".                                                       | Seasonal.                                                                                                                                                                                            |
| Bras d'Or Lake           |                                    |                                                                                                   |                          |   |       |                                          |                          |                                                                                 |                                                                                                                                                                                                      |
| 836.02                   | Dundee Marina light<br>buoy        |                                                                                                   | FI                       | G | 4s    | .....                                    | .....                    | Green, spar, marked<br>"PRIV".                                                  | Private aid.<br>Seasonal.                                                                                                                                                                            |
| 836.03                   | Dundee Marina light<br>buoy        |                                                                                                   | FI                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "PRIV".                                                       | Private aid.<br>Seasonal.                                                                                                                                                                            |
| 836.1                    | Poor Point light buoy<br>D1        | 45 46 40.5<br>060 56 29.0                                                                         | FI                       | G | 4s    | .....                                    | .....                    | Green, spar, marked "D1".                                                       | Seasonal.                                                                                                                                                                                            |
| 837                      | Paddle Shoal light<br>buoy DA2     | 45 48 17.4<br>060 57 49.4                                                                         | FI                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "DA2".                                                        | Seasonal.                                                                                                                                                                                            |
| 838<br>H0832             | Cameron Island                     | On NE. end of<br>island.<br>45 48 51.0<br>061 00 25.3                                             | FI                       | G | 4s    | 9.3                                      | 5                        | White pyramid tower.<br>8.4                                                     | Seasonal.                                                                                                                                                                                            |
| St. Peters Inlet         |                                    |                                                                                                   |                          |   |       |                                          |                          |                                                                                 |                                                                                                                                                                                                      |
| 839                      | Kelly Shoals light buoy<br>Q35     | On W. side of<br>shoals.<br>45 46 10.6<br>060 49 25.7                                             | FI                       | G | 4s    | .....                                    | .....                    | Green, spar, marked "Q35".                                                      | Seasonal.                                                                                                                                                                                            |
| 840<br>H0838             | Cape George                        | S. side of lake, W.<br>side of entrance to<br>St. Peters Inlet.<br>45 44 05.2<br>060 48 38.1      | FI                       | W | 4s    | .....                                    | 6                        | Square tower, red and<br>white rectangular daymark.                             | Seasonal.                                                                                                                                                                                            |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                              | Location<br>-----<br>Latitude N.<br>Longitude W.                                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                    | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|---------------------------------|-----------------------------------------------------|----------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                                     |                                                                                  |                          |                                          |                          |                                                                                             |                                                     |
| 841<br>H0839                    | Gregory Island                                      | On island.<br>45 42 38.5<br>060 48 01.3                                          | Fl G 4s                  | .....                                    | 4                        | Square skeleton tower,<br>green and white square<br>daymark with black square<br>in center. | Seasonal.                                           |
| 841.5                           | Scotts Island light<br>buoy Q43                     | W. of island.<br>45 41 32.2<br>060 48 30.9                                       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "Q43".                                                                  | Seasonal.                                           |
| 842<br>H0842                    | Beaver Island                                       | On SE. point of<br>island.<br>45 40 29.5<br>060 50 01.4                          | Fl W 4s                  | 9.9                                      | 6                        | White cylindrical tower with<br>red horizontal band.<br>9.7                                 | Seasonal.                                           |
| 843<br>H0843                    | Helens Island                                       | W. from Sandys<br>Point.<br>45 39 58.2<br>060 51 21.1                            | Fl G 4s                  | 7.5                                      | .....                    | Pipe Swing Pole, green,<br>white and black square<br>daymark.<br>6.7                        | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 845.1                           | Great Bras D'Or (St.<br>Anns Bay) light buoy<br>KP2 | 46 18 02.2<br>060 31 47.3                                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "KP2".                                                                  | Seasonal.                                           |
| 845.3                           | Great Bras D'Or (St.<br>Anns Bay) light buoy<br>KP7 | 46 17 32.0<br>060 32 18.8                                                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "KP7".                                                                   | Seasonal.                                           |
| 845.4                           | Port Shoal light buoy<br>KP8                        | 46 17 00.2<br>060 33 01.2                                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "KP8".                                                                  | Seasonal.                                           |
| 845.5                           | Breton Cove light and<br>bell buoy KN               | 46 26 27.0<br>060 26 48.6                                                        | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"KN".                                                          | Seasonal.<br><b>Audible signal: Bell</b>            |
| 845.7<br>H0857.5                | Breton Cove front<br>range light                    | 46 26 41.2<br>060 27 38.7                                                        | F Y                      | .....                                    | 7.2                      | 12 Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>5.0              | Seasonal.                                           |
| 845.8<br>H0857.51               | Breton Cove rear<br>range light                     | 46 26 42.1<br>060 27 42.2<br><br>290°59' 80.2 m<br>from front.                   | F Y                      | .....                                    | 10.7                     | 12 Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>10.1             | Seasonal.                                           |
| 845.9                           | Little River Inner<br>Breakwater                    | End of rock pile on<br>the inside of<br>breakwater.<br>46 26 42.1<br>060 27 31.7 | Fl R 4s                  | 2.6                                      | 2                        | Cylindrical mast.<br>2.2                                                                    | Seasonal.                                           |
| 846                             | Cape Smokey light<br>and whistle buoy K4            | 46 38 21.1<br>060 19 39.0                                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "K4".                                                                   | Seasonal.<br><b>Audible signal: Whistle</b>         |
| 847<br>H0858                    | Ingonish Harbour                                    | On beach, N. side<br>of harbour<br>entrance.<br>46 38 02.9<br>060 23 19.2        | Iso W 4s                 | 7.1                                      | 6                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>5.1                      | Seasonal.                                           |
| 847.3                           | Ingonish Harbour light<br>buoy KM6                  | 46 37 59.9<br>060 23 20.7                                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "KM6".                                                                  | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                          | Location<br>-----<br>Latitude N.<br>Longitude W.                     | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)              | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|---------------------------------|-------------------------------------------------|----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                                 |                                                                      |                          |                                          |                          |                                                                                       |                                                     |
| 848                             | South Bay Ingonish<br>light buoy KM             | 46 38 02.1<br>060 22 48.5                                            | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"KM".                                                    | Seasonal.                                           |
| 848.5                           | Ingonish East Cardinal<br>light buoy KF         | 46 41 13.1<br>060 19 23.5                                            | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, pillar,<br>marked "KF".                                           | Seasonal.                                           |
| 848.6                           | Ingonish Harbour light<br>buoy KM3              | 46 37 58.5<br>060 23 09.9                                            | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"KM3".                                                         | Seasonal (in place year round).                     |
| 848.7                           | Ingonish Harbour light<br>buoy KM4              | 46 37 59.7<br>060 23 10.4                                            | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "KM4".                                                              | Seasonal (in place year round).                     |
| 849                             | Ingonish Island South<br>Cardinal light buoy KH | 46 40 44.4<br>060 20 38.1                                            | Q(6) +<br>LFI W 15s      | .....                                    | .....                    | Yellow-black, pillar, marked<br>"KH".                                                 | Seasonal.                                           |
| 849.3                           | Ingonish Harbour<br>North light buoy KH2        | 46 41 22.2<br>060 21 39.0                                            | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "KH2".                                                              | Seasonal.                                           |
| 849.4<br>H0865.1                | The Point Breakwater                            | Outer end of wharf,<br>Ingonish.<br>46 41 14.9<br>060 21 33.2        | Fl R 4s                  | 4.2                                      | 5                        | Pipe swing pole, red and<br>white rectangular daymark<br>with red triangle in centre. | Year round.<br>Flash 1 s; eclipse 3 s.              |
| 850                             | Neil Harbour light and<br>bell buoy KD          | 46 47 43.1<br>060 18 09.5                                            | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"KD".                                                    | Seasonal.<br><b>Audible signal: Bell</b>            |
| 850.1                           | Neil's Harbour light<br>buoy KD1                | Ingonish.<br>46 48 25.3<br>060 19 20.5                               | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"KD1".                                                         | Seasonal.                                           |
| 850.6<br>H0866.1                | Neils Harbour<br>Breakwater Light               | Outer end of<br>breakwater.<br>46 48 24.0<br>060 19 16.9             | Fl R 4s                  | 10.0                                     | 3                        | Pipe swing pole.<br>2.8                                                               | Year round.                                         |
| 851<br>H0866                    | Neil Harbour                                    | On headland, on E.<br>side of entrance.<br>46 48 23.3<br>060 19 11.0 | LFI W 6s                 | 17.9                                     | 9                        | White square tower with<br>red upper portion.<br>10.0                                 | Seasonal.<br>Flash 2 s; eclipse 4 s.                |
| 851.3                           | New Haven<br>Breakwater light buoy<br>KC1       | Off end of<br>breakwater.<br>46 49 17.4<br>060 19 06.3               | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"KC1".                                                         | Seasonal.                                           |
| 852                             | New Haven light and<br>whistle buoy KC          | 46 49 17.1<br>060 18 21.5                                            | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"KC".                                                    | Seasonal.<br><b>Audible signal: Whistle</b>         |
| 852.6                           | White Point light and<br>whistle buoy KB1       | 46 53 32.1<br>060 21 15.5                                            | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"KB1".                                                       | Seasonal.<br><b>Audible signal: Whistle</b>         |
| 853.1<br>H0868                  | White Point<br>Breakwater                       | Outer end of<br>breakwater.<br>46 52 32.2<br>060 21 15.3             | Fl G 5s                  | 6.0                                      | 4                        | Cylindrical mast.<br>2.8                                                              | Seasonal.<br>Flash 1 s; eclipse 4 s.                |
| 854<br>H0872                    | Cape North                                      | On square building.<br>47 01 44.0<br>060 23 30.1                     | LFI W 6s                 | 33.7                                     | 8                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>14.5               | Year round.<br>Flash 2 s; eclipse 4 s.              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                        | Location<br>-----<br>Latitude N.<br>Longitude W.               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)    | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS           |
|---------------------------------|-----------------------------------------------|----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------|---------------------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                               |                                                                |                          |                                          |                          |                                                                             |                                                               |
| 855<br>H0870                    | Dingwall Harbour<br>North Breakwater          | On outer end of<br>breakwater.<br>46 54 15.7<br>060 27 07.1    | FI R 4s                  | 8.2                                      | .....                    | Square skeleton tower, red<br>and white triangular<br>daymark.<br>4.9       | Seasonal.                                                     |
| 856                             | Dingwall light and bell<br>buoy KA            | 46 54 14.1<br>060 25 51.5                                      | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"KA".                                          | Seasonal.<br><b>Audible signal: Bell</b>                      |
| 857<br>H0870.4                  | Dingwall Harbour<br>South Breakwater          | On outer end of<br>breakwater.<br>46 54 13.3<br>060 27 07.5    | FI G 4s                  | 8.0                                      | 4                        | Cylindrical mast.<br>5.0                                                    | Seasonal.                                                     |
| 857.2                           | Dingwall Harbour<br>North light buoy KA6      | 46 54 14.1<br>060 27 11.5                                      | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "KA6".                                                  | Seasonal.                                                     |
| 857.3                           | Dingwall Harbour<br>South light buoy KA9      | 46 54 12.3<br>060 27 22.3                                      | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"KA9".                                             | Seasonal.                                                     |
| 858<br>H0873                    | St. Lawrence Bay                              | Near outer end of<br>breakwater.<br>47 00 12.7<br>060 28 04.0  | FI G 3s                  | 5.2                                      | 4                        | Pipe swing pole.<br>4.2                                                     | Seasonal.<br>Flash 1 s; eclipse 2 s.                          |
| 858.3<br>H0873.2                | St. Lawrence Bay<br>Southwest Breakwater      | 47 00 12.6<br>060 28 05.5                                      | FI R 4s                  | 5.1                                      | 2                        | Pipe swing pole.<br>3.3                                                     | Seasonal.                                                     |
| 859                             | St. Lawrence Bay light<br>and whistle buoy VV | 47 01 02.1<br>060 28 23.5                                      | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"VV".                                          | Seasonal.<br><b>Audible signal: Whistle</b>                   |
| 860<br>H0874                    | Cape St. Lawrence                             | On the cape.<br>47 02 28.7<br>060 35 52.7                      | LFI W 12s                | 26.8                                     | 8                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.7      | Year round.<br>Flash 2 s; eclipse 10 s.<br>Visible 050°-261°. |
| 860.6<br>H1176.4                | Pleasant Bay<br>Breakwater                    | NE. of breakwater.<br>46 49 57.2<br>060 47 51.1                | FI G 5s                  | 7.2                                      | 4                        | Cylindrical mast.<br>3.6                                                    | Seasonal.<br>Flash 1 s; eclipse 4 s.                          |
| 860.9<br>H1176.5                | Pleasant Bay<br>Southwest Breakwater          | 46 49 59.1<br>060 47 50.6                                      | Q R 1s                   | 6.8                                      | 4                        | Cylindrical mast.<br>3.8                                                    | Seasonal.                                                     |
| 861<br>H1177                    | <b>Pleasant Bay front<br/>range light</b>     | 46 49 43.0<br>060 47 38.1                                      | F R .....                | 20.0                                     | 16                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>5.0 | Seasonal.                                                     |
| 861.1<br>H1177.1                | <b>Pleasant Bay rear<br/>range light</b>      | 46 49 41.1<br>060 47 36.1<br><br>143°17' 71.7 m<br>from front. | F R .....                | 24.9                                     | 16                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>5.0 | Seasonal.                                                     |
| 862<br>H1182                    | Caveau Point front<br>range light             | Extremity of point.<br>46 38 56.6<br>061 00 00.6               | F R .....                | 16.8                                     | 14                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>6.7 | Year round.                                                   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                   | Location<br>-----<br>Latitude N.<br>Longitude W.                  | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS             |
|---------------------------------|------------------------------------------|-------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|-----------------------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                          |                                                                   |                          |                                          |                          |                                                                                 |                                                                 |
| 863<br>H1182.1                  | Caveau Point rear<br>range light         | 46 38 54.6<br>060 59 51.6<br><br>107°55' 201.0 m<br>from front.   | F R .....<br><br><br>    | 29.2                                     | 14                       | White square tower with<br>red vertical stripe.<br>8.5                          | Year round.                                                     |
| 863.1                           | Chéticamp Harbour<br>light buoy VD2      | 46 38 58.5<br>061 00 28.3                                         | Q R 1s .....             | .....                                    | .....                    | Red, spar, marked "VD2".                                                        | Seasonal.                                                       |
| 864                             | Chéticamp Harbour<br>light buoy VD4      | Off Gros Cap<br>entrance.<br>46 38 45.5<br>061 00 31.5            | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "VD4".                                                        | Seasonal.                                                       |
| 866.1                           | Chéticamp Harbour<br>light buoy VD8      | 46 38 32.4<br>061 00 34.8                                         | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "VD8".                                                        | Seasonal.                                                       |
| 866.2                           | Chéticamp Harbour<br>light buoy VD9      | 46 38 32.2<br>061 00 33.5                                         | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked<br>"VD9".                                                   | Seasonal.                                                       |
| 866.3                           | Chéticamp Inner light<br>buoy VD10       | 46 38 25.8<br>061 00 36.5                                         | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "VD10".                                                       | Seasonal.                                                       |
| 866.4                           | Chéticamp Inner light<br>buoy VD13       | 46 38 19.5<br>061 00 36.9                                         | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked<br>"VD13".                                                  | Seasonal.                                                       |
| 866.5                           | Chéticamp Inner light<br>buoy VD15       | 46 38 13.1<br>061 00 38.9                                         | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked<br>"VD15".                                                  | Seasonal.                                                       |
| 866.6                           | Chéticamp Inner light<br>buoy VD14       | 46 38 12.5<br>061 00 40.1                                         | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "VD14".                                                       | Seasonal.                                                       |
| 867<br>H1188                    | <b>Enragée Point</b>                     | On NW. point of<br>Chéticamp Island.<br>46 38 58.4<br>061 01 35.2 | Fl(3) W 24s              | 22.5                                     | <b>16</b>                | White octagonal tower with<br>red top.<br>13.3                                  | Year round.<br>Operates 24 h.                                   |
| 868.5<br>H1196.4                | Grand Étang<br>Northeast Breakwater      | NE. breakwater.<br>46 33 03.9<br>061 02 46.5                      | Q G 1s                   | 8.5                                      | 4                        | Cylindrical mast.<br>5.1                                                        | Seasonal.                                                       |
| 868.6<br>H1196.5                | Grand Étang<br>Southwest Breakwater      | On outer end of<br>SW. breakwater.<br>46 33 03.3<br>061 02 49.2   | Q R 1s                   | 8.1                                      | 2                        | Cylindrical mast.<br>3.5                                                        | Seasonal.                                                       |
| 869<br>H1196                    | <b>Grand Étang front<br/>range light</b> | On E. bank of<br>harbour.<br>46 32 54.1<br>061 02 31.4            | Oc Y 10s                 | 9.9                                      | <b>16</b>                | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>8.3     | Seasonal.<br>Flash 9 s; eclipse 1 s.<br>Locator light: Fl W 4s. |
| 870<br>H1196.1                  | <b>Grand Étang rear<br/>range light</b>  | 46 32 50.0<br>061 02 24.3<br><br>130°29' 197.7 m<br>from front.   | Oc Y 10s                 | 17.5                                     | <b>16</b>                | Triangular skeleton tower,<br>white daymark with red<br>vertical stripe.<br>7.4 | Seasonal.<br>Flash 9 s; eclipse 1 s.<br>Locator light: Fl W 4s. |
| 872<br>H1202                    | Margaree Harbour<br>front range light    | On W. side of river<br>entrance.<br>46 26 22.6<br>061 06 45.1     | F Y .....<br><br><br>    | 15.2                                     | 7                        | White square tower with<br>red top and red vertical<br>stripe.<br>6.8           | Seasonal.<br>Visible 102°-192°.                                 |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                 | Location<br>-----<br>Latitude N.<br>Longitude W.               | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|----------------------------------------|----------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------|
| CAPE BRETON ISLAND, N.S. |                                        |                                                                |                          |   |       |                                          |                          |                                                                                   |                                                     |
| 873<br>H1202.1           | Margaree Harbour<br>rear range light   | 46 26 20.5<br>061 06 44.4<br><br>166°45' 64.6 m<br>from front. | F                        | Y | ..... | 21.3                                     | 8                        | White pyramid tower with<br>red upper portion and red<br>vertical stripe.<br>10.2 | Seasonal.                                           |
| 873.1                    | Margaree Harbour<br>light buoy VH8     | 46 26 29.1<br>061 06 46.8                                      | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "VH8".                                                        | Seasonal.                                           |
| 873.2<br>H1202.3         | Margaree Harbour<br>East Breakwater    | 46 26 34.4<br>061 06 47.1                                      | Fl                       | G | 4s    | 5.3                                      | 4                        | Cylindrical mast.<br>2.2                                                          | Seasonal.                                           |
| 873.21<br>H1202.4        | Margaree Harbour<br>West Breakwater    | 46 26 35.1<br>061 06 50.7                                      | Fl                       | R | 4s    | 5.9                                      | .....                    | Cylindrical mast.<br>2.2                                                          | Seasonal.                                           |
| 873.22                   | Margaree Harbour<br>light buoy VH9     | 46 26 28.4<br>061 06 39.8                                      | Q                        | G | 1s    | .....                                    | .....                    | Green, pillar, marked<br>"VH9".                                                   | Seasonal.                                           |
| 873.23                   | Margaree Harbour<br>light buoy VH11    | 46 26 30.9<br>061 06 30.3                                      | Q                        | G | 1s    | .....                                    | .....                    | Green, pillar, marked<br>"VH11".                                                  | Seasonal.                                           |
| 873.3                    | Margaree Harbour<br>light buoy VH12    | Inside harbour.<br>46 26 29.2<br>061 06 29.7                   | Q                        | R | 1s    | .....                                    | .....                    | Red, pillar, marked "VH12".                                                       | Seasonal.                                           |
| 874<br>H1208             | Margaree Island (Sea<br>Wolf Island)   | Middle of Sea Wolf<br>Island.<br>46 21 27.2<br>061 15 49.6     | Fl                       | W | 4s    | 90.8                                     | 9                        | White hexagonal tower with<br>red top.<br>8.2                                     | Year round.<br>Flash 1 s; eclipse 3 s.              |
| 874.1<br>H1210.5         | Inverness Breakwater                   | 46 13 45.6<br>061 19 30.0                                      | Fl                       | G | 4s    | 8.1                                      | 2                        | Triangular skeleton tower,<br>green, white and black<br>square daymark.<br>3.3    | Seasonal.                                           |
| 874.12<br>H1210.6        | Inverness South<br>Breakwater          | 46 13 44.7<br>061 19 33.2                                      | Fl                       | R | 4s    | 7.2                                      | 2                        | Cylindrical mast.<br>3.3                                                          | Seasonal.                                           |
| 874.2<br>H1210           | Inverness Harbour<br>front range light | 46 13 35.4<br>061 19 11.3                                      | F                        | G | ..... | 5.6                                      | 10                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>3.4       | Seasonal.                                           |
| 874.3<br>H1210.1         | Inverness Harbour<br>rear range light  | 46 13 34.4<br>061 19 09.2<br><br>123°45' 54.9 m<br>from front. | F                        | G | ..... | 11.8                                     | 10                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>4.9       | Seasonal.                                           |
| 874.31                   | Inverness Inner light<br>buoy VL1      | Inverness Harbour.<br>46 13 39.5<br>061 19 18.3                | Q                        | G | 1s    | .....                                    | .....                    | Green, spar, marked "VL1".                                                        | Seasonal.<br>Operates 24 h.                         |
| 874.4                    | Finlay Point                           | 46 08 01.0<br>061 27 47.0                                      | Fl                       | G | 4s    | .....                                    | 2                        | Pipe swing pole.                                                                  | Seasonal.                                           |
| 874.51                   | Mabou Harbour light<br>buoy VJ         | NW. of Harbour.<br>46 05 29.1<br>061 29 28.1                   | Mo(A)                    | W | 6s    | .....                                    | .....                    | Red-white, pillar, marked<br>"VJ".                                                | Seasonal.                                           |
| 874.52                   | Mabou Harbour light<br>buoy VJ1        | 46 05 25.0<br>061 28 53.7                                      | Fl                       | G | 4s    | .....                                    | .....                    | Green, can, marked "VJ1".                                                         | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|---------------------------------|---------------------------------------------|-------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                             |                                                             |                          |                                          |                          |                                                                          |                                                     |
| 874.53                          | Mabou Harbour light<br>buoy VJ2             | 46 05 23.0<br>061 28 55.4                                   | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"VJ2".                                           | Seasonal.                                           |
| 874.55                          | Mabou Harbour light<br>buoy VJ3             | 46 05 18.2<br>061 28 33.7                                   | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "VJ3".                                               | Seasonal.                                           |
| 874.6                           | Mabou Harbour light<br>buoy VJ4             | 46 05 17.5<br>061 28 32.3                                   | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "VJ4".                                                 | Seasonal.                                           |
| 874.61                          | Mabou Harbour light<br>buoy VJ8             | 46 05 14.6<br>061 28 13.4                                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "VJ8".                                               | Seasonal.                                           |
| 874.62                          | Mabou Harbour light<br>buoy VJ9             | 46 05 15.4<br>061 28 13.1                                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "VJ9".                                             | Seasonal.                                           |
| 876<br>H1216.1                  | Mabou Harbour                               | 46 05 09.2<br>061 27 55.2                                   | F G                      | .....                                    | 13.9                     | 6<br>White square tower with<br>red upper portion.<br>13.7               | Private aid.<br>Seasonal.                           |
| 876.3                           | Murphy Pond light<br>buoy VX1               | 46 01 27.7<br>061 32 38.5                                   | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "VX1".                                               | Seasonal.                                           |
| 876.5                           | Port Hood Fairway<br>light buoy VX          | At the harbour's<br>entrance.<br>46 01 51.7<br>061 33 57.2  | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"VX".                                       | Seasonal.                                           |
| 876.8<br>H1218                  | Murphy Pond                                 | Outer end of W.<br>breakwater.<br>46 01 33.3<br>061 32 39.7 | Fl G 4s                  | 6.2                                      | 2                        | Cylindrical mast.<br>3.3                                                 | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 876.9<br>H1217.5                | Murphy Pond<br>Breakwater Light             | Outer end of E.<br>breakwater.<br>46 01 35.7<br>061 32 38.0 | Fl R 4s                  | 5.6                                      | 2                        | Cylindrical mast.<br>3.3                                                 | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 877<br>H1224                    | Port Hood Island                            | 46 00 51.4<br>061 33 23.8                                   | Fl R 4s                  | 4.5                                      | 5                        | Skeleton mast, red and<br>white rectangular daymark.<br>3.6              | Private aid.<br>Seasonal.                           |
| 879.5                           | Portsmouth Point light<br>buoy VK7          | S. of point.<br>45 59 06.2<br>061 33 19.6                   | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "VK7".                                               | Seasonal.                                           |
| 880                             | Spithead light buoy<br>VK9                  | E. of Spithead.<br>45 59 43.2<br>061 32 50.6                | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "VK9".                                               | Seasonal (in place year round).                     |
| 880.1                           | Dean Shoal light buoy<br>VK12               | Port Hood Harbour.<br>45 59 58.2<br>061 32 32.6             | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "VK12".                                                | Seasonal (in place year round).                     |
| 880.2                           | Smith Point light buoy<br>VK13              | 46 00 29.4<br>061 32 46.8                                   | Fl G 4s                  | .....                                    | .....                    | Green, can, marked<br>"VK13".                                            | Seasonal.                                           |
| 880.5                           | Port Hood Causeway<br>South light buoy VK15 | S. of the causeway.<br>46 01 03.5<br>061 33 02.7            | Fl G 4s                  | .....                                    | .....                    | Green, can, marked<br>"VK15".                                            | Seasonal.                                           |
| 880.6                           | Port Hood Causeway<br>South light buoy VK16 | S. of the causeway.<br>46 01 03.8<br>061 33 01.8            | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"VK16".                                          | Seasonal.                                           |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.        | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.                   | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                     | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS       |
|---------------------------------|---------------------------------------------|--------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                             |                                                                    |                          |                                          |                          |                                                                                              |                                                           |
| 880.7                           | Port Hood Causeway<br>North light buoy VK17 | 46 01 04.9<br>061 33 04.0                                          | Q G 1s                   | .....                                    | .....                    | Green, can, marked<br>"VK17".                                                                | Seasonal.                                                 |
| 880.8                           | Port Hood Causeway<br>North light buoy VK18 | 46 01 05.1<br>061 33 03.1                                          | Q R 1s                   | .....                                    | .....                    | Red, conical, marked<br>"VK18".                                                              | Seasonal.                                                 |
| 881<br>H1222                    | Henry Island                                | W. side of island.<br>45 58 37.6<br>061 35 59.4                    | FI W 4s                  | 61.0                                     | 9                        | Octagonal tower with red<br>top and red and white<br>vertical stripes.<br>11.6               | Year round.<br>Flash 1 s; eclipse 3 s.                    |
| 881.1<br>H1223.2                | Little Judique Harbour<br>Breakwater        | 45 57 31.7<br>061 31 42.3                                          | FI G 4s                  | 5.3                                      | 2                        | Cylindrical mast, green,<br>white and black square<br>daymark.<br>3.8                        | Seasonal.<br>Flash 1 s; eclipse 3 s.                      |
| 881.3<br>H1223                  | Little Judique Harbour<br>Wharf Sector      | Near outer end of<br>W. breakwater.<br>45 57 28.9<br>061 31 37.2   | F R<br>W<br>G            | .....                                    | 8.2                      | 8 Square skeleton tower,<br>enclosed lower portion, red<br>and white rectangular<br>daymark. | Seasonal.<br>R 093°-121°;<br>W 121°-123°;<br>G 123°-155°. |
| 882<br>H1228                    | Judique South Wharf                         | On outer end, SW.<br>corner of wharf.<br>45 51 27.5<br>061 30 13.1 | LFI R 6s                 | 7.3                                      | .....                    | Pipe swing pole, red and<br>white triangular daymark.<br>6.7                                 | Seasonal.<br>Flash 2 s; eclipse 4 s.                      |
| 882.1                           | Henry Point light buoy<br>VM3               | Off Henry Island.<br>45 59 39.7<br>061 35 09.6                     | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"VM3".                                                                | Seasonal.                                                 |
| 882.2                           | Henry Point light buoy<br>VM4               | Off Henry Island.<br>45 59 27.5<br>061 35 34.7                     | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "VM4".                                                                     | Seasonal.                                                 |
| 882.3                           | Smith Point South<br>Cardinal light buoy VM | Port Hood.<br>46 00 23.2<br>061 33 07.6                            | Q(6) +<br>LFI            | W 15s                                    | .....                    | ..... Yellow-black, spar, marked<br>"VM".                                                    | Seasonal.                                                 |
| 882.5                           | Judique Shoals light<br>buoy VN2            | W. of shoals.<br>45 50 16.3<br>061 33 09.8                         | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "VN2".                                                                     | Seasonal.                                                 |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.                  | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|-------------------------------------|---------------------------------------------|-------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - EAST</b> |                                             |                                                                   |                          |                                          |                          |                                                                                         |                                                                   |
| 883.2                               | Aulds Cove light buoy<br>VT2                | 45 38 56.4<br>061 26 03.4                                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "VT2".                                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 883.4                               | Havre Boucher light<br>buoy VQ              | 45 42 18.5<br>061 31 04.9                                         | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"VQ".                                                      | Seasonal.                                                         |
| 883.5                               | Havre Boucher light<br>buoy VQ4             | 45 41 37.2<br>061 31 23.4                                         | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "VQ4".                                                                | Seasonal.                                                         |
| 883.6                               | Havre Boucher light<br>buoy VQ5             | 45 41 31.4<br>061 31 20.8                                         | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"VQ5".                                                           | Seasonal.                                                         |
| 883.9                               | Havre Boucher light<br>buoy VQ8             | 45 41 23.9<br>061 31 29.3                                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "VQ8".                                                              | Seasonal.                                                         |
| 884<br>H1230                        | Havre Boucher front<br>range light          | On SW. shore.<br>45 40 54.4<br>061 31 37.7                        | F G                      | .....                                    | 8.3                      | 8<br>Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>7.5        | Seasonal.                                                         |
| 885<br>H1230.1                      | Havre Boucher rear<br>range light           | 45 40 40.9<br>061 31 42.7<br><br>194°31' 433.2 m<br>from front.   | F G                      | .....                                    | 32.4                     | 8<br>White pyramidal tower with<br>red vertical stripe and red<br>upper portion.<br>9.6 | Seasonal.                                                         |
| 886                                 | Jack Shoal light and<br>bell buoy VU4       | Off shoal.<br>45 43 21.1<br>061 32 59.3                           | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "VU4".                                                              | Seasonal.<br><br><b>Audible signal: Bell</b>                      |
| 887<br>H1231                        | Barrios Beach<br>Breakwater                 | On shore, approach<br>to breakwater.<br>45 38 44.9<br>061 37 32.3 | Fl W 4s                  | 16.1                                     | 9                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.8                  | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 887.1                               | Bowman Bank North<br>Cardinal light buoy VP | 45 40 16.9<br>061 41 39.9                                         | Q W 1s                   | .....                                    | .....                    | Black-yellow, spar, marked<br>"VP".                                                     | Seasonal.                                                         |
| 887.2                               | Barrios Beach light<br>buoy VP2             | 45 39 05.7<br>061 37 45.8                                         | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"VP2".                                                          | Seasonal.                                                         |
| 887.5                               | Barrios Beach light<br>buoy VP5             | 45 38 36.5<br>061 37 32.7                                         | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "VP5".                                                               | Seasonal.                                                         |
| 887.7                               | Barrios Beach light<br>buoy VP13            | 45 38 20.5<br>061 37 50.6                                         | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"VP13".                                                          | Seasonal.                                                         |
| 887.73                              | Monk Head North<br>Cardinal light buoy VR   | 45 41 24.2<br>061 47 58.5                                         | Q W 1s                   | .....                                    | .....                    | Black-yellow, spar, marked<br>"VR".                                                     | Seasonal.                                                         |
| 887.75                              | Bayfield light buoy<br>VR2                  | 45 39 22.3<br>061 44 20.9                                         | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "VR2".                                                                | Seasonal.                                                         |
| 887.8                               | Bayfield light buoy<br>VR4                  | 45 38 52.3<br>061 44 43.9                                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "VR4".                                                              | Seasonal.                                                         |
| 887.82                              | Bayfield light buoy<br>VR8                  | 45 38 38.8<br>061 45 09.6                                         | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "VR8".                                                              | Seasonal.                                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.     | Name<br>-----<br>RACON                                    | Location<br>-----<br>Latitude N.<br>Longitude W.                    | Light<br>Characteristics |          |           | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)   | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                          |
|------------------------------|-----------------------------------------------------------|---------------------------------------------------------------------|--------------------------|----------|-----------|------------------------------------------|--------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| NORTHUMBERLAND STRAIT - EAST |                                                           |                                                                     |                          |          |           |                                          |                          |                                                                            |                                                                                              |
| 888<br><i>H1232</i>          | Pomquet Island                                            | NE. end of island.<br>45 39 27.5<br>061 44 50.6                     | LFI                      | W        | 6s        | 13.7                                     | 8                        | White pyramid tower.<br>8.2                                                | Seasonal.<br>Flash 2 s; eclipse 4 s.                                                         |
| 888.5                        | Bayfield Breakwater                                       | On the outer end of<br>the breakwater.<br>45 38 40.7<br>061 45 11.1 | FI                       | W        | 4s        | .....                                    | 2                        | Cylindrical mast.                                                          | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                         |
| 889.5                        | <i>Antigonish Harbour<br/>light buoy VS</i>               | <i>Harbour entrance.</i><br>45 41 49.3<br>061 52 37.3               | <i>Mo(A)</i>             | <i>W</i> | <i>6s</i> | <i>.....</i>                             | <i>.....</i>             | <i>Red-white, pillar, marked<br/>"VS".</i>                                 | <i>Seasonal.</i>                                                                             |
| 890<br><i>H1232.3</i>        | Cribbean Head Wharf                                       | On outer end of<br>wharf.<br>45 45 18.9<br>061 53 47.0              | FI                       | R        | 4s        | 6.1                                      | 5                        | Pipe swing pole, red<br>triangular daymark.<br>3.5                         | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                         |
| 890.2<br><i>H1232.35</i>     | Cribbean Head Main                                        | 45 45 25.3<br>061 53 43.8                                           | Iso                      | W        | 4s        | 20.5                                     | 10                       | Skeleton tower, enclosed<br>lower portion.<br>3.8                          | Year round.                                                                                  |
| 891<br><i>H1232.5</i>        | Ballantynes Cove<br>Wharf                                 | On S. side of wharf.<br>45 51 27.1<br>061 55 06.8                   | LFI                      | R        | 6s        | 8.1                                      | 4                        | Pipe swing pole.<br>5.2                                                    | Seasonal.<br>Flash 2 s; eclipse 4 s.                                                         |
| 891.5                        | <i>Cape George light and<br/>bell buoy VU2</i>            | <i>Off cape.</i><br>45 52 34.4<br>061 53 13.8                       | <i>FI</i>                | <i>R</i> | <i>4s</i> | <i>.....</i>                             | <i>.....</i>             | <i>Red, pillar, marked "VU2".</i>                                          | <i>Seasonal.</i><br><br><i><b>Audible signal: Bell</b></i>                                   |
| 892<br><i>H1234</i>          | <b>Cape George</b>                                        | On cape.<br>45 52 26.8<br>061 54 01.8                               | FI(3)                    | W        | 12s       | 121.3                                    | <b>15</b>                | White octagonal tower with<br>red top.<br>13.8                             | Year round.<br>Flash 1 s; eclipse 2 s;<br>flash 1 s; eclipse 2 s;<br>flash 1 s; eclipse 5 s. |
| 892.5<br><i>H1234.5</i>      | Livingstone Cove                                          | 45 52 05.0<br>061 58 55.6                                           | FI                       | G        | 4s        | 6.3                                      | 4                        | Pipe swing pole.<br>5.1                                                    | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                         |
| 894.1<br><i>H1234.8</i>      | Arisaig West                                              | 45 45 37.1<br>062 10 21.3                                           | LFI                      | G        | 6s        | 10.4                                     | 5                        | Square skeleton tower,<br>green, white and green<br>square daymark.<br>9.6 | Seasonal.<br>Flash 2 s; eclipse 4 s.                                                         |
| 894.2<br><i>H1234.7</i>      | Arisaig East                                              | 45 45 37.1<br>062 10 19.7                                           | FI                       | R        | 4s        | 3.9                                      | 3                        | Cylindrical mast, red and<br>white triangular daymark.<br>3.0              | Seasonal.                                                                                    |
| 895<br><i>H1236</i>          | <b>Baileys Brook</b>                                      | On shore near<br>wharf.<br>45 42 23.5<br>062 16 12.9                | LFI                      | W        | 6s        | 16.8                                     | <b>15</b>                | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>8.5     | Seasonal.<br>Operates 24 h.<br>Flash 2 s; eclipse 4 s.                                       |
| 896<br><i>H1236.3</i>        | Baileys Brook East<br>Breakwater                          | On SW. corner of<br>E. breakwater.<br>45 42 27.9<br>062 16 27.7     | FI                       | G        | 4s        | .....                                    | 4                        | Cylindrical mast, green,<br>white and black square<br>daymark.             | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                         |
| 896.1<br><i>H1236.4</i>      | Baileys Brook West<br>Breakwater                          | 45 42 26.2<br>062 16 26.5                                           | FI                       | R        | 4s        | 5.8                                      | 4                        | Cylindrical mast.<br>3.9                                                   | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                         |
| 896.5                        | <i>Merigomish Harbour<br/>Approach light buoy<br/>SA2</i> | 45 40 00.2<br>062 28 33.7                                           | <i>FI</i>                | <i>R</i> | <i>4s</i> | <i>.....</i>                             | <i>.....</i>             | <i>Red, spar, marked "SA2".</i>                                            | <i>Seasonal.</i>                                                                             |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                               | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - EAST</b> |                                                      |                                                                 |                          |                                          |                          |                                                                                         |                                                     |
| 896.6                               | Kings Head light buoy<br>SA6                         | 45 39 10.2<br>062 28 24.7                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "SA6".                                                                | Seasonal.                                           |
| 896.8                               | Merigomish Harbour<br>light buoy SA14                | 45 38 33.7<br>062 27 07.7                                       | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "SA14".                                                               | Seasonal.                                           |
| 896.95                              | Pictou Island North<br>Cardinal light buoy<br>SPN    | 45 49 24.9<br>062 35 35.0                                       | Q W 1s                   | .....                                    | .....                    | Black-yellow, marked<br>"SPN".                                                          | Year round.<br>Operates 24 h.                       |
| 897<br>H1244                        | Pictou Island (West<br>End)                          | On W. point of<br>island.<br>45 48 15.0<br>062 36 07.2          | Fl W 4s                  | 14.0                                     | 6                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.9                  | Year round.                                         |
| 898<br>H1240                        | Pictou Island<br>Breakwater                          | On SE. corner of<br>W. breakwater.<br>45 48 09.5<br>062 35 08.4 | Fl G 4s                  | 4.9                                      | 4                        | Pipe Swing Pole, green,<br>white and black square<br>daymark.                           | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 898.5                               | Pictou Island East<br>Breakwater                     | On E. breakwater.<br>45 48 09.4<br>062 35 07.1                  | Iso R 4s                 | .....                                    | 4                        | Pipe swing pole, red and<br>white triangular daymark.                                   | Seasonal.                                           |
| 899<br>H1237                        | Pictou Island South                                  | On SW. coast of<br>island.<br>45 48 13.6<br>062 35 08.1         | Iso W 4s                 | 10.8                                     | 6                        | White square tower with<br>red upper portion.<br>8.1                                    | Seasonal.                                           |
| 899.5<br>H1238                      | Pictou Island (East<br>End)                          | SE. point.<br>45 48 55.2<br>062 30 49.2                         | Fl W 4s                  | 17.7                                     | 6                        | Square skeleton tower, red<br>rectangular daymark with<br>white horizontal band.<br>9.9 | Year round.<br>Flash 1 s; eclipse 3 s.              |
| 900.2                               | Pictou Island East<br>East Cardinal light<br>buoy SP | 45 49 36.2<br>062 29 48.7                                       | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, spar,<br>marked "SP".                                               | Seasonal.                                           |
| 900.5                               | Pictou light buoy SJ                                 | N. of Mackenzie<br>Shoal.<br>45 42 30.6<br>062 36 51.9          | Mo(A) W 6s               | .....                                    | .....                    | Red-white, can, marked<br>"SJ".                                                         | Seasonal.                                           |
| 900.8                               | Macdonald Reef light<br>buoy SJ2                     | E. of reef.<br>45 42 44.2<br>062 37 25.7                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "SJ2".                                                                | Seasonal.                                           |
| 901                                 | Pictou Harbour light<br>buoy SJ4                     | S. of Cole Point.<br>45 41 34.8<br>062 38 33.0                  | Q R 1s                   | .....                                    | .....                    | Red, conical, marked<br>"SJ4".                                                          | Seasonal.                                           |
| 901.1                               | Pictou Harbour light<br>buoy SJ5                     | 45 41 27.9<br>062 39 01.2                                       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "SJ5".                                                              | Seasonal.                                           |
| 901.5                               | Lighthouse Beach light<br>buoy SJ7                   | 45 41 23.3<br>062 39 37.7                                       | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "SJ7".                                                              | Seasonal.                                           |
| 901.6                               | Murdock Shoal light<br>buoy SJ6                      | 45 41 27.3<br>062 39 30.7                                       | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"SJ6".                                                          | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON              | Location<br>-----<br>Latitude N.<br>Longitude W.                      | Light<br>Characteristics  | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)    | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                                                                                                                                              |
|-------------------------------------|-------------------------------------|-----------------------------------------------------------------------|---------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - EAST</b> |                                     |                                                                       |                           |                                          |                          |                                                                             |                                                                                                                                                                                                                                                                                                                  |
| 903<br>H1256                        | Pictou Harbour front<br>range light | On N. side of<br>entrance to<br>harbour.<br>45 41 18.3<br>062 40 42.9 | F W .....<br>.....        | 6.8                                      | 11                       | White square tower with<br>red top and red vertical<br>stripe.<br>7.0       | Year round.<br>Mariners requiring the<br>operation of the range lights will<br>have to select VHF channel<br>65A and key their microphones<br>five (5) times in quick<br>succession. The range lights<br>will be in operation for 30<br>minutes. If additional time is<br>required, repeat the process<br>above. |
| 904<br>H1256.1                      | Pictou Harbour rear<br>range light  | 45 41 17.7<br>062 40 49.3<br><br>261°57' 140.6 m<br>from front.       | F W .....<br>.....        | 16.9                                     | 11                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>9.6 | Year round.<br>Mariners requiring the<br>operation of the range lights will<br>have to select VHF channel<br>65A and key their microphones<br>five (5) times in quick<br>succession. The range lights<br>will be in operation for 30<br>minutes. If additional time is<br>required, repeat the process<br>above. |
| 905                                 | Pictou Harbour light<br>buoy SJ11   | 45 40 52.3<br>062 40 43.7                                             | Fl G 4s .....<br>.....    | .....                                    | .....                    | Green, spar, marked<br>"SJ11".                                              | Seasonal.                                                                                                                                                                                                                                                                                                        |
| 905.2                               | Pictou Harbour light<br>buoy SJ12   | 45 40 51.5<br>062 41 30.4                                             | Q R 1s .....<br>.....     | .....                                    | .....                    | Red, spar, marked "SJ12".                                                   | Seasonal.                                                                                                                                                                                                                                                                                                        |
| 905.3                               | Pictou Landing light<br>buoy SJ15   | 45 40 38.5<br>062 41 04.7                                             | Q G 1s .....<br>.....     | .....                                    | .....                    | Green, spar, marked<br>"SJ15".                                              | Seasonal.                                                                                                                                                                                                                                                                                                        |
| 905.4                               | Pictou Landing East                 | 45 40 33.6<br>062 40 59.7                                             | Fl G 4s .....<br>.....    | .....                                    | .....                    | .....                                                                       | Seasonal.                                                                                                                                                                                                                                                                                                        |
| 905.5                               | Pictou Landing West                 | 45 40 33.5<br>062 41 00.7                                             | Fl R 4s .....<br>.....    | .....                                    | 2                        | .....                                                                       | Seasonal.                                                                                                                                                                                                                                                                                                        |
| 905.55                              | Hector Quay light<br>buoy SJD       | 45 40 17.1<br>062 42 35.0                                             | Fl(2) W 5s .....<br>..... | .....                                    | .....                    | Black-red-black, spar,<br>marked "SJD".                                     | Seasonal.<br>Flash 0.4 s; eclipse 0.6 s;<br>flash 0.4 s; eclipse 3.6 s.                                                                                                                                                                                                                                          |
| 905.6                               | Norway Reach light<br>buoy SJ19     | East River of<br>Pictou.<br>45 39 50.3<br>062 42 46.7                 | Q G 1s .....<br>.....     | .....                                    | .....                    | Green, spar, marked<br>"SJ19".                                              | Seasonal.                                                                                                                                                                                                                                                                                                        |
| 906.4<br>H1248.05                   | Lighthouse Beach                    | S. side of entrance<br>to harbour.<br>45 41 14.1<br>062 39 48.2       | Fl W 4s .....<br>.....    | 8.9                                      | 6                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>7.2      | Year round.<br>Flash 1 s; eclipse 3 s.<br>Radar reflector.                                                                                                                                                                                                                                                       |
| 906.6<br>H1260.5                    | Pictou Marina                       | End of the floating<br>dock.<br>45 40 27.9<br>062 42 39.4             | Q G 1s .....<br>.....     | 2.0                                      | .....                    | .....                                                                       | Private aid.<br>Seasonal.<br>Operates 24 h.                                                                                                                                                                                                                                                                      |
| 909                                 | Norway Reach light<br>buoy SJ27/3   | S. of Indian Cross<br>Point.<br>45 38 28.3<br>062 41 26.7             | Fl G 4s .....<br>.....    | .....                                    | .....                    | Green, spar, marked<br>"SJ27/3".                                            | Seasonal.                                                                                                                                                                                                                                                                                                        |
| 909.5                               | Stonehouse Point light<br>buoy SJ38 | 45 37 32.2<br>062 39 07.7                                             | Q R 1s .....<br>.....     | .....                                    | .....                    | Red, spar, marked "SJ38".                                                   | Seasonal.                                                                                                                                                                                                                                                                                                        |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                                                                       | Location<br>-----<br>Latitude N.<br>Longitude W.                             | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - EAST</b> |                                                                                              |                                                                              |                          |                                          |                          |                                                                          |                                                     |
| 912.5                               | Caribou light buoy<br>SQ2                                                                    | 45 44 40.3<br>062 38 32.5                                                    | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "SQ2".                                                 | Seasonal.                                           |
| 913                                 | Caribou Harbour light<br>and bell buoy SS1<br><br><b>Racon G (- - .)<br/>X &amp; S Bands</b> | S. side of channel.<br>45 45 07.9<br>062 39 44.0                             | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"SS1".                                          | Seasonal.<br><br><b>Audible signal: Bell</b>        |
| 913.2                               | Caribou Harbour<br>Entrance light buoy<br>SS2                                                | N. side of channel.<br>45 45 10.0<br>062 39 54.7                             | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "SS2".                                                 | Seasonal (in place year round).                     |
| 913.4                               | Caribou Harbour light<br>buoy SS3                                                            | S. side of channel.<br>45 45 03.2<br>062 40 10.2                             | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "SS3".                                               | Seasonal (in place year round).                     |
| 913.6                               | Caribou Harbour light<br>buoy SS6                                                            | N. side of channel.<br>45 45 05.4<br>062 40 16.8                             | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "SS6".                                                 | Seasonal (in place year round).                     |
| 914                                 | Caribou Harbour light<br>buoy SS7                                                            | S. side of channel.<br>45 44 59.7<br>062 40 31.4                             | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "SS7".                                               | Seasonal (in place year round).                     |
| 915                                 | Caribou Harbour light<br>buoy SS8                                                            | 45 45 02.5<br>062 40 33.1                                                    | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "SS8".                                                 | Seasonal (in place year round).                     |
| 915.4                               | Caribou Harbour light<br>buoy SS10                                                           | 45 44 57.2<br>062 40 43.5                                                    | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "SS10".                                                | Seasonal (in place year round).                     |
| 916                                 | Caribou Harbour Inner<br>light buoy SS11                                                     | Off NW. point of<br>Doctor Island.<br>45 44 49.5<br>062 40 52.3              | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"SS11".                                           | Seasonal (in place year round).                     |
| 916.2                               | Caribou Harbour light<br>buoy SS12                                                           | 45 44 51.5<br>062 40 55.5                                                    | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "SS12".                                                | Seasonal (in place year round).                     |
| 916.4                               | Caribou Harbour light<br>buoy SS16                                                           | NW. side of<br>channel.<br>45 44 36.8<br>062 41 09.7                         | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "SS16".                                                | Seasonal (in place year round).                     |
| 917                                 | Caribou Harbour light<br>buoy SS15                                                           | 45 44 35.6<br>062 41 03.7                                                    | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"SS15".                                           | Seasonal (in place year round).                     |
| 918<br>H1272                        | Caribou Light                                                                                | On Gull Point, NE.<br>end of Caribou<br>Island.<br>45 45 52.2<br>062 40 50.4 | Fl W 5s                  | 10.8                                     | 9                        | White rectangular tower<br>with red top.<br>12.6                         | Year round.<br>Flash 1 s; eclipse 4 s.              |
| 919                                 | Gull Rock light and<br>bell buoy SP2                                                         | NE. of Caribou<br>Reef.<br>45 46 28.8<br>062 40 24.7                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "SP2".                                               | Seasonal.<br><br><b>Audible signal: Bell</b>        |
| 919.1                               | Toney River East                                                                             | On E. breakwater.<br>45 46 24.8<br>062 53 21.8                               | Fl G 5s                  | .....                                    | 2                        | Post.                                                                    | Seasonal.<br>Flash 1 s; eclipse 4 s.                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                 | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|----------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - EAST</b> |                                        |                                                                 |                          |                                          |                          |                                                                          |                                                     |
| 919.6                               | Toney River light buoy<br>SU1          | 45 46 42.2<br>062 53 19.7                                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"SU1".                                          | Seasonal.                                           |
| 919.7<br>H1273                      | Toney River Wharf                      | Outer end of<br>breakwater.<br>45 46 26.0<br>062 53 23.8        | Fl R 4s                  | 5.5                                      | 4                        | Cylindrical mast.<br>3.1                                                 | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 920.1                               | Skinnars Cove Wharf<br>Light           | On NE. corner of<br>W. breakwater.<br>45 47 40.2<br>063 02 40.6 | Fl R 4s                  | 6.3                                      | 4                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>5.5   | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 920.5                               | Eastern Passage light<br>buoy UA2      | NE. of Cape John.<br>45 49 13.4<br>063 07 42.7                  | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "UA2".                                                 | Seasonal.                                           |
| 920.6                               | Jollimore Reef light<br>buoy UD3       | Barrachois<br>Harbour.<br>45 46 15.9<br>063 12 59.5             | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"UD3".                                            | Seasonal.                                           |
| 920.7                               | Chambers Point light<br>buoy UD4       | Barrachois<br>Harbour.<br>45 45 27.6<br>063 14 14.4             | Q R 1s                   | .....                                    | .....                    | Red, conical, marked<br>"UD4".                                           | Seasonal.                                           |
| 920.8                               | Barrachois Harbour<br>light buoy UD4/2 | 45 44 32.8<br>063 15 14.2                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "UD4/2".                                               | Seasonal.                                           |
| 920.9                               | Malagash Point light<br>buoy UE6       | SW. of point.<br>45 47 27.6<br>063 13 42.0                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "UE6".                                                 | Seasonal.                                           |
| 921<br>H1276                        | Amet Island                            | Centre of island.<br>45 50 05.4<br>063 10 39.7                  | Fl W 4s                  | 11.9                                     | 9                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.7   | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 921.1<br>H1277                      | Malagash Wharf                         | On SE. end of<br>wharf.<br>45 46 29.0<br>063 17 43.9            | Iso G 2s                 | 5.7                                      | 5                        | Red square skeleon tower.<br>5.4                                         | Seasonal.                                           |
| 921.2                               | Cape John West                         | 45 47 50.3<br>063 07 25.4                                       | Fl G 4s                  | .....                                    | 2                        | Green, white and black<br>square daymark.                                | Seasonal.                                           |
| 921.21                              | Cape John East                         | 45 47 51.0<br>063 07 23.4                                       | Fl R 4s                  | .....                                    | 2                        | Red triangular daymark.                                                  | Seasonal.                                           |
| 921.3                               | Wallace Harbour light<br>buoy UH       | E. of Oak Island<br>Bar.<br>45 48 56.7<br>063 20 59.0           | Mo(A) W 6s               | .....                                    | .....                    | Red-white, spar, marked<br>"UH".                                         | Seasonal.                                           |
| 921.4                               | Oak Island Bar light<br>buoy UH2       | 45 48 26.3<br>063 22 00.7                                       | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "UH2".                                                 | Seasonal.                                           |
| 921.5                               | Horton Bank light buoy<br>UH3          | 45 48 59.9<br>063 23 04.8                                       | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"UH3".                                            | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                        | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                             | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                    |
|-------------------------------------|-----------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - EAST</b> |                                               |                                                                  |                          |                                          |                          |                                                                                                      |                                                                                                                                                        |
| 921.6                               | Horton Bank light buoy<br>UH5                 | N. of bank.<br>45 49 16.9<br>063 24 03.9                         | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"UH5".                                                                      | Seasonal.                                                                                                                                              |
| 923.3                               | Palmer Point light<br>buoy UH12               | Off point.<br>45 49 07.3<br>063 25 50.6                          | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "UH12".                                                                          | Seasonal.                                                                                                                                              |
| 923.5                               | Wallace Harbour light<br>buoy UH16            | NE. of Macfarlane<br>Point.<br>45 48 56.1<br>063 26 58.3         | Q R 1s .....             | .....                                    | .....                    | Red, spar, marked "UH16".                                                                            | Seasonal.                                                                                                                                              |
| 923.7                               | Macfarlane Point light<br>buoy UH17           | N. of point.<br>45 48 57.5<br>063 27 48.5                        | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked<br>"UH17".                                                                       | Seasonal.                                                                                                                                              |
| 924<br>H1283                        | <b>Wallace Harbour<br/>Sector</b>             | 45 48 46.8<br>063 27 43.6                                        | F R<br>W<br>G            | .....                                    | 12.4                     | <b>21</b><br><br>White pyramid tower.<br>8.1                                                         | Seasonal.<br>Operates 24 h.<br><b>R</b> 254°-256°;<br><b>AI RW</b> 256°-257°;<br><b>W</b> 257°-258°;<br><b>AI GW</b> 258°-259°;<br><b>G</b> 259°-261°. |
| 925.1<br>H1286                      | Wallace Wharf                                 | On outer end of<br>wharf.<br>45 48 55.9<br>063 28 25.1           | Fl R 3s                  | 6.3                                      | 6                        | Square skeleton tower, red<br>and white triangular<br>daymark with red triangle in<br>center.<br>5.4 | Seasonal.<br>Flash 1 s; eclipse 2 s.                                                                                                                   |
| <b>Pugwash Harbour</b>              |                                               |                                                                  |                          |                                          |                          |                                                                                                      |                                                                                                                                                        |
| 925.2                               | Pugwash Harbour light<br>buoy UK2             | NW. of Pugwash<br>Point.<br>45 54 06.3<br>063 41 18.8            | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "UK2".                                                                             | Seasonal (in place year round).                                                                                                                        |
| 925.4                               | Pugwash Harbour<br>Entrance light buoy<br>UK3 | N. of Pugwash<br>Road.<br>45 52 54.2<br>063 41 40.0              | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked<br>"UK3".                                                                        | Seasonal (in place year round).                                                                                                                        |
| 925.6                               | Pugwash Reef West<br>Cardinal light buoy UN   | 45 52 49.7<br>063 41 14.5                                        | Q(9) W 15s .....         | .....                                    | .....                    | Yellow-black-yellow, spar,<br>marked "UN".                                                           | Seasonal.                                                                                                                                              |
| 927<br>H1292                        | <b>Biglow Point front<br/>range light</b>     | On the point,<br>eastward of point.<br>45 51 16.0<br>063 40 56.0 | F G .....                | 15.1                                     | <b>16</b>                | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>5.0                          | Seasonal.                                                                                                                                              |
| 928<br>H1292.1                      | <b>Biglow Point rear<br/>range light</b>      | 45 51 01.4<br>063 40 48.6<br><br>160°32' 479.1 m<br>from front.  | F G .....                | 28.2                                     | <b>16</b>                | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>11.1                         | Seasonal.                                                                                                                                              |
| 929                                 | Pugwash Road light<br>buoy UK7                | 45 51 57.1<br>063 41 14.5                                        | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked<br>"UK7".                                                                        | Seasonal (in place year round).                                                                                                                        |
| 929.2                               | Pugwash light buoy<br>UK8                     | 45 52 05.3<br>063 41 23.2                                        | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "UK8".                                                                             | Seasonal.                                                                                                                                              |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)    | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|---------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - EAST</b> |                                             |                                                                 |                          |                                          |                          |                                                                             |                                                     |
| 929.3                               | Pugwash Road<br>Turning light buoy<br>UK9   | 45 51 51.2<br>063 41 01.8                                       | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked<br>"UK9".                                               | Seasonal (in place year round).                     |
| 929.5                               | Pugwash Bar North<br>light buoy UK11        | 45 51 51.6<br>063 40 52.3                                       | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"UK11".                                              | Seasonal (in place year round).                     |
| 930                                 | Pugwash Channel<br>light buoy UK13          | 45 51 52.5<br>063 40 31.5                                       | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked<br>"UK13".                                              | Seasonal (in place year round).                     |
| 931<br>H1296                        | Steven Point front<br>range light           | On shore, N. of<br>point.<br>45 51 52.3<br>063 40 03.4          | F R .....                | 9.9                                      | 5                        | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>5.4 | Seasonal.                                           |
| 932<br>H1296.1                      | Steven Point rear<br>range light            | 45 51 53.2<br>063 39 41.7<br><br>086°22' 470.2 m<br>from front. | F R .....                | 27.3                                     | 5                        | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>6.6 | Seasonal.                                           |
| 933                                 | Pugwash Channel 1st<br>Turn light buoy UK16 | 45 51 49.8<br>063 40 30.3                                       | Q R 1s .....             | .....                                    | .....                    | Red, spar, marked "UK16".                                                   | Seasonal (in place year round).                     |
| 934                                 | Pugwash Channel<br>light buoy UK18          | 45 51 44.8<br>063 40 22.7                                       | Q R 1s .....             | .....                                    | .....                    | Red, spar, marked "UK18".                                                   | Seasonal (in place year round).                     |
| 935<br>H1300                        | Fishing Point front<br>range light          | On point.<br>45 52 10.5<br>063 40 27.2                          | F G .....                | 8.4                                      | 10                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>4.1 | Seasonal.                                           |
| 936<br>H1300.1                      | Fishing Point rear<br>range light           | 45 52 18.8<br>063 40 29.2<br><br>350°30' 258.3 m<br>from front. | F G .....                | 11.9                                     | 10                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>8.1 | Seasonal.                                           |
| 937                                 | Pugwash Channel<br>light buoy UK19          | 45 51 39.7<br>063 40 17.9                                       | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"UK19".                                              | Seasonal (in place year round).                     |
| 937.5                               | Pugwash Channel<br>light buoy UK25          | W. of Pineo Point.<br>45 51 11.3<br>063 40 11.0                 | Q G 1s .....             | .....                                    | .....                    | Green, can, marked<br>"UK25".                                               | Seasonal.<br>(Winter spar.)                         |
| 937.8                               | Pugwash Harbour light<br>buoy UK28          | 45 51 09.8<br>063 40 14.3                                       | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "UK28".                                                   | Seasonal (in place year round).                     |
| 938                                 | Page Point North light<br>buoy UK30         | N. of point.<br>45 51 03.9<br>063 40 02.0                       | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "UK30".                                                   | Seasonal (in place year round).                     |
| 938.5                               | Page Point East light<br>buoy UK32          | NE. of point.<br>45 51 00.2<br>063 39 56.1                      | Q R 1s .....             | .....                                    | .....                    | Red, conical, marked<br>"UK32".                                             | Seasonal.<br>(Winter spar.)                         |
| 939<br>H1291                        | <b>Bergmans Point<br/>front range light</b> | On point.<br>45 51 41.9<br>063 42 30.9                          | Iso Y 1s                 | 12.0                                     | <b>18</b>                | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>5.0 | Seasonal.<br>Operates 24 h.                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## NORTHUMBERLAND STRAIT - EAST

|                       |                                            |                                                                 |            |       |           |                                                                             |                             |
|-----------------------|--------------------------------------------|-----------------------------------------------------------------|------------|-------|-----------|-----------------------------------------------------------------------------|-----------------------------|
| 940<br><i>H1291.1</i> | <b>Bergmans Point rear<br/>range light</b> | 45 51 36.9<br>063 42 34.3<br><br>205°13' 169.3 m<br>from front. | Iso Y 4s   | 16.7  | <b>18</b> | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>9.6 | Seasonal.<br>Operates 24 h. |
| 940.3                 | <i>Northport Fairway light<br/>buoy UP</i> | 45 56 24.2<br>063 50 54.7                                       | Mo(A) W 6s | ..... | .....     | Red-white, pillar, marked<br>"UP".                                          | Seasonal.                   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                                         | Location<br>-----<br>Latitude N.<br>Longitude W.                    | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                    | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                |
|-----------------------------|----------------------------------------------------------------|---------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                                                |                                                                     |                          |                                          |                          |                                                                                             |                                                                                                                    |
| 942                         | East Point Reef East<br>Cardinal light and<br>whistle buoy NDN | Off East reef.<br>46 28 04.2<br>061 56 14.5                         | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, pillar,<br>marked "NDN".                                                | Seasonal.<br><br><b>Audible signal:</b> Whistle                                                                    |
| 943<br>H0920                | East Point                                                     | Near S. shore of<br>point.<br>46 27 09.1<br>061 58 18.6             | Fl W 5s                  | 27.1                                     | 11                       | White octagonal tower with<br>red top.<br>19.5                                              | Private aid.<br>Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 3 s.                                           |
| 946                         | Souris Harbour light<br>and whistle buoy NA                    | Entrance to Colville<br>Bay.<br>46 19 46.1<br>062 15 23.7           | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"NA".                                                          | Seasonal.<br><br><b>Audible signal:</b> Whistle                                                                    |
| 947<br>H0922                | Souris East                                                    | On Knight Point,<br>SE. of breakwater.<br>46 20 45.1<br>062 14 50.9 | Iso W 4s                 | 27.2                                     | 13                       | White square tower with<br>red upper portion.<br>14.4                                       | Private aid.<br>Year round.                                                                                        |
| 948<br>H0924                | Souris East<br>Breakwater                                      | On outer end of<br>breakwater.<br>46 20 51.0<br>062 15 17.4         | Fl R 5s                  | 10.5                                     | 8                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>9.2                      | Year round.<br>Flash 1 s; eclipse 4 s.                                                                             |
| 948.05                      | Rollo Bay light buoy<br>NC1                                    | 46 19 24.2<br>062 19 27.7                                           | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"NC1".                                                             | Seasonal.                                                                                                          |
| 948.09                      | Fortune Bay Entrance<br>light buoy NC5                         | 46 19 32.4<br>062 20 08.4                                           | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NC5".                                                             | Seasonal.                                                                                                          |
| 948.1                       | Fortune Bay Entrance<br>light buoy NC6                         | 46 19 38.4<br>062 20 30.6                                           | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "NC6".                                                                  | Seasonal.                                                                                                          |
| 948.2                       | Fortune Bay Entrance<br>light buoy NC8                         | 46 19 39.0<br>062 20 39.6                                           | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "NC8".                                                                  | Seasonal.                                                                                                          |
| 948.22                      | Bay Fortune Entrance<br>light buoy NC9                         | 46 19 39.0<br>062 20 46.8                                           | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"NC9".                                                             | Seasonal.                                                                                                          |
| 948.5                       | Annandale light buoy<br>NE                                     | In Boughton Bay.<br>46 14 31.2<br>062 23 00.8                       | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"NE".                                                          | Seasonal.                                                                                                          |
| 948.6                       | Annandale Grand<br>River East light buoy<br>NE2                | 46 14 55.8<br>062 23 54.1                                           | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"NE2".                                                              | Seasonal.                                                                                                          |
| 949.5                       | Annandale Sector<br>Light                                      | 46 15 32.9<br>062 25 19.7                                           | F R<br>W<br>G            | .....                                    | 9.2                      | 13<br>White square tower with<br>red top, red, white and red<br>rectangular daymark.<br>5.8 | Seasonal.<br>Operates 24 h.<br><b>G</b> 304°30'-303°30';<br><b>W</b> 303°30'-302°30';<br><b>R</b> 302°30'-301°30'. |
| 950.1                       | Annandale Grand<br>River East light buoy<br>NE5                | Boughton Bay.<br>46 15 09.7<br>062 24 30.8                          | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NE5".                                                             | Seasonal.                                                                                                          |
| 950.12                      | Annandale Grand<br>River East light buoy<br>NE7                | 46 15 18.2<br>062 24 51.1                                           | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"NE7".                                                             | Seasonal.                                                                                                          |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                                  | Location<br>-----<br>Latitude N.<br>Longitude W.               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|---------------------------------------------------------|----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                                         |                                                                |                          |                                          |                          |                                                                          |                                                     |
| 950.15                      | Annandale Grand<br>River East light buoy<br>NE9         | 46 15 24.3<br>062 25 19.9                                      | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"NE9".                                            | Seasonal.<br>Operates 24 h.                         |
| 950.2                       | Annandale Grand<br>River East light buoy<br>NE10        | SE. of Annandale<br>wharf.<br>46 15 26.8<br>062 25 20.8        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "NE10".                                              | Seasonal.                                           |
| 950.3<br>H0928.15           | Annandale Breakwater<br>West                            | 46 15 29.0<br>062 25 29.0                                      | Q G 1s                   | 3.9                                      | 1                        | Pipe swing pole, green,<br>white and green square<br>daymark.<br>3.3     | Seasonal.                                           |
| 951<br>H0930                | Launching Pond<br>Breakwater                            | On outer end of N.<br>breakwater.<br>46 13 13.3<br>062 24 32.6 | Fl R 3s                  | 5.4                                      | 4                        | Cylindrical mast.<br>3.7                                                 | Seasonal.<br>Flash 1 s; eclipse 2 s.                |
| 951.2<br>H0931              | Launching Pond South<br>Breakwater                      | 46 13 12.3<br>062 24 33.6                                      | Fl G 4s                  | 4.5                                      | 4                        | Cylindrical mast.<br>3.6                                                 | Seasonal.                                           |
| 951.5                       | Launching Point light<br>buoy NY2                       | 46 13 06.2<br>062 24 05.8                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "NY2".                                                 | Seasonal.                                           |
| 951.6                       | Cardigan River light<br>buoy NJ2                        | Cardigan Bay.<br>46 12 03.2<br>062 29 51.2                     | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "NJ2".                                               | Seasonal.                                           |
| 951.7                       | MacPhee Shoal light<br>buoy NJ3                         | Upper Cardigan.<br>46 12 02.7<br>062 30 20.7                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NJ3".                                          | Seasonal.                                           |
| 951.75                      | Cardigan River light<br>buoy NJ7                        | Morrison Beach.<br>46 12 52.5<br>062 32 07.1                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NJ7".                                          | Seasonal.                                           |
| 951.8                       | Cardigan River light<br>buoy NJ14                       | 46 13 24.2<br>062 33 48.7                                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "NJ14".                                              | Seasonal.                                           |
| 951.85                      | Cardigan River<br>(Wilson's Point) light<br>buoy NJ15   | 46 13 23.7<br>062 34 16.7                                      | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"NJ15".                                         | Seasonal.                                           |
| 951.9                       | Cardigan River<br>(Crawford's Point) light<br>buoy NJ18 | 46 13 24.2<br>062 34 52.7                                      | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "NJ18".                                              | Seasonal.                                           |
| 951.91                      | Cardigan River<br>(Owen's Flats) light<br>buoy NJ23     | 46 14 00.0<br>062 36 33.6                                      | Q G 1s                   | .....                                    | .....                    | Green, can, marked<br>"NJ23".                                            | Seasonal.                                           |
| 951.95                      | Cardigan River light<br>buoy NJ25                       | Owen's Point.<br>46 13 58.8<br>062 36 38.4                     | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NJ25".                                         | Seasonal.                                           |
| 952                         | Cardigan River light<br>buoy NJ30                       | 46 13 55.0<br>062 36 44.1                                      | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "NJ30".                                              | Seasonal.                                           |
| 952.5                       | Georgetown light buoy<br>NH                             | In Cardigan Bay.<br>46 09 15.2<br>062 27 01.7                  | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"NH".                                       | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON               | Location<br>-----<br>Latitude N.<br>Longitude W.               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|--------------------------------------|----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                      |                                                                |                          |                                          |                          |                                                                          |                                                     |
| 953<br>H0932                | <b>Panmure Head</b>                  | SE. extremity of<br>Cardigan Bay.<br>46 08 39.2<br>062 27 59.7 | FI W 4s                  | 25.0                                     | <b>19</b>                | White octagonal tower with<br>red top.<br>18.6                           | Year round.                                         |
| 953.4                       | Cardigan Shoal light<br>buoy NH4     | 46 09 41.6<br>062 29 53.9                                      | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "NH4".                                                 | Seasonal (in place year round).<br>Operates 24 h.   |
| 953.5                       | Wheeler Bar light buoy<br>NH3        | E. of bar.<br>46 09 30.2<br>062 29 41.4                        | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"NH3".                                            | Seasonal (in place year round).                     |
| 953.7                       | Georgetown light buoy<br>NH9         | Georgetown<br>Harbour.<br>46 09 45.7<br>062 31 10.2            | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"NH9".                                            | Year round.                                         |
| 954                         | St. Andrews Point light<br>buoy NH10 | 46 09 55.2<br>062 31 13.7                                      | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "NH10".                                                | Seasonal (in place year round).                     |
| 956.15                      | Gaudin Point light<br>buoy NH14      | Georgetown.<br>46 10 33.3<br>062 32 25.7                       | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "NH14".                                                | Seasonal.                                           |
| 956.2                       | Thrumcap Spit light<br>buoy NH12     | Off spit.<br>46 10 08.7<br>062 31 33.7                         | FI R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"NH12".                                          | Seasonal.                                           |
| 956.3                       | Aitken Point light buoy<br>NH15      | Montague River<br>entrance.<br>46 10 34.2<br>062 33 03.7       | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"NH15".                                         | Seasonal.                                           |
| 956.4                       | Brudenell Point light<br>buoy NH18   | 46 10 34.2<br>062 33 36.7                                      | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "NH18".                                              | Seasonal.                                           |
| 957<br>H0939                | Lower Montague<br>Wharf              | NW. corner of<br>wharf.<br>46 10 14.2<br>062 33 46.5           | FI G 4s                  | 6.0                                      | <b>4</b>                 | Pipe swing pole.<br>5.1                                                  | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 957.3                       | Montague River light<br>buoy NH22    | 46 10 30.2<br>062 35 58.7                                      | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "NH22".                                              | Seasonal.                                           |
| 957.4                       | Montague River light<br>buoy NH23    | 46 10 30.2<br>062 36 21.7                                      | Q G 1s                   | .....                                    | .....                    | Green, can, marked<br>"NH23".                                            | Seasonal.                                           |
| 957.41                      | Montague River light<br>buoy NH27    | Georgetown.<br>46 10 16.2<br>062 36 57.7                       | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"NH27".                                           | Seasonal.                                           |
| 957.5                       | Montague River light<br>buoy NH30    | 46 10 06.2<br>062 37 13.7                                      | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "NH30".                                                | Seasonal.                                           |
| 957.7                       | Montague River light<br>buoy NH38    | 46 09 58.9<br>062 37 49.9                                      | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "NH38".                                                | Seasonal.                                           |
| 957.8                       | Montague River light<br>buoy NH43    | 46 10 02.1<br>062 38 14.8                                      | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"NH43".                                           | Seasonal.                                           |
| 957.9                       | Montague River light<br>buoy NH45    | 46 09 58.4<br>062 38 30.5                                      | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"NH45".                                           | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.                    | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|----------------------------------------------|---------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                              |                                                                     |                          |                                          |                          |                                                                                         |                                                     |
| 958.5                       | Graham Ledge light<br>buoy NP                | 46 05 45.2<br>062 25 57.7                                           | Mo(A) W 6s               | .....                                    | .....                    | Red-white, can, marked<br>"NP".                                                         | Seasonal.                                           |
| 959<br>H0949                | Graham Pond                                  | On outer end of N.<br>breakwater.<br>46 05 46.7<br>062 27 04.5      | Iso R 4s                 | 6.0                                      | 3                        | Square skeleton tower.<br>5.1                                                           | Seasonal.                                           |
| 960<br>H0949.2              | Graham Pond South<br>Breakwater              | On S. breakwater.<br>46 05 45.8<br>062 27 05.5                      | Fl G 4s                  | .....                                    | 4                        | Pipe tower, green, white<br>and black square daymark.                                   | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 960.1<br>H0949.3            | Graham Pond West<br>Breakwater               | On W. breakwater.<br>46 05 47.7<br>062 27 03.4                      | Fl Y 4s                  | 3.6                                      | 2                        | Cylindrical mast.<br>2.6                                                                | Seasonal.                                           |
| 960.2<br>H0949.4            | Graham Pond East<br>Breakwater               | On E. breakwater.<br>46 05 46.8<br>062 27 01.2                      | Fl R 4s                  | 3.2                                      | 3                        | Pipe swing pole, red and<br>white triangular daymark.<br>2.6                            | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 961                         | Murray Harbour light<br>buoy NM              | Off harbour<br>entrance.<br>46 02 05.2<br>062 27 08.2               | Mo(A) W 6s               | .....                                    | .....                    | Red-white, spar, marked<br>"NM".                                                        | Seasonal.                                           |
| 963                         | Murray Harbour<br>Entrance light buoy<br>NM3 | E. of Oldstore<br>Point.<br>46 01 40.2<br>062 27 46.2               | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NM3".                                                         | Seasonal.                                           |
| 963.5                       | Murray Harbour light<br>buoy NM6             | Off Oldstore Point.<br>46 01 31.6<br>062 28 18.8                    | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "NM6".                                                              | Seasonal.                                           |
| 963.6                       | Murray Harbour light<br>buoy NM7             | 46 01 21.6<br>062 28 39.0                                           | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"NM7".                                                         | Seasonal.                                           |
| 964<br>H0954                | Murray Harbour front<br>range light          | On Beach Point, S.<br>side of harbour.<br>46 01 17.5<br>062 28 41.7 | F R                      | .....                                    | 6.3                      | 10<br>White square tower with<br>red top and red vertical<br>stripe.<br>7.2             | Seasonal.<br>Operates 24 h.                         |
| 964.1                       | Sable Point light buoy<br>NM6/2              | 46 01 12.6<br>062 28 57.6                                           | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked<br>"NM6/2".                                                           | Seasonal.                                           |
| 965<br>H0954.1              | Murray Harbour rear<br>range light           | 46 00 51.8<br>062 29 32.9<br><br>234°04' 1360.9 m<br>from front.    | F R                      | .....                                    | 17.8                     | 10<br>White pyramid tower with<br>red upper portion and red<br>vertical stripe.<br>13.6 | Seasonal.<br>Operates 24 h.                         |
| 966                         | Sable Point light buoy<br>NM8                | 46 01 13.2<br>062 28 54.0                                           | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "NM8".                                                              | Seasonal.                                           |
| 966.5                       | Beach Point light buoy<br>NM11               | 46 01 07.2<br>062 29 13.6                                           | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NM11".                                                        | Seasonal.                                           |
| 966.6                       | Murray Harbour light<br>buoy NM12            | 46 01 09.5<br>062 29 12.7                                           | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "NM12".                                                             | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                             | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|----------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                                    |                                                                 |                          |                                          |                          |                                                                                                   |                                                     |
| 967<br>H0956                | Beach Point<br>Breakwater                          | On outer end, E.<br>breakwater.<br>46 01 00.3<br>062 29 12.9    | Fl G 4s .....            | 4                                        |                          | Pipe swing pole.<br>10.2                                                                          | Seasonal.                                           |
| 968                         | Penny Point light buoy<br>NM13                     | On S. side of<br>dredged cut.<br>46 01 04.9<br>062 29 37.9      | Fl G 4s .....            |                                          |                          | Green, pillar, marked<br>"NM13".                                                                  | Seasonal.                                           |
| 968.1                       | Murray Harbour light<br>buoy NM14                  | 46 01 07.4<br>062 29 42.6                                       | Fl R 4s .....            |                                          |                          | Red, pillar, marked "NM14".                                                                       | Seasonal.                                           |
| 968.3                       | Murray Harbour light<br>buoy NM16                  | 46 01 07.7<br>062 29 59.2                                       | Fl R 4s .....            |                                          |                          | Red, conical, marked<br>"NM16".                                                                   | Seasonal.                                           |
| 969                         | Machons Point light<br>buoy NM15                   | SE. of point.<br>46 01 06.0<br>062 30 03.0                      | Q G 1s .....             |                                          |                          | Green, pillar, marked<br>"NM15".                                                                  | Seasonal.                                           |
| 969.5<br>H0958              | Murray Harbour<br>Village front range<br>light     | On shore line.<br>46 00 24.2<br>062 31 25.1                     | Iso R 1s 6.4             | 13                                       |                          | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>6.0                       | Seasonal.                                           |
| 969.6<br>H0958.1            | Murray Harbour<br>Village rear range light         | 46 00 22.2<br>062 31 28.9<br><br>233°44' 100.9 m<br>from front. | Iso R 4s 9.5             | 14                                       |                          | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>6.7                       | Seasonal.                                           |
| 969.7                       | Sharams Point light<br>buoy NM24                   | N. of point.<br>46 01 30.7<br>062 31 12.6                       | Q R 1s .....             |                                          |                          | Red, pillar, marked "NM24".                                                                       | Seasonal.                                           |
| 969.8                       | Reynolds Island light<br>buoy NM30                 | W. of island.<br>46 02 04.2<br>062 31 41.4                      | Q R 1s .....             |                                          |                          | Red, pillar, marked "NM30".                                                                       | Seasonal.                                           |
| 969.9                       | Fairchild Point light<br>buoy NM33                 | NE. of point.<br>46 02 34.7<br>062 31 46.7                      | Q G 1s .....             |                                          |                          | Green, pillar, marked<br>"NM33".                                                                  | Seasonal.                                           |
| 970.4                       | Bear Reef East<br>Cardinal light buoy NN           | 46 00 44.2<br>062 26 17.2                                       | Q(3) W 10s .....         |                                          |                          | Black-yellow-black, spar,<br>marked "NN".                                                         | Seasonal.                                           |
| 971<br>H0950                | Cape Bear                                          | On the headland.<br>46 00 11.1<br>062 27 34.0                   | LFl Y 6s 16.7            | 10                                       |                          | Square skeleton tower, red,<br>white and red rectangular<br>daymark.<br>8.3                       | Year round.<br>Flash 2 s; eclipse 4 s.              |
| 972.5                       | Wood Islands Harbour<br>Entrance light buoy<br>NS2 | 45 56 46.4<br>062 44 59.4                                       | Q R 1s .....             |                                          |                          | Red, spar, marked "NS2".                                                                          | Seasonal.                                           |
| 975<br>H0964.5              | Wood Islands Harbour<br>West Breakwater            | On W. breakwater.<br>45 56 54.0<br>062 45 08.1                  | Fl G 3s 6.0              |                                          |                          | Square skeleton tower, red<br>and white rectangular<br>daymark, green square in<br>centre.<br>5.2 | Seasonal.<br>Flash 1 s; eclipse 2 s.                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.                                  | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|---------------------------------------------|-----------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                             |                                                                                   |                          |                                          |                          |                                                                                                   |                                                     |
| 975.1<br>H0964              | Wood Islands Harbour<br>East Breakwater     | On E. breakwater.<br>45 56 54.2<br>062 45 04.8                                    | Fl R 3s                  | 6.0                                      | 4                        | Square skeleton tower, red<br>and white rectangular<br>daymark, red triangle in<br>centre.<br>5.2 | Seasonal.<br>Flash 1 s; eclipse 2 s.                |
| 976<br>H0962                | Wood Islands                                | On S. side of E.<br>portion.<br>45 56 59.5<br>062 44 46.1                         | Iso W 10s                | 21.9                                     | 12                       | White square tower with<br>red upper portion.<br>15.3                                             | Private aid.<br>Year round.<br>Operates 24 h.       |
| 977                         | Bell Point light and<br>whistle buoy N8     | SW. of rocks.<br>45 54 54.2<br>062 49 11.5                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "N8".                                                                         | Seasonal.<br><br><b>Audible signal:</b> Whistle     |
| 980.5                       | Pinette Harbour light<br>buoy NV4           | 46 02 42.2<br>062 57 15.5                                                         | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "NV4".                                                                          | Seasonal.                                           |
| 983<br>H0982                | <b>Prim Point</b>                           | SE. extremity of<br>Hillsborough Bay,<br>near point.<br>46 03 00.7<br>063 02 20.5 | Fl W 5s                  | 20.7                                     | 18                       | White cylindrical tower with<br>red top.<br>18.6                                                  | Year round.<br>Flash 0.2 s; eclipse 4.8 s.          |
| 983.4                       | St. Peters Island light<br>buoy C1          | 46 05 00.2<br>063 13 45.7                                                         | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "C1".                                                                       | Seasonal.                                           |
| 983.5                       | Spithead East<br>Cardinal light buoy<br>CJB | 46 09 12.9<br>063 07 45.4                                                         | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, pillar,<br>marked "CJB".                                                      | Seasonal.                                           |
| 984                         | Prim Reefs light buoy<br>C2                 | Off W. extremity of<br>reefs.<br>46 02 40.3<br>063 06 47.6                        | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "C2".                                                                         | Seasonal.                                           |
| <b>Hillsborough Bay</b>     |                                             |                                                                                   |                          |                                          |                          |                                                                                                   |                                                     |
| 989                         | Fitzroy Rock light buoy<br>C4               | SW. of rock.<br>46 07 05.8<br>063 06 39.5                                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "C4".                                                                         | Seasonal.<br>(Winter spar.)                         |
| 990                         | Spithead light buoy C5                      | 46 08 54.2<br>063 06 01.7                                                         | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked "C5".                                                                       | Seasonal (in place year round).                     |
| 991<br>H1006                | <b>Haszard Point front<br/>range light</b>  | E. side of entrance<br>to Charlottetown<br>Harbour.<br>46 11 39.8<br>063 04 25.2  | F W ....                 | 18.3                                     | 15                       | White pyramid tower with<br>red top and red vertical<br>stripe.<br>17.3                           | Year round.<br>Operates 24 h.                       |
| 992<br>H1006.1              | <b>Haszard Point rear<br/>range light</b>   | 46 11 59.6<br>063 04 15.2<br><br>019°19' 650.1 m<br>from front.                   | F W ....                 | 46.3                                     | 15                       | White pyramid tower with<br>red top and red vertical<br>stripe.<br>14.0                           | Year round.<br>Operates 24 h.                       |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.     | Name<br>-----<br>RACON                          | Location<br>-----<br>Latitude N.<br>Longitude W.                               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                      |
|------------------------------|-------------------------------------------------|--------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b>  |                                                 |                                                                                |                          |                                          |                          |                                                                                   |                                                                          |
| <b>Charlottetown Harbour</b> |                                                 |                                                                                |                          |                                          |                          |                                                                                   |                                                                          |
| 993<br><i>H1008</i>          | Blockhouse Point                                | W. side of entrance<br>to harbour.<br>46 11 26.1<br>063 07 45.7                | LFI W 6s                 | 18.3                                     | 10                       | White square tower with<br>red upper portion.<br>12.6                             | Private aid.<br>Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 4 s. |
| 993.5                        | <i>Blockhouse Point light<br/>buoy C7</i>       | 46 11 36.6<br>063 07 32.6                                                      | FI G 4s                  | .....                                    | .....                    | <i>Green, pillar, marked "C7".</i>                                                | <i>Seasonal.</i>                                                         |
| 994<br><i>H1012</i>          | <b>Brighton Beach front<br/>range light</b>     | On crib on E. side<br>of Yorke River.<br>46 13 50.5<br>063 08 51.2             | F Y .....                | 11.0                                     | <b>19</b>                | White pyramid tower with<br>red upper portion and red<br>vertical stripe.<br>12.5 | Year round.<br>Operates 24 h.                                            |
| 995<br><i>H1012.1</i>        | <b>Brighton Beach rear<br/>range light</b>      | 46 14 02.4<br>063 08 58.4<br><br>336°56' 398.0 m<br>from front.                | F Y .....                | 26.3                                     | <b>19</b>                | White hexagonal tower with<br>red vertical stripe.<br>18.4                        | Year round.<br>Operates 24 h.                                            |
| 995.1<br><i>H1013</i>        | Peakes Quay Marina                              | Entrance to Peakes<br>Quay Marina.<br>46 13 51.4<br>063 07 15.4                | Q G 1s                   | .....                                    | 3                        | Cylindrical mast.<br>2.2                                                          | Private aid.<br>Seasonal.                                                |
| 996<br><i>H1016</i>          | Warren Cove front<br>range light                | W. side of harbour,<br>N. of Blockhouse<br>Point.<br>46 11 56.4<br>063 08 17.6 | F Y .....                | 17.3                                     | 12                       | White pyramid tower with<br>red upper portion and red<br>vertical stripe.<br>11.2 | Year round.<br>Operates 24 h.                                            |
| 997<br><i>H1016.1</i>        | Warren Cove rear<br>range light                 | 46 11 46.3<br>063 08 22.3<br><br>197°39' 327.4 m<br>from front.                | F Y .....                | 21.4                                     | 12                       | White square tower with<br>red top and red vertical<br>stripe.<br>10.2            | Year round.<br>Operates 24 h.                                            |
| 998                          | <i>Battery Point light<br/>buoy C8</i>          | W. of point.<br>46 12 14.7<br>063 07 51.7                                      | FI R 4s                  | .....                                    | .....                    | <i>Red, spar, marked "C8".</i>                                                    | <i>Seasonal (in place year round).<br/>(Winter spar.)</i>                |
| 998.5                        | <i>Canceaux Spit light<br/>buoy C9</i>          | E. of spit.<br>46 12 37.2<br>063 08 06.3                                       | FI G 4s                  | .....                                    | .....                    | <i>Green, pillar, marked "C9".</i>                                                | <i>Seasonal.</i>                                                         |
| 999                          | <i>Rosebank Point Outer<br/>light buoy C12</i>  | 46 12 54.2<br>063 07 48.7                                                      | FI R 4s                  | .....                                    | .....                    | <i>Red, spar, marked "C12".</i>                                                   | <i>Seasonal (in place year round).<br/>(Winter spar.)</i>                |
| 999.2                        | <i>Old Battery Point light<br/>buoy C13</i>     | SE. of point.<br>46 13 16.6<br>063 07 49.4                                     | FI G 4s                  | .....                                    | .....                    | <i>Green, pillar, marked<br/>"C13".</i>                                           | <i>Seasonal.</i>                                                         |
| 999.5                        | <i>Rosebank Point<br/>Centre light buoy C14</i> | 46 13 28.2<br>063 07 23.2                                                      | FI R 4s                  | .....                                    | .....                    | <i>Red, pillar, marked "C14".</i>                                                 | <i>Seasonal.</i>                                                         |
| 1001                         | <i>Charlottetown Harbour<br/>light buoy C15</i> | Off outer S. corner<br>of wharf.<br>46 13 40.2<br>063 07 30.2                  | Q G 1s                   | .....                                    | .....                    | <i>Green, spar, marked "C15".</i>                                                 | <i>Seasonal.</i>                                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## PRINCE EDWARD ISLAND

|               |                                                    |                                                              |         |       |       |                                                                                        |                                                   |
|---------------|----------------------------------------------------|--------------------------------------------------------------|---------|-------|-------|----------------------------------------------------------------------------------------|---------------------------------------------------|
| 1003          | Charlottetown Railway Wharf Turning light buoy C18 | Off S. corner of railway wharf.<br>46 13 46.7<br>063 06 44.7 | Q R 1s  | ..... | ..... | Red, pillar, marked "C18".                                                             | Seasonal (in place year round).<br>(Winter spar.) |
| 1005.03       | Rocky Point light buoy CH3                         | West River.<br>46 12 48.2<br>063 09 04.7                     | FI G 4s | ..... | ..... | Green, spar, marked "CH3".                                                             | Seasonal.                                         |
| 1005.04       | West River light buoy CH4                          | 46 12 30.2<br>063 09 51.7                                    | Q R 1s  | ..... | ..... | Red, pillar, marked "CH4".                                                             | Seasonal.                                         |
| 1005.05       | West River light buoy CH5                          | 46 12 20.7<br>063 10 39.7                                    | Q G 1s  | ..... | ..... | Green, pillar, marked "CH5".                                                           | Seasonal.                                         |
| 1005.08       | West River light buoy CH8                          | 46 11 58.2<br>063 11 28.7                                    | FI R 4s | ..... | ..... | Red, pillar, marked "CH8".                                                             | Seasonal.                                         |
| 1005.09       | West River light buoy CH9                          | 46 11 47.2<br>063 12 00.7                                    | FI G 4s | ..... | ..... | Green, pillar, marked "CH9".                                                           | Seasonal.                                         |
| 1005.12       | West River light buoy CH12                         | 46 11 18.2<br>063 12 42.7                                    | Q R 1s  | ..... | ..... | Red, pillar, marked "CH12".                                                            | Seasonal.                                         |
| 1005.13       | West River light buoy CH13                         | 46 11 29.2<br>063 13 12.7                                    | Q G 1s  | ..... | ..... | Green, pillar, marked "CH13".                                                          | Seasonal.                                         |
| 1005.16       | West River light buoy CH16                         | 46 11 19.2<br>063 13 37.7                                    | FI R 4s | ..... | ..... | Red, spar, marked "CH16".                                                              | Seasonal.                                         |
| 1006<br>H0998 | Nine Mile Creek Wharf                              | On outer S. corner of wharf.<br>46 08 53.0<br>063 13 03.7    | FI R 4s | 5.4   | 5     | Pipe swing pole, red and white rectangular daymark with red triangle in center.<br>5.0 | Seasonal.<br>Flash 1 s; eclipse 3 s.              |

## Victoria Harbour

|         |                                        |                           |            |       |       |                                                         |                                      |
|---------|----------------------------------------|---------------------------|------------|-------|-------|---------------------------------------------------------|--------------------------------------|
| 1008.2  | Victoria Harbour Wharf light           | 46 12 44.7<br>063 29 20.3 | FI G 4s    | ..... | 6     | Pipe Swing Pole, green, white and black square daymark. | Seasonal.<br>Flash 1 s; eclipse 3 s. |
| 1009.11 | Victoria Harbour Fairway light buoy NX | 46 10 35.2<br>063 28 00.7 | Mo(A) W 6s | ..... | ..... | Red-white, spar, marked "NX".                           | Seasonal.                            |
| 1009.12 | Cameron Point Shoal light buoy NX4     | 46 11 26.2<br>063 28 31.9 | FI R 4s    | ..... | ..... | Red, pillar, marked "NX4".                              | Seasonal.                            |
| 1009.13 | Victoria Harbour light buoy NX5        | 46 11 39.0<br>063 28 36.9 | FI G 4s    | ..... | ..... | Green, pillar, marked "NX5".                            | Seasonal.                            |
| 1009.17 | Victoria Harbour light buoy NX9        | 46 11 50.9<br>063 28 41.0 | FI G 4s    | ..... | ..... | Green, pillar, marked "NX9".                            | Seasonal.                            |
| 1009.2  | Victoria Harbour light buoy NX12       | 46 12 15.5<br>063 29 20.3 | FI R 4s    | ..... | ..... | Red, pillar, marked "NX12".                             | Seasonal.                            |
| 1011.1  | Victoria Harbour light buoy NX11       | 46 11 56.2<br>063 28 47.7 | Q G 1s     | ..... | ..... | Green, pillar, marked "NX11".                           | Seasonal.                            |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|----------------------------------------------|-------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                              |                                                             |                          |                                          |                          |                                                                          |                                                     |
| 1011.14                     | Victoria Harbour light<br>buoy NX17          | 46 12 20.4<br>063 29 21.7                                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NX17".                                         | Seasonal.                                           |
| 1011.145                    | Victoria Harbour light<br>buoy NX17/3        | 46 12 22.5<br>063 29 21.7                                   | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"NX17/3".                                       | Seasonal.                                           |
| 1011.15                     | Victoria Harbour light<br>buoy NX18          | 46 12 26.0<br>063 29 22.7                                   | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "NX18".                                              | Seasonal.                                           |
| 1011.155                    | Victoria Harbour light<br>buoy NX18/2        | 46 12 28.4<br>063 29 22.0                                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked<br>"NX18/2".                                         | Seasonal.                                           |
| 1011.175                    | Victoria Harbour light<br>buoy NX19          | 46 12 25.9<br>063 29 24.2                                   | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"NX19".                                         | Seasonal.                                           |
| 1011.18                     | Victoria Harbour light<br>buoy NX19/5        | 46 12 32.1<br>063 29 22.2                                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NX19/5".                                       | Seasonal.                                           |
| 1011.19                     | Victoria Harbour light<br>buoy NX20          | 46 12 35.5<br>063 29 19.9                                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "NX20".                                              | Seasonal.                                           |
| 1011.21                     | Victoria Harbour light<br>buoy NX21          | 46 12 40.1<br>063 29 20.8                                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"NX21".                                         | Seasonal.                                           |
| 1011.22                     | Victoria Harbour light<br>buoy NX22          | 46 12 40.8<br>063 29 19.5                                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "NX22".                                              | Seasonal.                                           |
| 1014                        | Tryon Shoals light and<br>bell buoy N14      | Off S. extremity of<br>shoal.<br>46 09 39.2<br>063 31 42.8  | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "N14".                                                 | Seasonal.                                           |
| 1015<br>H1044               | Port Borden<br>Breakwater                    | SW. end of<br>breakwater.<br>46 14 38.9<br>063 41 50.3      | Fl R 4s                  | 4.5                                      | 4                        | Cylindrical mast.<br>2.8                                                 | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 1017.5<br>H1039             | Port Borden Pier                             | On outer end of<br>Ferry Pier.<br>46 14 42.5<br>063 41 58.0 | Iso G 4s                 | 10.1                                     | 6                        | White octagonal tower with<br>red top.<br>8.5                            | Seasonal.                                           |
| 1017.69<br>H1039.4          | Confederation Bridge                         | 46 12 35.9<br>063 45 07.8                                   | Iso W 6s                 | 50.5                                     | 13                       | On bridge.                                                               | Private aid.<br>Year round.<br>Operates 24 h.       |
| 1017.7                      | Strait Crossing light<br>and whistle buoy XF | 46 17 00.3<br>063 52 15.7                                   | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"XF".                                       | Seasonal.<br><b>Audible signal:</b> Whistle         |
| 1017.71                     | Strait Crossing light<br>buoy XB2            | 46 11 03.3<br>063 42 27.7                                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XB2".                                               | Seasonal.                                           |
| 1017.72                     | Strait Crossing light<br>buoy XB3            | 46 11 00.2<br>063 42 36.7                                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XB3".                                          | Seasonal.                                           |
| 1017.73                     | Strait Crossing light<br>buoy XB4            | 46 14 24.2<br>063 47 54.7                                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XB4".                                               | Seasonal.                                           |
| 1017.74                     | Strait Crossing light<br>buoy XB5            | 46 14 18.2<br>063 48 00.7                                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XB5".                                          | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                                                    | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                       |                               |
|--------------------------|---------------------------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| PRINCE EDWARD ISLAND     |                                                                           |                                                                 |                          |                                          |                          |                                                                          |                                                                                                                                                           |                               |
| 1017.75                  | Strait Crossing light<br>and whistle buoy XB                              | 46 09 24.2<br>063 39 51.7                                       | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"XB".                                       | Seasonal.<br><br><b>Audible signal:</b> Whistle                                                                                                           |                               |
| 1017.76<br>H1039.5       | Confederation Bridge<br>S.E.                                              | 46 12 35.8<br>063 45 07.7                                       | F R<br>W G               | .....                                    | 64.0                     | .....                                                                    | On bridge.<br><br>Private aid.<br>Year round.<br>Operates 24 h.<br><b>R</b> 308°39'-310°39';<br><b>W</b> 310°39'-311°39';<br><b>G</b> 311°39'-313°39'.    |                               |
| 1017.77<br>H1039.6       | Confederation Bridge<br>N.W.                                              | 46 12 36.0<br>063 45 08.0                                       | F R<br>W G               | .....                                    | 64.0                     | .....                                                                    | On bridge.<br><br>Private aid.<br>Year round.<br>Operates 24 h.<br><b>G</b> 129°08'-131°08';<br><b>W</b> 131°08'-132°08';<br><b>R</b> 132°08' to 134°08'. |                               |
| 1017.78<br>H1039.7       | Confederation Bridge<br><br><b>Racon B (- . . . )<br/>X &amp; S Bands</b> | 46 12 33.8<br>063 45 13.1                                       | F G                      | .....                                    | 16.5                     | 11                                                                       | On bridge.<br><br>Private aid.<br>Year round.<br>Operates 24 h.                                                                                           |                               |
| 1017.781<br>H1039.75     | Confederation Bridge                                                      | 46 12 32.0<br>063 45 10.1                                       | F G                      | .....                                    | 16.5                     | 11                                                                       | On bridge.<br><br>Private aid.<br>Year round.<br>Operates 24 h.                                                                                           |                               |
| 1017.79<br>H1039.8       | Confederaton Bridge<br><br><b>Racon T (- )<br/>X &amp; S Bands</b>        | 46 12 39.9<br>063 45 05.5                                       | F R                      | .....                                    | 16.5                     | 11                                                                       | On bridge.<br><br>Private aid.<br>Year round.<br>Operates 24 h.                                                                                           |                               |
| 1017.791<br>H1039.85     | Confederaton Bridge                                                       | 46 12 38.1<br>063 45 02.5                                       | F R                      | .....                                    | 16.5                     | 11                                                                       | On bridge.<br><br>Private aid.<br>Year round.<br>Operates 24 h.                                                                                           |                               |
| 1018<br>H1046            | Seacow Head                                                               | On outer end of<br>point.<br>46 18 57.7<br>063 48 35.9          | Fl(2) W 12s              | 26.8                                     | 12                       | White octagonal tower with<br>red top.<br>18.3                           | Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 2 s;<br>flash 2 s; eclipse 6 s.                                                                       |                               |
| 1018.1<br>H1049          | <b>Summerside Outer<br/>front range light</b>                             | W. side of<br>Summerside River.<br>46 23 43.1<br>063 48 35.0    | F R                      | .....                                    | 9.3                      | 16                                                                       | White pyramid tower, white<br>daymark with red vertical<br>stripe.<br>9.0                                                                                 | Year round.<br>Operates 24 h. |
| 1018.2<br>H1049.1        | <b>Summerside Outer<br/>rear range light</b>                              | 46 23 55.3<br>063 48 25.3<br><br>028°57' 430.3 m<br>from front. | F R                      | .....                                    | 14.9                     | 17                                                                       | White pyramid tower, white<br>daymark with red vertical<br>stripe.<br>10.1                                                                                | Year round.<br>Operates 24 h. |
| 1018.3                   | Miscouche Shoal light<br>buoy DE                                          | Bedeque Bay.<br>46 19 50.2<br>063 51 18.7                       | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"DE".                                       | Seasonal.<br><br><b>Audible signal:</b> Bell                                                                                                              |                               |
| 1018.4                   | Miscouche Shoal light<br>buoy DE1                                         | Summerside.<br>46 20 47.5<br>063 51 24.0                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "DE1".                                                | Seasonal.                                                                                                                                                 |                               |
| 1018.5                   | Summerside Harbour<br>light buoy DE3                                      | 46 21 58.2<br>063 50 01.7                                       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"DE3".                                            | Seasonal.                                                                                                                                                 |                               |
| 1018.6                   | Summerside Harbour<br>light buoy DE4                                      | 46 22 20.2<br>063 49 39.2                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "DE4".                                                 | Seasonal.                                                                                                                                                 |                               |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                  | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                     | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS        |
|--------------------------|-----------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------|
| PRINCE EDWARD ISLAND     |                                         |                                                                  |                          |                                          |                          |                                                                                              |                                                            |
| 1019                     | Summerside Harbour<br>light buoy DE6    | 46 22 42.2<br>063 49 21.7                                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "DE6".                                                                     | Seasonal (in place year round).<br>(Winter spar.)          |
| 1019.1                   | Summerside Harbour<br>light buoy DE7    | 46 22 49.2<br>063 49 20.2                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"DE7".                                                                | Seasonal (in place year round).                            |
| 1020<br>H1048            | Summerside Harbour<br>Wharf Light       | On outer end of<br>breakwater.<br>46 22 47.0<br>063 49 01.1      | Iso W 10s                | 14.0                                     | .....                    | White octagonal tower with<br>red top.<br>12.9                                               | Year round.                                                |
| 1020.1                   | Summerside Harbour<br>light buoy DE8    | 46 22 49.2<br>063 49 08.7                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "DE8".                                                                     | Seasonal (in place year round).                            |
| 1020.2                   | Summerside Harbour<br>light buoy DE10   | 46 22 56.2<br>063 48 36.7                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "DE10".                                                                    | Seasonal (in place year round).<br>(Winter spar.)          |
| 1020.3                   | Summerside Harbour<br>light buoy DE11   | 46 23 03.7<br>063 48 15.7                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"DE11".                                                               | Seasonal.<br>(Winter spar.)                                |
| 1020.35                  | Summerside Harbour<br>light buoy DE12   | 46 23 02.7<br>063 48 07.2                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "DE12".                                                                    | Seasonal.                                                  |
| 1020.4                   | Summerside Harbour<br>light buoy DE14   | 46 23 08.2<br>063 47 43.7                                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "DE14".                                                                    | Seasonal (in place year round).<br>(Winter spar.)          |
| 1020.7                   | Summerside Harbour<br>light buoy DE16   | 46 23 01.4<br>063 47 23.5                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "DE16".                                                                    | Seasonal (in place year round).                            |
| 1020.8                   | Summerside Harbour<br>light buoy DE18   | 46 23 06.7<br>063 47 09.7                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "DE18".                                                                    | Seasonal (in place year round).                            |
| 1021<br>H1050            | Summerside front<br>range light         | Near outer end of<br>wharf.<br>46 23 14.4<br>063 47 21.2         | F G                      | .....                                    | 10.8                     | 14 Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>9.4               | Year round.<br>Operates 24 h.                              |
| 1022<br>H1050.1          | <b>Summerside rear<br/>range light</b>  | 46 23 28.7<br>063 46 17.2<br><br>072°04' 1436.3 m<br>from front. | F G                      | .....                                    | 24.8                     | <b>16</b> White pyramid tower with<br>red upper portion and red<br>vertical stripe.<br>20.1  | Year round.<br>Operates 24 h.                              |
| 1022.5<br>H1054          | Summerside Marina                       | On outer end of<br>breakwater.<br>46 23 18.2<br>063 47 14.6      | Fl R 4s                  | 5.3                                      | 5                        | Pipe swing pole, red and<br>white rectangular daymark<br>with red triangle in the<br>centre. | Seasonal.<br>Flash 1 s; eclipse 3 s.<br>Visible 269°-029°. |
| 1023                     | Abrams Village<br>fairway light buoy DH | 46 27 18.7<br>064 08 25.9                                        | Mo(A) W 6s               | .....                                    | .....                    | Red-white, spar, marked<br>"DH".                                                             | Seasonal.                                                  |
| 1023.1                   | Abram-Village light<br>buoy DH2         | 46 27 09.1<br>064 07 42.8                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "DH2".                                                                     | Seasonal.                                                  |
| 1023.2                   | Abram-Village light<br>buoy DH6         | 46 27 45.8<br>064 06 53.5                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "DH6".                                                                     | Seasonal.                                                  |
| 1023.3                   | Abram-Village light<br>buoy DH8         | Baie-Egmont.<br>46 27 04.6<br>064 07 12.2                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "DH8".                                                                     | Seasonal.                                                  |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON           | Location<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS      |
|-----------------------------|----------------------------------|-------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                  |                                                             |                          |                                          |                          |                                                                          |                                                          |
| 1023.4                      | Abram-Village light<br>buoy DH9  | 46 27 02.4<br>064 07 11.2                                   | FI G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"DH9".                                            | Seasonal.                                                |
| 1023.5                      | Abram-Village light<br>buoy DH10 | 46 27 02.6<br>064 07 12.0                                   | FI R 4s .....            | .....                                    | .....                    | Red, spar, marked "DH10".                                                | Seasonal.                                                |
| 1023.52                     | Abram-Village light<br>buoy DH16 | Baie-Egmont.<br>46 26 47.6<br>064 06 55.1                   | Q R 1s .....             | .....                                    | .....                    | Red, spar, marked "DH16".                                                | Seasonal.                                                |
| 1023.7                      | Abram-Village light<br>buoy DH5  | Baie-Egmont.<br>46 27 08.0<br>064 07 22.6                   | FI G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"DH5".                                            | Seasonal.                                                |
| 1024<br>H1056               | Cape Egmont                      | On point.<br>46 24 06.6<br>064 08 02.4                      | FI W 5s 19.9             | 11                                       |                          | White square tower with<br>red upper portion.<br>12.4                    | Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 3 s. |
| 1024.5                      | Fishing Cove light<br>buoy DG2   | 46 24 09.8<br>064 08 46.5                                   | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "DG2".                                               | Seasonal.                                                |
| 1025<br>H1057               | Fishing Cove                     | On outer end of<br>breakwater.<br>46 24 26.2<br>064 08 04.9 | LFI R 6s 7.5             | 4                                        |                          | Pipe swing pole, red and<br>white triangular daymark.<br>6.9             | Seasonal.<br>Flash 2 s; eclipse 4 s.                     |
| 1025.5<br>H1057.5           | Fishing Cove West<br>Breakwater  | On S. end of W.<br>breakwater.<br>46 24 26.1<br>064 08 06.7 | FI G 4s 3.2              | 4                                        |                          | Cylindrical mast.<br>2.8                                                 | Seasonal.<br>Flash 1 s; eclipse 3 s.                     |
| 1027.31<br>H1060            | Abram-Village Wharf<br>Light     | 46 26 25.9<br>064 06 48.4                                   | FI G 4s .....            | 3                                        |                          | Pipe Swing Pole, green,<br>white and black square<br>daymark.            | Seasonal.<br>Flash 1 s; eclipse 3 s.                     |
| 1027.42                     | Higgins Wharf light<br>buoy DJ16 | 46 33 25.1<br>064 05 38.0                                   | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "DJ16".                                              | Seasonal.                                                |
| 1027.425                    | Higgins Wharf light<br>buoy DJ15 | 46 33 27.1<br>064 05 47.5                                   | FI G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"DJ15".                                         | Seasonal.                                                |
| 1027.43                     | Higgins Wharf light<br>buoy DJ30 | 46 33 19.3<br>064 05 11.0                                   | FI R 4s .....            | .....                                    | .....                    | Red, pillar, marked "DJ30".                                              | Seasonal.                                                |
| 1027.45                     | Higgins Wharf light<br>buoy DJ   | 46 33 23.1<br>064 06 38.5                                   | Mo(A) W 6s .....         | .....                                    | .....                    | Red-white, pillar, marked<br>"DJ".                                       | Seasonal.                                                |
| 1027.6                      | Howards Cove light<br>buoy DN2   | 46 44 27.5<br>064 23 26.3                                   | Q R 1s .....             | .....                                    | .....                    | Red, spar, marked "DN2".                                                 | Seasonal.                                                |
| 1027.7                      | West Point light buoy<br>DM1     | 46 36 28.8<br>064 22 50.2                                   | FI G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"DM1".                                            | Seasonal.                                                |
| 1027.8                      | West Point light buoy<br>DM2     | 46 36 30.4<br>064 22 13.3                                   | FI R 4s .....            | .....                                    | .....                    | Red, spar, marked "DM2".                                                 | Seasonal.                                                |
| 1028.2<br>H1062.1           | West Point Wharf                 | End of wharf.<br>46 37 04.1<br>064 22 17.7                  | FI G 4s .....            | 4                                        |                          | Cylindrical mast, green,<br>white and black square<br>daymark.           | Seasonal.<br>Flash 1 s; eclipse 3 s.                     |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                         | Location<br>-----<br>Latitude N.<br>Longitude W.                                           | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                       | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS      |
|-----------------------------|------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                                |                                                                                            |                          |                                          |                          |                                                                                                |                                                          |
| 1029<br>H1062               | West Point                                     | On Sand Beach.<br>46 37 13.1<br>064 23 12.3                                                | Iso W 12s                | 20.1                                     | 12                       | White square tower with<br>red upper portion and black<br>horizontal bands.<br>20.7            | Private aid.<br>Year round.<br>Operates 24 h.            |
| 1030                        | West Point light and<br>whistle buoy D8        | N. of point.<br>46 40 06.0<br>064 30 01.0                                                  | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "D8".                                                                      | Seasonal.<br><br><b>Audible signal:</b> Whistle          |
| 1031<br>H1068               | Seal Point (Howards<br>Cove) Wharf             | On wharf.<br>46 44 22.9<br>064 22 46.3                                                     | Iso R 2s                 | 8.3                                      | 4                        | Square skeleton tower, red<br>and white rectangular<br>daymark with red triangle in<br>centre. | Year round.                                              |
| 1031.5<br>H1068.5           | Howards Cove<br>Breakwater                     | On the outermost<br>extremity of the port<br>hand breakwater.<br>46 44 25.5<br>064 22 46.0 | Q G 1s                   | 5.9                                      | 4                        | Cylindrical mast.<br>2.6                                                                       | Seasonal.                                                |
| 1032<br>H1068.1             | Howards Cove                                   | Near Seal Point.<br>46 44 25.1<br>064 22 36.5                                              | LFI W 6s                 | 14.2                                     | 12                       | White square tower with<br>red top.<br>5.8                                                     | Seasonal.<br>Operates 24 h.<br>Flash 2 s; eclipse 4 s.   |
| 1032.05                     | Miminegash fairway<br>light buoy DP            | NE. of reef.<br>46 54 02.2<br>064 14 17.8                                                  | Mo(A) W 6s               | .....                                    | .....                    | Red-white, can, marked<br>"DP".                                                                | Seasonal.                                                |
| 1032.1                      | Miminegash light buoy<br>DP3                   | 46 53 18.3<br>064 14 04.9                                                                  | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "DP3".                                                                      | Seasonal.<br>Operates 24 h.                              |
| 1032.2                      | Miminegash light buoy<br>DP6                   | 46 53 25.1<br>064 14 14.5                                                                  | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"DP6".                                                                 | Seasonal.<br>Operates 24 h.                              |
| 1032.35                     | Miminegash East<br>Cardinal light buoy<br>DPB  | 46 52 51.2<br>064 14 19.4                                                                  | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, spar,<br>marked "DPB".                                                     | Seasonal.<br>Operates 24 h.                              |
| 1032.45                     | Miminegash South<br>Cardinal light buoy<br>DPA | 46 52 37.9<br>064 14 36.3                                                                  | Q(6) +<br>LFI W 15s      | .....                                    | .....                    | Yellow-black, spar, marked<br>"DPA".                                                           | Seasonal.<br>Operates 24 h.                              |
| 1032.55                     | Miminegash East<br>Cardinal light buoy<br>DPC  | 46 53 08.6<br>064 14 12.6                                                                  | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, spar,<br>marked "DPC".                                                     | Seasonal.<br>Operates 24 h.                              |
| 1033.5<br>H1072             | Miminegash North<br>Breakwater Light           | 46 52 49.0<br>064 14 06.9                                                                  | Fl G 4s                  | .....                                    | 4                        | Square skeleton tower,<br>green and white<br>rectangular daymark.                              | Seasonal.<br>Operates 24 h.<br>Flash 1 s; eclipse 3 s.   |
| 1035<br>H1074               | Skidders Pond                                  | N. end of S.<br>breakwater.<br>46 57 58.3<br>064 07 35.1                                   | Fl R 4s                  | 4.4                                      | 4                        | Cylindrical mast, red and<br>white triangular daymark.<br>2.8                                  | Seasonal.<br>Flash 1 s; eclipse 3 s.                     |
| 1035.5<br>H1074.4           | Skidders Pond North<br>Breakwater              | On outer end of N.<br>breakwater.<br>46 57 59.2<br>064 07 33.1                             | Fl G 4s                  | 4.2                                      | 4                        | Cylindrical mast, green,<br>white and black square<br>daymark.<br>3.2                          | Seasonal.                                                |
| 1036<br>H1076               | North Cape                                     | On cape.<br>47 03 27.7<br>063 59 48.8                                                      | Fl Y 5s                  | 23.7                                     | 18                       | White octagonal tower with<br>red top.<br>19.5                                                 | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 4 s. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                                      | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)     | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|-----------------------------|-------------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                                             |                                                                 |                          |                                          |                          |                                                                              |                                                                   |
| 1036.1                      | Seacow Pond North                                           | 47 01 45.7<br>063 59 19.8                                       | Fl R 4s                  | .....                                    | .....                    | .....                                                                        | Seasonal.                                                         |
| 1037                        | North Cape Reef<br>North Cardinal light<br>and bell buoy DS | N. of North Cape.<br>47 04 00.0<br>064 00 03.0                  | Q W 1s                   | .....                                    | .....                    | Black-yellow, pillar, marked<br>"DS".                                        | Seasonal.<br><br><b>Audible signal: Bell</b>                      |
| 1037.6                      | ODAS light buoy IML-<br>6                                   | E. of Shippegan<br>Island.<br>47 47 00.0<br>064 02 00.0         | Fl(5) Y 20s              | .....                                    | .....                    | Yellow, ODAS, marked<br>"IML-6".                                             | Seasonal.                                                         |
| 1038.5                      | North Lake Harbour<br>Fairway light buoy JA                 | N. of harbour.<br>46 28 56.2<br>062 03 27.6                     | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"JA".                                           | Seasonal.                                                         |
| 1039<br>H1173               | North Lake Harbour<br>front range light                     | On outer end of E.<br>breakwater.<br>46 28 06.9<br>062 04 05.1  | Iso G 1s                 | 7.5                                      | 11                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>5.1  | Seasonal.                                                         |
| 1039.1<br>H1173.1           | <b>North Lake Harbour<br/>rear range light</b>              | 46 27 57.2<br>062 04 11.5<br><br>204°34' 328.5 m<br>from front. | Iso G 4s                 | 14.5                                     | <b>15</b>                | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>11.1 | Seasonal.                                                         |
| 1039.5<br>H1174             | North Lake Harbour<br>West                                  | On outer end of W.<br>breakwater.<br>46 28 09.0<br>062 04 05.0  | Iso R 2s                 | 7.1                                      | 5                        | Pipe swing pole, red and<br>white triangular daymark.<br>5.1                 | Seasonal.                                                         |
| 1040.05                     | Naufrage Harbour<br>Fairway light buoy JC                   | N. of Shipwreck<br>Point.<br>46 29 00.2<br>062 24 40.6          | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"JC".                                           | Seasonal.                                                         |
| 1040.2<br>H1170.3           | Naufrage Harbour<br>East Breakwater Light                   | On outer end of E.<br>breakwater.<br>46 28 08.2<br>062 25 00.3  | Fl G 4s                  | 5.0                                      | 4                        | Pipe Swing Pole, green,<br>white and black square<br>daymark.<br>3.6         | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1040.5<br>H1170.4           | Naufrage West<br>Breakwater                                 | Outer end of W.<br>breakwater.<br>46 28 11.3<br>062 24 59.7     | Fl R 4s                  | 5.1                                      | 4                        | Pipe swing pole, red and<br>white triangular daymark.<br>3.6                 | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1041.1<br>H1170.5           | Naufrage Harbour<br>Bridge                                  | On the bridge.<br>46 28 04.0<br>062 25 02.5                     | Iso W 4s                 | 6.0                                      | 4                        | On building, white<br>rectangular daymark with<br>red bands.<br>6.0          | Seasonal.                                                         |
| 1042<br>H1168               | Shipwreck Point                                             | On the point.<br>46 28 07.2<br>062 25 22.6                      | Oc W 5s                  | 25.6                                     | 9                        | White octagonal tower with<br>red top.<br>13.5                               | Year round.<br>Operates 24 h.<br>Flash 3 s; eclipse 2 s.          |
| 1043.1                      | St. Peters Harbour<br>fairway light buoy JD                 | 46 27 09.2<br>062 44 21.7                                       | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"JD".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1044.1                      | St. Peters Harbour<br>light buoy JD5                        | 46 27 00.2<br>062 44 10.6                                       | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "JD5".                                                    | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                  | Location<br>-----<br>Latitude N.<br>Longitude W.     | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|-----------------------------|-----------------------------------------|------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                         |                                                      |                          |                                          |                          |                                                                          |                                                                   |
| 1044.2                      | St. Peters Harbour<br>light buoy JD6    | 46 26 58.2<br>062 44 24.6                            | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"JD6".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1044.3                      | St. Peters Harbour<br>light buoy JD8    | 46 26 51.7<br>062 44 18.6                            | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"JD8".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1044.4                      | St. Peters Harbour<br>light buoy JD9    | 46 26 48.2<br>062 44 17.6                            | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "JD9".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1044.5                      | St. Peters Harbour<br>light buoy JD10   | 46 26 45.2<br>062 44 18.6                            | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"JD10".                                          | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1046.04                     | St. Peters Harbour<br>light buoy JD9.5  | 46 26 42.2<br>062 44 14.6                            | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"JD9.5".                                        | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1046.045                    | St. Peters Harbour<br>light buoy JD11   | 46 26 35.5<br>062 44 24.9                            | Fl G 4s                  | .....                                    | .....                    | Green, can, marked<br>"JD11".                                            | Seasonal.<br>Operates 24 h.                                       |
| 1046.05                     | St. Peters Harbour<br>light buoy JD11.5 | At harbour<br>entrance.<br>46 26 39.2<br>062 44 12.1 | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"JD11.5".                                       | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1046.06                     | St. Peters Harbour<br>light buoy JD12   | 46 26 44.4<br>062 44 16.0                            | Fl R 4s                  | .....                                    | .....                    | Red, can, marked "JD12".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1046.1                      | St. Peters Bay light<br>buoy JD13       | 46 26 35.2<br>062 43 52.6                            | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"JD13".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1046.11                     | St. Peters Harbour<br>light buoy JD15   | 46 26 25.8<br>062 44 02.8                            | Fl G 4s                  | .....                                    | .....                    | Green, can, marked<br>"JD15".                                            | Seasonal.<br>Operates 24 h.                                       |
| 1046.15                     | St. Peters Harbour<br>light buoy JD16   | 46 26 31.2<br>062 43 29.6                            | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "JD16".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1046.2                      | St. Peters Bay light<br>buoy JD18       | 46 26 26.0<br>062 43 17.0                            | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "JD18".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1046.3                      | St. Peters Bay light<br>buoy JD21       | 46 26 07.2<br>062 42 50.6                            | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"JD21".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1046.35                     | St. Peters Harbour<br>light buoy JD21.5 | 46 26 14.5<br>062 42 59.1                            | Fl G 4s                  | .....                                    | .....                    | Green, can, marked<br>"JD21.5".                                          | Seasonal.<br>Operates 24 h.                                       |
| 1046.4                      | St. Peters Harbour<br>light buoy JD23   | 46 26 06.6<br>062 42 37.8                            | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"JD23".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1046.5<br>H1164             | Red Head Wharf                          | 46 25 59.7<br>062 42 46.5                            | Q G 1s                   | 3.6                                      | 2                        | Cylindrical mast.<br>2.6                                                 | Seasonal.                                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                             | Location<br>-----<br>Latitude N.<br>Longitude W.        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|-----------------------------|----------------------------------------------------|---------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                                    |                                                         |                          |                                          |                          |                                                                          |                                                                   |
| 1046.81                     | Crowbush Cove Wharf<br>Fairway light buoy JE       | Off harbour.<br>46 26 45.5<br>062 49 29.7               | Mo(A) W 6s .....         | .....                                    |                          | Red-white, pillar, marked<br>"JE".                                       | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1047<br>H1160               | Crowbush Cove<br>Breakwater Light                  | 46 26 00.9<br>062 49 56.1                               | Fl W 4s 4.9              | 3                                        |                          | Pipe swing pole.<br>3.3                                                  | Seasonal.                                                         |
| 1047.01                     | Crowbush Cove Wharf<br>light buoy JE6              | 46 26 08.5<br>062 49 54.9                               | Fl R 4s .....            | .....                                    |                          | Red, spar, marked "JE6".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1047.011                    | Crowbush Cove Wharf<br>light buoy JE7/1            | 46 25 50.1<br>062 50 00.7                               | Q G 1s .....             | .....                                    |                          | Green, pillar, marked<br>"JE7/1".                                        | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1047.02                     | Crowbush Cove Wharf<br>light buoy JE8              | 46 26 01.1<br>062 49 59.0                               | Fl R 4s .....            | .....                                    |                          | Red, pillar, marked "JE8".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1047.021                    | Crowbush Cove Wharf<br>light buoy JE8/2            | 46 25 47.6<br>062 50 01.7                               | Q R 1s .....             | .....                                    |                          | Red, pillar, marked "JE8/2".                                             | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1047.028                    | Crowbush Cove Wharf<br>light buoy JE9              | 46 25 44.4<br>062 50 02.5                               | Fl G 4s .....            | .....                                    |                          | Green, pillar, marked "JE9".                                             | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1047.03                     | Crowbush Cove Wharf<br>Entrance light buoy<br>JE10 | 46 25 45.7<br>062 50 02.9                               | Q R 1s .....             | .....                                    |                          | Red, pillar, marked "JE10".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1047.04                     | Crowbush Cove Wharf<br>light buoy JE12             | 46 25 44.6<br>062 50 07.0                               | Fl R 4s .....            | .....                                    |                          | Red, pillar, marked "JE12".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1047.051                    | Crowbush Cove Wharf<br>light buoy JE14             | 46 25 43.6<br>062 50 13.6                               | Fl R 4s .....            | .....                                    |                          | Red, pillar, marked "JE14".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1047.06                     | Crowbush Cove Wharf<br>light buoy JE17             | 46 25 44.0<br>062 50 12.7                               | Fl G 4s .....            | .....                                    |                          | Green, pillar, marked<br>"JE17".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1047.1                      | Crowbush Cove Wharf<br>light buoy JE15             | 46 25 44.5<br>062 50 11.5                               | Q G 1s .....             | .....                                    |                          | Green, pillar, marked<br>"JE15".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1047.15                     | Crowbush Cove Wharf<br>light buoy JE7              | 46 26 08.4<br>062 49 53.2                               | Fl G 4s .....            | .....                                    |                          | Green, spar, marked "JE7".                                               | Seasonal.                                                         |
| 1047.2                      | Crowbush Cove Wharf<br>light buoy JE16             | 46 25 37.6<br>062 50 16.0                               | Q R 1s .....             | .....                                    |                          | Red, pillar, marked "JE16".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1047.51                     | North Tracadie<br>Fairway light buoy JH            | N. of harbour<br>entrance.<br>46 26 03.3<br>063 02 01.6 | Mo(A) W 6s .....         | .....                                    |                          | Red-white, pillar, marked<br>"JH".                                       | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.09                     | Grand Tracadie light<br>buoy JH5                   | 46 25 08.3<br>063 00 46.1                               | Fl G 4s .....            | .....                                    |                          | Green, can, marked "JH5".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON            | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|-----------------------------|-----------------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                   |                                                  |                          |                                          |                          |                                                                          |                                                                   |
| 1049.1                      | Grand Tracadie light<br>buoy JH6  | 46 25 06.8<br>063 00 49.4                        | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"JH6".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.11                     | Grand Tracadie light<br>buoy JH1  | 46 25 21.2<br>063 00 47.3                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "JH1".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.121                    | Grand Tracadie light<br>buoy JH2  | 46 25 21.2<br>063 00 54.5                        | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"JH2".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.131                    | Grand Tracadie light<br>buoy JH3  | 46 25 14.6<br>063 00 46.7                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "JH3".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.14                     | Grand Tracadie light<br>buoy JH4  | 46 25 12.9<br>063 00 51.9                        | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"JH4".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.15                     | Grand Tracadie light<br>buoy JH7  | 46 25 03.9<br>063 00 42.8                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "JH7".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.16                     | Grand Tracadie light<br>buoy JH8  | 46 25 02.8<br>063 00 47.0                        | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"JH8".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.2                      | Grand Tracadie light<br>buoy JH9  | 46 24 51.3<br>063 00 36.5                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "JH9".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.21                     | Grand Tracadie light<br>buoy JH10 | 46 24 56.6<br>063 00 43.6                        | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"JH10".                                          | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.211                    | Grand Tracadie light<br>buoy JH11 | 46 24 36.1<br>063 00 29.7                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked<br>"JH11".                                            | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.22                     | Grand Tracadie light<br>buoy JH12 | 46 24 36.5<br>063 00 21.0                        | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "JH12".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.24                     | Grand Tracadie light<br>buoy JH19 | 46 24 22.4<br>062 59 59.2                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"JH19".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.26                     | Grand Tracadie light<br>buoy JH22 | 46 24 04.9<br>063 00 17.8                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "JH22".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.27                     | Grand Tracadie light<br>buoy JH26 | 46 24 04.5<br>063 01 04.6                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "JH26".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.275                    | Grand Tracadie light<br>buoy JH29 | 46 24 06.0<br>063 01 35.4                        | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"JH29".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1049.28                     | Grand Tracadie light<br>buoy JH30 | 46 24 07.5<br>063 01 42.2                        | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "JH30".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                 | Location<br>-----<br>Latitude N.<br>Longitude W.         | Light<br>Characteristics |   |    | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                 |
|--------------------------|----------------------------------------|----------------------------------------------------------|--------------------------|---|----|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| PRINCE EDWARD ISLAND     |                                        |                                                          |                          |   |    |                                          |                          |                                                                          |                                                                                                     |
| 1049.4                   | Grand Tracadie light<br>buoy JH16      | Tracadie Bay.<br>46 24 19.2<br>062 59 59.0               | Q                        | R | 1s | .....                                    | .....                    | Red, spar, marked "JH16".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |
| 1049.6                   | Grand Tracadie light<br>buoy JH21      | 46 24 02.2<br>063 00 18.8                                | Fl                       | G | 4s | .....                                    | .....                    | Green, spar, marked<br>"JH21".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |
| 1050.05                  | Covehead Fairway<br>light buoy JJ      | N. of Cape<br>Stanhope.<br>46 26 54.2<br>063 08 18.7     | Mo(A)                    | W | 6s | .....                                    | .....                    | Red-white, pillar, marked<br>"JJ".                                       | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |
| 1050.1                   | Covehead Harbour<br>light buoy JJ3     | 46 26 05.4<br>063 08 33.0                                | Q                        | G | 1s | .....                                    | .....                    | Green, can, marked "JJ3".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |
| 1050.12                  | Covehead Harbour<br>light buoy JJ4     | 46 26 05.8<br>063 08 36.0                                | Fl                       | R | 4s | .....                                    | .....                    | Red, conical, marked "JJ4".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |
| 1050.13                  | Covehead Harbour<br>light buoy JJ5     | 46 26 01.6<br>063 08 31.2                                | Fl                       | G | 4s | .....                                    | .....                    | Green, spar, marked "JJ5".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |
| 1050.2                   | Covehead Harbour<br>light buoy JJ6     | 46 26 04.9<br>063 08 31.9                                | Q                        | R | 1s | .....                                    | .....                    | Red, conical, marked "JJ6".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |
| 1050.3                   | Covehead Harbour<br>light buoy JJ7     | 46 25 54.1<br>063 08 40.9                                | Q                        | G | 1s | .....                                    | .....                    | Green, spar, marked "JJ7".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |
| 1050.5                   | Covehead Harbour<br>light buoy JJ8     | 46 25 57.6<br>063 08 43.8                                | Fl                       | R | 4s | .....                                    | .....                    | Red, pillar, marked "JJ8".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |
| 1050.9                   | Covehead Harbour<br>light buoy JJ9     | 46 25 49.8<br>063 08 45.6                                | Fl                       | G | 4s | .....                                    | .....                    | Green, pillar, marked "JJ9".                                             | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |
| 1050.91                  | Covehead Harbour<br>light buoy JJ10    | 46 25 49.8<br>063 08 45.1                                | Fl                       | R | 4s | .....                                    | .....                    | Red, pillar, marked "JJ10".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |
| 1051<br>H1150            | Covehead Harbour                       | On Cape Stanhope.<br>46 25 48.2<br>063 08 35.3           | Fl                       | W | 5s | 11.0                                     | 11                       | White square tower with<br>red upper portion.<br>8.2                     | Seasonal.<br>Operates 24 h.<br>Flash 0.5 s; eclipse 4.5 s.<br><br>Fog Horn<br>Blast 3 s; sil. 27 s. |
| 1053.5<br>H1149          | Covehead Bridge                        | 46 25 46.3<br>063 08 47.4                                | Fl                       | W | 4s | 8.1                                      | 5                        | Cylindrical mast.<br>2.9                                                 | Seasonal.                                                                                           |
| 1054                     | North Rustico Fairway<br>light buoy JK | NE. entrance to<br>harbour.<br>46 27 54.1<br>063 16 30.0 | Mo(A)                    | W | 6s | .....                                    | .....                    | Red-white, pillar, marked<br>"JK".                                       | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |
| 1054.1                   | North Rustico light<br>buoy JK3        | 46 27 24.0<br>063 17 12.0                                | Fl                       | G | 4s | .....                                    | .....                    | Green, spar, marked "JK3".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                  | Location<br>-----<br>Latitude N.<br>Longitude W.                   | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|-----------------------------|-----------------------------------------|--------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                         |                                                                    |                          |                                          |                          |                                                                          |                                                                   |
| 1054.11                     | North Rustico light<br>buoy JK4         | 46 27 30.0<br>063 17 12.0                                          | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "JK4".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1054.24                     | North Rustico light<br>buoy JK6         | 46 27 25.2<br>063 17 14.4                                          | Q R 1s                   | .....                                    | .....                    | Red, can, marked "JK6".                                                  | Seasonal.                                                         |
| 1054.3                      | Rustico Harbour light<br>buoy JK7       | 46 27 25.0<br>063 17 18.0                                          | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "JK7".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1054.4                      | Rustico light buoy JK9                  | 46 27 24.2<br>063 17 11.8                                          | Q G 1s                   | .....                                    | .....                    | Green, can, marked "JK9".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1054.51                     | North Rustico light<br>buoy JK8         | 46 27 20.2<br>063 18 15.8                                          | Fl R 4s                  | .....                                    | .....                    | Red, can, marked "JK8".                                                  | Seasonal.                                                         |
| 1054.511                    | North Rustico light<br>buoy JK10        | 46 27 25.2<br>063 17 24.6                                          | Fl R 4s                  | .....                                    | .....                    | Red, can, marked "JK10".                                                 | Seasonal.                                                         |
| 1054.6                      | Rustico light buoy<br>JK12              | 46 27 17.2<br>063 17 26.1                                          | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "JK12".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1054.9                      | Rustico Harbour light<br>buoy JK13      | 46 27 20.2<br>063 17 54.8                                          | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"JK13".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1055<br>H1140               | Rustico Harbour<br>Northern Breakwater  | On outer end of N.<br>breakwater.<br>46 27 25.2<br>063 17 16.9     | Fl R 3s                  | 2.8                                      | 3                        | Cylindrical mast.<br>1.9                                                 | Seasonal.<br>Flash 1 s; eclipse 2 s.                              |
| 1056<br>H1141               | North Rustico Harbour                   | 46 27 19.1<br>063 17 31.7                                          | Fl W 5s                  | 12.4                                     | 13                       | White square tower with<br>red upper portion.<br>10.4                    | Year round.<br>Flash 1 s; eclipse 4 s.                            |
| 1057<br>H1142               | North Rustico Inner<br>Breakwater       | On SE. corner of<br>inner breakwater.<br>46 27 14.0<br>063 17 29.1 | Iso R 4s                 | 7.5                                      | 4                        | Pipe swing pole.<br>6.8                                                  | Seasonal.<br>Operates 24 h.                                       |
| 1057.5<br>H1144             | North Rustico Landing<br>Wharf          | On outer end of<br>wharf.<br>46 27 22.3<br>063 18 27.9             | Iso R 4s                 | 6.0                                      | 3                        | Square skeleton tower.<br>5.3                                            | Seasonal.                                                         |
| 1058                        | New London Fairway<br>light buoy JM     | N. of entrance to<br>New London Bay.<br>46 31 41.1<br>063 28 18.0  | Mo(A) W 6s               | .....                                    | .....                    | Red-white, can, marked<br>"JM".                                          | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1060.01<br>H1130.05         | New London                              | 46 30 37.4<br>063 29 13.9                                          | Iso W 4s                 | 13.2                                     | 7                        | White square tower with<br>red upper portion.<br>13.3                    | Seasonal.                                                         |
| 1060.1                      | Southwest River Outer<br>light buoy JM7 | 46 30 55.2<br>063 28 56.9                                          | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"JM7".                                          | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                           | Location<br>-----<br>Latitude N.<br>Longitude W.      | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                 |
|-----------------------------|--------------------------------------------------|-------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                                  |                                                       |                          |                                          |                          |                                                                          |                                                                                     |
| 1060.11                     | New London Harbour<br>Entrance light buoy<br>JM2 | 46 31 26.2<br>063 28 38.2                             | Fl R 4s                  | .....                                    | .....                    | Red, can, marked "JM2".                                                  | Seasonal.                                                                           |
| 1060.12                     | New London Entrance<br>light buoy JM3            | 46 31 23.7<br>063 28 32.9                             | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "JM3".                                                | Seasonal.                                                                           |
| 1060.15                     | New London light<br>buoy JM11                    | 46 30 31.6<br>063 29 09.5                             | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"JM11".                                         | Seasonal.<br>Operates 24 h.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1060.2                      | Southwest River light<br>buoy JN                 | 46 30 33.3<br>063 29 05.9                             | Fl(2+1) G 6s             | .....                                    | .....                    | Green-red-green, pillar,<br>marked "JN".                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1060.22                     | Southwest River Shoal<br>light buoy JM9          | 46 30 38.4<br>063 28 58.6                             | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "JM9".                                                | Seasonal.                                                                           |
| 1060.3                      | Southwest River light<br>buoy JMA                | 46 30 24.2<br>063 29 29.8                             | Fl(2+1) R 6s             | .....                                    | .....                    | Red-green-red, pillar,<br>marked "JMA".                                  | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1060.4                      | Southwest River light<br>buoy JM20               | 46 29 50.7<br>063 29 25.5                             | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "JM20".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1060.45                     | New London light<br>buoy JM6                     | 46 30 59.7<br>063 28 55.8                             | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"JM6".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1060.5                      | Southwest River light<br>buoy JM25               | 46 29 05.8<br>063 29 52.0                             | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"JM25".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1060.55                     | Southwest River light<br>buoy JN1                | 46 30 29.5<br>063 28 53.8                             | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"JN1".                                          | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1060.57                     | New London light<br>buoy JN3                     | 46 30 24.5<br>063 28 43.8                             | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "JN3".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1060.6                      | Southwest River light<br>buoy JN4                | 46 29 58.0<br>063 28 17.6                             | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "JN4".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1060.8                      | Stanley Bridge<br>Channel light buoy<br>JN15     | 46 29 50.7<br>063 27 46.8                             | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"JN15".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1060.9                      | Stanley Bridge<br>Channel light buoy<br>JN17     | 46 28 55.7<br>063 27 29.8                             | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"JN17".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1061<br>H1129               | Cape Tryon                                       | On extremity of<br>cape.<br>46 32 02.3<br>063 30 21.9 | LFl W 6s                 | 33.4                                     | 11                       | White square tower with<br>red upper portion.<br>12.4                    | Seasonal.<br>Flash 2 s; eclipse 4 s.                                                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                        | Location<br>-----<br>Latitude N.<br>Longitude W.          | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|-----------------------------|-----------------------------------------------|-----------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                               |                                                           |                          |                                          |                          |                                                                          |                                                                   |
| 1065.05                     | Malpeque Harbour<br>Fairway light buoy JP     | NE. of McKay<br>Point.<br>46 35 00.2<br>063 37 07.7       | Mo(A) W 6s .....         | .....                                    | .....                    | Red-white, pillar, marked<br>"JP".                                       | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1065.1                      | Malpeque Harbour<br>light buoy JP1            | Malpeque and<br>Darnley.<br>46 34 09.7<br>063 38 25.1     | Fl G 4s .....            | .....                                    | .....                    | Green, can, marked "JP1".                                                | Seasonal.                                                         |
| 1065.2                      | Malpeque West<br>cautionary light buoy<br>JPA | 46 34 23.3<br>063 40 39.5                                 | Fl Y 4s .....            | .....                                    | .....                    | Yellow, can, marked "JPA".                                               | Seasonal.                                                         |
| 1065.3                      | Malpeque Harbour<br>light buoy JP4            | Malpeque and<br>Darnley.<br>46 34 13.6<br>063 39 27.7     | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "JP4".                                               | Seasonal.                                                         |
| 1065.6                      | Royalty Point light<br>buoy JP9               | Malpeque and<br>Darnley.<br>46 33 47.7<br>063 43 04.3     | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked "JP9".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1069.5                      | Darnley Basin Outer<br>light buoy JU3         | Basin entrance.<br>46 33 55.9<br>063 41 48.2              | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked "JU3".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1069.65                     | Darnley Basin light<br>buoy JU5               | 46 33 24.2<br>063 41 28.9                                 | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"JU5".                                          | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1069.66                     | Darnley Basin light<br>buoy JU6               | 46 33 22.1<br>063 41 31.9                                 | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "JU6".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1069.7                      | Darnley Basin light<br>buoy JU7               | 46 33 18.7<br>063 41 36.7                                 | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"JU7".                                          | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1069.8                      | Darnley Basin light<br>buoy JU8               | 46 33 17.0<br>063 41 43.7                                 | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "JU8".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1069.9                      | Darnley Basin light<br>buoy JU9               | 46 33 21.2<br>063 41 57.7                                 | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"JU9".                                          | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.1                      | Darnley Basin light<br>buoy JT4               | 46 32 28.7<br>063 40 03.3                                 | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "JT4".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.2<br>H1123             | Darnley Bridge                                | On center span of<br>bridge.<br>46 32 02.8<br>063 40 17.7 | F W .....                | 3.5                                      | .....                    | On bridge.                                                               | Seasonal.                                                         |
| 1071.35                     | Hardys Channel<br>Fairway light buoy JS       | NW. of inlet.<br>46 39 15.4<br>063 51 18.1                | Mo(A) W 6s .....         | .....                                    | .....                    | Red-white, spar, marked<br>"JS".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.39                     | Hardys Channel light<br>buoy JS2              | 46 39 12.5<br>063 51 26.0                                 | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "JS2".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON            | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|-----------------------------|-----------------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                   |                                                  |                          |                                          |                          |                                                                          |                                                                   |
| 1071.41                     | Hardys Channel light<br>buoy JS3  | 46 39 11.3<br>063 51 23.9                        | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "JS3".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.42                     | Hardys Channel light<br>buoy JS4  | 46 39 10.5<br>063 51 31.7                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "JS4".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.45                     | Hardys Channel light<br>buoy JS5  | 46 39 09.5<br>063 51 30.8                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "JS5".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.5                      | Hardys Channel light<br>buoy JS7  | 46 39 05.3<br>063 51 35.5                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "JS7".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.52                     | Hardys Channel light<br>buoy JS8  | 46 39 00.0<br>063 51 49.5                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "JS8".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.89                     | Hardys Channel light<br>buoy JS12 | 46 38 56.6<br>063 52 00.6                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "JS12".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.9                      | Hardys Channel light<br>buoy JS13 | 46 39 14.2<br>063 52 28.0                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"JS13".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.95                     | Hardys Channel light<br>buoy JS14 | 46 39 14.8<br>063 52 26.6                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "JS14".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.96                     | Hardys Channel light<br>buoy JS21 | 46 39 24.6<br>063 52 46.3                        | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"JS21".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.961                    | Hardys Channel light<br>buoy JS22 | 46 39 25.2<br>063 52 45.2                        | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "JS22".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.962                    | Hardys Channel light<br>buoy JS23 | 46 39 32.8<br>063 52 54.6                        | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"JS23".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.963                    | Hardys Channel light<br>buoy JS24 | 46 39 33.2<br>063 52 53.6                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "JS24".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.977                    | Hardys Channel light<br>buoy JS27 | 46 39 43.6<br>063 53 05.3                        | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"JS27".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.98                     | Hardys Channel light<br>buoy JS32 | 46 39 38.5<br>063 53 29.4                        | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "JS32".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1071.99                     | Hardys Channel light<br>buoy JS33 | 46 39 36.7<br>063 53 44.5                        | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"JS33".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1072.1                      | Hardys Channel light<br>buoy JS39 | 46 39 24.5<br>063 53 46.3                        | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"JS39".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                               | Location<br>-----<br>Latitude N.<br>Longitude W.        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                 |
|-----------------------------|------------------------------------------------------|---------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>PRINCE EDWARD ISLAND</b> |                                                      |                                                         |                          |                                          |                          |                                                                          |                                                                                     |
| 1072.4                      | Hardys Channel light<br>buoy JS42                    | 46 39 21.5<br>063 54 05.2                               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "JS42".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1072.5                      | Hardys Channel light<br>buoy JS43                    | 46 39 20.5<br>063 54 26.6                               | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"JS43".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1072.59                     | Hardys Channel light<br>buoy JS40                    | 46 39 25.4<br>063 53 47.4                               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "JS40".                                              | Seasonal.<br>Operates 24 h.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1072.6                      | Hardys Channel light<br>buoy JS44                    | 46 39 21.7<br>063 54 26.4                               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "JS44".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1075.05                     | Cascumpeque<br>Harbour Fairway light<br>buoy JV      | E. of harbour<br>entrance.<br>46 47 44.3<br>063 59 38.2 | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"JV".                                       | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1075.2                      | Cascumpeque light<br>buoy JV4                        | 46 48 12.4<br>064 00 47.0                               | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"JV4".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1075.3                      | Cascumpeque light<br>buoy JV5                        | 46 48 07.6<br>064 00 51.6                               | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "JV5".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1075.32                     | Cascumpeque light<br>buoy JV8                        | 46 48 15.7<br>064 01 20.7                               | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"JV8".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1075.33                     | Cascumpeque light<br>buoy JV6                        | 46 48 13.2<br>064 01 05.7                               | Q R 1s                   | .....                                    | .....                    | Red, conical, marked<br>"JV6".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1075.34                     | Cascumpeque light<br>buoy JV7                        | 46 48 07.8<br>064 01 08.2                               | Q G 1s                   | .....                                    | .....                    | Green, can, marked "JV7".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1075.4                      | Cascumpec light buoy<br>JV9                          | 46 48 08.5<br>064 01 37.6                               | Q G 1s                   | .....                                    | .....                    | Green, can, marked "JV9".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1075.5                      | Alberton Harbour light<br>buoy JV10                  | 46 48 12.9<br>064 01 55.4                               | Q R 1s                   | .....                                    | .....                    | Red, can, marked "JV10".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1075.6                      | Alberton Harbour<br>Middle Ground light<br>buoy JV15 | Cascumpec.<br>46 48 02.4<br>064 02 30.0                 | Q G 1s                   | .....                                    | .....                    | Green, can, marked<br>"JV15".                                            | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1075.7                      | Alberton Harbour light<br>buoy JV12                  | 46 47 47.4<br>064 03 20.4                               | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "JV12".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1075.805                    | Alberton Harbour light<br>buoy JV17                  | Cascumpec.<br>46 47 43.2<br>064 03 10.2                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"JV17".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics |   |    | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|--------------------------|---------------------------------------|------------------------------------------------------------------|--------------------------|---|----|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| PRINCE EDWARD ISLAND     |                                       |                                                                  |                          |   |    |                                          |                          |                                                                                         |                                                                   |
| 1081<br>H1094            | Northport front<br>range light        | Near outer end of<br>railway wharf.<br>46 47 42.2<br>064 03 32.5 | Iso                      | G | 1s | 9.2                                      | 15                       | Square skeleton tower,<br>white rectangular daymark<br>with red vertical stripe.<br>8.2 | Seasonal.                                                         |
| 1082<br>H1094.1          | Northport rear range<br>light         | 46 47 38.4<br>064 03 44.4<br><br>244°54' 277.3 m<br>from front.  | Iso                      | G | 4s | 12.8                                     | 15                       | White pyramid tower with<br>red vertical stripe.<br>11.8                                | Seasonal.                                                         |
| 1082.1<br>H1095          | Alberton Breakwater                   | Outer end of<br>breakwater.<br>46 47 38.9<br>064 03 35.2         | Fl                       | W | 3s | 6.1                                      | 2                        | Cylindrical mast.<br>2.6                                                                | Seasonal.<br>Flash 1 s; eclipse 2 s.                              |
| 1083<br>H1081.4          | Big Tignish<br>Breakwater             | 46 57 01.9<br>063 59 28.9                                        | Iso                      | R | 1s | 7.0                                      | 5                        | Cylindrical mast.<br>5.4                                                                | Seasonal.                                                         |
| 1083.5<br>H1081.5        | Big Tignish South<br>Breakwater       | 46 57 01.8<br>063 59 33.9                                        | Iso                      | G | 1s | 3.1                                      | 2                        | Cylindrical mast.<br>2.6                                                                | Seasonal.                                                         |
| 1084.52                  | Tignish Inner light<br>buoy JX5       | 46 57 09.3<br>063 59 55.1                                        | Fl                       | G | 4s | .....                                    | .....                    | Green, pillar, marked "JX5".                                                            | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1084.53                  | Tignish Inner light<br>buoy JX7       | 46 57 12.6<br>063 59 58.3                                        | Fl                       | G | 4s | .....                                    | .....                    | Green, pillar, marked "JX7".                                                            | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1084.54                  | Tignish Inner light<br>buoy JX9       | 46 57 12.0<br>064 00 09.2                                        | Fl                       | G | 4s | .....                                    | .....                    | Green, pillar, marked "JX9".                                                            | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1084.7<br>H1078          | Seacow Pond South<br>Breakwater Light | On outer end of S.<br>breakwater.<br>47 01 45.6<br>063 59 22.0   | Fl                       | G | 3s | 6.5                                      | 5                        | Pipe swing pole, green and<br>white square daymark.<br>4.6                              | Seasonal.<br>Flash 1 s; eclipse 2 s.                              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                     | Location<br>-----<br>Latitude N.<br>Longitude W.             | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                      | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-------------------------------------|--------------------------------------------|--------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - WEST</b> |                                            |                                                              |                          |                                          |                          |                                                                                               |                                                     |
| 1085                                | Tidnish River Entrance<br>light buoy XA2   | Off Tidnish Head.<br>46 00 54.2<br>064 02 17.5               | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "XA2".                                                                    | Seasonal.                                           |
| 1089                                | Tormentine Reefs light<br>and bell buoy X5 | E. of Indian Point.<br>46 06 34.1<br>063 41 04.7             | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked "X5".                                                                   | Seasonal.<br><br><b>Audible signal: Bell</b>        |
| 1090<br>H1308                       | Cape Tormentine<br>Outer Wharf             | On outer end of<br>pier.<br>46 08 05.4<br>063 46 20.0        | Iso R 2s 12.0            | 5                                        |                          | White pyramid tower with<br>red upper portion and red<br>vertical stripe.<br>10.1             | Seasonal.                                           |
| 1091.5<br>H1316                     | Cape Tormentine<br>Breakwater              | At NE. end of<br>breakwater.<br>46 08 02.8<br>063 46 11.8    | Fl G 4s 5.5              | 4                                        |                          | Square skeleton tower,<br>green, white and black<br>square daymark.<br>3.6                    | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 1094<br>H1313.1                     | Cape Tormentine<br>Inner Wharf             | 46 08 00.5<br>063 46 27.7                                    | Fl R 3s 6.3              | 6                                        |                          | Cylindrical mast.<br>3.8                                                                      | Seasonal.<br>Flash 1 s; eclipse 2 s.                |
| 1094.6<br>H1313                     | Cape Tormentine<br>Fisherman's Wharf       | On outer end of<br>breakwater.<br>46 08 00.6<br>063 46 37.9  | Fl G 4s 6.8              | 3                                        |                          | Pipe swing pole, green and<br>white square daymark.<br>3.8                                    | Seasonal.                                           |
| 1095.1                              | Cape Tormentine light<br>buoy XD4          | 46 08 09.1<br>063 46 11.8                                    | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "XD4".                                                                      | Seasonal.                                           |
| 1096                                | Cape Tormentine light<br>buoy XD5          | 46 07 58.3<br>063 46 26.0                                    | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked<br>"XD5".                                                                 | Seasonal.                                           |
| 1097<br>H1319                       | Botsford Breakwater                        | On SE. corner of<br>breakwater.<br>46 10 07.2<br>063 56 01.1 | Fl R 4s 6.0              | 3                                        |                          | Pipe swing pole.<br>5.3                                                                       | Year round.<br>Flash 1 s; eclipse 3 s.              |
| 1099.5<br>H1322                     | Little Cape Outer<br>Breakwater            | 46 11 55.3<br>064 09 42.7                                    | LFl R 6s .....           | 7                                        |                          | Square skeleton tower, red<br>and white triangular<br>daymark with red triangle in<br>center. | Seasonal.<br>Flash 2 s; eclipse 4 s.                |
| 1100<br>H1323                       | Little Cape Breakwater                     | On SE. corner of<br>breakwater.<br>46 11 56.9<br>064 09 45.3 | Fl R 5s 10.6             | 10                                       |                          | Square skeleton tower.<br>10.0                                                                | Seasonal.<br>Flash 1 s; eclipse 4 s.                |
| 1100.5<br>H1324.4                   | Bas-Cap-Pelé Wharf                         | On end of wharf.<br>46 14 09.0<br>064 15 39.0                | Fl R 3s 6.1              | 5                                        |                          | Square skeleton tower.<br>5.2                                                                 | Seasonal.<br>Flash 1 s; eclipse 2 s.                |
| 1101<br>H1324                       | Bas-Cap-Pelé<br>Approach                   | S. of breakwater,<br>on shore.<br>46 14 04.3<br>064 15 49.6  | Fl W 5s 12.6             | 11                                       |                          | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.9                        | Seasonal.<br>Flash 1 s; eclipse 4 s.                |
| 1102<br>H1325.1                     | Cape Bald                                  | NW. corner of E.<br>breakwater.<br>46 13 53.6<br>064 17 55.7 | Fl G 3s 9.5              | 5                                        |                          | Square skeleton tower,<br>green, white and black<br>square daymark.<br>8.3                    | Year round.<br>Flash 1 s; eclipse 2 s.              |
| 1102.1                              | Harshman's Brook<br>light buoy XJ4         | 46 14 03.5<br>064 17 58.1                                    | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "XJ4".                                                                      | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON             | Location<br>-----<br>Latitude N.<br>Longitude W.               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|-------------------------------------|------------------------------------|----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - WEST</b> |                                    |                                                                |                          |                                          |                          |                                                                          |                                                                   |
| 1102.11                             | Harshman's Brook<br>light buoy XJ5 | 46 14 03.5<br>064 17 56.0                                      | Fl G 4s .....            | .....                                    |                          | Green, spar, marked "XJ5".                                               | Seasonal.                                                         |
| 1102.12                             | Harshman's Brook<br>light buoy XJ6 | 46 13 59.3<br>064 17 57.1                                      | Fl R 4s .....            | .....                                    |                          | Red, spar, marked "XJ6".                                                 | Seasonal.                                                         |
| 1102.13                             | Harshman's Brook<br>light buoy XJ7 | 46 13 59.4<br>064 17 55.9                                      | Fl G 4s .....            | .....                                    |                          | Green, spar, marked "XJ7".                                               | Seasonal.                                                         |
| 1102.3                              | Robichaud light buoy<br>XK2        | 46 14 00.5<br>064 22 42.4                                      | Fl R 4s .....            | .....                                    |                          | Red, spar, marked "XK2".                                                 | Seasonal.                                                         |
| 1102.5                              | Robichaud light buoy<br>XK6        | N. of wharf.<br>46 13 37.8<br>064 23 01.0                      | Q R 1s .....             | .....                                    |                          | Red, pillar, marked "XK6".                                               | Seasonal.                                                         |
| 1103<br>H1326                       | Robichaud Wharf                    | On NW. corner of<br>wharf.<br>46 13 29.6<br>064 23 02.8        | Fl W 4s .....            | .....                                    |                          | Pipe swing pole, red and<br>white rectangular daymark.                   | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1103.5                              | Robichaud Wharf<br>Breakwater      | Robichaud<br>Harbour.<br>46 13 28.6<br>064 22 58.4             | Fl R 4s .....            | 4                                        |                          | Pipe tower.                                                              | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1105                                | Shediac light buoy XN              | On E. side of<br>channel.<br>46 16 38.0<br>064 29 05.0         | Mo(A) W 6s .....         | .....                                    |                          | Red-white, pillar, marked<br>"XN".                                       | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1105.1                              | Shediac light buoy<br>XN2          | 46 16 28.2<br>064 29 40.8                                      | Fl R 4s .....            | .....                                    |                          | Red, spar, marked "XN2".                                                 | Seasonal.<br>Operates 24 h.                                       |
| 1105.2                              | Shediac light buoy<br>XN3          | 46 16 17.2<br>064 29 44.5                                      | Fl G 4s .....            | .....                                    |                          | Green, spar, marked<br>"XN3".                                            | Seasonal.<br>Operates 24 h.                                       |
| 1105.3                              | Shediac light buoy<br>XN4          | 46 16 13.9<br>064 30 27.0                                      | Fl R 4s .....            | .....                                    |                          | Red, spar, marked "XN4".                                                 | Seasonal.<br>Operates 24 h.                                       |
| 1105.4                              | Shediac light buoy<br>XN5          | 46 16 02.0<br>064 30 16.3                                      | Fl G 4s .....            | .....                                    |                          | Green, pillar, marked<br>"XN5".                                          | Seasonal.<br>Operates 24 h.                                       |
| 1105.5                              | Shediac light buoy<br>XN6          | 46 15 43.0<br>064 30 25.8                                      | Fl R 4s .....            | .....                                    |                          | Red, pillar, marked "XN6".                                               | Seasonal.<br>Operates 24 h.                                       |
| 1106                                | Shediac light buoy<br>XN12         | Shediac Harbour.<br>46 15 26.8<br>064 30 34.6                  | Q R 1s .....             | .....                                    |                          | Red, pillar, marked "XN12".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1109                                | Shediac light buoy<br>XN18         | On N. side of turn in<br>channel.<br>46 15 23.2<br>064 31 23.6 | Q R 1s .....             | .....                                    |                          | Red, spar, marked "XN18".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1109.2                              | Shediac Harbour light<br>buoy XN19 | 46 15 17.0<br>064 31 28.4                                      | Q G 1s .....             | .....                                    |                          | Green, spar, marked<br>"XN19".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1109.4                              | Shediac Harbour light<br>buoy XN20 | At the entrance to<br>harbour.<br>46 15 09.7<br>064 31 38.2    | Fl R 4s .....            | .....                                    |                          | Red, spar, marked "XN20".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.     | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|------------------------------|----------------------------------------------|----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| NORTHUMBERLAND STRAIT - WEST |                                              |                                                                |                          |                                          |                          |                                                                          |                                                                   |
| 1109.6                       | Shediac Harbour light<br>buoy XN21           | 46 15 03.4<br>064 31 31.1                                      | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"XN21".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1109.8                       | Shediac Harbour light<br>buoy XN22           | 46 14 55.9<br>064 31 43.9                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "XN22".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1109.81                      | Pointe-du-Chêne light<br>buoy XP3            | 46 14 29.3<br>064 31 39.3                                      | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"XP3".                                          | Seasonal.<br>Operates 24 h.                                       |
| 1109.82                      | Shediac Harbour light<br>buoy XN24           | 46 14 38.9<br>064 32 02.5                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "XN24".                                                | Seasonal.                                                         |
| 1109.83                      | Shediac light buoy<br>XN30                   | 46 14 38.2<br>064 32 13.6                                      | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "XN30".                                              | Seasonal.<br>Operates 24 h.                                       |
| 1110.5                       | Pointe-du-Chêne<br>Wharf                     | On W. end of pier.<br>46 14 30.0<br>064 31 48.4                | LFl Y 6s                 | .....                                    | 7                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>5.1   | Seasonal.<br>Flash 2 s; eclipse 4 s.                              |
| 1111.01                      | Pointe-du-Chêne<br>North Breakwater<br>Light | 46 14 31.6<br>064 31 43.1                                      | Fl G 5s                  | .....                                    | 7                        | Square skeleton tower,<br>green and white<br>rectangular daymark.        | Seasonal.<br>Flash 1 s; eclipse 4 s.                              |
| 1111.1<br>H1329              | Pointe-du-Chêne<br>Breakwater                | On outer end of<br>breakwater.<br>46 14 29.2<br>064 31 40.4    | Fl R 5s                  | 6.0                                      | 4                        | Cylindrical mast, red and<br>white triangular daymark.<br>3.5            | Seasonal.<br>Flash 1 s; eclipse 4 s.                              |
| 1111.2                       | Shediac Bay light<br>buoy XN34               | 46 14 21.5<br>064 32 24.2                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "XN34".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1111.41                      | Shediac Bay light<br>buoy XN37               | 46 14 03.0<br>064 32 41.6                                      | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"XN37".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1111.45                      | Shediac Bay light<br>buoy XN41               | 46 13 49.9<br>064 32 44.7                                      | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"XN41".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1111.46                      | Shediac Bay light<br>buoy XN42               | 46 13 50.9<br>064 32 46.1                                      | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "XN42".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1111.48                      | Shediac Bay light<br>buoy XN46               | 46 13 41.6<br>064 32 53.6                                      | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "XN46".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1111.5<br>H1334              | Shediac Bay Yacht<br>Club Breakwater         | 46 13 41.2<br>064 32 49.5                                      | Fl G 5s                  | 5.3                                      | 4                        | Pipe Swing Pole, green,<br>white and black square<br>daymark.<br>3.7     | Seasonal.<br>Flash 1 s; eclipse 4 s.                              |
| 1112<br>H1348                | Cap de Caissie<br>Breakwater                 | On outer end of N.<br>breakwater.<br>46 18 46.0<br>064 30 34.8 | Fl R 4s                  | 5.9                                      | 5                        | Square skeleton tower.<br>4.9                                            | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1113.01                      | Cocagne Harbour<br>Fairway light buoy XT     | 46 23 19.7<br>064 32 38.5                                      | Mo(A) W 6s               | .....                                    | .....                    | Red-white, conical, marked<br>"XT".                                      | Seasonal.                                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.                  | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|-------------------------------------|----------------------------------------------|-------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - WEST</b> |                                              |                                                                   |                          |                                          |                          |                                                                          |                                                                   |
| 1113.04                             | Cocagne Harbour light<br>buoy XT4            | 46 22 28.4<br>064 34 00.9                                         | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"XT4".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1113.14                             | Cocagne Harbour light<br>buoy XT14           | 46 21 42.4<br>064 35 00.4                                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XT14".                                              | Seasonal.                                                         |
| 1113.17                             | Cocagne Harbour light<br>buoy XT17           | 46 21 17.0<br>064 35 13.4                                         | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"XT17".                                         | Seasonal.                                                         |
| 1113.22                             | Cocagne River light<br>buoy XT22             | 46 20 21.7<br>064 36 25.8                                         | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"XT22".                                          | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1113.48                             | Cocagne River light<br>buoy XT48             | 46 19 53.8<br>064 37 15.1                                         | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "XT48".                                                | Seasonal.                                                         |
| 1114<br>H1352                       | Cap-de-Cocagne<br>Wharf                      | On SW. corner of<br>wharf extension.<br>46 21 15.5<br>064 34 33.0 | Fl G 4s                  | .....                                    | 4                        | Pipe Swing Pole, green,<br>white and black square<br>daymark.<br>4.0     | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1118.5<br>H1359                     | Cormierville                                 | On SE. corner of<br>wharf.<br>46 24 28.3<br>064 36 55.3           | Fl R 3s                  | 5.7                                      | 5                        | Pipe swing pole.<br>5.1                                                  | Seasonal.<br>Flash 1 s; eclipse 2 s.                              |
| 1119                                | Cormierville light buoy<br>XU2               | 46 25 05.6<br>064 34 57.8                                         | Q R 1s                   | .....                                    | .....                    | Red, conical, marked<br>"XU2".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1119.1                              | The Bluff East<br>Cardinal light buoy<br>XVB | 46 25 15.5<br>064 36 09.3                                         | Q(3) W 10s               | .....                                    | .....                    | Black-yellow-black, can,<br>marked "XVB".                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1119.2                              | The Dune East<br>Cardinal light buoy<br>XVA  | 46 27 22.8<br>064 35 41.3                                         | VQ(3) W 5s               | .....                                    | .....                    | Black-yellow-black, spar,<br>marked "XVA".                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1119.3                              | Buctouche Harbour<br>light buoy XV10         | 46 27 20.9<br>064 38 11.9                                         | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "XV10".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1119.5<br>H1360                     | St. Thomas-de-Kent                           | On NW. corner of<br>wharf.<br>46 26 51.5<br>064 38 12.5           | Fl G 4s                  | 5.1                                      | 5                        | Square skeleton tower.<br>3.1                                            | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1119.64                             | Buctouche Harbour<br>light buoy XV4          | 46 27 08.1<br>064 36 33.0                                         | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "XV4".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1119.65                             | Buctouche Harbour<br>light buoy XV6          | 46 27 09.4<br>064 37 15.1                                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XV6".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1122<br>H1362                       | Buctouche Bar                                | On S. extremity of<br>bar.<br>46 27 40.1<br>064 36 46.2           | Fl W 4s                  | 11.0                                     | 7                        | White pyramid tower.<br>11.4                                             | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                   | Location<br>-----<br>Latitude N.<br>Longitude W.           | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|-------------------------------------|------------------------------------------|------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - WEST</b> |                                          |                                                            |                          |                                          |                          |                                                                          |                                                                   |
| 1125.17                             | Buctouche Harbour<br>Light buoy XV16     | 46 27 56.3<br>064 39 05.0                                  | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XV16".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1125.18                             | Buctouche Harbour<br>light buoy XV20     | 46 28 19.4<br>064 39 36.4                                  | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XV20".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1125.19                             | Buctouche Harbour<br>light buoy XV15     | 46 27 41.8<br>064 38 52.3                                  | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XV15".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1125.21                             | Buctouche Harbour<br>light buoy XV19     | 46 28 05.3<br>064 39 23.0                                  | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XV19".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1125.23                             | Buctouche Harbour<br>light buoy XV23     | 46 28 35.1<br>064 40 00.8                                  | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"XV23".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1125.24                             | Buctouche Harbour<br>light buoy XV26     | 46 28 40.1<br>064 40 13.7                                  | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "XV26".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1125.25                             | Buctouche Harbour<br>light buoy XV29     | 46 28 36.8<br>064 40 26.9                                  | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"XV29".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1125.26                             | Buctouche Harbour<br>light buoy XV32     | 46 28 32.8<br>064 40 54.1                                  | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "XV32".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1125.27                             | Buctouche Harbour<br>light buoy XV36     | 46 28 25.6<br>064 41 18.4                                  | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "XV36".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1125.28                             | Buctouche Harbour<br>light buoy XV37     | 46 28 23.9<br>064 41 16.9                                  | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"XV37".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1125.29                             | Buctouche Harbour<br>light buoy XV41     | 46 28 19.7<br>064 41 42.1                                  | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"XV41".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1125.3                              | Buctouche Harbour<br>light buoy XV51     | 46 28 27.0<br>064 42 31.8                                  | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"XV51".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1125.31                             | Buctouche Harbour<br>light buoy XV44     | 46 28 15.8<br>064 42 05.9                                  | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "XV44".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1126<br>H1372                       | Saint-Edouard-de-<br>Kent                | On SW. corner of<br>pierhead.<br>46 32 26.0<br>064 41 52.5 | Fl R 5s                  | 5.3                                      | 13                       | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.1   | Seasonal.<br>Operates 24 h.<br>Flash 0.2 s; eclipse 4.8 s.        |
| 1126.1                              | Saint-Édouard-de-<br>Kent light buoy XW1 | Near the wharf.<br>46 32 27.2<br>064 41 42.5               | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"XW1".                                            | Seasonal.                                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                           | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                               |
|-------------------------------------|--------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - WEST</b> |                                                  |                                                                 |                          |                                          |                          |                                                                          |                                                                                                   |
| 1126.2                              | Saint-Édouard-de-Kent light buoy XW2             | Near the wharf.<br>46 32 28.4<br>064 41 43.3                    | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "XW2".                                                 | Seasonal.                                                                                         |
| 1127<br>H1374                       | Chockpish Breakwater                             | On N. breakwater.<br>46 34 59.0<br>064 43 07.5                  | Fl R 4s                  | 5.7                                      | 3                        | Cylindrical mast.<br>3.2                                                 | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                              |
| 1127.2                              | Chockpish South Breakwater                       | On outermost end of S. breakwater.<br>46 34 58.1<br>064 43 10.5 | Fl G 4s                  | .....                                    | 3                        | Pipe Swing Pole, green, white and black square daymark.<br>3.0           | Seasonal.                                                                                         |
| 1127.3                              | Chockpish light buoy XR1                         | 46 34 56.8<br>064 43 01.5                                       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "XR1".                                               | Seasonal.                                                                                         |
| 1127.4                              | Chockpish light buoy XR2                         | 46 34 58.1<br>064 43 01.4                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "XR2".                                                 | Seasonal.                                                                                         |
| 1128<br>H1376                       | Richibucto Cape                                  | On headland.<br>46 40 11.3<br>064 42 42.0                       | Fl W 5s                  | 18.1                                     | 11                       | White square tower with red upper portion.<br>10.5                       | Year round.<br>Flash 1 s; eclipse 4 s.                                                            |
| 1129<br>H1378                       | Richibucto Cape Breakwater                       | 46 40 23.9<br>064 42 38.1                                       | Fl R 4s                  | 4.3                                      | 5                        | Cylindrical mast.<br>2.8                                                 | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                              |
| 1129.1                              | Cap-Lumière light buoy QX1                       | 46 40 21.6<br>064 42 36.1                                       | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "QX1".                                                | Seasonal.                                                                                         |
| 1131                                | Richibucto light and bell buoy Q                 | E. of Richibucto Beach.<br>46 43 30.2<br>064 44 27.7            | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked "Q".                                           | Seasonal.<br>Buoy may be repositioned due to shifting channel.<br><br><b>Audible signal: Bell</b> |
| 1132                                | Richibucto Gully Entrance light buoy Q3          | 46 42 52.9<br>064 44 40.9                                       | Q G 1s                   | .....                                    | .....                    | Green, can, marked "Q3".                                                 | Seasonal.<br>Buoy may be repositioned due to shifting channel.                                    |
| 1133.1                              | Richibucto light buoy Q5                         | 46 42 32.7<br>064 44 50.3                                       | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "Q5".                                                 | Seasonal.<br>Buoy may be repositioned due to shifting channel.                                    |
| 1133.6                              | Richibucto Gully Outer light buoy Q10            | 46 42 24.8<br>064 45 09.1                                       | Q R 1s                   | .....                                    | .....                    | Red, conical, marked "Q10".                                              | Seasonal.<br>Buoy may be repositioned due to shifting channel.                                    |
| 1134                                | Richibucto Gully Inner light buoy Q11            | 46 42 28.0<br>064 45 34.3                                       | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked "Q11".                                             | Seasonal.<br>Buoy may be repositioned due to shifting channel.                                    |
| 1135                                | Richibucto Gully Channel light buoy Q18          | 46 42 40.4<br>064 46 11.7                                       | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "Q18".                                               | Seasonal.<br>Buoy may be repositioned due to shifting channel.                                    |
| 1136                                | North Richibucto Beach Breakwater light buoy Q22 | 46 42 47.2<br>064 46 55.7                                       | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "Q22".                                               | Seasonal.<br>Buoy may be repositioned due to shifting channel.                                    |
| 1136.1                              | North Richibucto Dune light buoy Q24             | 46 42 52.4<br>064 47 34.9                                       | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked "Q24".                                              | Seasonal.<br>Operates 24 h.                                                                       |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                             | Location<br>-----<br>Latitude N.<br>Longitude W.                     | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS            |
|-------------------------------------|----------------------------------------------------|----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - WEST</b> |                                                    |                                                                      |                          |                                          |                          |                                                                          |                                                                |
| <b>Richibucto Harbour</b>           |                                                    |                                                                      |                          |                                          |                          |                                                                          |                                                                |
| 1141                                | Richibucto Floating Dock Light                     | 46 40 44.0<br>064 51 39.5                                            | Fl G 4s                  | .....                                    | 2                        | Cylindrical mast, green, white and black square daymark.                 | Seasonal.<br>Flash 1 s; eclipse 3 s.                           |
| 1142<br>H1394                       | North Richibucto Beach Inner front range light     | On shore behind breakwater.<br>46 42 57.5<br>064 47 58.9             | Iso W 1s                 | 8.1                                      | 6                        | Square skeleton tower, red and white rectangular daymark.<br>6.3         | Seasonal.                                                      |
| 1143<br>H1394.1                     | North Richibucto Beach Inner rear range light      | 46 43 03.5<br>064 47 51.1<br><br>042°09' 247.7 m from front.         | Iso W 4s                 | 13.7                                     | 7                        | Square skeleton tower, red daymark with white vertical stripe.<br>9.3    | Seasonal.                                                      |
| 1144                                | North Richibucto Beach light buoy Q25              | S. of S. end of North Richibucto Beach.<br>46 42 50.6<br>064 47 59.9 | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked "Q25".                                             | Seasonal.<br>Buoy may be repositioned due to shifting channel. |
| 1144.5                              | Richibucto Harbour light buoy Q28                  | 46 42 31.3<br>064 48 38.5                                            | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "Q28".                                               | Seasonal.<br>Buoy may be repositioned due to shifting channel. |
| 1145<br>H1400                       | South Richibucto Beach Inner front range light     | On W. end of South Richibucto Beach.<br>46 42 29.5<br>064 48 02.1    | Iso R 1s                 | 7.7                                      | 6                        | Square skeleton tower, red daymark with white vertical stripe.<br>4.8    | Seasonal.                                                      |
| 1146<br>H1400.1                     | South Richibucto Beach Inner rear range light      | 46 42 33.5<br>064 47 49.3<br><br>065°44' 296.3 m from front.         | Iso R 4s                 | 11.3                                     | 7                        | Square skeleton tower, red daymark with white vertical stripe.<br>9.4    | Seasonal.                                                      |
| 1147                                | Richibucto Harbour Outer light buoy Q32            | 46 42 15.1<br>064 49 00.9                                            | Q R 1s                   | .....                                    | .....                    | Red, conical, marked "Q32".                                              | Seasonal.<br>Buoy may be repositioned due to shifting channel. |
| 1147.5                              | Richibucto Harbour light buoy Q34                  | 46 42 04.4<br>064 49 26.8                                            | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked "Q34".                                              | Seasonal.<br>Operates 24 h.                                    |
| 1148                                | Richibucto Harbour light buoy QA2                  | N. of Pagan Point.<br>46 41 51.9<br>064 50 15.4                      | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "QA2".                                               | Seasonal.<br>Buoy may be repositioned due to shifting channel. |
| 1148.4                              | Richibucto Harbour Northwest Branch light buoy QA6 | N. of McGuire's Point.<br>46 42 04.2<br>064 51 05.3                  | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "QA6".                                                 | Seasonal.<br>Buoy may be repositioned due to shifting channel. |
| 1148.5                              | Richibucto Harbour Northwest Branch light buoy QA7 | 46 42 19.1<br>064 51 20.2                                            | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "QA7".                                               | Seasonal.<br>Buoy may be repositioned due to shifting channel. |
| 1149                                | Richibucto Northwest Branch light buoy QA8         | 46 42 17.8<br>064 51 41.0                                            | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "QA8".                                               | Seasonal.<br>Buoy may be repositioned due to shifting channel. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                            | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)     | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|-------------------------------------|---------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - WEST</b> |                                                   |                                                                 |                          |                                          |                          |                                                                              |                                                                   |
| 1149.3                              | Pointe de Forgeron<br>light buoy QA11             | 46 42 42.4<br>064 51 36.1                                       | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"QA11".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1149.6                              | Richibucto Northwest<br>Branch light buoy<br>QA13 | 46 43 03.1<br>064 51 57.9                                       | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"QA13".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1150                                | Pagan Point light buoy<br>Q38                     | 46 41 32.8<br>064 50 37.1                                       | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "Q38".                                                   | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1150.1                              | Richibucto River light<br>buoy Q39                | Richibucto Harbour.<br>46 41 18.3<br>064 50 55.7                | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "Q39".                                                   | Seasonal.<br>Operates 24 h.                                       |
| 1150.11                             | Richibucto River light<br>buoy Q42                | 46 41 05.9<br>064 51 18.8                                       | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "Q42".                                                   | Seasonal.<br>Operates 24 h.                                       |
| 1151<br>H1402                       | Richibucto Town front<br>range light              | On E. side of Main<br>Street.<br>46 40 48.5<br>064 51 45.1      | Iso G 1s                 | 15.3                                     | 13                       | Square skeleton tower, red<br>daymark with white vertical<br>stripe.<br>12.4 | Seasonal.<br>Operates 24 h.                                       |
| 1152<br>H1402.1                     | Richibucto Town rear<br>range light               | 46 40 42.3<br>064 51 55.1<br><br>227°29' 287.4 m<br>from front. | Iso G 4s                 | 22.7                                     | 11                       | Square skeleton tower, red<br>daymark with white vertical<br>stripe.<br>18.6 | Seasonal.<br>Operates 24 h.                                       |
| 1152.5                              | Richibucto Wharf Light                            | 46 00 00.0<br>064 00 00.0                                       | Fl G 4s                  | .....                                    | 2                        | Pipe Swing Pole, green,<br>white and black square<br>daymark.                | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1152.8                              | Blacklands Gully light<br>buoy XX                 | 46 46 24.2<br>064 50 15.7                                       | Mo(A) W 6s               | .....                                    | .....                    | Red-white, spar, marked<br>"XX".                                             | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1154                                | Goulet de Terre-noire<br>light buoy XX4           | 46 46 05.6<br>064 50 49.7                                       | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "XX4".                                                   | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1154.1                              | Kouchibouguacis<br>River light buoy XX9           | 46 46 01.2<br>064 51 06.7                                       | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "XX9".                                                    | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1154.2                              | Kouchibouguacis<br>River light buoy XX19          | 46 45 54.1<br>064 51 32.8                                       | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"XX19".                                             | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1154.4                              | Goulet de Terre-noire<br>light buoy XX14          | 46 45 59.3<br>064 51 21.2                                       | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "XX14".                                                  | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1154.45                             | Goulet de Terre-Noire<br>light buoy XX31          | 46 46 15.2<br>064 52 010.0                                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"XX31".                                             | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1154.5                              | Goulet de Terre-noire<br>light buoy XX36          | 46 46 21.5<br>064 52 27.1                                       | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "XX36".                                                  | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.         | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                    |
|-------------------------------------|----------------------------------------------|----------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - WEST</b> |                                              |                                                          |                          |                                          |                          |                                                                          |                                                                                                                                                        |
| 1154.6                              | Kouchibouguacis<br>River light buoy XX37     | 46 47 00.4<br>064 53 06.8                                | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"XX37".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                                                                      |
| 1154.8                              | Kouchibouguacis<br>River light buoy XX39     | 46 46 45.8<br>064 54 00.7                                | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"XX39".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                                                                      |
| 1154.85                             | Kouchibouguacis<br>River light buoy XX41     | 46 46 31.0<br>064 54 19.4                                | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"XX41".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                                                                      |
| 1154.9                              | Kouchibouguacis<br>River light buoy XX42     | 46 46 16.7<br>064 54 41.8                                | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "XX42".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                                                                      |
| 1154.95                             | Kouchibouguacis<br>River light buoy XX43     | 46 46 11.3<br>064 54 44.6                                | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"XX43".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                                                                      |
| 1157                                | Kouchibouguac Gully<br>light buoy XY2        | 46 49 53.9<br>064 53 44.0                                | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "XY2".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                                                                      |
| 1157.33                             | Kouchibouguac light<br>buoy XY4              | 46 49 51.3<br>064 54 06.6                                | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "XY4".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                                                                      |
| 1158.5                              | Kouchibouguac Gully<br>light buoy XY9        | 46 49 49.8<br>064 54 05.6                                | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"XY9".                                          | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                                                                      |
| 1158.6                              | Kouchibouguac Gully<br>light buoy XY17       | 46 50 00.8<br>064 54 42.9                                | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"XY17".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                                                                      |
| 1159                                | Kouchibouguac Gully<br>Inner light buoy XY21 | 46 50 13.8<br>064 54 44.7                                | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"XY21".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                                                                      |
| 1159.5<br>H1418.5                   | Pointe Sapin Outer<br>Breakwater             | SW. end of<br>breakwater.<br>46 57 38.3<br>064 49 46.7   | Fl W 4s .....            | .....                                    | 8                        | Square skeleton tower, red<br>and white rectangular<br>daymark.          | Seasonal.<br>Flash 0.1 s; eclipse 3.9 s.                                                                                                               |
| 1159.6                              | Pointe-Sapin Sector<br>Light                 | 46 57 47.3<br>064 49 49.9                                | F R<br>W<br>G            | .....                                    | .....                    | 13 Square skeleton tower.                                                | Seasonal.<br>Operates 24 h.<br>R 003°51'39"-002°07'25";<br>W 005°51'39"-003°51'39";<br>G 023°51'39"-005°51'39".<br>Obscured 002°07'25"-<br>002°06'33". |
| 1161.2<br>H1419                     | Pointe-Sapin                                 | On end of E.<br>breakwater.<br>46 57 40.2<br>064 49 50.1 | Fl R 4s                  | 7.4                                      | 5                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.6   | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                                                                                   |
| 1161.5                              | Sapin Ledge light<br>buoy X25                | Off Sapin Ledge.<br>46 58 23.9<br>064 44 38.0            | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked "X25".                                               | Seasonal.                                                                                                                                              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.            | Name<br>-----<br>RACON                  | Location<br>-----<br>Latitude N.<br>Longitude W.                   | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                              |
|-------------------------------------|-----------------------------------------|--------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>NORTHUMBERLAND STRAIT - WEST</b> |                                         |                                                                    |                          |                                          |                          |                                                                          |                                                                                                                                  |
| 1162                                | Point Escuminac light<br>buoy X31       | NE. of point.<br>47 07 09.0<br>064 47 05.6                         | Fl G 4s .....            | .....                                    |                          | Green, pillar, marked<br>"X31".                                          | Year round.                                                                                                                      |
| 1162.3<br>H1420                     | Point Sapin Western<br>Breakwater light | On the W. end of<br>breakwater.<br>46 57 39.5<br>064 49 51.5       | Fl G 4s .....            | 5                                        |                          | Square skeleton tower,<br>green and white<br>rectangular daymark.        | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                                                             |
| 1163<br>H1424                       | Point Escuminac                         | On point.<br>47 04 22.5<br>064 47 52.3                             | Fl W 3s 22.0             | 13                                       |                          | White hexagonal tower with<br>red top.<br>22.4                           | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 2 s.<br><br><b>Fog Horn</b><br>Blast 3 s; sil. 3 s;<br>blast 3 s; sil. 51 s. |
| 1165.8<br>H1430                     | Escuminac<br>Breakwater                 | On outer end of<br>middle breakwater.<br>47 04 57.3<br>064 53 14.6 | LFl Y 6s 8.2             | 11                                       |                          | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.9   | Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 4 s.                                                                         |
| 1165.9                              | Escuminac Outer<br>Breakwater Light     | 47 04 58.1<br>064 53 16.6                                          | Fl G 4s .....            | 3                                        |                          | Pipe swing pole.<br>3.0                                                  | Seasonal.<br>Operates 24 h.<br>Flash 1 s; eclipse 3 s.                                                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.       | Name<br>-----<br>RACON                | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)     | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------------|---------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b>     |                                       |                                                                 |                          |                                          |                          |                                                                              |                                                     |
| <b>Miramichi Bay and River</b> |                                       |                                                                 |                          |                                          |                          |                                                                              |                                                     |
| 1169.1                         | Huckleberry Gully light<br>buoy MN25  | Off McLeans Cove.<br>47 04 17.0<br>064 57 07.0                  | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"MN25".                                             | Seasonal.                                           |
| 1169.2                         | Huckleberry Gully light<br>buoy MN28  | Off McLeans Cove.<br>47 04 06.0<br>064 57 12.0                  | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "MN28".                                                  | Seasonal.                                           |
| 1170                           | Miramichi Bar light<br>buoy M2        | S. end of outer bar.<br>47 05 51.9<br>064 56 30.0               | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M2".                                                      | Seasonal (in place year round).                     |
| 1170.5<br>H1440                | Fox Island South front<br>range light | SE. end of island.<br>47 05 14.5<br>064 58 42.0                 | Iso W 4s                 | 8.7                                      | 11                       | Square skeleton tower, red<br>daymark with white vertical<br>stripe.<br>6.5  | Year round.<br>Operates 24 h.                       |
| 1170.6<br>H1440.1              | Fox Island South rear<br>range light  | 47 05 12.0<br>064 58 51.5<br><br>248°28' 214.7 m<br>from front. | Iso W 4s                 | 13.6                                     | 12                       | Square skeleton tower, red<br>daymark with white vertical<br>stripe.<br>12.6 | Year round.<br>Operates 24 h.                       |
| 1170.7                         | The Lump light buoy<br>M3             | 47 06 12.8<br>064 57 42.8                                       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "M3".                                                    | Seasonal (in place year round).                     |
| 1171                           | Miramichi Outer Bar<br>light buoy M4  | 47 05 55.0<br>064 56 54.0                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M4".                                                      | Seasonal (in place year round).                     |
| 1172                           | The Lump light buoy<br>M5             | 47 06 21.0<br>064 57 56.2                                       | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "M5".                                                    | Seasonal (in place year round).                     |
| 1172.5                         | The Lump light buoy<br>M6             | 47 06 23.8<br>064 58 09.7                                       | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M6".                                                      | Seasonal (in place year round).                     |
| 1172.51                        | The Lump light buoy<br>M7             | 47 06 20.8<br>064 58 16.3                                       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "M7".                                                    | Seasonal (in place year round).                     |
| 1172.6                         | The Lump light buoy<br>M8             | 47 06 34.5<br>064 58 25.8                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M8".                                                      | Seasonal (in place year round).                     |
| 1173                           | The Swashway light<br>buoy M10        | 47 06 55.4<br>064 58 40.5                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M10".                                                     | Seasonal (in place year round).                     |
| 1173.01                        | The Swashway light<br>buoy M12        | 47 07 21.5<br>064 59 02.5                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M12".                                                     | Seasonal (in place year round).                     |
| 1173.5                         | Miramichi Bar light<br>buoy M14       | 47 07 46.3<br>064 59 21.4                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M14".                                                     | Seasonal (in place year round).                     |
| 1173.71                        | Miramichi Bar light<br>buoy M15       | 47 08 08.7<br>064 59 49.4                                       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"M15".                                                | Seasonal (in place year round).                     |
| 1173.72                        | Miramichi Bar light<br>buoy M15/1     | 47 08 23.5<br>065 00 07.3                                       | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M15/1".                                              | Seasonal (in place year round).                     |
| 1173.8                         | Spit Shoal light buoy<br>M15/3        | 47 08 32.1<br>065 00 25.3                                       | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"M15/3".                                              | Seasonal (in place year round).                     |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                             | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)         | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|----------------------------|----------------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                                    |                                                                  |                          |                                          |                          |                                                                                  |                                                     |
| 1173.81                    | Spit Shoal light buoy<br>M16                       | 47 08 29.6<br>065 00 01.9                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M16".                                                         | Seasonal (in place year round).                     |
| 1173.91                    | Portage Island<br>Channel Fairway light<br>buoy ME | Miramichi Bar.<br>47 09 19.9<br>064 58 15.1                      | Mo(A) W 6s               | .....                                    | .....                    | Red-white, spar, marked<br>"ME".                                                 | Seasonal.                                           |
| 1174                       | Portage Island<br>Channel light buoy<br>ME4        | E. edge, Miramichi<br>Bar.<br>47 09 03.8<br>064 58 56.2          | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "ME4".                                                         | Seasonal.                                           |
| 1174.5                     | Portage Island<br>Channel light buoy<br>ME3        | 47 08 59.8<br>064 58 45.1                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"ME3".                                                    | Seasonal.                                           |
| 1175                       | Portage Island<br>Channel light buoy<br>ME8        | W. edge, Miramichi<br>Bar.<br>47 08 48.1<br>064 59 25.0          | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "ME8".                                                         | Seasonal.                                           |
| 1179                       | Miramichi Bar light<br>buoy M17                    | 47 08 41.2<br>065 01 01.1                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"M17".                                                    | Seasonal (in place year round).                     |
| 1179.1                     | Portage Island<br>Cautionary light buoy<br>MHC     | 47 09 29.3<br>065 01 55.0                                        | Fl Y 4s                  | .....                                    | .....                    | Yellow, spar, marked<br>"MHC".                                                   | Seasonal.                                           |
| 1179.5                     | North Miramichi Bar<br>light buoy M18              | 47 08 56.6<br>065 01 10.5                                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M18".                                                         | Seasonal (in place year round).                     |
| 1180.5                     | Miramichi Bar light<br>buoy M19                    | 47 08 38.5<br>065 02 39.8                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"M19".                                                    | Seasonal (in place year round).                     |
| 1181                       | Horse Shoe Bar light<br>buoy M21                   | 47 08 32.2<br>065 03 18.6                                        | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M21".                                                    | Seasonal (in place year round).                     |
| 1181.5                     | Horse Shoe Bar light<br>buoy M21/3                 | 47 08 04.4<br>065 03 58.9                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"M21/3".                                                  | Seasonal.                                           |
| 1182                       | Horse Shoe Bar light<br>buoy M22                   | 47 08 29.4<br>065 03 29.3                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M22".                                                         | Seasonal (in place year round).                     |
| 1182.5                     | Horse Shoe Bar light<br>buoy M22/2                 | 47 08 02.5<br>065 04 09.0                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M22/2".                                                       | Seasonal (in place year round).                     |
| 1184.5                     | Horse Shoe Bar light<br>buoy M24                   | 47 07 39.0<br>065 04 42.5                                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M24".                                                         | Seasonal (in place year round).                     |
| 1186                       | Horse Shoe Bar light<br>buoy M26                   | 47 07 20.9<br>065 06 37.6                                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M26".                                                         | Seasonal (in place year round).                     |
| 1187<br>H1452              | Grand Dune Outer<br>front range light              | 47 06 48.3<br>065 02 35.6                                        | Iso W 1s                 | 8.5                                      | 14                       | Pile, red daymark with<br>black vertical stripe.<br>8.0                          | Year round.                                         |
| 1187.1<br>H1452.1          | <b>Grand Dune Outer<br/>rear range light</b>       | 47 06 24.3<br>064 59 53.3<br><br>102°11' 3499.8 m<br>from front. | Iso W 4s                 | 32.5                                     | <b>17</b>                | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>29.9 | Year round.                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.                                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)               | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS          |
|----------------------------|---------------------------------------------|----------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------------|--------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                             |                                                                                  |                          |                                          |                          |                                                                                        |                                                              |
| 1188                       | Grand Dune Flats light<br>buoy M28          | 47 07 18.8<br>065 05 52.8                                                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M28".                                                               | Seasonal (in place year round).                              |
| 1189.2                     | Grand Dune Channel<br>Middle light buoy M30 | 47 07 45.3<br>065 08 53.9                                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M30".                                                               | Seasonal (in place year round).                              |
| 1190                       | French River Point<br>light buoy MP22       | 47 05 20.0<br>065 01 22.6                                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "MP22".                                                            | Seasonal.                                                    |
| 1191<br>H1464              | Bay du Vin Island<br>Sector                 | On S. side of island<br>opposite Point<br>Gardiner.<br>47 05 20.7<br>065 06 06.8 | F R<br>W<br>G            | .....                                    | 9.5                      | 5<br>Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.8            | Seasonal.<br>R 284°30'-042°;<br>W 042°-044°;<br>G 044°-049°. |
| 1192                       | Bay du Vin Outer light<br>buoy MS1          | 47 02 57.7<br>065 09 09.0                                                        | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"MS1".                                                        | Seasonal.                                                    |
| 1193                       | Bay du Vin Inner light<br>buoy MS9          | 47 02 52.5<br>065 08 33.0                                                        | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"MS9".                                                        | Seasonal.                                                    |
| 1194                       | Bay du Vin Wharf light<br>buoy MQ2          | 47 03 27.0<br>065 08 19.0                                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "MQ2".                                                             | Seasonal.                                                    |
| 1195                       | Grand Dune range<br>turning light buoy M31  | 47 08 09.0<br>065 11 52.7                                                        | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M31".                                                          | Seasonal (in place year round).                              |
| 1195.5                     | Grand Dune range<br>turning light buoy M33  | 47 08 03.7<br>065 12 19.2                                                        | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M33".                                                          | Seasonal (in place year round).                              |
| 1196<br>H1472              | Grand Dune Flats<br>front range light       | Near shore on<br>mainland.<br>47 08 25.4<br>065 13 38.3                          | F W                      | .....                                    | 14.8                     | 13<br>Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>14.1 | Year round.<br>Operates 24 h.                                |
| 1197<br>H1472.1            | Grand Dune Flats rear<br>range light        | 47 08 33.7<br>065 14 34.5<br><br>282°04' 1211.3 m<br>from front.                 | F W                      | .....                                    | 26.4                     | 14<br>Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>20.9 | Year round.<br>Operates 24 h.                                |
| 1198                       | Grand Dune Flats<br>North light buoy M34    | 47 07 47.6<br>065 12 48.7                                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M34".                                                               | Seasonal (in place year round).                              |
| 1198.3                     | Grand Dune Flats<br>South light buoy M35    | 47 07 17.0<br>065 13 28.8                                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"M35".                                                          | Seasonal (in place year round).                              |
| 1198.6                     | Robichaud Spit light<br>buoy M36            | 47 06 52.9<br>065 14 12.9                                                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M36".                                                               | Seasonal (in place year round).                              |
| 1198.8<br>H1477            | Moody Point front<br>range light            | 47 06 02.1<br>065 19 28.5                                                        | Iso Y 1s                 | 10.3                                     | 13                       | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>8.9        | Year round.                                                  |
| 1198.9                     | <b>Moody Point rear<br/>range light</b>     | 47 05 49.5<br>065 20 51.7<br><br>257°24' 1810.4 m<br>from front.                 | Iso Y 4s                 | 18.6                                     | <b>15</b>                | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>13.9       | Year round.                                                  |
| 1199                       | The Willows light buoy<br>M37               | 47 06 30.8<br>065 16 03.5                                                        | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M37".                                                          | Seasonal (in place year round).                              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                           | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)         | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|----------------------------|--------------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                                  |                                                                  |                          |                                          |                          |                                                                                  |                                                     |
| 1200<br><i>H1478</i>       | Oak Channel front<br>range light                 | 47 04 19.9<br>065 19 10.5                                        | Iso Y 2s                 | 8.9                                      | 12                       | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>6.9  | Year round.                                         |
| 1201<br><i>H1478.1</i>     | Oak Channel rear<br>range light                  | 47 03 51.5<br>065 19 49.2<br><br>223°13' 1200.0 m<br>from front. | Fl Y 3s                  | 21.1                                     | 13                       | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>16.9 | Year round.<br>Flash 1 s; eclipse 2 s.              |
| 1202                       | <i>Oak Channel light<br/>buoy M39</i>            | 47 05 45.6<br>065 17 09.3                                        | Q G 1s                   | .....                                    | .....                    | <i>Green, spar, marked<br/>"M39".</i>                                            | <i>Seasonal (in place year round).</i>              |
| 1202.5<br><i>H1479</i>     | Oak Point front range<br>light                   | 47 06 48.9<br>065 16 30.0                                        | Iso W 1s                 | 8.5                                      | 8                        | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>5.5  | Year round.                                         |
| 1202.6<br><i>H1479.1</i>   | Oak Point rear range<br>light                    | 47 07 28.2<br>065 16 04.2<br><br>024°08' 1324.7 m<br>from front. | Iso W 4s                 | 17.1                                     | 11                       | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>7.5  | Year round.                                         |
| 1203                       | <i>Oak Channel South<br/>light buoy M40</i>      | 47 05 08.5<br>065 17 38.3                                        | Q R 1s                   | .....                                    | .....                    | <i>Red, spar, marked "M40".</i>                                                  | <i>Seasonal (in place year round).</i>              |
| 1203.1                     | <i>Oak Channel light<br/>buoy M44</i>            | 47 04 55.4<br>065 18 05.7                                        | Fl R 4s                  | .....                                    | .....                    | <i>Red, spar, marked "M44".</i>                                                  | <i>Seasonal (in place year round).</i>              |
| 1206                       | <i>Sheldrake Channel<br/>East light buoy M46</i> | 47 04 44.8<br>065 18 51.0                                        | Q R 1s                   | .....                                    | .....                    | <i>Red, spar, marked "M46".</i>                                                  | <i>Seasonal (in place year round).</i>              |
| 1207<br><i>H1491</i>       | Grants Beach front<br>range light                | 47 05 02.9<br>065 22 29.4                                        | Iso R 1s                 | 21.0                                     | 10                       | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>12.9 | Year round.                                         |
| 1208<br><i>H1491.1</i>     | Grants Beach rear<br>range light                 | 47 05 07.1<br>065 23 10.5<br><br>278°03' 875.6 m<br>from front.  | Iso R 4s                 | 40.8                                     | 11                       | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>23.9 | Year round.                                         |
| 1208.8<br><i>H1493</i>     | St. Andrews Bank<br>front range light            | 47 04 14.6<br>065 25 08.0                                        | Iso Y 2s                 | 9.2                                      | 7                        | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>4.9  | Year round.                                         |
| 1208.9<br><i>H1493.1</i>   | St. Andrews Bank rear<br>range light             | 47 04 11.2<br>065 25 20.7<br><br>247°53' 294.2 m<br>from front.  | Fl Y 3s                  | 13.8                                     | 7                        | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>5.9  | Year round.<br>Flash 1 s; eclipse 2 s.              |
| 1209                       | <i>Sheldrake Channel<br/>West light buoy M51</i> | 47 04 56.7<br>065 21 47.3                                        | Q G 1s                   | .....                                    | .....                    | <i>Green, spar, marked<br/>"M51".</i>                                            | <i>Seasonal (in place year round).</i>              |
| 1209.5<br><i>H1492</i>     | Lower Newcastle front<br>range light             | 47 04 31.0<br>065 24 35.5                                        | Iso W 1s                 | 12.8                                     | 9                        | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>5.9  | Year round.                                         |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                  | Location<br>-----<br>Latitude N.<br>Longitude W.                    | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)         | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|----------------------------|-----------------------------------------|---------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                         |                                                                     |                          |                                          |                          |                                                                                  |                                                     |
| 1209.6<br>H1492.1          | Lower Newcastle rear<br>range light     | 47 04 27.6<br>065 24 56.9<br><br>256°15' 467.0 m<br>from front.     | Iso W 4s                 | 21.9                                     | 9                        | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>5.9  | Year round.                                         |
| 1209.7<br>H1494            | Leggett Shoal front<br>range light      | On N. shore of<br>river.<br>47 04 42.3<br>065 23 56.7               | Iso R 1s                 | 14.0                                     | 5                        | Pipe swing pole, red<br>daymark with black vertical<br>stripe.                   | Year round.                                         |
| 1209.8<br>H1494.1          | Leggett Shoal rear<br>range light       | 47 04 49.7<br>065 23 46.6<br><br>043°27' 308.8 m<br>from front.     | Iso R 4s                 | 21.4                                     | 7                        | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>5.4  | Year round.                                         |
| 1210                       | Gordon Point light<br>buoy M53          | 47 04 41.4<br>065 23 27.6                                           | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M53".                                                    | Seasonal (in place year round).                     |
| 1211                       | Leggett Shoal light<br>buoy M55         | 47 04 28.1<br>065 24 13.2                                           | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M55".                                                    | Seasonal (in place year round).                     |
| 1212                       | Leggett Shoal West<br>light buoy M56    | 47 03 57.2<br>065 25 04.6                                           | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M56".                                                         | Seasonal (in place year round).                     |
| 1212.5<br>H1496            | Millbank front range<br>light           | 47 03 21.8<br>065 27 34.0                                           | Iso R 1s                 | 16.1                                     | 9                        | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>6.0  | Year round.                                         |
| 1212.6<br>H1496.1          | Millbank rear range<br>light            | 47 03 18.8<br>065 27 48.3<br><br>252°26' 305.6 m<br>from front.     | Iso R 4s                 | 31.1                                     | 9                        | Triangular skeleton tower,<br>red daymark with black<br>vertical stripe.<br>12.0 | Year round.                                         |
| 1213                       | Millbank light buoy<br>M57              | 47 03 27.4<br>065 27 03.0                                           | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M57".                                                    | Seasonal (in place year round).                     |
| 1214                       | Millbank Channel<br>West light buoy M59 | 47 03 16.9<br>065 27 27.4                                           | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M59".                                                    | Seasonal (in place year round).                     |
| 1215                       | Middle Island light<br>buoy M61         | 47 02 59.2<br>065 27 47.4                                           | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M61".                                                    | Seasonal (in place year round).                     |
| 1215.2                     | Chatham Wharf light<br>buoy M62         | 47 02 13.3<br>065 28 07.0                                           | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M62".                                                         | Seasonal (in place year round).                     |
| 1215.5<br>H1505            | Chatham Bridge Pier<br>North            | On bridge pier, N.<br>side of channel.<br>47 01 39.5<br>065 28 46.5 | Iso R 2s                 | 4.5                                      | 5                        | Pipe swing pole.                                                                 | Year round.                                         |
| 1215.6<br>H1505.2          | Chatham Bridge Pier<br>South            | On bridge pier, S.<br>side of channel.<br>47 01 35.4<br>065 28 41.6 | Iso G 2s                 | 4.5                                      | 5                        | Pipe swing pole.<br>4.5                                                          | Year round.                                         |
| 1216                       | Wright Bank light buoy<br>M64           | 47 01 11.2<br>065 29 31.7                                           | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M64".                                                         | Seasonal (in place year round).                     |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                                                        | Location<br>-----<br>Latitude N.<br>Longitude W.                      | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                             | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|----------------------------|-------------------------------------------------------------------------------|-----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                                                               |                                                                       |                          |                                          |                          |                                                                                                      |                                                     |
| 1216.5                     | Wright Bank light buoy<br>M66                                                 | 47 00 58.0<br>065 30 56.5                                             | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M66".                                                                             | Seasonal (in place year round).                     |
| 1217                       | Wright Bank light buoy<br>M68                                                 | 47 00 54.4<br>065 31 46.7                                             | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M68".                                                                             | Seasonal (in place year round).                     |
| 1217.5                     | Newcastle Reach light<br>buoy M67                                             | 47 00 51.1<br>065 31 49.9                                             | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"M67".                                                                        | Seasonal (in place year round).                     |
| 1220                       | Wright Bank West light<br>buoy M69                                            | 47 00 55.1<br>065 32 28.0                                             | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M69".                                                                        | Seasonal (in place year round).                     |
| 1222                       | Newcastle North light<br>buoy M71                                             | 47 00 29.8<br>065 33 33.3                                             | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M71".                                                                        | Seasonal (in place year round).                     |
| 1223                       | Newcastle North light<br>buoy M73                                             | 47 00 16.1<br>065 33 39.5                                             | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"M73".                                                                        | Seasonal (in place year round).                     |
| 1224                       | Newcastle Wharf light<br>buoy M75                                             | 47 00 03.2<br>065 33 28.7                                             | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M75".                                                                        | Seasonal (in place year round).                     |
| 1228<br>H1514              | Burnt Church Wharf                                                            | On E. side of wharf.<br>47 11 24.9<br>065 08 07.4                     | Fl R 4s                  | 7.0                                      | 4                        | Square skeleton tower, red<br>and white triangular<br>daymark with red triangle in<br>center.<br>6.6 | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 1229<br>H1515              | Neguac Wharf                                                                  | Outer end of<br>breakwater<br>extension.<br>47 14 24.3<br>065 04 23.2 | Fl R 4s                  | 6.3                                      | 4                        | Cylindrical mast.<br>3.3                                                                             | Seasonal.                                           |
| 1229.2                     | Lower Neguac<br>Breakwater Light                                              | 47 15 23.4<br>065 03 10.8                                             | Fl R 4s                  | .....                                    | 4                        | Pipe swing pole, red and<br>white triangular daymark.                                                | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 1232                       | Hay Island light buoy<br>MH31                                                 | E. of island.<br>47 14 08.5<br>065 03 23.2                            | Q G 1s                   | .....                                    | .....                    | Green, can, marked<br>"MH31".                                                                        | Seasonal.                                           |
| 1233                       | Gammon Point West<br>Cardinal light buoy MK                                   | Off point.<br>47 11 35.4<br>065 04 18.7                               | Q(9) W 15s               | .....                                    | .....                    | Yellow-black-yellow, can,<br>marked "MK".                                                            | Seasonal.                                           |
| 1234                       | Lower Portage Island<br>light buoy MJ6                                        | 47 13 24.0<br>065 02 46.7                                             | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"MJ6".                                                                       | Seasonal.                                           |
| 1234.4                     | Portage Gully light<br>buoy MJ2                                               | 47 13 06.4<br>065 02 30.8                                             | Q R 1s                   | .....                                    | .....                    | Red, conical, marked<br>"MJ2".                                                                       | Seasonal.                                           |
| 1235                       | Portage Gully, North<br>Side Channel<br>Entrance bifurcation<br>light buoy MJ | On N. side of gully.<br>47 12 21.0<br>065 02 16.6                     | Fl(2+1) G 6s             | .....                                    | .....                    | Green-red-green, conical,<br>marked "MJ".                                                            | Seasonal.                                           |
| 1235.9                     | Portage Gully light<br>buoy MH26                                              | 47 12 45.1<br>065 04 05.8                                             | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "MH26".                                                                            | Seasonal.                                           |
| 1236                       | Portage Gully light<br>buoy MH11                                              | E. of N. point,<br>Portage Island.<br>47 11 32.9<br>065 02 15.2       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"MH11".                                                                     | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                                | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                  |
|----------------------------|-------------------------------------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                                       |                                                  |                          |                                          |                          |                                                                          |                                                                                                      |
| 1236.1                     | Portage Gully light<br>buoy MH6.2                     | 47 10 04.9<br>065 02 00.6                        | Q R 1s                   | .....                                    | .....                    | Red, conical, marked<br>"MH6.2".                                         | Seasonal.                                                                                            |
| 1236.3                     | Portage Gully light<br>buoy MH6                       | 47 09 59.0<br>065 01 58.8                        | Q R 1s                   | .....                                    | .....                    | Red, conical, marked<br>"MH6".                                           | Seasonal.                                                                                            |
| 1236.5                     | Portage Gully light<br>buoy MH3                       | 47 09 54.6<br>065 01 02.3                        | FI G 4s                  | .....                                    | .....                    | Green, can, marked "MH3".                                                | Seasonal.                                                                                            |
| 1236.6                     | Portage Gully light<br>buoy MH2                       | 47 10 18.2<br>064 59 53.5                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "MH2".                                                 | Seasonal.                                                                                            |
| 1237.99                    | Tabusintac light buoy<br>TA1                          | 47 18 25.4<br>064 55 39.5                        | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "TA1".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                    |
| 1238                       | Tabusintac Gully light<br>and bell buoy TA2           | 47 17 22.2<br>064 55 13.1                        | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "TA2".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.<br><br><b>Audible signal: Bell</b> |
| 1238.05                    | Tabusintac light buoy<br>TA2/2                        | 47 18 27.7<br>064 55 36.4                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "TA2/2".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                    |
| 1238.1                     | Tabusintac South<br>Gully Approach light<br>buoy TA4  | 47 18 26.8<br>064 55 41.5                        | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "TA4".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                    |
| 1238.13                    | Tabusintac light buoy<br>TA6                          | 47 18 27.2<br>064 55 45.0                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "TA6".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                    |
| 1238.16                    | Tabusintac South<br>Gully Approach light<br>buoy TA9  | 47 18 45.7<br>064 55 46.5                        | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "TA9".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                    |
| 1238.17                    | Tabusintac light buoy<br>TA10                         | 47 18 32.2<br>064 55 46.2                        | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "TA10".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                    |
| 1238.2                     | Tabusintac South<br>Gully Approach light<br>buoy TA12 | 47 18 41.6<br>064 55 43.3                        | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "TA12".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                    |
| 1238.21                    | Tabusintac light buoy<br>TA13                         | 47 18 59.0<br>064 55 51.4                        | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"TA13".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                    |
| 1238.23                    | Tabusintac light buoy<br>TA15                         | 47 19 02.3<br>064 55 54.9                        | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"TA15".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                    |
| 1238.24                    | Tabusintac light buoy<br>TA16                         | 47 18 59.7<br>064 55 46.5                        | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "TA16".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                    |
| 1238.26                    | Tabusintac South<br>Gully light buoy TA18             | 47 19 02.6<br>064 55 48.8                        | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "TA18".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                    |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|----------------------------|----------------------------------------------|---------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                              |                                                         |                          |                                          |                          |                                                                          |                                                                   |
| 1238.27                    | Tabusintac light buoy<br>TA19                | 47 19 10.3<br>064 56 03.7                               | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"TA19".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.28                    | Tabusintac light buoy<br>TA20                | 47 19 11.2<br>064 55 59.3                               | Q R 1s .....             | .....                                    | .....                    | Red, spar, marked "TA20".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.29                    | Tabusintac light buoy<br>TA21                | 47 19 14.2<br>064 56 11.0                               | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"TA21".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.3                     | Tabusintac South<br>Gully light buoy TA22    | 47 19 15.1<br>064 56 06.9                               | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "TA22".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.31                    | Tabusintac light buoy<br>TA22/2              | 47 19 26.0<br>064 56 07.6                               | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked<br>"TA22/2".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.32                    | Tabusintac light buoy<br>TA22/4              | 47 19 36.5<br>064 56 07.2                               | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked<br>"TA22/4".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.4                     | Tabusintac Gully light<br>buoy TA23          | 47 19 21.4<br>064 56 13.1                               | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"TA23".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.45                    | Tabusintac light buoy<br>TA26/2              | 47 19 43.7<br>064 56 05.9                               | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked<br>"TA26/2".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.5                     | Tabusintac Bay light<br>buoy TA34            | 47 19 54.8<br>064 56 07.9                               | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "TA34".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.6                     | Tabusintac Bay light<br>buoy TA37            | 47 19 52.4<br>064 56 08.7                               | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"TA37".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.65                    | Tabusintac Bay light<br>buoy TA39            | 47 20 02.0<br>064 56 18.1                               | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"TA39".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.66                    | Tabusintac Bay light<br>buoy TA41            | 47 20 19.1<br>064 56 56.7                               | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"TA41".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.7<br>H1520            | McEacherns Point<br>Wharf                    | On SE. corner of<br>wharf.<br>47 20 23.3<br>064 58 02.9 | Fl R 4s                  | 5.5                                      | 4                        | Pipe swing pole.                                                         | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1238.8                     | South Tracadie light<br>buoy TC              | 47 28 40.0<br>064 50 58.0                               | Mo(A) W 6s .....         | .....                                    | .....                    | Red-white, spar, marked<br>"TC".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1238.9                     | South Tracadie<br>Entrance light buoy<br>TC6 | 47 28 49.5<br>064 51 38.2                               | Q R 1s .....             | .....                                    | .....                    | Red, conical, marked<br>"TC6".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                                | Location<br>-----<br>Latitude N.<br>Longitude W.             | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|----------------------------|-------------------------------------------------------|--------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                                       |                                                              |                          |                                          |                          |                                                                          |                                                                   |
| 1239<br>H1521              | South Tracadie                                        | On the end of S.<br>breakwater.<br>47 28 47.4<br>064 52 15.8 | Fl G 4s                  | 5.8                                      | 3                        | Cylindrical mast.<br>3.5                                                 | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1239.1                     | South Tracadie<br>Entrance light buoy<br>TC12         | 47 28 44.6<br>064 52 29.4                                    | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "TC12".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1239.12                    | Tabusintac light buoy<br>TA5                          | 47 18 28.2<br>064 55 48.7                                    | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "TA5".                                               | Seasonal.                                                         |
| 1239.2                     | South Tracadie light<br>buoy TC14                     | 47 28 40.3<br>064 52 31.6                                    | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "TC14".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1239.3                     | South Tracadie light<br>buoy TC19                     | 47 28 30.7<br>064 52 32.4                                    | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"TC19".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1239.4                     | South Tracadie light<br>buoy TC22                     | 47 28 20.7<br>064 52 35.2                                    | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "TC22".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1239.44                    | South Tracadie light<br>buoy TC24                     | 47 28 00.1<br>064 52 57.3                                    | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "TC24".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1239.5                     | South Tracadie<br>bifurcation light buoy<br>TD        | 47 28 11.3<br>064 52 45.3                                    | Fl(2+1) R 6s             | .....                                    | .....                    | Red-green-red, pillar,<br>marked "TD".                                   | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1239.6                     | South Tracadie light<br>buoy TD4                      | 47 28 05.7<br>064 54 20.7                                    | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "TD4".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1239.65                    | South Tracadie light<br>buoy TD5                      | 47 28 10.1<br>064 53 39.0                                    | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"TD5".                                          | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1239.7                     | South Tracadie light<br>buoy TD8                      | 47 28 17.4<br>064 53 26.3                                    | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "TD8".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1239.8<br>H1520.5          | Val-Comeau Wharf                                      | On outer end of<br>wharf.<br>47 27 56.1<br>064 52 55.6       | Fl G 4s                  | 5.8                                      | 6                        | Pipe swing pole.                                                         | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1239.85                    | Val Comeau<br>Cautionary Light                        | 47 27 54.9<br>064 53 04.3                                    | Fl Y 4s                  | .....                                    | 2                        | Pipe swing pole.                                                         | Seasonal.<br>Operates 24 h.                                       |
| 1240.22                    | Tabusintac Gully light<br>buoy TA47                   | 47 20 27.1<br>064 57 30.1                                    | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"TA47".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1240.5                     | North Tracadie<br>Approach light buoy<br>TE4          | 47 28 51.8<br>064 52 33.7                                    | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "TE4".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1241                       | North Tracadie<br>Harbour Entrance light<br>buoy TE12 | 47 29 08.7<br>064 52 50.3                                    | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "TE12".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.  | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|----------------------------|----------------------------------------------|---------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                              |                                                   |                          |                                          |                          |                                                                          |                                                                   |
| 1241.2                     | North Tracadie<br>Harbour light buoy<br>TE15 | 47 29 25.1<br>064 53 02.6                         | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"TE15".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1241.4                     | North Tracadie light<br>buoy TE25            | 47 30 04.1<br>064 52 45.4                         | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"TE25".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1241.6                     | Tracadie light buoy<br>TE34                  | 47 30 38.1<br>064 53 05.0                         | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "TE34".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1241.8                     | North Tracadie Gully<br>light buoy TE38      | 47 30 36.0<br>064 53 33.2                         | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "TE38".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1242                       | North Harbour Gully<br>light buoy TE46       | 47 30 46.8<br>064 54 13.0                         | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "TE46".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1242.2                     | North Harbour Gully<br>light buoy TE48       | 47 30 58.1<br>064 54 19.6                         | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "TE48".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1242.4                     | Tracadie Gully light<br>buoy TE49            | 47 31 09.5<br>064 54 16.5                         | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"TE49".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1244.9<br>H1525            | North Tracadie Wharf                         | SE. corner of wharf.<br>47 31 21.7<br>064 54 30.4 | Fl G 4s                  | 5.9                                      | 6                        | Pipe swing pole.<br>5.3                                                  | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1246.5                     | Pokemouche Gully<br>light buoy TH2           | 47 38 59.3<br>064 46 09.3                         | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "TH2".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1246.71                    | Pokemouche Gully<br>light buoy TH10          | 47 40 08.4<br>064 48 31.2                         | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "TH10".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1246.72                    | Pokemouche Gully<br>light buoy TH11          | 47 39 24.0<br>064 47 01.1                         | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"TH11".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1246.75                    | Baie de Pokemouche<br>light buoy TH46        | 47 40 07.7<br>064 48 28.9                         | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "TH46".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1246.76                    | Baie de Pokemouche<br>light buoy TH27        | 47 39 41.6<br>064 47 10.3                         | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"TH27".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1246.77                    | Pokemouche Gully<br>light buoy TH15          | 47 39 35.2<br>064 47 10.7                         | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"TH15".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1246.8<br>H1526.4          | Pokemouche Gully<br>Wharf                    | On SW. corner.<br>47 40 20.3<br>064 48 42.9       | Fl R 5s                  | 5.7                                      | 4                        | Pipe swing pole, red and<br>white triangular daymark.                    | Seasonal.<br>Flash 1 s; eclipse 4 s.                              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                          | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                 |
|----------------------------|-------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                                 |                                                                 |                          |                                          |                          |                                                                          |                                                                                     |
| 1248                       | Shippegan Fairway<br>light buoy TJ              | S. entrance to<br>Shippegan Gully.<br>47 42 30.2<br>064 39 53.9 | Mo(A) W 6s .....         | .....                                    |                          | Red-white, spar, marked<br>"TJ".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1248.101                   | Shippegan Gully light<br>buoy TJ3               | 47 42 36.7<br>064 40 02.6                                       | Fl G 4s .....            | .....                                    |                          | Green, can, marked "TJ3".                                                | Seasonal.                                                                           |
| 1248.11                    | Shippegan Gully light<br>buoy TJ4               | 47 42 38.1<br>064 40 01.1                                       | Q R 1s .....             | .....                                    |                          | Red, spar, marked "TJ4".                                                 | Seasonal.<br>Operates 24 h.                                                         |
| 1248.12                    | Shippegan Gully light<br>buoy TJ5               | 47 42 40.1<br>064 40 03.1                                       | Q G 1s .....             | .....                                    |                          | Green, spar, marked "TJ5".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1248.13                    | Shippegan Gully light<br>buoy TJ6               | 47 42 40.9<br>064 39 56.3                                       | Q R 1s .....             | .....                                    |                          | Red, spar, marked "TJ6".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1248.132                   | Shippegan Gully light<br>buoy TJ6/2             | 47 42 42.2<br>064 39 48.6                                       | Q R 1s .....             | .....                                    |                          | Red, conical, marked<br>"TJ6/2".                                         | Seasonal.                                                                           |
| 1248.133                   | Shippegan Gully light<br>buoy TJ7               | 47 42 46.0<br>064 39 52.6                                       | Q G 1s .....             | .....                                    |                          | Green, spar, marked "TJ7".                                               | Seasonal.<br>Operates 24 h.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1248.151                   | Shippegan Gully light<br>buoy TJ8               | 47 42 46.2<br>064 39 45.5                                       | Q R 1s .....             | .....                                    |                          | Red, spar, marked "TJ8".                                                 | Seasonal.                                                                           |
| 1248.51                    | Shippegan Gully light<br>buoy TJ9               | 47 42 51.7<br>064 39 52.9                                       | Fl G 4s .....            | .....                                    |                          | Green, spar, marked "TJ9".                                               | Seasonal.<br>Operates 24 h.                                                         |
| 1248.511                   | Shippegan Gully light<br>buoy TJ10              | 47 42 55.8<br>064 39 50.8                                       | Q R 1s .....             | .....                                    |                          | Red, conical, marked<br>"TJ10".                                          | Seasonal.                                                                           |
| 1248.71                    | Shippegan Gully light<br>buoy TJ14              | 47 43 07.5<br>064 40 00.2                                       | Fl R 4s .....            | .....                                    |                          | Red, conical, marked<br>"TJ14".                                          | Seasonal.                                                                           |
| 1249.1                     | Shippegan Gully light<br>buoy TJ12              | 47 43 01.9<br>064 39 52.0                                       | Fl R 4s .....            | .....                                    |                          | Red, conical, marked<br>"TJ12".                                          | Seasonal.<br>Operates 24 h.                                                         |
| 1250.5<br>H1531            | Shippegan Gully<br>Breakwater                   | Outer end of W.<br>breakwater.<br>47 43 04.6<br>064 39 57.8     | Fl G 4s                  | 4.5                                      | 6                        | Cylindrical mast, green,<br>white and black square<br>daymark.           | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                |
| 1250.7                     | Shippegan Gully<br>Cautionary light buoy<br>TJA | 47 43 23.3<br>064 40 05.8                                       | Fl Y 4s .....            | .....                                    |                          | Yellow, can, marked "TJA".                                               | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1251.51                    | Shippegan Gully light<br>buoy TJ11              | 47 43 00.2<br>064 39 56.3                                       | Fl G 4s .....            | .....                                    |                          | Green, can, marked "TJ11".                                               | Seasonal.                                                                           |
| 1253                       | Shippegan Gully light<br>buoy TJ20              | 47 43 12.5<br>064 40 04.4                                       | Q R 1s .....             | .....                                    |                          | Red, conical, marked<br>"TJ20".                                          | Seasonal.<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel. |
| 1253.1                     | Shippegan Gully light<br>buoy TJ22              | 47 43 19.2<br>064 40 01.7                                       | Q R 1s .....             | .....                                    |                          | Red, conical, marked<br>"TJ22".                                          | Seasonal.<br>(Winter spar.)                                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON             | Location<br>-----<br>Latitude N.<br>Longitude W.                                           | Light<br>Characteristics |   |    | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                             | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                     |
|--------------------------|------------------------------------|--------------------------------------------------------------------------------------------|--------------------------|---|----|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| GASPÉ - CHALEUR BAY      |                                    |                                                                                            |                          |   |    |                                          |                          |                                                                                                      |                                                                                         |
| 1254<br>H1530            | Big Shippagan                      | On sand bar, E.<br>side of S. entrance<br>to Shippegan Gully.<br>47 43 19.7<br>064 39 38.2 | LFI                      | W | 6s | .....                                    | 13                       | White octagonal tower with<br>red top.<br>16.1                                                       | Year round.<br>Flash 2 s; eclipse 4 s.                                                  |
| 1257.3                   | Shippegan Gully light<br>buoy TJ26 | 47 43 27.5<br>064 39 59.0                                                                  | FI                       | R | 4s | .....                                    | .....                    | Red, conical, marked<br>"TJ26".                                                                      | Seasonal.<br>(Winter spar.)                                                             |
| 1257.5                   | Shippegan Gully light<br>buoy TJ27 | 47 43 27.4<br>064 40 02.9                                                                  | FI                       | G | 4s | .....                                    | .....                    | Green, can, marked "TJ27".                                                                           | Seasonal.<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel.     |
| 1257.7                   | Shippegan Gully light<br>buoy TJ29 | 47 43 33.8<br>064 40 02.2                                                                  | Q                        | G | 1s | .....                                    | .....                    | Green, spar, marked<br>"TJ29".                                                                       | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                       |
| 1258.1                   | Shippegan Gully light<br>buoy TJ31 | 47 43 41.4<br>064 40 04.2                                                                  | FI                       | G | 4s | .....                                    | .....                    | Green, spar, marked<br>"TJ31".                                                                       | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                       |
| 1258.12                  | Shippegan Gully light<br>buoy TJ32 | 47 43 41.6<br>064 40 00.5                                                                  | FI                       | R | 4s | .....                                    | .....                    | Red, spar, marked "TJ32".                                                                            | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                       |
| 1258.125                 | Shippegan Gully light<br>buoy TJ35 | 47 43 47.5<br>064 40 07.1                                                                  | Q                        | G | 1s | .....                                    | .....                    | Green, spar, marked<br>"TJ35".                                                                       | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                       |
| 1260                     | Shippegan Gully light<br>buoy TJ36 | 47 43 48.2<br>064 40 04.1                                                                  | Q                        | R | 1s | .....                                    | .....                    | Red, pillar, marked "TJ36".                                                                          | Seasonal.<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel.     |
| 1261                     | Shippegan Gully light<br>buoy TJ40 | 47 43 54.5<br>064 40 11.7                                                                  | FI                       | R | 4s | .....                                    | .....                    | Red, spar, marked "TJ40".                                                                            | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1261.5                   | Shippegan Gully light<br>buoy TJ51 | 47 44 07.2<br>064 40 48.7                                                                  | FI                       | G | 4s | .....                                    | .....                    | Green, spar, marked<br>"TJ51".                                                                       | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1261.55                  | Shippegan Gully light<br>buoy TJ55 | 47 44 19.1<br>064 41 06.8                                                                  | FI                       | G | 4s | .....                                    | .....                    | Green, spar, marked<br>"TJ55".                                                                       | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1261.6                   | Shippegan Gully light<br>buoy TJ60 | 47 44 33.2<br>064 41 13.6                                                                  | Q                        | R | 1s | .....                                    | .....                    | Red, spar, marked "TJ60".                                                                            | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1262<br>H1542            | Sainte-Marie-sur-Mer<br>Breakwater | On outer end of<br>breakwater.<br>47 46 47.3<br>064 33 49.0                                | FI                       | R | 4s | 7.0                                      | 3                        | Square skeleton tower, red<br>and white triangular<br>daymark with red triangle in<br>center.<br>3.5 | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                    |
| 1262.11                  | Fox Dens Gully light<br>buoy TK4   | 47 53 04.0<br>064 29 49.1                                                                  | FI                       | R | 4s | .....                                    | .....                    | Red, conical, marked<br>"TK4".                                                                       | Seasonal.                                                                               |
| 1262.12                  | Fox Dens Gully light<br>buoy TK5   | Inside gully<br>entrance.<br>47 53 03.4<br>064 29 57.0                                     | FI                       | G | 4s | .....                                    | .....                    | Green, can, marked "TK5".                                                                            | Seasonal.                                                                               |



| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|----------------------------|----------------------------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                              |                                                  |                          |                                          |                          |                                                                          |                                                                   |
| 1262.121                   | Fox Dens Gully light<br>buoy TK6             | 47 53 11.4<br>064 29 55.8                        | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"TK6".                                           | Seasonal.                                                         |
| 1262.131                   | Fox Dens Gully light<br>buoy TK7             | 47 53 09.2<br>064 29 54.1                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "TK7".                                                | Seasonal.                                                         |
| 1262.14                    | Fox Dens Gully light<br>buoy TK8             | 47 53 05.0<br>064 30 01.3                        | Q R 1s                   | .....                                    | .....                    | Red, conical, marked<br>"TK8".                                           | Seasonal.<br>Operates 24 h.                                       |
| 1262.15                    | Fox Dens Gully light<br>buoy TK9             | 47 53 08.3<br>064 30 05.2                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "TK9".                                                | Seasonal.<br>Operates 24 h.                                       |
| 1262.16                    | Fox Dens Gully light<br>buoy TK10            | 47 53 08.9<br>064 30 19.9                        | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"TK10".                                          | Seasonal.<br>Operates 24 h.                                       |
| 1262.17                    | Fox Dens Gully light<br>buoy TK11            | 47 53 07.4<br>064 30 13.5                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked<br>"TK11".                                            | Seasonal.                                                         |
| 1262.18                    | Fox Dens Gully light<br>buoy TK12            | 47 53 07.7<br>064 30 20.2                        | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"TK12".                                          | Seasonal.                                                         |
| 1262.3<br>H1542.5          | Sainte-Marie-sur-Mer                         | 47 46 52.1<br>064 34 05.2                        | LFl W 6s                 | 15.5                                     | 13                       | Square skeleton tower.<br>13.0                                           | Year round.<br>Flash 2 s; eclipse 4 s.                            |
| 1262.5                     | Fox Dens Gully light<br>buoy TK2             | Île Lamèque.<br>47 53 14.9<br>064 29 44.5        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "TK2".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1262.6                     | Fox Dens Gully light<br>buoy TK3             | At gully entrance.<br>47 53 02.2<br>064 29 53.5  | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "TK3".                                                | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1262.75                    | Fox Dens Gully light<br>buoy TK15            | 47 53 05.0<br>064 30 27.1                        | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"TK15".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1262.751                   | Miscou Harbour light<br>buoy TK16            | 47 53 03.8<br>064 30 30.7                        | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"TK16".                                          | Seasonal.<br>Operates 24 h.                                       |
| 1262.8<br>H1550            | Fox Dens Gully Light                         | 47 53 12.1<br>064 30 15.2                        | LFl W 6s                 | 4.5                                      | 9                        | Square skeleton tower, red<br>and white rectangular<br>daymark.          | Seasonal.<br>Flash 2 s; eclipse 4 s.                              |
| 1262.9<br>H1551            | Pigeon Hill Wharf                            | 47 52 43.7<br>064 30 26.1                        | Fl R 4s                  | 4.0                                      | 5                        | Pipe swing pole, red and<br>white triangular daymark.<br>3.6             | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1264.2                     | Miscou Island Bridge<br>Pier light buoy MIS1 | Centre piers side.<br>47 53 17.0<br>064 34 42.0  | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "MIS<br>1".                                        | Private aid.<br>Seasonal.                                         |
| 1264.261                   | Miscou Harbour light<br>buoy TK36            | 47 52 50.6<br>064 31 37.3                        | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "TK36".                                              | Seasonal.<br>Operates 24 h.                                       |
| 1264.271                   | Miscou Harbour light<br>buoy TK41            | 47 53 02.1<br>064 33 03.9                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked<br>"TK41".                                            | Seasonal.<br>Operates 24 h.                                       |
| 1264.3                     | Miscou Island Bridge<br>Pier light buoy MIS2 | Centre piers side.<br>47 53 17.0<br>064 34 39.5  | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "MIS<br>2".                                        | Private aid.<br>Seasonal.                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## GASPÉ - CHALEUR BAY

|                 |                                                               |                                                 |            |       |       |                                              |                                                                                                                           |
|-----------------|---------------------------------------------------------------|-------------------------------------------------|------------|-------|-------|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| 1264.4          | Miscou Island Bridge<br>Pier light buoy MIS3                  | Centre piers side.<br>47 53 11.9<br>064 34 41.5 | Fl R 4s    | ..... | ..... | Red, pillar, marked "MIS 3".                 | Private aid.<br>Seasonal.                                                                                                 |
| 1264.5          | Miscou Island Bridge<br>Pier light buoy MIS4                  | Centre piers side.<br>47 53 11.9<br>064 34 39.0 | Fl R 4s    | ..... | ..... | Red, pillar, marked "MIS 4".                 | Private aid.<br>Seasonal.                                                                                                 |
| 1264.7<br>H1552 | Miscou Island<br><br><b>Racon K (-.-)<br/>X &amp; S Bands</b> | On Birch point.<br>48 00 33.7<br>064 29 34.7    | Oc W 5s    | 24.5  | 12    | White octagonal tower.<br>25.3               | Year round.<br>Operates 24 h.<br>Flash 4 s; eclipse 1 s.                                                                  |
| 1264.77         | Miscou Harbour light<br>buoy TK25                             | 47 52 56.3<br>064 30 59.5                       | Fl G 4s    | ..... | ..... | Green, pillar, marked<br>"TK25".             | Seasonal.<br>Operates 24 h.                                                                                               |
| 1264.88         | Miscou Harbour light<br>buoy TK26                             | 47 52 57.4<br>064 30 58.6                       | Fl R 4s    | ..... | ..... | Red, pillar, marked "TK26".                  | Seasonal.<br>Operates 24 h.                                                                                               |
| 1265            | Miscou Island West<br>Cardinal light and<br>whistle buoy EB   | N. of island.<br>48 01 50.2<br>064 32 45.7      | Q(9) W 15s | ..... | ..... | Yellow-black-yellow, pillar,<br>marked "EB". | Seasonal.<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel.<br><br><b>Audible signal:</b> Whistle |

## Chaleur Bay

|        |                                                     |                                                  |            |       |       |                                               |                                                                                     |
|--------|-----------------------------------------------------|--------------------------------------------------|------------|-------|-------|-----------------------------------------------|-------------------------------------------------------------------------------------|
| 1266   | Miscou Flat West<br>Cardinal light buoy<br>EAE      | 47 56 54.2<br>064 38 21.6                        | Q(9) W 15s | ..... | ..... | Yellow-black-yellow, pillar,<br>marked "EAE". | Seasonal.<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel. |
| 1267   | Miscou Channel<br>Entrance Fairway light<br>buoy EA | 47 55 32.9<br>064 40 47.9                        | Mo(A) W 6s | ..... | ..... | Red-white, pillar, marked<br>"EA".            | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1268.1 | Miscou Channel light<br>buoy EA3                    | 47 54 20.3<br>064 38 04.9                        | Fl G 4s    | ..... | ..... | Green, can, marked "EA3".                     | Seasonal.<br>Operates 24 h.                                                         |
| 1268.2 | Miscou Channel light<br>buoy EA4                    | 47 53 48.9<br>064 37 46.3                        | Fl R 4s    | ..... | ..... | Red, spar, marked "EA4".                      | Seasonal.<br>Operates 24 h.                                                         |
| 1269.2 | Miscou Channel light<br>buoy EA5                    | 47 54 19.5<br>064 37 58.6                        | Fl G 4s    | ..... | ..... | Green, can, marked "EA5".                     | Seasonal.                                                                           |
| 1269.4 | Miscou Channel light<br>buoy EA6                    | 47 53 36.2<br>064 37 01.7                        | Fl R 4s    | ..... | ..... | Red, spar, marked "EA6".                      | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1270   | Miscou Channel light<br>buoy EA7                    | N. side of channel.<br>47 53 44.8<br>064 36 57.5 | Fl G 4s    | ..... | ..... | Green, spar, marked "EA7".                    | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1270.2 | Miscou Channel light<br>buoy EA8                    | 47 53 25.7<br>064 36 28.9                        | Q R 1s     | ..... | ..... | Red, spar, marked "EA8".                      | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |
| 1271   | Miscou Channel light<br>buoy EA9                    | N. side of channel.<br>47 53 28.6<br>064 36 21.2 | Q G 1s     | ..... | ..... | Green, can, marked "EA9".                     | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                                                                                     | Location<br>-----<br>Latitude N.<br>Longitude W.                    | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                                   | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                       |
|----------------------------|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                                                                                            |                                                                     |                          |                                          |                          |                                                                                                            |                                                                                                                           |
| 1272                       | Miscou Channel light<br>buoy EA16                                                                          | 47 53 15.2<br>064 35 46.6                                           | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"EA16".                                                                            | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                                                         |
| 1272.11                    | Miscou Channel light<br>buoy EA17                                                                          | 47 53 18.4<br>064 35 12.4                                           | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"EA17".                                                                             | Seasonal.<br>Operates 24 h.                                                                                               |
| 1272.141                   | Miscou Harbour light<br>buoy TK17                                                                          | 47 53 03.7<br>064 30 32.6                                           | Fl G 4s                  | .....                                    | .....                    | Green, can, marked<br>"TK17".                                                                              | Seasonal.<br>Operates 24 h.                                                                                               |
| 1272.272                   | Miscou Harbour light<br>buoy TK42                                                                          | 47 53 12.4<br>064 33 01.7                                           | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "TK42".                                                                                  | Seasonal.<br>Operates 24 h.                                                                                               |
| 1272.76                    | Miscou Harbour light<br>buoy TK22                                                                          | 47 53 59.0<br>064 30 42.8                                           | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "TK22".                                                                                | Seasonal.<br>Operates 24 h.                                                                                               |
| 1273.01                    | Miscou Channel light<br>buoy TK45                                                                          | 47 53 07.6<br>064 34 16.4                                           | Q G 1s                   | .....                                    | .....                    | Green, can, marked<br>"TK45".                                                                              | Seasonal.<br>Operates 24 h.                                                                                               |
| 1273.1                     | Shippegan Flat East<br>light buoy EC1                                                                      | Miscou Harbour.<br>47 53 39.2<br>064 38 52.6                        | Q G 1s                   | .....                                    | .....                    | Green, can, marked "EC1".                                                                                  | Seasonal.                                                                                                                 |
| 1273.15                    | Shippegan Flat light<br>buoy EC4                                                                           | Miscou Harbour.<br>47 53 12.3<br>064 40 04.6                        | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"EC4".                                                                             | Seasonal.                                                                                                                 |
| 1273.41                    | Miscou Harbour light<br>buoy TK46                                                                          | 47 53 21.2<br>064 34 14.6                                           | Q R 1s                   | .....                                    | .....                    | Red, conical, marked<br>"TK46".                                                                            | Seasonal.<br>Operates 24 h.                                                                                               |
| 1273.5<br>H1564.2          | Shippegan Island<br>West Wharf                                                                             | On NW. corner of<br>wharf.<br>47 53 00.2<br>064 34 32.0             | Iso G 2s                 | 4.2                                      | 5                        | Pipe Swing Pole, green,<br>white and black square<br>daymark.                                              | Seasonal.                                                                                                                 |
| 1274.1<br>H1559            | Harper Point                                                                                               | W. side of Miscou<br>Harbour entrance.<br>47 53 38.6<br>064 34 39.7 | Fl G 4s                  | 3.7                                      | 5                        | Pipe swing pole, green,<br>white and green square<br>daymark.<br>3.6                                       | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                                                      |
| 1274.2<br>H1562            | Miscou Wharf                                                                                               | On outer end of<br>wharf.<br>47 53 40.1<br>064 34 37.5              | Fl R 4s                  | 4.9                                      | 6                        | Pipe swing pole, red and<br>white triangular daymark.                                                      | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                                                      |
| 1275<br>H1556              | Black Point                                                                                                | 47 53 03.8<br>064 37 25.0                                           | LFl W 6s                 | .....                                    | 12                       | Skeleton tower with red<br>top, enclosed central<br>portion, red and white<br>rectangular daymark.<br>17.7 | Year round.<br>Flash 2 s; eclipse 4 s.                                                                                    |
| 1276.2                     | Shippegan North<br>Channel light and<br>whistle fairway buoy<br>EG<br><br><b>Racon G (- - )<br/>X Band</b> | 47 53 14.2<br>064 45 47.6                                           | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"EG".                                                                         | Seasonal.<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel.<br><br><b>Audible signal: Whistle</b> |
| 1277<br>H1567              | Pointe de Petite-<br>Lamèque front range<br>light                                                          | N. of point.<br>47 48 56.4<br>064 42 16.8                           | F W                      | .....                                    | 8.8                      | 11<br>Square skeleton tower,<br>black daymark with red<br>vertical stripe.<br>8.1                          | Seasonal.<br>Operates 24 h.                                                                                               |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                                  | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics  | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)     | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                     |
|----------------------------|---------------------------------------------------------|-----------------------------------------------------------------|---------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                                         |                                                                 |                           |                                          |                          |                                                                              |                                                                                         |
| 1278<br>H1567.1            | Pointe de Petite-<br>Lamèque rear range<br>light        | 47 48 48.4<br>064 42 10.2<br><br>151°15' 281.3 m<br>from front. | F W .....<br><br><br>     | 16.5                                     | 11                       | Square skeleton tower,<br>black daymark with red<br>vertical stripe.<br>16.5 | Seasonal.<br>Operates 24 h.                                                             |
| 1282                       | Shippegan Channel<br>light buoy EG5                     | E. side of channel.<br>47 51 11.4<br>064 43 57.7                | Fl G 4s .....<br><br><br> | .....                                    | .....                    | Green, spar, marked<br>"EG5".                                                | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1282.5                     | Shippegan Channel<br>light buoy EG8                     | 47 50 41.0<br>064 43 42.9                                       | Q R 1s .....<br><br><br>  | .....                                    | .....                    | Red, spar, marked "EG8".                                                     | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1283<br>H1568              | Pointe à Marcelle front<br>range light                  | On point.<br>47 47 10.3<br>064 44 58.4                          | F W .....<br><br><br>     | 7.9                                      | 9                        | Square skeleton tower,<br>black daymark with red<br>vertical stripe.<br>6.8  | Seasonal.<br>Operates 24 h.                                                             |
| 1283.1<br>H1568.1          | Pointe à Marcelle rear<br>range light                   | 47 47 00.3<br>064 45 02.2<br><br>194°15' 28.0 m<br>from front.  | F W .....<br><br><br>     | 17.9                                     | 9                        | Square skeleton tower,<br>black daymark with red<br>vertical stripe.<br>17.8 | Seasonal.<br>Operates 24 h.                                                             |
| 1284                       | Shippegan Channel<br>light buoy EG11                    | 47 49 54.2<br>064 43 50.6                                       | Q G 1s .....<br><br><br>  | .....                                    | .....                    | Green, spar, marked<br>"EG11".                                               | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1285.5                     | Shippegan Channel<br>light buoy EG12                    | 47 49 42.9<br>064 44 11.3                                       | Fl R 4s .....<br><br><br> | .....                                    | .....                    | Red, spar, marked "EG12".                                                    | Seasonal (in place year round).                                                         |
| 1286                       | Shippegan Channel<br>light buoy EG14                    | 47 48 50.0<br>064 43 27.2                                       | Fl R 4s .....<br><br><br> | .....                                    | .....                    | Red, spar, marked "EG14".                                                    | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1286.1                     | Miscou Channel light<br>buoy EA2                        | 47 54 21.4<br>064 39 35.3                                       | Q R 1s .....<br><br><br>  | .....                                    | .....                    | Red, spar, marked "EA2".                                                     | Seasonal.<br>Operates 24 h.                                                             |
| 1286.3<br>H1567.3          | Pointe à Bernache<br>front range light                  | 47 45 27.9<br>064 43 17.0                                       | F R .....<br><br><br>     | .....                                    | 13                       | Square skeleton tower,<br>black daymark with red<br>vertical stripe.<br>6.6  | Seasonal.<br>Operates 24 h.                                                             |
| 1286.4<br>H1567.31         | Pointe à Bernache<br>rear range light                   | 47 45 22.4<br>064 43 16.8<br><br>179°25' 170.2 m<br>from front. | F R .....<br><br><br>     | 16.2                                     | 13                       | Square skeleton tower,<br>black daymark with red<br>vertical stripe.<br>15.8 | Seasonal.<br>Operates 24 h.                                                             |
| 1286.6                     | Shippegan Channel<br>light buoy EG17                    | 47 47 03.2<br>064 43 17.6                                       | Fl G 4s .....<br><br><br> | .....                                    | .....                    | Green, spar, marked<br>"EG17".                                               | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1286.8                     | Shippegan Channel<br>light buoy EG18                    | 47 46 48.2<br>064 43 36.6                                       | Q R 1s .....<br><br><br>  | .....                                    | .....                    | Red, spar, marked "EG18".                                                    | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1287<br>H1567.36           | Shippegan Harbour<br>West Entrance front<br>range light | On outer end of<br>wharf.<br>47 44 50.2<br>064 42 08.3          | F R .....<br><br><br>     | 10.9                                     | 10                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>9.5  | Seasonal.<br>Operates 24 h.<br><br>Synthetic AIS AtoN<br>MMSI: 993161099                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                                 | Location<br>-----<br>Latitude N.<br>Longitude W.                     | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                           | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                     |
|----------------------------|--------------------------------------------------------|----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                                        |                                                                      |                          |                                          |                          |                                                                                                    |                                                                                         |
| 1288<br>H1567.37           | Shippegan Harbour<br>West Entrance rear<br>range light | 47 44 36.5<br>064 41 58.5<br><br>154°24' 452.6 m<br>from front.      | F R .....<br>-----       | 16.9                                     | 10                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>16.4                       | Seasonal.<br>Operates 24 h.                                                             |
| 1289                       | Shippegan Channel<br>light buoy EG21                   | 47 46 06.7<br>064 42 00.0                                            | Fl G 4s<br>-----         | .....                                    | .....                    | Green, spar, marked<br>"EG21".                                                                     | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1290                       | Shippegan Channel<br>light buoy EG24                   | 47 45 34.2<br>064 42 43.6                                            | Fl R 4s<br>-----         | .....                                    | .....                    | Red, spar, marked "EG24".                                                                          | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1291                       | Shippegan Channel<br>light buoy EG25                   | 47 45 02.0<br>064 42 15.7                                            | Fl G 4s<br>-----         | .....                                    | .....                    | Green, spar, marked<br>"EG25".                                                                     | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1291.5                     | Shippagan Wharf                                        | Outer end of wharf<br>extension.<br>47 44 52.3<br>064 42 08.3        | Iso R 1s<br>-----        | 6.4                                      | 5                        | Pipe swing pole, red and<br>white triangular daymark.<br>5.1                                       | Seasonal.                                                                               |
| 1292<br>H1535              | Savoy Landing                                          | Outer end of wharf.<br>47 44 56.9<br>064 41 29.3                     | Fl W 3s<br>-----         | 5.6                                      | 7                        | Square skeleton tower.<br>5.2                                                                      | Seasonal.<br>Flash 1 s; eclipse 2 s.<br><br>Synthetic AIS AtoN<br>MMSI: 993161098       |
| 1293                       | Shippegan Sound light<br>buoy EJ3                      | Off Pointe<br>Alexandre.<br>47 46 44.2<br>064 42 16.6                | Q G 1s<br>-----          | .....                                    | .....                    | Green, spar, marked "EJ3".                                                                         | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1295.3                     | Baie de Lamèque light<br>buoy EJ5                      | At entrance to bay.<br>47 46 24.2<br>064 41 21.6                     | Fl G 4s<br>-----         | .....                                    | .....                    | Green, spar, marked "EJ5".                                                                         | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1295.4                     | Baie de Lamèque light<br>buoy EJ7                      | N. side of channel<br>leading to wharf.<br>47 46 32.2<br>064 40 45.6 | Q G 1s<br>-----          | .....                                    | .....                    | Green, spar, marked "EJ7".                                                                         | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1296.1<br>H1571            | Lamèque Wharf Light                                    | 47 47 25.9<br>064 39 32.6                                            | Fl R 5s<br>-----         | .....                                    | 5                        | Tower, red and white<br>rectangular daymark.                                                       | Seasonal.<br>Flash 1 s; eclipse 4 s.                                                    |
| 1298                       | Baie de Lamèque light<br>buoy EJ10                     | S. side of channel<br>leading to wharf.<br>47 47 43.1<br>064 39 44.5 | Fl R 4s<br>-----         | .....                                    | .....                    | Red, spar, marked "EJ10".                                                                          | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1299                       | Baie de Lamèque light<br>buoy EJ11                     | N. side of channel<br>leading to wharf.<br>47 47 00.2<br>064 40 08.6 | Fl G 4s<br>-----         | .....                                    | .....                    | Green, spar, marked<br>"EJ11".                                                                     | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1300                       | Baie de Lamèque light<br>buoy EJ14                     | S. side of channel<br>leading to wharf.<br>47 47 15.5<br>064 39 44.4 | Fl R 4s<br>-----         | .....                                    | .....                    | Red, spar, marked "EJ14".                                                                          | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1301<br>H1571              | Lamèque Breakwater<br>Light                            | On SE. corner of<br>wharf.<br>47 47 25.7<br>064 39 35.7              | Fl(2+1) G 6s<br>-----    | 7.3                                      | 5                        | Tower, red and white<br>rectangular daymark with<br>red diamond and green<br>square in the centre. | Seasonal.                                                                               |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                       |
|----------------------------|----------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                              |                                                                  |                          |                                          |                          |                                                                                   |                                                                                                           |
| 1306.2                     | Caraquet Channel<br>light buoy EM4           | 47 51 06.9<br>064 46 21.4                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "EM4".                                                          | Seasonal (in place year round).<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel. |
| 1306.3                     | Caraquet Channel<br>light buoy EM2           | 47 52 03.0<br>064 45 12.0                                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "EM2".                                                          | Seasonal (in place year round).<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel. |
| 1306.5                     | Caraquet Channel<br>light buoy EM3           | 47 51 29.9<br>064 45 38.0                                        | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"EM3".                                                     | Seasonal (in place year round).                                                                           |
| 1306.6                     | Caraquet Channel<br>light buoy EM5           | 47 50 38.9<br>064 47 00.7                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"EM5".                                                     | Seasonal (in place year round).                                                                           |
| 1307                       | Caraquet Channel<br>light buoy EM7           | 47 50 16.7<br>064 47 37.1                                        | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"EM7".                                                     | Seasonal (in place year round).<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel. |
| 1308                       | Caraquet Channel<br>light buoy EM8           | NW. side of<br>channel.<br>47 49 57.8<br>064 48 07.0             | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "EM8".                                                          | Seasonal (in place year round).<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel. |
| 1308.5                     | Caraquet Channel<br>light buoy EM10          | 47 49 34.9<br>064 48 54.4                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "EM10".                                                         | Seasonal (in place year round).<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel. |
| 1310<br>H1580              | <b>Caraquet front range<br/>light</b>        | NE. of Stoke Point.<br>47 48 30.0<br>064 50 27.8                 | F G                      | .....                                    | 8.1                      | <b>17</b><br>White pyramid tower with<br>red vertical stripe.<br>7.1              | Seasonal.<br>Operates 24 h.                                                                               |
| 1310.5                     | Caraquet Channel<br>light buoy EM12          | 47 49 12.8<br>064 50 01.0                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "EM12".                                                         | Seasonal (in place year round).                                                                           |
| 1311<br>H1580.1            | <b>Caraquet rear range<br/>light</b>         | 47 48 05.8<br>064 51 06.0<br><br>226°47' 1091.4 m<br>from front. | F G                      | .....                                    | .....                    | <b>18</b><br>Square skeleton tower,<br>white daymark with red<br>vertical stripe. | Seasonal.<br>Operates 24 h.                                                                               |
| 1311.5                     | Caraquet Harbour light<br>buoy EM17          | 47 48 48.8<br>064 51 03.6                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"EM17".                                                    | Seasonal (in place year round).<br>(Winter spar.)                                                         |
| 1312                       | Caraquet Harbour light<br>buoy EM18          | 47 48 28.4<br>064 52 14.3                                        | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "EM18".                                                         | Seasonal (in place year round).<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel. |
| 1313                       | Caraquet Harbour<br>East light buoy EM20     | NE. of Middle<br>Caraquet.<br>47 48 25.1<br>064 52 39.6          | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "EM20".                                                         | Seasonal (in place year round).<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel. |
| 1313.2<br>H1581.5          | <b>Middle Caraquet<br/>front range light</b> | 47 48 09.7<br>064 53 09.0                                        | F R                      | .....                                    | .....                    | <b>16</b><br>Square skeleton tower, red<br>daymark with white vertical<br>stripe. | Seasonal.<br>Operates 24 h.                                                                               |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                        | Location<br>-----<br>Latitude N.<br>Longitude W.                       | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                       |
|----------------------------|-----------------------------------------------|------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                               |                                                                        |                          |                                          |                          |                                                                          |                                                                                                           |
| 1313.3<br><i>H1581.51</i>  | Middle Caraquet rear<br>range light           | 47 48 04.5<br>064 53 24.5<br><br>244°07' 355.0 m<br>from front.        | F R ..... .....          |                                          | 17                       | Square skeleton tower, red<br>daymark with white vertical<br>stripe.     | Seasonal.<br>Operates 24 h.                                                                               |
| 1314<br><i>H1582</i>       | Middle Caraquet<br>Wharf                      | On outer end of E.<br>section of wharf.<br>47 48 13.4<br>064 52 22.4   | Fl W 4s 7.3              |                                          | 9                        | Pipe swing pole.<br>6.7                                                  | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                                      |
| 1314.1<br><i>H1582.4</i>   | Middle Caraquet East<br>Wharf                 | 47 48 14.3<br>064 52 22.6                                              | Fl G 4s 4.3              |                                          | 4                        | Pipe swing pole.                                                         | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                                      |
| 1314.2<br><i>H1581.7</i>   | Stoke Point front<br>range light              | 47 48 21.4<br>064 51 34.2                                              | F R ..... .....          |                                          | 14                       | Square skeleton tower, red<br>daymark with white vertical<br>stripe.     | Seasonal.<br>Operates 24 h.                                                                               |
| 1314.3<br><i>H1581.71</i>  | Stoke Point rear range<br>light               | 47 48 21.1<br>064 51 28.2<br><br>093°46' 124.2 m<br>from front.        | F R ..... .....          |                                          | 14                       | Square skeleton tower, red<br>daymark with white vertical<br>stripe.     | Seasonal.<br>Operates 24 h.                                                                               |
| 1315                       | Caraquet Harbour light<br>buoy EM25           | 47 48 20.5<br>064 54 04.6                                              | Fl G 4s ..... .....      |                                          |                          | Green, spar, marked<br>"EM25".                                           | Seasonal (in place year round).                                                                           |
| 1317                       | Caraquet Harbour<br>West light buoy EM23      | S. of Caraquet<br>Island.<br>47 48 24.7<br>064 53 34.6                 | Q G 1s ..... .....       |                                          |                          | Green, spar, marked<br>"EM23".                                           | Seasonal (in place year round).<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel. |
| 1318                       | Île de Caraquet<br>Harbour light buoy<br>EM28 | SW. of island.<br>47 48 19.9<br>064 54 17.5                            | Fl R 4s ..... .....      |                                          |                          | Red, spar, marked "EM28".                                                | Seasonal (in place year round).<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel. |
| 1318.2                     | Caraquet Harbour light<br>buoy EM31           | 47 47 53.5<br>064 55 23.3                                              | Fl G 4s ..... .....      |                                          |                          | Green, can, marked<br>"EM31".                                            | Seasonal.<br>(Winter spar.)<br>Buoy may be repositioned due<br>to shifting channel.                       |
| 1318.6                     | Caraquet Harbour light<br>buoy EM34           | 47 48 07.1<br>064 55 27.9                                              | Fl R 4s ..... .....      |                                          |                          | Red, pillar, marked "EM34".                                              | Seasonal.<br>(Winter spar.)                                                                               |
| 1319<br><i>H1583</i>       | Young Wharf                                   | On SE. corner of<br>wharf.<br>47 47 48.9<br>064 55 31.3                | Fl R 5s 7.5              |                                          | 8                        | Pipe swing pole, red and<br>white triangular daymark.<br>7.1             | Seasonal.<br>Flash 1 s; eclipse 4 s.                                                                      |
| 1319.1<br><i>H1584</i>     | Young Wharf West                              | On NW. corner of<br>wharf.<br>47 47 51.3<br>064 55 46.7                | LFl G 6s 5.4             |                                          | 8                        | Square skeleton tower,<br>green and white<br>rectangular daymark.<br>4.9 | Seasonal.<br>Flash 2 s; eclipse 4 s.                                                                      |
| 1319.5                     | Caraquet Harbour<br>Breakwater Light          | 47 47 53.7<br>064 55 50.6                                              | LFl R 6s ..... .....     |                                          | 8                        | Pipe tower, red and white<br>triangular daymark.                         | Seasonal.<br>Flash 2 s; eclipse 4 s.                                                                      |
| 1319.6                     | Caraquet Inner<br>Breakwater Light            | On the inner corner<br>of the breakwater.<br>47 47 49.7<br>064 55 52.8 | Fl R 4s ..... .....      |                                          | 3                        | Pipe tower, red and white<br>triangular daymark.<br>1.0                  | Private aid.<br>Seasonal.<br>Operates 24 h.<br>Flash 1 s; eclipse 3 s.                                    |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                    |
|----------------------------|----------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                              |                                                                  |                          |                                          |                          |                                                                          |                                                                                                        |
| 1319.7                     | Caraquet Inner Breakwater Light              | On the end of the inner breakwater.<br>47 47 48.6<br>064 55 52.7 | FI G 4s .....            | 3                                        |                          | Pipe tower, green, white and black square daymark.<br>1.0                | Private aid.<br>Seasonal.<br>Operates 24 h.<br>Flash 1 s; eclipse 3 s.                                 |
| 1320                       | Baie de Caraquet light buoy EM42             | 47 48 03.2<br>064 57 27.6                                        | FI R 4s .....            | .....                                    |                          | Red, spar, marked "EM42".                                                | Seasonal.<br>(Winter spar.)<br>Buoy may be repositioned due to shifting channel.                       |
| 1320.5                     | Île de Caraquet light buoy EN3               | 47 49 28.5<br>064 54 56.2                                        | FI G 4s .....            | .....                                    |                          | Green, spar, marked "EN3".                                               | Seasonal.<br>(Winter spar.)<br>Buoy may be repositioned due to shifting channel.                       |
| 1320.51                    | Île de Caraquet light buoy EN4               | 47 49 10.2<br>064 54 43.3                                        | FI R 4s .....            | .....                                    |                          | Red, spar, marked "EN4".                                                 | Seasonal.                                                                                              |
| 1320.6                     | Île de Caraquet light buoy EN6               | Caraquet Harbour.<br>47 48 54.8<br>064 54 22.5                   | FI R 4s .....            | .....                                    |                          | Red, spar, marked "EN6".                                                 | Seasonal.                                                                                              |
| 1320.61                    | Île de Caraquet light buoy EN5               | 47 49 13.1<br>064 54 37.9                                        | FI G 4s .....            | .....                                    |                          | Green, spar, marked "EN5".                                               | Seasonal.                                                                                              |
| 1320.611                   | Île de Caraquet light buoy EN7               | Caraquet Harbour.<br>47 48 56.2<br>064 54 20.2                   | FI G 4s .....            | .....                                    |                          | Green, spar, marked "EN7".                                               | Seasonal.                                                                                              |
| 1320.62                    | Île de Caraquet light buoy EN8               | 47 48 46.7<br>064 54 14.1                                        | FI R 4s .....            | .....                                    |                          | Red, spar, marked "EN8".                                                 | Seasonal.                                                                                              |
| 1321.5                     | Île de Caraquet light buoy EN9               | 47 48 47.1<br>064 54 09.5                                        | FI G 4s .....            | .....                                    |                          | Green, spar, marked "EN9".                                               | Seasonal (in place year round).<br>(Winter spar.)<br>Buoy may be repositioned due to shifting channel. |
| 1321.6                     | Île de Caraquet light buoy EN10              | Caraquet Harbour.<br>47 48 34.6<br>064 54 09.3                   | Q R 1s .....             | .....                                    |                          | Red, spar, marked "EN10".                                                | Seasonal.                                                                                              |
| 1322<br>H1588              | Île de Caraquet                              | On W. side of island.<br>47 49 21.2<br>064 54 16.0               | FI W 6s 22.3             | 9                                        |                          | Skeleton tower with red enclosed top, white slatwork daymark.<br>20.1    | Year round.<br>Flash 1 s; eclipse 5 s.                                                                 |
| 1322.2                     | Île de Caraquet West cardinal light buoy ENA | 47 48 29.3<br>064 54 06.8                                        | Q(9) W 15s .....         | .....                                    |                          | Yellow-black-yellow, spar, marked "ENA".                                 | Seasonal.                                                                                              |
| 1322.5                     | Maisonnette Ledge light buoy EN              | NE. of ledge.<br>47 50 47.5<br>064 54 58.3                       | Mo(A) W 6s .....         | .....                                    |                          | Red-white, spar, marked "EN".                                            | Seasonal (in place year round).<br>(Winter spar.)<br>Buoy may be repositioned due to shifting channel. |
| 1324<br>H1590              | Pointe de Maisonnette                        | On N. extremity of point.<br>47 50 15.0<br>065 00 13.0           | LFI W 6s 17.0            | 13                                       |                          | Square skeleton tower.<br>13.1                                           | Year round.<br>Flash 2 s; eclipse 4 s.                                                                 |
| 1325<br>H1591.4            | Anse Bleue Wharf Light                       | On outer end of wharf.<br>47 49 55.5<br>065 04 47.8              | FI G 6s 6.4              | 8                                        |                          | Square skeleton tower, green and white rectangular daymark.<br>5.3       | Year round.<br>Flash 1 s; eclipse 5 s.                                                                 |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                             | Location<br>-----<br>Latitude N.<br>Longitude W.               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS               |
|----------------------------|----------------------------------------------------|----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                                    |                                                                |                          |                                          |                          |                                                                          |                                                                   |
| 1325.1<br><i>H1591.41</i>  | Anse Bleue Light                                   | 47 49 44.9<br>065 04 52.0                                      | FI W 6s                  | 13.0                                     | 12                       | Square skeleton tower.<br>9.9                                            | Year round.<br>Flash 1 s; eclipse 5 s.                            |
| 1325.4<br><i>H1591.8</i>   | Anse Bleue<br>Breakwater Light                     | On outer end of<br>breakwater.<br>47 49 55.8<br>065 04 50.8    | FI R 6s                  | 7.9                                      | 8                        | Square skeleton tower.<br>3.7                                            | Year round.<br>Flash 1 s; eclipse 5 s.                            |
| 1326.1<br><i>H1592.05</i>  | Grande-Anse South<br>Breakwater                    | On outer end of E.<br>breakwater.<br>47 49 07.9<br>065 10 35.1 | FI G 5s                  | 7.4                                      | 8                        | Square skeleton tower,<br>green and white<br>rectangular daymark.<br>5.1 | Seasonal.<br>Flash 1 s; eclipse 4 s.                              |
| 1327.1<br><i>H1592.06</i>  | Grande-Anse North<br>Breakwater                    | On outer end of W.<br>breakwater.<br>47 49 09.3<br>065 10 34.8 | FI R 5s                  | 6.8                                      | 8                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>5.1   | Seasonal.<br>Flash 1 s; eclipse 4 s.                              |
| 1328<br><i>H1596</i>       | Stonehaven                                         | On hill overlooking<br>wharf.<br>47 45 12.3<br>065 21 42.3     | FI W 4s                  | .....                                    | 10                       | Pipe swing pole.                                                         | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1328.5<br><i>H1596.2</i>   | Stonehaven<br>Breakwater                           | 47 45 17.6<br>065 21 49.1                                      | FI G 4s                  | 7.0                                      | 5                        | Pipe Swing Pole, green,<br>white and black square<br>daymark.<br>3.7     | Seasonal.<br>Flash 1 s; eclipse 3 s.                              |
| 1330.45                    | <i>Bathurst Entrance<br/>Fairway light buoy EP</i> | 47 40 32.4<br>065 36 15.0                                      | Mo(A) W 6s               | .....                                    | .....                    | Red-white, conical, marked<br>"EP".                                      | Seasonal.                                                         |
| 1330.55                    | <i>Bathurst Entrance light<br/>buoy EP15</i>       | 47 40 16.6<br>065 36 27.1                                      | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"EP15".                                         | Seasonal.                                                         |
| 1330.6                     | <i>Bathurst Entrance light<br/>buoy EP25</i>       | 47 39 48.8<br>065 36 47.5                                      | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"EP25".                                         | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1330.7                     | <i>Bathurst Entrance light<br/>buoy EP28</i>       | Bathurst Harbour<br>entrance.<br>47 39 20.9<br>065 37 13.9     | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "EP28".                                              | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1330.8                     | <i>Bathurst Entrance light<br/>buoy EP29</i>       | 47 39 17.0<br>065 37 12.8                                      | Q G 1s                   | .....                                    | .....                    | Green, can, marked<br>"EP29".                                            | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1332.35                    | <i>Bathurst Harbour light<br/>buoy EP33</i>        | 47 39 00.9<br>065 37 51.1                                      | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"EP33".                                         | Seasonal.                                                         |
| 1335.55                    | <i>Bathurst Harbour Turn<br/>light buoy EP50</i>   | 47 37 59.7<br>065 39 07.4                                      | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "EP50".                                                | Seasonal.                                                         |
| 1336.8                     | <i>Bathurst Harbour light<br/>buoy EP65</i>        | 47 36 56.0<br>065 38 30.6                                      | FI G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"EP65".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel. |
| 1339<br><i>H1606</i>       | Petit-Rocher                                       | On outer end of<br>wharf ell.<br>47 46 54.6<br>065 42 27.2     | FI R 6s                  | 7.5                                      | 8                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>6.9   | Seasonal.<br>Flash 1 s; eclipse 5 s.                              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.                    | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                     |
|----------------------------|----------------------------------------------|---------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                              |                                                                     |                          |                                          |                          |                                                                          |                                                                                         |
| 1339.2                     | Petit-Rocher<br>Breakwater Light             | On outer end of<br>breakwater.<br>47 46 55.2<br>065 42 29.7         | Fl G 6s .....            | 5                                        |                          | Pipe Swing Pole, green,<br>white and black square<br>daymark.            | Seasonal.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s.                                  |
| 1339.5                     | Petit-Rocher light buoy<br>ES2               | 47 46 55.2<br>065 42 08.7                                           | Fl R 4s .....            | .....                                    |                          | Red, spar, marked "ES2".                                                 | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                       |
| 1339.8<br>H1608            | Pointe-Verte<br>Breakwater                   | On outer end of<br>breakwater.<br>47 51 43.2<br>065 45 39.4         | Fl R 4s 7.1              | 4                                        |                          | Square skeleton tower.<br>3.7                                            | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                    |
| 1340<br>H1608.4            | Pointe-Verte                                 | On NW. corner of<br>wharf.<br>47 51 40.8<br>065 45 43.1             | F R .....                | 7.4                                      | 10                       | Square skeleton tower.<br>6.9                                            | Year round.<br>Operates 24 h.                                                           |
| 1340.05                    | Pointe-Verte light buoy<br>ET2               | 47 51 46.5<br>065 45 25.0                                           | Fl R 4s .....            | .....                                    |                          | Red, conical, marked<br>"ET2".                                           | Seasonal.<br>Buoy may be repositioned due<br>to shifting channel.                       |
| 1340.1<br>H1609            | Belledune Point                              | 47 54 27.1<br>065 49 55.0                                           | Oc G 3s 11.1             | 10                                       |                          | Square skeleton tower,<br>green and white<br>rectangular daymark.<br>9.9 | Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 1 s.                                |
| 1340.2<br>H1610            | Belledune Wharf                              | On extreme outer<br>end of breakwater.<br>47 54 47.0<br>065 50 18.7 | Oc R 3s 10.0             | 10                                       |                          | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>10.0  | Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 1 s.                                |
| 1340.8<br>H1612            | New Mills West<br>Breakwater                 | Outer end of wharf.<br>47 58 27.7<br>066 11 22.3                    | Fl G 4s 6.1              | 4                                        |                          | Pipe Swing Pole, green,<br>white and black square<br>daymark.<br>5.4     | Seasonal.<br>Flash 1 s; eclipse 3 s.                                                    |
| 1343<br>H1616              | Inch Arran Point front<br>range light        | On the point.<br>48 03 39.4<br>066 21 03.5                          | Iso W 6s 13.7            | 14                                       |                          | White square tower with<br>red top and red vertical<br>stripe.<br>10.9   | Year round.<br>Operates 24 h.                                                           |
| 1343.1<br>H1616.1          | <b>Inch Arran Point rear<br/>range light</b> | 48 03 42.8<br>066 21 20.3<br><br>286°45' 364.5 m<br>from front.     | Iso W 6s 24.0            | 15                                       |                          | Square skeleton tower,<br>white daymark with red<br>vertical stripe.     | Year round.<br>Operates 24 h.                                                           |
| 1343.2                     | Dalhousie Harbour<br>light buoy EX4          | NE. of Dalhousie<br>Island.<br>48 04 25.6<br>066 21 25.9            | Q R 1s .....             | .....                                    |                          | Red, spar, marked "EX4".                                                 | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1343.3                     | Dalhousie Harbour<br>light buoy EX6          | 48 04 25.9<br>066 21 44.7                                           | Fl R 4s .....            | .....                                    |                          | Red, spar, marked "EX6".                                                 | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |
| 1343.4                     | Dalhousie Harbour<br>light buoy EX8          | 48 04 25.7<br>066 21 55.6                                           | Fl R 4s .....            | .....                                    |                          | Red, spar, marked "EX8".                                                 | Seasonal (in place year round).<br>Buoy may be repositioned due<br>to shifting channel. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)       | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                              |
|--------------------------|---------------------------------------------|-----------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| GASPÉ - CHALEUR BAY      |                                             |                                                                 |                          |   |       |                                          |                          |                                                                                |                                                                                                  |
| 1343.6<br><i>H1618</i>   | Dalhousie Wharf                             | Outer end of wharf.<br>48 04 17.8<br>066 21 37.0                | Fl                       | G | 4s    | .....                                    | 5                        | Square skeleton tower,<br>green, white and black<br>square daymark.            | Year round.<br>Flash 1 s; eclipse 3 s.                                                           |
| 1343.7<br><i>H1619</i>   | Dalhousie Harbour<br>East front range light | 48 04 15.2<br>066 21 57.5                                       | F                        | G | ..... | 14.6                                     | 14                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>12.7   | Year round.<br>Operates 24 h.                                                                    |
| 1343.8<br><i>H1619.1</i> | Dalhousie Harbour<br>East rear range light  | 48 04 15.1<br>066 21 59.9<br><br>268°10' 49.4 m<br>from front.  | F                        | G | ..... | .....                                    | 14                       | Square skeleton tower,<br>white daymark with red<br>vertical stripe.           | Year round.<br>Operates 24 h.                                                                    |
| 1344<br><i>H1620</i>     | Dalhousie (Douglas)<br>Island               | N. point of island.<br>48 04 20.2<br>066 21 51.5                | Iso                      | G | 4s    | .....                                    | 5                        | Square skeleton tower,<br>green, white and black<br>square daymark.            | Year round.<br>Operates 24 h.                                                                    |
| 1345                     | Dalhousie Harbour<br>Light                  | 48 04 20.6<br>066 22 10.4                                       | Fl                       | G | 4s    | .....                                    | 5                        | Square skeleton tower,<br>green, white and black<br>square daymark.            | Year round.<br>Flash 1 s; eclipse 3 s.                                                           |
| 1345.6                   | <i>Dalhousie Harbour<br/>light buoy EX9</i> | 48 04 15.9<br>066 23 08.2                                       | Q                        | G | 1s    | .....                                    | .....                    | <i>Green, spar, marked "EX9".</i>                                              | <i>Seasonal.<br/>Buoy may be repositioned due<br/>to shifting channel.</i>                       |
| 1361                     | Miguasha-Ouest                              | End of W.<br>breakwater.<br>48 05 53.6<br>066 20 51.6           | Fl                       | Y | 4s    | 2.6                                      | 3                        | Cylindrical mast.<br>2.4                                                       | Seasonal.                                                                                        |
| 1362                     | <i>Banc de Miguasha<br/>light buoy EX2</i>  | At S. extremity of<br>spit.<br>48 03 24.2<br>066 18 57.9        | Q                        | R | 1s    | .....                                    | .....                    | <i>Red, spar, marked "EX2".</i>                                                | <i>Seasonal (in place year round).<br/>Buoy may be repositioned due<br/>to shifting channel.</i> |
| 1362.1                   | <i>East Bay light buoy<br/>EX3</i>          | 48 04 13.1<br>066 21 19.2                                       | Fl                       | G | 4s    | .....                                    | .....                    | <i>Green, spar, marked "EX3".</i>                                              | <i>Seasonal (in place year round).<br/>Buoy may be repositioned due<br/>to shifting channel.</i> |
| 1364                     | Carleton-sur-Mer                            | Carleton-sur-Mer<br>wharf.<br>48 05 59.5<br>066 07 49.1         | Iso                      | G | 2s    | 7.4                                      | 5                        | Square skeleton tower.<br>5.1                                                  | Seasonal.                                                                                        |
| 1365<br><i>H1638</i>     | <b>Carleton</b>                             | On Pointe<br>Tracadigache.<br>48 05 13.0<br>066 07 29.6         | Fl                       | R | 5s    | 9.2                                      | <b>15</b>                | White square skeleton<br>tower with red top.<br>8.6                            | Private aid.<br>Seasonal.<br>Flash 1 s; eclipse 4 s.                                             |
| 1369<br><i>H1655</i>     | Bonaventure front<br>range light            | Havre de<br>Beaubassin.<br>48 02 09.3<br>065 28 56.8            | Iso                      | R | 2s    | 6.3                                      | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.6 | Seasonal.                                                                                        |
| 1369.1<br><i>H1655.1</i> | Bonaventure rear<br>range light             | 48 02 13.8<br>065 28 55.6<br><br>009°52' 141.7 m<br>from front. | Iso                      | R | 2s    | 9.0                                      | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>7.9 | Seasonal.                                                                                        |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                                   | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS      |
|----------------------------|----------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                                          |                                                                 |                          |                                          |                          |                                                                          |                                                          |
| 1370                       | Pointe de Beaubassin<br>light buoy AB1                   | Rivière<br>Bonaventure.<br>48 01 52.7<br>065 29 02.2            | Fl G 4s .....            | .....                                    |                          | Green, pillar, marked<br>"AB1".                                          | Seasonal.                                                |
| 1373                       | Paspébiac light buoy<br>AP2                              | 48 00 15.2<br>065 15 30.7                                       | Fl R 4s .....            | .....                                    |                          | Red, pillar, marked "AP2".                                               | Seasonal.                                                |
| 1373.3<br>H1665            | Paspébiac Breakwater                                     | On outer end of<br>breakwater.<br>48 01 06.1<br>065 15 34.3     | Fl G 6s 10.7             | 7                                        |                          | Square skeleton tower.<br>8.1                                            | Year round.<br>Flash 1 s; eclipse 5 s.                   |
| 1374<br>H1666              | Paspébiac Wharf                                          | On W. end of wharf.<br>48 01 08.0<br>065 15 29.1                | Fl R 6s 9.6              | 6                                        |                          | Pipe swing pole.<br>6.5                                                  | Year round.<br>Flash 1 s; eclipse 5 s.                   |
| 1375.5                     | Baie de Paspébiac<br>Aquaculture Area light<br>buoy PRIV | NW. corner of<br>aquaculture area.<br>48 00 03.4<br>065 18 03.4 | Fl Y 4s .....            | .....                                    |                          | Yellow, marked "PRIV".                                                   | Private aid.<br>Seasonal.                                |
| 1375.6                     | Baie de Paspébiac<br>Aquaculture Area light<br>buoy PRIV | NE. corner of<br>aquaculture area.<br>48 00 07.0<br>065 17 52.1 | Fl Y 4s .....            | .....                                    |                          | Yellow, marked "PRIV".                                                   | Private aid.<br>Seasonal.                                |
| 1375.7                     | Baie de Paspébiac<br>Aquaculture Area light<br>buoy PRIV | SE. corner of<br>aquaculture area.<br>48 00 02.0<br>065 17 48.5 | Fl Y 4s .....            | .....                                    |                          | Yellow, marked "PRIV".                                                   | Private aid.<br>Seasonal.                                |
| 1375.8                     | Baie de Paspébiac<br>Aquaculture Area light<br>buoy PRIV | SW. corner of<br>aquaculture area.<br>47 59 58.3<br>065 17 59.8 | Fl Y 4s .....            | .....                                    |                          | Yellow, marked "PRIV".                                                   | Private aid.<br>Seasonal.                                |
| 1376<br>H1674              | St. Godefroi                                             | On outer end of<br>wharf.<br>48 04 23.4<br>065 06 52.1          | Fl R 6s 7.9              | 5                                        |                          | Square skeleton tower.<br>6.5                                            | Seasonal.<br>Flash 1 s; eclipse 5 s.                     |
| 1377                       | St. Godefroi light buoy<br>AG1                           | 48 04 20.7<br>065 06 59.3                                       | Fl G 4s .....            | .....                                    |                          | Green, can, marked "AG1".                                                | Seasonal.                                                |
| 1378                       | St. Godefroi light buoy<br>AG2                           | 48 04 19.9<br>065 06 57.9                                       | Fl R 4s .....            | .....                                    |                          | Red, conical, marked<br>"AG2".                                           | Seasonal.                                                |
| 1379<br>H1680              | Port Daniel West                                         | On SW. Point.<br>48 09 04.8<br>064 56 59.1                      | Fl W 5s 23.1             | 22                                       |                          | White octagonal tower.<br>7.8                                            | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 4 s. |
| 1379.5                     | Port-Daniel-Est                                          | On outer end of<br>breakwater.<br>48 10 55.0<br>064 57 42.1     | Iso R 2s 4.0             | 3                                        |                          | Cylindrical mast.<br>2.3                                                 | Seasonal.                                                |
| 1380                       | Port Daniel light buoy<br>AD4                            | 48 10 43.1<br>064 57 33.1                                       | Fl R 4s .....            | .....                                    |                          | Red, conical, marked<br>"AD4".                                           | Seasonal.                                                |
| 1381                       | Port Daniel light buoy<br>AD2                            | 48 10 32.3<br>064 57 11.8                                       | Fl R 4s .....            | .....                                    |                          | Red, conical, marked<br>"AD2".                                           | Seasonal.                                                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                 | Location<br>-----<br>Latitude N.<br>Longitude W.                    | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM)                                                        | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|----------------------------------------|---------------------------------------------------------------------|--------------------------|------------------------------------------|---------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| GASPÉ - CHALEUR BAY      |                                        |                                                                     |                          |                                          |                                                                                 |                                                                          |                                                     |
| 1382<br>H1687            | Anse aux Gascons<br>front range light  | 48 11 28.6<br>064 51 46.7                                           | F R ..... 9.3            | 16                                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>7.9  | Seasonal.                                                                |                                                     |
| 1382.1<br>H1687.1        | Anse aux Gascons<br>rear range light   | 48 11 30.3<br>064 51 48.9<br><br>319°26' 70.3 m<br>from front.      | F R ..... 13.5           | 16                                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>10.9 | Seasonal.                                                                |                                                     |
| 1383<br>H1686            | Reddish Point<br>Breakwater            | 48 11 23.8<br>064 51 38.6                                           | Fl G 6s 4.9              | 3                                        | Mast.<br>1.5                                                                    | Seasonal.<br>Flash 1 s; eclipse 5 s.                                     |                                                     |
| 1388                     | Fairway light and bell<br>buoy NEWPO   | S. of la pointe de<br>Newport.<br>48 16 38.0<br>064 43 01.1         | Mo(A) W 6s ..... ..      | .....                                    | Red-white, pillar, marked<br>"NEWPO".                                           | Seasonal.<br><br>Audible signal: Bell                                    |                                                     |
| 1388.2                   | Light buoy AN1                         | Newport Point.<br>48 16 53.3<br>064 43 10.8                         | Q G 1s ..... ..          | .....                                    | Green, pillar, marked<br>"AN1".                                                 | Year round.<br>(Winter spar.)                                            |                                                     |
| 1388.4                   | Light buoy AN3                         | Newport Point.<br>48 16 58.3<br>064 43 13.2                         | Q G 1s ..... ..          | .....                                    | Green, pillar, marked<br>"AN3".                                                 | Year round.<br>(Winter spar.)                                            |                                                     |
| 1388.5                   | Light buoy AN4                         | Newport Point.<br>48 16 58.3<br>064 43 08.7                         | Fl R 4s ..... ..         | .....                                    | Red, pillar, marked "AN4".                                                      | Seasonal.                                                                |                                                     |
| 1389<br>H1700            | Pointe de Newport                      | On extremity S. of<br>point.<br>48 17 02.7<br>064 43 05.6           | Fl Y 6s 13.2             | 5                                        | Square skeleton tower.<br>9.4                                                   | Seasonal.<br>Flash 1 s; eclipse 5 s.                                     |                                                     |
| 1390<br>H1701            | Pointe de Newport<br>front range light | On outer end of<br>wharf.<br>48 17 09.9<br>064 43 16.6              | F R ..... 9.1            | 7                                        | Pipe swing pole.<br>8.2                                                         | Seasonal.<br>Operates 24 h.                                              |                                                     |
| 1391<br>H1701.1          | Pointe de Newport<br>rear range light  | 48 17 12.8<br>064 43 18.0<br><br>341°50' 235.4 m<br>from front.     | F R ..... 17.2           | 7                                        | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.5 | Seasonal.<br>Operates 24 h.                                              |                                                     |
| 1393<br>H1706            | Île Dupuis                             | On island.<br>48 20 23.7<br>064 40 09.5                             | Fl R 6s 12.6             | 6                                        | Square skeleton tower.<br>9.6                                                   | Year round.<br>Flash 1 s; eclipse 5 s.                                   |                                                     |
| 1394<br>H1708            | Anse à l'Îlot                          | S. end of Marina de<br>Chandler jetty.<br>48 20 38.2<br>064 40 09.2 | Fl Y 4s 7.0              | 4                                        | Mast.<br>5.0                                                                    | Private aid.<br>Year round.                                              |                                                     |
| 1399<br>H1712            | Grande-Rivière North<br>Breakwater     | 48 23 34.3<br>064 29 40.2                                           | Iso G 2s 6.0             | 3                                        | Cylindrical mast.<br>1.5                                                        | Seasonal.                                                                |                                                     |
| 1399.2<br>H1713          | Grande-Rivière South<br>Breakwater     | 48 23 31.7<br>064 29 41.6                                           | Iso R 2s 8.7             | 5                                        | Square mast.<br>2.0                                                             | Seasonal.                                                                |                                                     |

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                   | Location<br>-----<br>Latitude N.<br>Longitude W.                   | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) |      | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                        |
|--------------------------|------------------------------------------|--------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------|
| GASPÉ - CHALEUR BAY      |                                          |                                                                    |                          |   |       |                                          |                          |                                                                          |      |                                                                                                                                            |
| 1401.3                   | Sainte-Thérèse de Gaspé North Breakwater | On outer end of breakwater.<br>48 24 51.7<br>064 23 34.6           | Iso                      | R | 2s    | 3.1                                      | 3                        | Mast.                                                                    | 2.2  | Seasonal.                                                                                                                                  |
| 1401.4                   | Sainte-Thérèse-de-Gaspé South Breakwater | End of breakwater.<br>48 24 51.1<br>064 23 33.0                    | Iso                      | G | 2s    | 3.1                                      | 3                        | Mast.                                                                    | 2.1  | Seasonal.                                                                                                                                  |
| 1401.5<br>H1715          | Sainte-Thérèse-de-Gaspé                  | On outer end of breakwater.<br>48 24 50.5<br>064 23 32.4           | Fl                       | G | 5s    | 6.1                                      | 5                        | Mast.                                                                    |      | Seasonal.<br>Flash 1 s; eclipse 4 s.                                                                                                       |
| 1403<br>H1718            | Cap d'Espoir                             | 48 25 09.3<br>064 19 01.7                                          | Fl(4)                    | W | 30s   | 25.5                                     | 21                       | White octagonal tower.                                                   | 11.3 | Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 3 s;<br>flash 2 s; eclipse 3 s;<br>flash 2 s; eclipse 3 s;<br>flash 2 s; eclipse 13 s. |
| 1404                     | Anse à Beaufile light buoy AF-1          | 48 28 14.2<br>064 18 04.5                                          | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked "AF1".                                             |      | Seasonal.                                                                                                                                  |
| 1408                     | Récif de Percé light buoy AA1            | 48 30 56.6<br>064 12 09.8                                          | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked "AA1".                                             |      | Seasonal.                                                                                                                                  |
| 1409<br>H1727            | Percé                                    | On end of wharf.<br>48 31 15.1<br>064 12 37.7                      | Fl                       | R | 6s    | 9.8                                      | 6                        | Skeleton tower.                                                          | 6.5  | Seasonal.<br>Flash 1 s; eclipse 5 s.                                                                                                       |
| 1410                     | Mal-Bay                                  | On the wharf.<br>48 37 12.3<br>064 11 57.3                         | Fl                       | G | 6s    | 9.2                                      | 5                        | Pipe swing pole.                                                         | 7.8  | Seasonal.<br>Flash 1 s; eclipse 5 s.                                                                                                       |
| 1412<br>H1738            | Île Plate                                | On small islet off Pointe St-Pierre.<br>48 37 37.2<br>064 09 22.7  | Fl                       | W | 6s    | 20.6                                     | 9                        | Square skeleton tower, orange rectangular daymark.                       | 12.8 | Year round.<br>Flash 1 s; eclipse 5 s.                                                                                                     |
| 1413.1                   | L'Anse-à-Brillant light buoy BR2         | 48 43 42.8<br>064 17 06.6                                          | Q                        | R | 1s    | .....                                    | .....                    | Red, pillar, marked "BR2".                                               |      | Seasonal.                                                                                                                                  |
| 1414<br>H1740            | L'Anse-à-Brillant front range light      | On wharf.<br>48 43 13.7<br>064 17 24.4                             | F                        | G | ..... | 7.9                                      | 16                       | Square skeleton tower, orange daymark with black vertical stripe.        | 5.1  | Seasonal.                                                                                                                                  |
| 1415<br>H1740.1          | L'Anse-à-Brillant rear range light       | 48 43 12.8<br>064 17 25.0<br><br>205°10' 31.0 m from front.        | F                        | G | ..... | 9.7                                      | 16                       | Square skeleton tower, orange daymark with black vertical stripe.        | 8.2  | Seasonal.                                                                                                                                  |
| Baie de Gaspé            |                                          |                                                                    |                          |   |       |                                          |                          |                                                                          |      |                                                                                                                                            |
| 1417.4<br>H1752.2        | Gaspé marina North Breakwater            | At marina entrance, on N. breakwater.<br>48 49 40.5<br>064 28 26.5 | Fl                       | R | 2s    | 7.0                                      | 3                        | Square skeleton tower.                                                   | 5.0  | Private aid.<br>Seasonal.<br>Flash 0.5 s; eclipse 1.5 s.                                                                                   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.   | Name<br>-----<br>RACON                                                                           | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS      |
|----------------------------|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|----------------------------------------------------------|
| <b>GASPÉ - CHALEUR BAY</b> |                                                                                                  |                                                                 |                          |                                          |                          |                                                                                 |                                                          |
| 1417.5<br>H1752.4          | Gaspé marina South pier                                                                          | At marina entrance,<br>on S. pier.<br>48 49 39.3<br>064 28 28.7 | Fl G 2s                  | 7.0                                      | .....                    | Square skeleton tower.<br>5.0                                                   | Private aid.<br>Seasonal.<br>Flash 0.5 s; eclipse 1.5 s. |
| 1417.8<br>H1752.3          | Gaspé Bridge                                                                                     | 48 49 43.7<br>064 28 48.8                                       | F W .....                | 6.7                                      | .....                    | On bridge.                                                                      | Year round.                                              |
| 1418.1                     | Havre de Gaspé<br>Northwest Basin light<br>buoy PRIV                                             | 48 50 45.0<br>064 28 11.5                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "PRIV".                                                       | Private aid.<br>Seasonal.                                |
| 1418.2                     | Havre de Gaspé<br>Northwest Basin light<br>buoy PRIV                                             | 48 50 29.4<br>064 27 34.1                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "PRIV".                                                       | Private aid.<br>Seasonal.                                |
| 1418.3                     | Havre de Gaspé<br>Northwest Basin light<br>buoy PRIV                                             | 48 50 38.6<br>064 27 07.6                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "PRIV".                                                       | Private aid.<br>Seasonal.                                |
| 1418.6                     | Havre de Gaspé<br>Northwest Basin light<br>buoy PRIV                                             | 48 50 47.2<br>064 27 02.6                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "PRIV".                                                       | Private aid.<br>Seasonal.                                |
| 1418.7                     | Havre de Gaspé<br>Northwest Basin light<br>buoy PRIV                                             | 48 50 47.2<br>064 26 45.6                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "PRIV".                                                       | Private aid.<br>Seasonal.                                |
| 1418.8                     | Havre de Gaspé<br>Northwest Basin light<br>buoy PRIV                                             | 48 50 51.2<br>064 26 34.6                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "PRIV".                                                       | Private aid.<br>Seasonal.                                |
| 1419.6<br>H1754            | Presqu'île de<br>Penouille front range<br>light                                                  | Near shore.<br>48 51 07.3<br>064 25 27.4                        | F W .....                | 7.1                                      | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>5.3  | Year round.<br>Operates 24 h.<br>Emergency mode.         |
| 1419.7<br>H1754.1          | Presqu'île de<br>Penouille rear range<br>light<br><br><b>Racon G (- - .)<br/>X &amp; S Bands</b> | 48 51 11.8<br>064 25 36.3<br><br>307°25' 229.3 m<br>from front. | F W .....                | 17.9                                     | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>16.0 | Year round.<br>Operates 24 h.<br>Emergency mode.         |
| 1419.8                     | Bassin de Gaspé light<br>buoy HD9                                                                | 48 50 37.6<br>064 24 45.1                                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HD9".                                                 | Year round.<br>(Winter spar.)                            |
| 1420                       | Penouille light buoy<br>HD8                                                                      | 48 50 46.2<br>064 24 26.1                                       | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "HD8".                                                      | Seasonal.                                                |
| 1420.5<br>H1756            | <b>Gros Cap aux Os</b>                                                                           | On cape.<br>48 49 29.9<br>064 18 58.9                           | Fl R 5s                  | 27.2                                     | 18                       | Square skeleton tower.<br>15.7                                                  | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 4 s. |
| 1421<br>H1757              | Grande-Grève                                                                                     | On the wharf.<br>48 47 33.3<br>064 13 36.4                      | Iso R 2s                 | 8.0                                      | 4                        | Pipe swing pole.                                                                | Seasonal.                                                |
| 1426<br>H1762              | Cap Gaspé                                                                                        | Near S. coast.<br>48 45 04.0<br>064 09 45.5                     | Fl W 5s                  | 106.9                                    | 14                       | White octagonal tower.<br>12.8                                                  | Year round.<br>Flash 1 s; eclipse 4 s.                   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## GULF OF ST. LAWRENCE

## Les îles-de-la-Madeleine

|                                            |                                             |                                                                     |             |       |       |                                          |                                        |
|--------------------------------------------|---------------------------------------------|---------------------------------------------------------------------|-------------|-------|-------|------------------------------------------|----------------------------------------|
| 1477.5                                     | Old Harry scientific light buoy IML-10      | 48 00 00.0<br>060 30 00.0                                           | Fl(5) Y 20s | ..... | ..... | Yellow, ODAS, marked "IML-10".           | Seasonal.                              |
| 1478<br>H0882                              | Rocher aux Oiseaux                          | On summit of<br>Rocher aux<br>Oiseaux.<br>47 50 18.8<br>061 08 40.7 | LFI W 8s    | 49.0  | 9     | Square skeleton tower.                   | Year round.<br>Flash 2 s; eclipse 6 s. |
| 1479<br>H0886                              | Île Brion                                   | 47 46 54.3<br>061 30 30.7                                           | FI W 3s     | 40.0  | ..... | White octagonal tower.                   | Year round.<br>Flash 1 s; eclipse 2 s. |
| 1480                                       | Pointe de l'Est East Cardinal light buoy YY | 47 36 45.2<br>061 19 39.4                                           | Q(3) W 10s  | ..... | ..... | Black-yellow-black, pillar, marked "YY". | Seasonal.                              |
| <b>Racon G (- - -)<br/>X &amp; S Bands</b> |                                             |                                                                     |             |       |       |                                          |                                        |
| 1481                                       | Old Harry Head light buoy Y8                | S. of Old Harry Head.<br>47 31 06.2<br>061 26 45.4                  | FI R 4s     | ..... | ..... | Red, pillar, marked "Y8".                | Seasonal.                              |
| 1481.1                                     | Grosse-Île-Nord light buoy YG2              | 47 37 46.8<br>061 30 37.1                                           | FI R 4s     | ..... | ..... | Red, conical, marked "YG2".              | Seasonal.                              |
| 1481.2                                     | Grosse-Île-Nord light buoy YGR              | 47 37 49.3<br>061 30 42.8                                           | FI Y 4s     | ..... | ..... | Yellow, can, marked "YGR".               | Seasonal.                              |
| 1481.3                                     | Grosse-Île-Nord North Breakwater            | 47 37 41.5<br>061 30 47.7                                           | Iso R 2s    | 3.6   | 2     | Cylindrical mast.<br>4.0                 | Seasonal.                              |
| 1481.6<br>H0887.3                          | Grosse Île South Breakwater                 | 47 37 39.9<br>061 30 47.8                                           | FI G 4s     | 7.0   | 4     | Cylindrical mast.<br>3.2                 | Seasonal.                              |
| 1482.1                                     | Havre de la Grande Entrée light buoy YC4    | 47 32 11.9<br>061 34 33.8                                           | Q R 1s      | ..... | ..... | Red, pillar, marked "YC4".               | Year round.<br>(Winter spar.)          |
| 1482.2                                     | Havre de la Grande Entrée light buoy YC5    | 47 32 13.3<br>061 34 38.1                                           | FI G 4s     | ..... | ..... | Green, pillar, marked "YC5".             | Year round.<br>(Winter spar.)          |
| 1482.3                                     | Havre de la Grande Entrée light buoy YC9    | 47 32 31.6<br>061 34 23.2                                           | FI G 4s     | ..... | ..... | Green, pillar, marked "YC9".             | Year round.<br>(Winter spar.)          |
| 1482.4                                     | Havre de la Grande Entrée light buoy YC10   | 47 32 40.2<br>061 34 11.3                                           | FI R 4s     | ..... | ..... | Red, pillar, marked "YC10".              | Year round.<br>(Winter spar.)          |
| 1482.5                                     | Havre de la Grande Entrée light buoy YC11   | 47 32 41.5<br>061 34 16.5                                           | FI G 4s     | ..... | ..... | Green, pillar, marked "YC11".            | Year round.<br>(Winter spar.)          |
| 1482.55                                    | Havre de la Grande Entrée light buoy YC12   | 47 33 04.5<br>061 34 02.3                                           | FI R 4s     | ..... | ..... | Red, pillar, marked "YC12".              | Year round.<br>(Winter spar.)          |
| 1482.6                                     | Havre de la Grande Entrée light buoy YC14   | 47 33 14.8<br>061 33 57.5                                           | FI R 4s     | ..... | ..... | Red, pillar, marked "YC14".              | Year round.<br>(Winter spar.)          |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                          | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                    | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                  |
|-----------------------------|-------------------------------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                                 |                                                  |                          |                                          |                          |                                                                                             |                                                                                                                                                                      |
| 1482.7                      | Havre de la Grande<br>Entrée light buoy<br>YC15 | 47 33 26.7<br>061 33 40.0                        | Q G 1s .....             | .....                                    | .....                    | Green, can, marked<br>"YC15".                                                               | Seasonal.                                                                                                                                                            |
| 1483.5                      | Grande-Entrée                                   | 47 33 20.9<br>061 33 41.7                        | F R .....<br>W<br>G      | 8.0                                      | 12                       | Skeleton tower, red and<br>white rectangular daymark.<br>6.3                                | Year round.<br>Operates 24 h.<br>R 026.7°-027.7°;<br>W 027.7°-028.7°;<br>G 028.7°-029.7°.                                                                            |
| 1485.45                     | Havre de la Grande<br>Entrée light buoy CB3     | 47 32 51.9<br>061 34 11.6                        | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"CB3".                                                             | Private aid.<br>Year round.<br>(Winter spar.)                                                                                                                        |
| 1485.49                     | Havre de la Grande<br>Entrée light buoy CB5     | 47 33 16.5<br>061 34 02.9                        | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked<br>"CB5".                                                               | Private aid.<br>Year round.<br>(Winter spar.)<br>Flash 1 s; eclipse 3 s.                                                                                             |
| 1485.495                    | Havre de la Grande<br>Entrée light buoy CB6     | 47 33 24.9<br>061 33 50.9                        | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "CB6".                                                                  | Private aid.<br>Year round.<br>(Winter spar.)                                                                                                                        |
| 1485.5<br>H0889             | Grosse Île Sector                               | 47 36 53.6<br>061 30 29.7                        | F R .....<br>W<br>G      | 46.0                                     | .....                    | Cylindrical skeleton tower,<br>orange rectangular<br>daymark with black vertical<br>stripe. | Private aid.<br>Year round.<br>Operates 24 h.<br>R 030°14'-033°44';<br>AI RW 033°44'-033°59';<br>W 033°59'-034°09';<br>AI GW 034°09'-034° 24';<br>G 034°24'-035°14'. |
| 1485.51                     | Havre de la Grande<br>Entrée light buoy CB7     | 47 33 36.5<br>061 33 47.0                        | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"CB7".                                                             | Private aid.<br>Year round.<br>(Winter spar.)                                                                                                                        |
| 1485.52                     | Havre de la Grande<br>Entrée light buoy CB8     | 47 33 45.3<br>061 33 34.8                        | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "CB8".                                                                  | Private aid.<br>Year round.<br>(Winter spar.)                                                                                                                        |
| 1485.53                     | Havre de la Grande<br>Entrée light buoy CB9     | 47 33 47.1<br>061 33 38.8                        | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"CB9".                                                             | Private aid.<br>Year round.<br>(Winter spar.)                                                                                                                        |
| 1485.56                     | Havre de la Grande<br>Entrée light buoy<br>CB12 | 47 34 37.4<br>061 32 42.9                        | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "CB12".                                                                 | Private aid.<br>Year round.<br>(Winter spar.)                                                                                                                        |
| 1485.57                     | Havre de la Grande<br>Entrée light buoy<br>CB13 | 47 34 39.2<br>061 32 46.9                        | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"CB13".                                                            | Private aid.<br>Year round.<br>(Winter spar.)                                                                                                                        |
| 1485.6                      | Havre de la Grande<br>Entrée light buoy<br>CB16 | 47 35 25.4<br>061 31 55.0                        | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "CB16".                                                                 | Private aid.<br>Year round.<br>(Winter spar.)                                                                                                                        |
| 1485.61                     | Havre de la Grande<br>Entrée light buoy<br>CB17 | 47 35 26.3<br>061 31 59.7                        | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"CB17".                                                            | Private aid.<br>Year round.<br>(Winter spar.)                                                                                                                        |
| 1485.62                     | Havre de la Grande<br>Entrée light buoy<br>CB18 | 47 35 38.5<br>061 31 48.1                        | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "CB18".                                                                 | Private aid.<br>Year round.<br>(Winter spar.)                                                                                                                        |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                          | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|-------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                                 |                                                                 |                          |                                          |                          |                                                                          |                                                     |
| 1485.63                     | Havre de la Grande<br>Entrée light buoy<br>CB19 | 47 35 37.1<br>061 31 56.2                                       | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"CB19".                                         | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1485.64                     | Havre de la Grande<br>Entrée light buoy<br>CB20 | 47 35 51.1<br>061 31 51.0                                       | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "CB20".                                              | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1485.65                     | Havre de la Grande<br>Entrée light buoy<br>CB21 | 47 35 47.9<br>061 31 58.6                                       | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"CB21".                                         | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1485.66                     | Havre de la Grande<br>Entrée light buoy<br>CB22 | 47 36 01.4<br>061 32 01.8                                       | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "CB22".                                              | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1485.67                     | Havre de la Grande<br>Entrée light buoy<br>CB23 | 47 35 57.4<br>061 32 06.8                                       | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"CB23".                                         | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1486<br>H0890               | Mine Seleine front<br>range light               | 47 36 29.5<br>061 34 12.0                                       | F G .....                | 12.2                                     | .....                    | White mast.                                                              | Private aid.<br>Year round.<br>Operates 24 h.       |
| 1486.1<br>H0890.1           | Mine Seleine rear<br>range light                | 47 36 31.4<br>061 34 21.2<br><br>287°13' 201.1 m<br>from front. | F G .....                | 16.0                                     | .....                    | White mast.                                                              | Private aid.<br>Year round.<br>Operates 24 h.       |
| 1486.51                     | Havre de la Grande<br>Entrée light buoy<br>CB24 | 47 36 07.1<br>061 32 16.7                                       | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "CB24".                                              | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1486.52                     | Havre de la Grande<br>Entrée light buoy<br>CB25 | 47 36 04.3<br>061 32 19.4                                       | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"CB25".                                         | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1486.53                     | Havre de la Grande<br>Entrée light buoy<br>CB26 | 47 36 12.4<br>061 32 42.2                                       | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "CB26".                                              | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1486.54                     | Havre de la Grande<br>Entrée light buoy<br>CB27 | 47 36 12.8<br>061 33 00.1                                       | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"CB27".                                         | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1486.55                     | Havre de la Grande<br>Entrée light buoy<br>CB28 | 47 36 20.1<br>061 33 03.5                                       | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "CB28".                                              | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1486.56                     | Havre de la Grande<br>Entrée light buoy<br>CB29 | 47 36 24.2<br>061 33 17.5                                       | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"CB29".                                         | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1486.57                     | Havre de la Grande<br>Entrée light buoy<br>CB30 | 47 36 25.8<br>061 33 12.1                                       | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "CB30".                                              | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1486.58                     | Havre de la Grande<br>Entrée light buoy<br>CB31 | 47 36 27.5<br>061 33 27.4                                       | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"CB31".                                         | Private aid.<br>Year round.<br>(Winter spar.)       |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                           | Location<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|--------------------------------------------------|-------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                                  |                                                             |                          |                                          |                          |                                                                          |                                                     |
| 1486.59                     | Havre de la Grande<br>Entrée light buoy<br>CB32  | 47 36 32.5<br>061 33 14.9                                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "CB32".                                              | Private aid.<br>Year round.<br>(Winter spar.)       |
| 1487                        | Récif Alright light buoy<br>Y12                  | 47 23 32.0<br>061 40 00.0                                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "Y12".                                               | Seasonal.                                           |
| 1489.1                      | Étang du Nord light<br>buoy YS3                  | 47 22 06.7<br>061 58 010.0                                  | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "YS3".                                                | Seasonal.                                           |
| 1489.2                      | Étang du Nord light<br>buoy YS4                  | 47 22 05.6<br>061 58 02.8                                   | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"YS4".                                           | Seasonal.                                           |
| 1489.3                      | Étang du Nord light<br>buoy YS5                  | 47 22 09.7<br>061 57 58.3                                   | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "YS5".                                                | Seasonal.                                           |
| 1489.5                      | Étang du Nord light<br>buoy YS9                  | 47 22 10.8<br>061 57 52.8                                   | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "YS9".                                                | Seasonal.                                           |
| 1489.6                      | Étang du Nord light<br>buoy YS10                 | 47 22 09.1<br>061 57 50.5                                   | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"YS10".                                          | Seasonal.                                           |
| 1491.1<br>H0913.4           | Étang du Nord North<br>Breakwater                | 47 22 12.3<br>061 57 42.1                                   | Fl G 3s                  | 4.6                                      | 4                        | Mast.<br>2.1                                                             | Seasonal.<br>Flash 1 s; eclipse 2 s.                |
| 1491.2<br>H0913.5           | Étang du Nord South<br>Breakwater                | 47 22 10.1<br>061 57 41.5                                   | Fl R 3s                  | 4.2                                      | 4                        | Mast.<br>2.1                                                             | Seasonal.<br>Flash 1 s; eclipse 2 s.                |
| 1491.3<br>H0913.6           | Étang du Nord Centre<br>Breakwater               | On outer end of<br>breakwater.<br>47 22 11.5<br>061 57 36.1 | Q(3) Y 5s                | 5.0                                      | 4                        | Square mast.<br>1.6                                                      | Seasonal.                                           |
| 1491.5                      | Pointe-aux-Loups<br>North Breakwater             | 47 31 50.0<br>061 42 51.6                                   | Iso G 2s                 | 5.5                                      | 4                        | Cylindrical mast.<br>6.0                                                 | Seasonal.                                           |
| 1494                        | Havre-aux-Maisons<br>Entrance light buoy<br>YE2  | 47 23 04.3<br>061 50 36.2                                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "YE2".                                               | Seasonal.                                           |
| 1494.2                      | Havre aux Maisons<br>light buoy YE4              | 47 23 25.7<br>061 50 29.2                                   | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"YE4".                                           | Seasonal.                                           |
| 1494.4                      | Chenal du Havre aux<br>Maisons light buoy<br>YE6 | 47 23 33.6<br>061 50 24.9                                   | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"YE6".                                           | Seasonal.                                           |
| 1494.45                     | Havre-aux-Maisons<br>light buoy YE7              | 47 23 40.0<br>061 50 22.9                                   | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "YE7".                                                | Seasonal.                                           |
| 1494.6                      | Havre-aux-Maisons<br>light buoy YE9              | 47 23 50.3<br>061 50 20.4                                   | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "YE9".                                                | Seasonal.                                           |
| 1494.7                      | Havre aux Maisons<br>light buoy YE8              | 47 23 50.5<br>061 50 16.7                                   | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"YE8".                                           | Seasonal.                                           |
| 1494.81                     | Havre-aux-Maisons<br>light buoy YE10             | 47 23 59.7<br>061 50 20.7                                   | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"YE10".                                          | Seasonal.                                           |
| 1494.91                     | Havre-aux-Maisons<br>light buoy YE12             | 47 24 04.3<br>061 50 22.3                                   | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"YE12".                                          | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                               | Location<br>-----<br>Latitude N.<br>Longitude W.             | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)       | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------------------------------------|--------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------|-----------------------------------------------------|
| GULF OF ST. LAWRENCE     |                                                      |                                                              |                          |                                          |                          |                                                                                |                                                     |
| 1494.915                 | Pont Havre-aux-Maisons, port                         | 47 24 07.7<br>061 50 25.1                                    | Iso G 2s                 | .....                                    | 5                        | On bridge, square green, white and black daymark.                              | Seasonal.                                           |
| 1494.918                 | Pont Havre-aux-Maisons, starboard                    | 47 24 08.1<br>061 50 23.6                                    | Iso R 2s                 | .....                                    | 5                        | On bridge, triangular red, white and red daymark.                              | Seasonal.                                           |
| 1494.92                  | Havre aux Maisons light buoy YE14                    | 47 24 14.0<br>061 50 23.9                                    | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked "YE14".                                                   | Seasonal.                                           |
| 1494.94                  | Havre-aux-Maisons – Marina entrance                  | On outer end of W. breakwater.<br>47 24 21.1<br>061 50 09.0  | F R                      | .....                                    | .....                    | Post.                                                                          | Private aid. Seasonal.                              |
| 1494.96                  | Chenal du Havre aux Maisons Cautionary light buoy H3 | 47 24 17.1<br>061 50 26.9                                    | Fl Y 4s                  | .....                                    | .....                    | Yellow, pillar, marked "H3".                                                   | Seasonal.                                           |
| 1494.97                  | Havre aux Maisons light buoy H2                      | 47 24 26.4<br>061 50 26.0                                    | Fl Y 4s                  | .....                                    | .....                    | Yellow, pillar, marked "H2".                                                   | Seasonal.                                           |
| 1494.98                  | Havre aux Maisons light buoy H1                      | 47 24 23.2<br>061 50 36.2                                    | Fl Y 4s                  | .....                                    | .....                    | Yellow, pillar, marked "H1".                                                   | Seasonal.                                           |
| 1495.5                   | Pointe-Basse                                         | On outer end of W. breakwater.<br>47 23 20.5<br>061 47 29.8  | Iso G 2s                 | 9.1                                      | 4                        | Square skeleton tower. 8.2                                                     | Seasonal.                                           |
| 1496.4                   | Cap-aux-Meules light buoy YD4                        | 47 22 35.8<br>061 51 06.4                                    | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked "YD4".                                                    | Seasonal.                                           |
| 1496.5<br>H0915          | Cap-aux-Meules East Breakwater                       | 47 22 32.7<br>061 51 06.3                                    | Fl R 6s                  | 7.6                                      | 4                        | Cylindrical mast. 2.1                                                          | Year round. Flash 1 s; eclipse 5 s.                 |
| 1497<br>H0914            | Cap-aux-Meules Wharf front range light               | 47 22 36.8<br>061 51 13.3                                    | Iso G 1s                 | 7.1                                      | 13                       | Square skeleton tower, fluorescent red daymark with black vertical stripe. 4.9 | Year round. Operates 24 h.                          |
| 1498<br>H0914.1          | Cap-aux-Meules Wharf rear range light                | 47 22 40.5<br>061 51 16.4<br><br>330°13' 133.2 m from front. | Iso G 1s                 | 11.6                                     | 13                       | Square skeleton tower, fluorescent red daymark with black vertical stripe. 9.5 | Year round. Operates 24 h.                          |
| 1498.5<br>H0915.4        | Cap-aux-Meules West Breakwater                       | 47 22 35.1<br>061 51 25.3                                    | Iso R 2s                 | 5.6                                      | 4                        | Cylindrical mast. 3.1                                                          | Seasonal.                                           |
| 1499.3<br>H0907.5        | Quai de L'Anse-à-la-Cabane East Breakwater           | Les Îles-de-la-Madeleine.<br>47 12 56.4<br>061 59 02.8       | Iso R 2s                 | 6.8                                      | 4                        | Mast. 2.7                                                                      | Seasonal.                                           |
| 1499.35<br>H0907.6       | Millerand West Breakwater                            | On outer end of W. breakwater.<br>47 12 59.3<br>061 59 04.3  | Fl G 4s                  | 5.0                                      | 4                        | Mast. 1.6                                                                      | Seasonal.                                           |
| 1500.1                   | Cape Breton scientific light buoy IML-17             | Off Mackenzie Point.<br>46 57 00.0<br>061 01 00.0            | Fl(5) Y 20s              | .....                                    | .....                    | Yellow, ODAS, marked "IML-17".                                                 | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                           | Location<br>-----<br>Latitude N.<br>Longitude W.               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                       |
|-----------------------------|--------------------------------------------------|----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                                  |                                                                |                          |                                          |                          |                                                                          |                                                                                           |
| 1500.3                      | Banc Bradelle<br>Scientific light buoy<br>IML-16 | 47 25 55.2<br>062 33 18.6                                      | Fl(5) Y 20s              | .....                                    | .....                    | Yellow, ODAS, marked<br>"IML-16".                                        | Seasonal.                                                                                 |
| 1500.5                      | Scientific light buoy<br>IML-12                  | SE. of Gulf of St.<br>Lawrence.<br>46 48 00.0<br>062 00 00.0   | Fl(5) Y 20s              | .....                                    | .....                    | Yellow, ODAS, marked<br>"IML-12".                                        | Seasonal.                                                                                 |
| 1501                        | Havre-Aubert light<br>buoy YK1                   | 47 16 50.4<br>061 46 40.2                                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"YK1".                                          | Seasonal.                                                                                 |
| 1502.2                      | Havre Aubert light<br>buoy YK5                   | Cap Gridley.<br>47 14 15.3<br>061 49 27.1                      | Q G 1s                   | .....                                    | .....                    | Green, can, marked "YK5".                                                | Year round.<br>(Winter spar.)                                                             |
| 1502.7                      | Havre Aubert light<br>buoy YK11                  | Cap Gridley.<br>47 14 09.6<br>061 49 32.4                      | Fl G 4s                  | .....                                    | .....                    | Green, can, marked<br>"YK11".                                            | Seasonal.                                                                                 |
| 1503                        | Havre Aubert light<br>buoy YK12                  | Cap Gridley.<br>47 14 11.2<br>061 49 33.4                      | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"YK12".                                          | Year round.<br>(Winter spar.)                                                             |
| 1504                        | Havre Aubert light<br>buoy YK22                  | 47 13 57.5<br>061 49 50.1                                      | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"YK22".                                          | Private aid.<br>Seasonal.                                                                 |
| 1505.5                      | Havre-Aubert                                     | 47 13 43.0<br>061 49 59.7                                      | Iso R<br>W<br>G 4s       | 5.2                                      | 12                       | Square skeleton tower, red<br>and white rectangular<br>daymark.          | Year round.<br>Operates 24 h.<br>R 211.8°-212.8°;<br>W 212.8°-213.8°;<br>G 213.8°-214.8°. |
| 1507                        | Sandy Hook Channel<br>South light buoy YM1       | 47 15 16.6<br>061 42 55.4                                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"YM1".                                          | Seasonal.                                                                                 |
| 1507.5                      | Sandy Hook Channel<br>light buoy YM7             | 47 16 07.0<br>061 43 28.6                                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"YM7".                                          | Seasonal.                                                                                 |
| 1507.6                      | Sandy Hook Channel<br>light buoy YM4             | 47 15 43.2<br>061 43 00.0                                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "YM4".                                               | Seasonal.                                                                                 |
| 1507.7                      | Sandy Hook Channel<br>light buoy YM9             | 47 16 33.1<br>061 43 54.3                                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"YM9".                                          | Seasonal.                                                                                 |
| 1508                        | Sandy Hook Channel<br>light buoy YM12            | 47 16 43.9<br>061 43 49.7                                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "YM12".                                              | Seasonal.<br>(Winter spar.)                                                               |
| 1508.5                      | La Passe light buoy<br>YM11                      | 47 16 55.1<br>061 44 08.5                                      | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"YM11".                                         | Seasonal.                                                                                 |
| 1510.3<br>H0893             | Île d'Entrée North<br>Breakwater                 | On outer end of N.<br>breakwater.<br>47 16 40.0<br>061 43 09.7 | Iso G 2s                 | 4.4                                      | 3                        | Mast.                                                                    | Seasonal.                                                                                 |
| 1510.5                      | Île d'Entrée Sector<br>Light                     | 47 16 41.9<br>061 43 01.6                                      | F R<br>W<br>G            | .....                                    | 9.0                      | 11<br>Skeleton tower, red and<br>white rectangular daymark.<br>5.1       | Year round.<br>Operates 24 h.<br>R 059°-061°;<br>W 061°-064°;<br>G 064°-066°.             |

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                         | Location<br>-----<br>Latitude N.<br>Longitude W.                   | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                 |
|--------------------------|------------------------------------------------|--------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| GULF OF ST. LAWRENCE     |                                                |                                                                    |                          |   |       |                                          |                          |                                                                          |                                                                                                                     |
| 1510.6<br>H0893.1        | L'Île-d'Entrée                                 | On outer end of wharf.<br>47 16 39.2<br>061 43 07.6                | Iso                      | R | 2s    | 4.4                                      | 3                        | Mast.                                                                    | Seasonal.                                                                                                           |
| 1511<br>H0896            | Île d'Entrée North side                        | On top of cliff, NE. end of island.<br>47 17 17.0<br>061 41 22.1   | Fl                       | W | 3s    | 71.5                                     | 8                        | Square skeleton tower.                                                   | Year round.<br>Flash 1 s; eclipse 2 s.                                                                              |
| 1512                     | La Perle light buoy Y16                        | 47 19 28.2<br>061 34 18.4                                          | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "Y16".                                               | Seasonal.                                                                                                           |
| 1512.4                   | Scientific light buoy IML-15                   | 48 05 00.0<br>061 55 54.0                                          | Fl(5)                    | Y | 20s   | .....                                    | .....                    | Yellow, ODAS, marked "IML-15".                                           | Seasonal.                                                                                                           |
| 1512.6                   | Scientific light buoy IML-14                   | Banc de l'Orphelin.<br>48 12 30.0<br>062 48 33.0                   | Fl(5)                    | Y | 20s   | .....                                    | .....                    | Yellow, ODAS, marked "IML-14".                                           | Seasonal.                                                                                                           |
| 1512.9                   | Scientific light buoy IML-11                   | Off American Bank.<br>48 35 00.0<br>063 53 00.0                    | Fl(5)                    | Y | 20s   | .....                                    | .....                    | Yellow, ODAS, marked "IML-11".                                           | Seasonal.                                                                                                           |
| Anticosti Island         |                                                |                                                                    |                          |   |       |                                          |                          |                                                                          |                                                                                                                     |
| 1514<br>H1864            | Escarpement Bagot                              | NW. of island.<br>49 03 57.5<br>062 15 35.2                        | Fl                       | W | 6s    | 17.2                                     | 7                        | Square skeleton tower.<br>15.7                                           | Year round.<br>Flash 1 s; eclipse 5 s.                                                                              |
| 1514.2<br>H1884          | Phare de Pointe-Carleton                       | N. shore of the Island.<br>49 43 53.6<br>062 56 33.4               | Fl                       | G | 6s    | 38.4                                     | 5                        | White octagonal tower with red top.                                      | Year round.<br>Flash 1 s; eclipse 5 s.                                                                              |
| 1515<br>H1866            | Pointe du Sud-Ouest                            | On extremity of SW. point.<br>49 23 29.1<br>063 35 40.9            | Fl                       | W | 6s    | 20.7                                     | 8                        | Square skeleton tower.<br>15.6                                           | Year round.<br>Flash 1 s; eclipse 5 s.                                                                              |
| 1515.2<br>H1882          | Cap-de-Rabast                                  | N. shore of the Island, on N. point.<br>49 57 05.8<br>064 08 57.4  | Fl(3)                    | W | 30s   | 23.8                                     | 17                       | White octagonal tower with red top.                                      | Seasonal.<br>Flash 0.078 s; eclipse 4.922 s;<br>flash 0.078 s; eclipse 4.922 s;<br>flash 0.078 s; eclipse 19.922 s. |
| 1516                     | Port-Menier fairway light and bell buoy MENIER | Anticosti Island, S. of Baie Gamache.<br>49 46 13.5<br>064 20 37.3 | Mo(A)                    | W | 6s    | .....                                    | .....                    | Red-white, pillar, marked "MENIER".                                      | Seasonal.<br><br>Audible signal: Bell                                                                               |
| 1517                     | Port Menier light buoy PM9                     | W. side of channel.<br>49 47 16.7<br>064 21 21.8                   | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked "PM9".                                             | Seasonal.                                                                                                           |
| 1518                     | Port Menier light buoy PM11                    | W. side of dredged channel.<br>49 48 30.2<br>064 22 03.6           | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked "PM11".                                            | Seasonal.                                                                                                           |
| 1519<br>H1870            | Baie Ellis Main front range light              | NW. corner of bay.<br>49 49 30.5<br>064 22 31.3                    | F                        | G | ..... | 12.1                                     | 20                       | Square skeleton tower, orange daymark with black vertical stripe.<br>9.4 | Seasonal.<br>Operates 24 h.                                                                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                                   | Location<br>-----<br>Latitude N.<br>Longitude W.                     | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                            |
|-----------------------------|----------------------------------------------------------|----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                                          |                                                                      |                          |                                          |                          |                                                                                 |                                                                                |
| 1520<br>H1870.1             | Baie Ellis Main rear<br>range light                      | 49 50 02.0<br>064 22 49.5<br><br>339°26' 1041.5 m<br>from front.     | F G .....<br><br><br>    | 26.7                                     | 20                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.5 | Seasonal.<br>Operates 24 h.                                                    |
| 1523<br>H1878               | Pointe Ouest                                             | On W. extremity of<br>Anticosti Island.<br>49 51 50.6<br>064 31 23.7 | FI W 5s                  | 27.6                                     | 11                       | Skeleton tower.<br>29.4                                                         | Year round.<br>Flash 1 s; eclipse 4 s.                                         |
| 1523.5                      | Scientific light buoy<br>IML-13                          | 49 49 00.0<br>064 45 00.0                                            | Fl(5) Y 20s              | .....                                    | .....                    | Yellow, ODAS, marked<br>"IML-13".                                               | Seasonal.                                                                      |
| 1524<br>H0122               | Baie de Blanc-<br>Sablon front range<br>light            | Blanc-Sablon.<br>51 25 12.8<br>057 07 06.2                           | F W .....<br><br><br>    | 35.5                                     | 19                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.5 | Year round.                                                                    |
| 1525<br>H0122.1             | Baie de Blanc-<br>Sablon rear range<br>light             | 51 25 16.1<br>057 06 55.5<br><br>063°16' 230.6 m<br>from front.      | F W .....<br><br><br>    | 56.8                                     | 19                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.3  | Year round.                                                                    |
| 1525.5                      | Baie de Blanc-Sablon                                     | End of breakwater<br>wharf.<br>51 25 02.6<br>057 08 56.4             | FI Y 4s                  | .....                                    | 2                        | Square mast.                                                                    | Year round.<br>Operates 24 h.                                                  |
| 1526<br>H0123               | Baie de Blanc-Sablon                                     | Blanc-Sablon<br>wharf.<br>51 24 54.1<br>057 08 58.7                  | FI R 6s                  | 10.4                                     | 6                        | Mast.<br>8.2                                                                    | Year round.<br>Flash 1 s; eclipse 5 s.                                         |
| 1528.5                      | Lourdes-de-Blanc-<br>Sablon light and bell<br>buoy SABLO | Blanc-Sablon.<br>51 23 58.5<br>057 11 35.5                           | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"SABLO".                                           | Seasonal.<br><br><b>Audible signal: Bell</b>                                   |
| 1528.6                      | Lourdes-de-Blanc-<br>Sablon light buoy CY9               | Blanc-Sablon.<br>51 24 25.7<br>057 11 39.3                           | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"CY9".                                                 | Seasonal.                                                                      |
| 1528.7                      | Lourdes-de-Blanc-<br>Sablon light buoy<br>CY10           | Blanc-Sablon.<br>51 24 23.4<br>057 11 37.4                           | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "CY10".                                                     | Seasonal.                                                                      |
| 1528.8                      | Bradford light and bell<br>buoy BRA                      | Blanc-Sablon.<br>51 25 32.6<br>057 15 30.9                           | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"BRA".                                             | Seasonal.<br><br><b>Audible signal: Bell</b>                                   |
| 1528.9<br>H0123.5           | Île Greenly                                              | On SW. part of<br>island.<br>51 22 29.4<br>057 11 26.7               | FI W 15s                 | 34.7                                     | 15                       | Skeleton tower.<br>22.3                                                         | Seasonal.<br>Flash 1 s; eclipse 14 s.<br>Obscured 064°-079° by Île au<br>Bois. |
| 1529                        | Bradford light buoy CB2                                  | Blanc-Sablon.<br>51 27 04.0<br>057 15 16.0                           | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "CB2".                                                      | Seasonal.                                                                      |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                        | Location<br>-----<br>Latitude N.<br>Longitude W.                                        | Light<br>Characteristics |             |    | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)              | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                           |
|--------------------------|-----------------------------------------------|-----------------------------------------------------------------------------------------|--------------------------|-------------|----|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| GULF OF ST. LAWRENCE     |                                               |                                                                                         |                          |             |    |                                          |                          |                                                                                       |                                                                                               |
| 1530<br>H0124            | Baie de Brador front<br>range light           | On the escarpment.<br>51 29 28.4<br>057 14 58.5                                         | Iso                      | R           | 2s | 20.0                                     | 12                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.5       | Seasonal.                                                                                     |
| 1531<br>H0124.1          | Baie de Brador rear<br>range light            | 51 29 31.5<br>057 14 58.1<br><br>005°06' 95.9 m<br>from front.                          | Iso                      | R           | 2s | 31.0                                     | 12                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.8        | Seasonal.                                                                                     |
| 1531.2<br>H0130          | Middle Bay Sector                             | 51 28 01.9<br>057 29 26.2                                                               | Iso                      | R<br>W<br>G | 4s | 38.7                                     | 16                       | Square skeleton tower, red<br>trapezoid daymark with<br>black vertical stripe.<br>6.4 | Seasonal.<br>Operates 24 h.<br>G 002°12'-000°12';<br>W 000°12'-357°12';<br>R 357°12'-355°12'. |
| 1531.5                   | La Bosse à Charlie<br>light buoy C10          | Baie de Bonne-<br>Espérance.<br>51 22 30.2<br>057 37 51.7                               | Fl                       | R           | 4s | .....                                    | .....                    | Red, pillar, marked "C10".                                                            | Seasonal.                                                                                     |
| 1531.7                   | Baie de Bonne-<br>Espérance light buoy<br>C12 | 51 25 03.1<br>057 39 14.4                                                               | Fl                       | R           | 4s | .....                                    | .....                    | Red, conical, marked<br>"C12".                                                        | Seasonal.                                                                                     |
| 1531.8                   | Baie de Bonne-<br>Espérance light buoy<br>CX2 | 51 25 12.4<br>057 39 12.6                                                               | Q                        | R           | 1s | .....                                    | .....                    | Red, conical, marked<br>"CX2".                                                        | Seasonal.                                                                                     |
| 1531.9                   | Baie Chevalier light<br>buoy CX4              | E. side of the<br>passage approach,<br>Rivière Saint-Paul.<br>51 25 41.8<br>057 38 30.8 | Fl                       | R           | 4s | .....                                    | .....                    | Red, conical, marked<br>"CX4".                                                        | Seasonal.                                                                                     |
| 1532<br>H1887            | Baie Salmon front<br>range light              | Baie de Bonne-<br>Espérance.<br>51 25 45.7<br>057 39 10.4                               | Iso                      | G           | 2s | 20.3                                     | 12                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.5       | Seasonal.                                                                                     |
| 1533<br>H1887.1          | Baie Salmon rear<br>range light               | 51 25 53.6<br>057 39 12.8<br><br>348°52' 249.0 m<br>from front.                         | Iso                      | G           | 2s | 29.7                                     | 12                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.4        | Seasonal.                                                                                     |
| 1538<br>H1889.5          | Rivière Saint-Paul                            | E. side of Passe<br>Champlain<br>approach.<br>51 25 10.7<br>057 41 56.3                 | Fl                       | R           | 6s | 5.5                                      | 6                        | Square skeleton tower.<br>5.1                                                         | Seasonal.<br>Flash 1 s; eclipse 5 s.                                                          |
| 1539<br>H1890            | Île à la Baleine                              | On summit of<br>island.<br>51 21 21.9<br>057 41 33.7                                    | Fl                       | W           | 6s | 28.1                                     | 7                        | Square skeleton tower.<br>10.9                                                        | Seasonal.<br>Flash 1 s; eclipse 5 s.                                                          |
| 1539.123<br>H1889.8      | Baie du Vieux Fort                            | Outer end of wharf.<br>51 25 18.8<br>057 48 52.0                                        | Fl                       | Y           | 6s | 9.7                                      | 7                        | Pipe swing pole.<br>6.3                                                               | Seasonal.<br>Flash 1 s; eclipse 5 s.                                                          |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                                             | Location<br>-----<br>Latitude N.<br>Longitude W.                           | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                  |
|-----------------------------|--------------------------------------------------------------------|----------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                                                    |                                                                            |                          |                                          |                          |                                                                          |                                                                                                                                                                                      |
| 1539.125                    | Chenal du Vieux Fort                                               | E. of entrance to<br>Baie du Vieux Fort.<br>51 23 51.9<br>057 48 13.1      | Iso R<br>W<br>G          | 8s                                       | 17.3                     | 11                                                                       | Square skeleton tower, red<br>and white daymark.<br><br>Seasonal (in place year round).<br>Operates 24 h.<br><b>R</b> 009.25°-010°;<br><b>W</b> 010°-012°;<br><b>G</b> 012°-012.75°. |
| 1539.13<br><i>H1890.1</i>   | Île Mermettes<br><br><b>Racon M (- -)<br/>X &amp; S Bands</b>      | Archipel du Vieux<br>Fort.<br>51 19 20.7<br>057 50 31.3                    | Iso W                    | 2s                                       | 12.8                     | 7                                                                        | Square skeleton tower.<br>6.7<br><br>Year round.<br>Emergency mode.                                                                                                                  |
| 1539.15                     | Île Dufour fairway light<br>and bell buoy STAUG                    | Saint-Augustin.<br>51 10 32.7<br>058 18 02.7                               | Mo(A) W                  | 6s                                       | .....                    | .....                                                                    | Red-white, pillar, marked<br>"STAUG".<br><br>Seasonal.<br><b>Audible signal: Bell</b>                                                                                                |
| 1539.16<br><i>H1890.44</i>  | <b>Pointe du Nord-Est<br/>front range light</b>                    | On small island E.<br>of Outer Island.<br>51 10 31.7<br>058 25 21.4        | F R                      | .....                                    | 9.8                      | 15                                                                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.8<br><br>Year round.                                                                                    |
| 1539.17<br><i>H1890.45</i>  | <b>Pointe du Nord-Est<br/>rear range light</b>                     | 51 10 31.7<br>058 25 35.5<br><br>269°37' 273.9 m<br>from front.            | F R                      | .....                                    | 19.3                     | 15                                                                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.8<br><br>Year round.                                                                                    |
| 1539.2<br><i>H1890.42</i>   | Pointe du Nord-Est<br><br><b>Racon N (- -)<br/>X &amp; S Bands</b> | On NE. point of Île<br>de la Grande<br>Passe.<br>51 10 37.6<br>058 25 39.3 | Fl W                     | 6s                                       | 13.6                     | 7                                                                        | Square skeleton tower.<br>6.6<br><br>Year round.<br>Flash 1 s; eclipse 5 s.                                                                                                          |
| 1539.4<br><i>H1890.5</i>    | Île Paul-Nadeau                                                    | On SE. extremity of<br>island.<br>51 10 45.5<br>058 27 39.9                | Fl W                     | 6s                                       | 13.2                     | 7                                                                        | Square skeleton tower.<br>4.9<br><br>Year round.<br>Flash 1 s; eclipse 5 s.                                                                                                          |
| 1539.41<br><i>H1890.55</i>  | Île Paul-Nadeau front<br>range light                               | 51 11 02.5<br>058 28 50.3                                                  | Iso G                    | 2s                                       | 18.5                     | 4                                                                        | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>8.0<br><br>Year round.<br>Increased intensity on line of<br>range.                                        |
| 1539.42<br><i>H1890.56</i>  | Île Paul-Nadeau rear<br>range light                                | 51 11 14.9<br>058 28 30.7<br><br>044°43' 538.9 m<br>from front.            | Iso G                    | 2s                                       | 43.6                     | 12                                                                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.5<br><br>Year round.                                                                                   |
| 1539.45<br><i>H1890.57</i>  | Île Bursey front range<br>light                                    | N. end of island.<br>51 10 37.5<br>058 28 37.3                             | Iso Y                    | 2s                                       | 13.0                     | 5                                                                        | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.8<br><br>Year round.<br>Increased intensity on line of<br>range.                                        |
| 1539.46<br><i>H1890.58</i>  | <b>Île Bursey rear range<br/>light</b>                             | 51 10 36.6<br>058 29 02.1<br><br>266°31' 483.1 m<br>from front.            | Iso Y                    | 2s                                       | 18.9                     | 15                                                                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.5<br><br>Year round.                                                                                    |
| 1539.48                     | <i>Rocher Clinch light<br/>buoy CU2</i>                            | 51 10 52.2<br>058 29 00.8                                                  | Fl R                     | 4s                                       | .....                    | .....                                                                    | Red, pillar, marked "CU2".<br><br>Seasonal.                                                                                                                                          |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON          | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS  |
|-----------------------------|---------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|------------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                 |                                                                  |                          |                                          |                          |                                                                          |                                                      |
| 1539.5<br><i>H1890.2</i>    | Île Mistanoque                  | SSE. extremity of island.<br>51 15 20.2<br>058 12 36.3           | Iso W 2s                 | 41.6                                     | .....                    | Square skeleton tower.<br>6.5                                            | Seasonal.                                            |
| 1539.6<br><i>H1890.6</i>    | Île Tickle front range light    | SE. end of island.<br>51 10 22.1<br>058 31 24.8                  | Iso G 2s                 | 10.6                                     | 4                        | Square skeleton tower, orange daymark with black vertical stripe.<br>3.4 | Year round.<br>Increased intensity on line of range. |
| 1539.7<br><i>H1890.61</i>   | Île Tickle rear range light     | 51 10 22.6<br>058 31 56.9<br><br>271°32' 624.1 m from front.     | F G .....                | 37.3                                     | 14                       | Square skeleton tower, orange daymark with black vertical stripe.<br>6.3 | Year round.                                          |
| 1539.9                      | Île Driscoll light buoy CU27    | Saint-Augustin.<br>51 10 26.2<br>058 33 49.8                     | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "CU27".                                            | Seasonal.                                            |
| 1539.95<br><i>H1890.63</i>  | Passage Saint-Augustin          | On new wharf of Pointe à la Truite.<br>51 10 53.0<br>058 34 04.5 | Fl Y 6s                  | 9.3                                      | 7                        | Mast.<br>8.0                                                             | Year round.<br>Flash 1 s; eclipse 5 s.               |
| 1540                        | Saint-Augustin light buoy CUS2  | At entrance of the river.<br>51 12 34.4<br>058 35 39.7           | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "CUS2".                                              | Seasonal.                                            |
| 1541                        | Saint-Augustin light buoy CUS3  | At entrance of the river.<br>51 12 41.1<br>058 35 51.6           | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "CUS3".                                            | Seasonal.                                            |
| 1542                        | Saint-Augustin light buoy CUS4  | At entrance of the river.<br>51 12 48.8<br>058 36 00.2           | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "CUS4".                                              | Seasonal.                                            |
| 1542.01<br><i>H1890.77</i>  | Saint-Augustin                  | At entrance of the river.<br>51 13 21.2<br>058 38 39.2           | Fl Y 6s                  | 23.5                                     | 7                        | Square skeleton tower.<br>4.8                                            | Year round.<br>Flash 1 s; eclipse 5 s.               |
| 1542.05                     | Saint-Augustin light buoy CUS5  | At entrance of the river.<br>51 12 54.9<br>058 36 11.6           | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "CUS5".                                            | Seasonal.                                            |
| 1542.051                    | Saint-Augustin light buoy CUS7  | At entrance of the river.<br>51 12 48.8<br>058 36 23.0           | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "CUS7".                                            | Seasonal.                                            |
| 1542.052                    | Saint-Augustin light buoy CUS9  | At entrance of the river.<br>51 12 46.8<br>058 36 32.9           | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "CUS9".                                            | Seasonal.                                            |
| 1542.053                    | Saint-Augustin light buoy CUS10 | At entrance of the river.<br>51 12 47.1<br>058 36 54.7           | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "CUS10".                                             | Seasonal.                                            |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON              | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)       | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                            |           |
|--------------------------|-------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------|-----------|
| GULF OF ST. LAWRENCE     |                                     |                                                                 |                          |                                          |                          |                                                                                |                                                                                |           |
| 1542.054                 | Saint-Augustin light<br>buoy CUS11  | At entrance of the<br>river.<br>51 12 50.7<br>058 37 15.9       | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"CUS11".                                              | Seasonal.                                                                      |           |
| 1542.055                 | Saint-Augustin light<br>buoy CUS13  | At entrance of the<br>river.<br>51 12 43.9<br>058 37 30.7       | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"CUS13".                                              | Seasonal.                                                                      |           |
| 1542.056                 | Saint-Augustin light<br>buoy CUS14  | At entrance of the<br>river.<br>51 12 51.4<br>058 37 49.9       | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked<br>"CUS14".                                                | Seasonal.                                                                      |           |
| 1542.057                 | Saint-Augustin light<br>buoy CUS15  | At entrance of the<br>river.<br>51 12 58.4<br>058 38 05.5       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"CUS15".                                              | Seasonal.                                                                      |           |
| 1542.058                 | Saint-Augustin light<br>buoy CUS17  | At entrance of the<br>river.<br>51 13 06.7<br>058 38 19.1       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"CUS17".                                              | Seasonal.                                                                      |           |
| 1542.1<br>H1890.7        | Île Robin front range<br>light      | S. side of island.<br>51 08 59.0<br>058 33 18.4                 | Iso R 2s                 | 9.6                                      | 12                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>7.9 | Seasonal.                                                                      |           |
| 1542.2<br>H1890.71       | Île Robin rear range<br>light       | 51 09 01.6<br>058 33 16.8<br><br>021°10' 86.2 m<br>from front.  | Iso R 2s                 | 17.5                                     | 12                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.8 | Seasonal.                                                                      |           |
| 1542.3<br>H1890.74       | Île Inner front range<br>light      | SE. side of island.<br>51 08 46.0<br>058 33 38.0                | F W                      | .....                                    | 7.7                      | 15                                                                             | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.8 | Seasonal. |
| 1542.4<br>H1890.75       | Île Inner rear range<br>light       | 51 08 43.6<br>058 33 45.1<br><br>242°10' 155.3 m<br>from front. | F W                      | .....                                    | 22.8                     | 15                                                                             | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>9.4 | Seasonal. |
| 1542.45<br>H1890.65      | Île Robin East front<br>range light | E. extrimity of<br>island.<br>51 09 09.8<br>058 32 57.3         | Iso R 2s                 | 16.8                                     | 12                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.8 | Seasonal.                                                                      |           |
| 1542.46<br>H1890.66      | Île Robin East rear<br>range light  | 51 09 09.8<br>058 33 02.4<br><br>269°38' 99.0 m<br>from front.  | Iso R 2s                 | 20.4                                     | 12                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.8 | Seasonal.                                                                      |           |
| 1542.48                  | Grand Rigolet light<br>buoy CU35    | Saint-Augustin.<br>51 03 43.1<br>058 40 36.6                    | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"CU35".                                               | Seasonal.                                                                      |           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                               | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                                      |                                                                 |                          |                                          |                          |                                                                                 |                                                     |
| 1542.5<br><i>H1890.8</i>    | Île du Guet                                          | W. extremity of<br>island.<br>50 55 48.7<br>058 52 44.7         | Iso W 2s                 | 32.0                                     | 6                        | Square skeleton tower.<br>6.5                                                   | Year round.                                         |
| 1543<br><i>H1894</i>        | Île Plate                                            | On S. summit of<br>island.<br>50 45 12.4<br>058 45 20.9         | Fl W 15s                 | 22.6                                     | 13                       | Mast.<br>7.9                                                                    | Seasonal.<br>Flash 1 s; eclipse 14 s.               |
| 1544<br><i>H1892</i>        | Île de la Boule                                      | On summit of<br>island.<br>50 50 10.5<br>058 52 31.2            | Fl W 6s                  | 74.3                                     | 8                        | Square skeleton tower.<br>5.2                                                   | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1545<br><i>H1891</i>        | Île Cormandière                                      | On summit of<br>island.<br>50 51 31.7<br>058 55 52.5            | Fl R 6s                  | 16.4                                     | 6                        | Square skeleton tower.<br>4.6                                                   | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1545.5                      | <i>Haut-fond Percey light<br/>buoy CT7</i>           | <i>Baie de La<br/>Tabatière.<br/>50 51 12.2<br/>058 57 00.8</i> | <i>Fl G 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Green, pillar, marked<br/>"CT7".</i>                                         | <i>Seasonal.</i>                                    |
| 1546<br><i>H1891.2</i>      | Baie de La Tabatière<br>Outer front range light      | On shore line.<br>50 50 36.1<br>058 58 28.7                     | F G .....                | 43.9                                     | 14                       | Skeleton tower, orange<br>daymark with black vertical<br>stripe.<br>31.2        | Year round.                                         |
| 1547<br><i>H1891.3</i>      | Baie de La Tabatière<br>Outer rear range light       | 50 50 33.5<br>058 58 34.7<br><br>234°46' 143.5 m<br>from front. | F G .....                | 51.6                                     | 14                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.8  | Year round.                                         |
| 1547.5                      | <i>Rocher du Lac<br/>Charles light buoy<br/>CT11</i> | <i>Baie de La<br/>Tabatière.<br/>50 50 41.9<br/>058 58 06.3</i> | <i>Fl G 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Green, pillar, marked<br/>"CT11".</i>                                        | <i>Seasonal.</i>                                    |
| 1548<br><i>H1891.5</i>      | Baie de La Tabatière<br>Inner front range light      | Near shore line.<br>50 50 10.6<br>058 58 22.7                   | F R .....                | 17.3                                     | 14                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.5 | Year round.                                         |
| 1549<br><i>H1891.6</i>      | Baie de La Tabatière<br>Inner rear range light       | 50 50 08.2<br>058 58 23.7<br><br>193°31' 75.6 m<br>from front.  | F R .....                | 24.0                                     | 14                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.8  | Year round.                                         |
| 1550<br><i>H1898</i>        | Île Entrance                                         | On summit of<br>island.<br>50 44 04.0<br>059 00 24.3            | Fl W 6s                  | 18.0                                     | 8                        | Square skeleton tower.<br>6.5                                                   | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1551<br><i>H1896</i>        | <b>Baie des Moutons<br/>front range light</b>        | On W. side of<br>entrance.<br>50 46 10.6<br>059 01 59.6         | F G .....                | 13.3                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>12.5 | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                           | Location<br>-----<br>Latitude N.<br>Longitude W.                                                                                      | Light<br>Characteristics            | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)       | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|--------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                                  |                                                                                                                                       |                                     |                                          |                          |                                                                                |                                                     |
| 1552<br><i>H1896.1</i>      | <b>Baie des Moutons<br/>rear range light</b>     | 50 46 19.3<br>059 02 10.1<br><br>322°31' 338.2 m<br>from front.                                                                       | F G .....<br><br><br>               | 22.8                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.4 | Seasonal.                                           |
| 1552.5                      | <i>Baie des Moutons light<br/>buoy MB1</i>       | <i>Near the rocky<br/>point located on the<br/>N. side of the<br/>entrance to the<br/>bay's wharf.<br/>50 46 20.2<br/>059 01 52.5</i> | <i>Fl G 4s .....<br/><br/><br/></i> | <i>.....</i>                             | <i>.....</i>             | <i>Green, can, marked "MB1".</i>                                               | <i>Seasonal.</i>                                    |
| 1553<br><i>H1899.4</i>      | Tête-à-la-Baleine<br>Inner front range light     | On S. end of Île du<br>Grand Rigolet.<br>50 40 46.1<br>059 14 32.4                                                                    | F G .....<br><br><br>               | 8.4                                      | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.4 | Year round.                                         |
| 1554<br><i>H1899.5</i>      | Tête-à-la-Baleine<br>Inner rear range light      | 50 40 48.8<br>059 14 34.9<br><br>330°04' 96.4 m<br>from front.                                                                        | F G .....<br><br><br>               | 20.1                                     | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>3.3 | Year round.                                         |
| 1554.3<br><i>H1899.9</i>    | Tête-à-la-Baleine                                | On wharf.<br>50 40 47.2<br>059 14 20.9                                                                                                | Fl Y 3s<br><br><br>                 | 8.2                                      | 6                        | Square skeleton tower.<br>6.4                                                  | Year round.<br>Flash 1 s; eclipse 2 s.              |
| 1555<br><i>H1899.7</i>      | Tête-à-la-Baleine<br>Centre front range<br>light | On small island, W.<br>of Île Beaulieu.<br>50 39 43.7<br>059 14 06.0                                                                  | F R .....<br><br><br>               | 4.5                                      | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>3.3 | Year round.                                         |
| 1556<br><i>H1899.8</i>      | Tête-à-la-Baleine<br>Centre rear range light     | 50 39 49.2<br>059 14 25.7<br><br>293°34' 422.0 m<br>from front.                                                                       | F R .....<br><br><br>               | 11.8                                     | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.4 | Year round.                                         |
| 1557<br><i>H1899</i>        | <b>Tête-à-la-Baleine<br/>front range light</b>   | NW. end of Île<br>Vatcher.<br>50 39 38.8<br>059 11 58.7                                                                               | F W .....<br><br><br>               | 8.7                                      | 15                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.4 | Year round.                                         |
| 1558<br><i>H1899.1</i>      | <b>Tête-à-la-Baleine<br/>rear range light</b>    | 50 39 42.4<br>059 11 58.6<br><br>001°09' 110.4 m<br>from front.                                                                       | F W .....<br><br><br>               | 14.3                                     | 15                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.9 | Year round.                                         |
| 1558.7<br><i>H1901</i>      | Cap Airey                                        | S. end of Île du<br>Cap.<br>50 28 13.7<br>059 27 26.2                                                                                 | Fl G 6s<br><br><br>                 | 17.6                                     | 6                        | Square skeleton tower.<br>6.6                                                  | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1559<br><i>H1900</i>        | Falaise de l'Entrée                              | S. side of Île de<br>l'Entrée, N. side of<br>channel, Havre de<br>Harrington<br>entrance.<br>50 29 19.5<br>059 27 40.7                | Fl W 6s<br><br><br>                 | 41.7                                     | 8                        | Square skeleton tower.<br>9.6                                                  | Year round.<br>Flash 1 s; eclipse 5 s.              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.                       | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)       | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|---------------------------------------------|------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                             |                                                                        |                          |                                          |                          |                                                                                |                                                     |
| 1559.2<br><i>H1900.4</i>    | Île de l'Entrée                             | NW. point of island.<br>50 29 33.5<br>059 28 08.5                      | FI G 6s                  | 10.6                                     | 6                        | Square skeleton tower.<br>6.6                                                  | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1559.5<br><i>H1901.5</i>    | Harrington Harbour                          | At the end of the<br>wharf.<br>50 29 46.9<br>059 28 31.9               | FI Y 6s                  | 8.7                                      | 7                        | Pipe swing pole.<br>8.0                                                        | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1560<br><i>H1902</i>        | Harrington Harbour<br>front range light     | On N. side of small<br>island.<br>50 29 34.1<br>059 29 03.8            | F R .....                | 10.2                                     | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.4 | Year round.                                         |
| 1561<br><i>H1902.1</i>      | Harrington Harbour<br>rear range light      | 50 29 36.1<br>059 29 12.9<br><br>288°44' 188.9 m<br>from front.        | F R .....                | 15.4                                     | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.8 | Year round.                                         |
| 1561.5<br><i>H1903</i>      | Rivière Nétagamiou                          | 50 28 21.0<br>059 36 23.1                                              | FI R 6s                  | 8.8                                      | 5                        | Pipe swing pole.<br>6.5                                                        | Seasonal.<br>Flash 1 s; eclipse 5 s.                |
| 1561.6                      | Rivière Nétagamiou<br>Upstream light        | 50 28 49.1<br>059 35 56.6                                              | FI Y 4s                  | .....                                    | 4                        | Cylindrical mast.<br>1.2                                                       | Private aid.<br>Seasonal.                           |
| 1561.67                     | <i>Chevery cautionary<br/>light buoy CA</i> | <i>Rivière Nétagamiou<br/>entrance.<br/>50 27 25.0<br/>059 36 28.3</i> | <i>FI Y 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Yellow, can, marked "CA".</i>                                               | <i>Seasonal.</i>                                    |
| 1561.68                     | <i>Chevery cautionary<br/>light buoy CB</i> | <i>Rivière Nétagamiou<br/>entrance.<br/>50 27 30.1<br/>059 36 40.2</i> | <i>FI Y 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Yellow, can, marked "CB".</i>                                               | <i>Seasonal.</i>                                    |
| 1561.69                     | <i>Chevery cautionary<br/>light buoy CC</i> | <i>Rivière Nétagamiou<br/>entrance.<br/>50 27 35.8<br/>059 36 53.1</i> | <i>FI Y 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Yellow, can, marked "CC".</i>                                               | <i>Seasonal.</i>                                    |
| 1561.7                      | <i>Chevery light buoy<br/>CS2</i>           | <i>Rivière Nétagamiou<br/>entrance.<br/>50 27 08.3<br/>059 36 39.9</i> | <i>FI R 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Red, conical, marked<br/>"CS2".</i>                                         | <i>Seasonal.</i>                                    |
| 1561.74                     | <i>Chevery light buoy<br/>CS4</i>           | <i>Rivière Nétagamiou<br/>entrance.<br/>50 27 20.2<br/>059 37 45.5</i> | <i>FI R 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Red, conical, marked<br/>"CS4".</i>                                         | <i>Seasonal.</i>                                    |
| 1561.76                     | <i>Chevery light buoy<br/>CS6</i>           | <i>Rivière Nétagamiou<br/>entrance.<br/>50 27 30.8<br/>059 37 35.9</i> | <i>FI R 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Red, conical, marked<br/>"CS6".</i>                                         | <i>Seasonal.</i>                                    |
| 1562<br><i>H1904</i>        | Île Sainte-Marie                            | On the summit of<br>the W.<br>50 18 15.2<br>059 39 20.4                | FI W 2.5s                | 44.4                                     | 12                       | Square skeleton tower.<br>16.4                                                 | Seasonal.<br>Flash 0.1 s; eclipse 2.4 s.            |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                    | Location<br>-----<br>Latitude N.<br>Longitude W.              | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)  | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|-------------------------------------------|---------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                           |                                                               |                          |                                          |                          |                                                                           |                                                     |
| 1563<br><i>H1906</i>        | <b>Rochers au Cormoran</b>                | On Rochers au Cormoran.<br>50 09 45.2<br>060 03 38.7          | Fl W 15s                 | 24.1                                     | <b>15</b>                | Square skeleton tower.<br>15.4                                            | Seasonal.<br>Flash 1 s; eclipse 14 s.               |
| 1563.5                      | <i>Rocher Cairntorr light buoy C64</i>    | 50 07 18.3<br>060 18 34.9                                     | Fl R 4s                  | .....                                    | .....                    | <i>Red, pillar, marked "C64".</i>                                         | <i>Seasonal.</i>                                    |
| 1563.7<br><i>H1907</i>      | Pointe Milne front range light            | Baie Coacoachou.<br>50 13 21.6<br>060 18 53.1                 | F R .....                | 16.9                                     | 13                       | Square skeleton tower, orange daymark with black vertical stripe.<br>10.9 | Seasonal.                                           |
| 1563.8<br><i>H1907.1</i>    | Pointe Milne rear range light             | 50 13 31.1<br>060 18 51.9<br><br>004°40' 295.0 m from front.  | F R .....                | 30.8                                     | 13                       | Square skeleton tower, orange daymark with black vertical stripe.<br>9.6  | Seasonal.                                           |
| 1564<br><i>H1908</i>        | Îles Triples                              | On S. side of island.<br>50 10 06.1<br>060 41 49.3            | Fl W 6s                  | 18.9                                     | 7                        | Square skeleton tower.<br>6.4                                             | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1565<br><i>H1909.7</i>      | <b>Pointe Mackenzie front range light</b> | On point.<br>50 12 49.7<br>060 41 49.6                        | F Y .....                | 9.5                                      | <b>15</b>                | Square skeleton tower, orange daymark with black vertical stripe.<br>3.3  | Year round.                                         |
| 1566<br><i>H1909.71</i>     | <b>Pointe Mackenzie rear range light</b>  | 50 12 52.5<br>060 41 52.6<br><br>325°44' 105.7 m from front.  | F Y .....                | 12.6                                     | <b>15</b>                | Square skeleton tower, orange daymark with black vertical stripe.<br>6.3  | Year round.                                         |
| 1567<br><i>H1909.8</i>      | Pointe du Petit Lac front range light     | Near wharf.<br>50 12 49.5<br>060 41 21.6                      | F G .....                | 12.1                                     | 13                       | Square skeleton tower, orange daymark with black vertical stripe.<br>6.4  | Year round.                                         |
| 1568<br><i>H1909.81</i>     | Pointe du Petit Lac rear range light      | 50 12 51.9<br>060 41 20.8<br><br>013°11' 75.1 m from front.   | F G .....                | 13.8                                     | 13                       | Square skeleton tower, orange daymark with black vertical stripe.<br>3.3  | Year round.                                         |
| 1568.5                      | <i>Havre Gethsémani light buoy CJ5</i>    | <i>Harbour entrance.</i><br>50 12 20.7<br>060 41 22.8         | Fl G 4s                  | .....                                    | .....                    | <i>Green, pillar, marked "CJ5".</i>                                       | <i>Seasonal.</i>                                    |
| 1569<br><i>H1909</i>        | Havre Gethsémani front range light        | W. side of Île en Dos de Cheval.<br>50 12 26.0<br>060 41 12.4 | F R .....                | 10.0                                     | 13                       | Square skeleton tower, orange daymark with black vertical stripe.<br>6.1  | Year round.                                         |
| 1570<br><i>H1909.1</i>      | Havre Gethsémani rear range light         | 50 12 28.6<br>060 41 12.6<br><br>357°22' 80.4 m from front.   | F R .....                | 12.9                                     | 13                       | Square skeleton tower, orange daymark with black vertical stripe.<br>4.8  | Year round.                                         |
| 1572<br><i>H1910</i>        | <b>Kégaska front range light</b>          | N. side of bay.<br>50 11 46.4<br>061 15 33.7                  | F W .....                | 13.6                                     | <b>16</b>                | Square skeleton tower, orange daymark with black vertical stripe.<br>6.4  | Year round.                                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                                   | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics   | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)       | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|----------------------------------------------------------|-----------------------------------------------------------------|----------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                                          |                                                                 |                            |                                          |                          |                                                                                |                                                     |
| 1573<br><i>H1910.1</i>      | <b>Kégaska rear range light</b>                          | 50 11 49.3<br>061 15 33.7<br><br>359°17' 90.3 m<br>from front.  | F W .....<br><br><br>      | 18.2                                     | <b>16</b>                | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.4 | Year round.                                         |
| 1573.1                      | Kegaska, John Guy<br>barge                               | SE. extremity of<br>barge.<br>50 11 03.2<br>061 16 00.5         | Fl Y 4s<br><br><br>        | .....                                    | .....                    | .....                                                                          | Private aid.<br>Year round.                         |
| 1573.3<br><i>H1910.4</i>    | Kegaska                                                  | On inner SE. corner<br>of wharf.<br>50 11 04.1<br>061 15 48.2   | Fl R 6s<br><br><br>        | 7.8                                      | 4                        | Pipe swing pole.<br>6.4                                                        | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1574<br><i>H1911</i>        | Pointe de Kégaska                                        | On point.<br>50 10 32.2<br>061 15 57.3                          | Fl W 6s<br><br><br>        | 13.7                                     | 8                        | Square skeleton tower.<br>6.6                                                  | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1574.3                      | <i>Pointe de Kégaska<br/>light and bell buoy<br/>CK1</i> | <i>Off point.<br/>50 10 09.3<br/>061 15 37.2</i>                | <i>Fl G 4s</i><br><br><br> | .....                                    | .....                    | <i>Green, pillar, marked<br/>"CK1".</i>                                        | <i>Seasonal.<br/><br/>Audible signal: Bell</i>      |
| 1575.8                      | <i>Rocher South Sphinx<br/>light buoy CN2</i>            | <i>Natashquan.<br/>50 10 40.4<br/>061 50 48.2</i>               | <i>Fl R 4s</i><br><br><br> | .....                                    | .....                    | <i>Red, pillar, marked "CN2".</i>                                              | <i>Seasonal.</i>                                    |
| 1576<br><i>H1914</i>        | Île Joncas                                               | On W. extremity of<br>island.<br>50 10 56.9<br>061 50 38.9      | Iso G 2s<br><br><br>       | 13.5                                     | 6                        | Square skeleton tower.<br>9.5                                                  | Year round.<br>Radar reflector.                     |
| 1576.2                      | <i>Havre de Natashquan<br/>light buoy CN8</i>            | 50 11 12.3<br>061 50 40.3                                       | Fl R 4s<br><br><br>        | .....                                    | .....                    | <i>Red, pillar, marked "CN8".</i>                                              | <i>Seasonal.</i>                                    |
| 1578<br><i>H1918</i>        | Petite Natashquan<br>front range light                   | N. of wharf.<br>50 11 35.9<br>061 50 35.4                       | F W .....<br><br><br>      | 10.1                                     | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.7 | Year round.                                         |
| 1579<br><i>H1918.1</i>      | Petite Natashquan<br>rear range light                    | 50 11 38.8<br>061 50 34.6<br><br>009°56' 92.7 m<br>from front.  | F W .....<br><br><br>      | 17.1                                     | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>9.4 | Year round.                                         |
| 1582                        | <i>Baies Piashti light<br/>buoy C80</i>                  | 50 15 42.3<br>062 49 33.4                                       | Fl R 4s<br><br><br>        | .....                                    | .....                    | <i>Red, pillar, marked "C80".</i>                                              | <i>Seasonal.</i>                                    |
| 1583<br><i>H1928</i>        | <b>Baie Johan-Beetz<br/>front range light</b>            | N. shore of bay.<br>50 17 00.9<br>062 47 51.2                   | F Y .....<br><br><br>      | 12.2                                     | <b>15</b>                | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>9.4 | Seasonal.                                           |
| 1584<br><i>H1928.1</i>      | <b>Baie Johan-Beetz<br/>rear range light</b>             | 50 17 04.8<br>062 47 45.6<br><br>043°04' 162.3 m<br>from front. | F Y .....<br><br><br>      | 21.1                                     | <b>15</b>                | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.4 | Seasonal.                                           |
| 1584.5                      | <i>Haut-fond Collins light<br/>buoy C84</i>              | 50 10 00.3<br>063 04 05.3                                       | Fl R 4s<br><br><br>        | .....                                    | .....                    | <i>Red, pillar, marked "C84".</i>                                              | <i>Seasonal.</i>                                    |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                                      | Location<br>-----<br>Latitude N.<br>Longitude W.                                                           | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                                             |                                                                                                            |                          |                                          |                          |                                                                                 |                                                     |
| 1584.8<br>H1933             | La Grande Pointe                                            | 50 12 14.0<br>063 26 52.5                                                                                  | Fl Y 6s                  | 11.1                                     | 7                        | Square skeleton tower.<br>8.0                                                   | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1585<br>H1934               | Petite Île au Marteau                                       | On S. end of island.<br>50 12 14.6<br>063 33 30.5                                                          | Fl W 2.5s                | 28.9                                     | 12                       | Skeleton tower.<br>25.3                                                         | Seasonal.<br>Flash 0.1 s; eclipse 2.4 s.            |
| 1586                        | Havre St-Pierre light<br>buoy CM5                           | 50 13 44.8<br>063 35 35.5                                                                                  | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"CM5".                                                 | Seasonal.                                           |
| 1587<br>H1936               | Havre-Saint-Pierre<br>front range light                     | Minganie N. coast,<br>SE. entrance,<br>Chenal de la Petite<br>Île au Marteau.<br>50 14 25.0<br>063 35 42.0 | Iso G 2s                 | 13.6                                     | 14                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>11.0 | Year round.<br>Operates 24 h.                       |
| 1588<br>H1936.1             | Havre-Saint-Pierre<br>rear range light                      | 50 14 30.2<br>063 35 45.3<br><br>338°29' 174.7 m<br>from front.                                            | Iso G 2s                 | 24.4                                     | 14                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>18.6 | Year round.<br>Operates 24 h.                       |
| 1588.7<br>H1941.5           | Havre St-Pierre East<br>Breakwater                          | On outer end of<br>breakwater.<br>50 14 09.9<br>063 36 12.8                                                | Fl R 4s                  | .....                                    | 2                        | Cylindrical mast.                                                               | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 1588.8<br>H1940.8           | Havre St-Pierre West<br>Breakwater                          | On outer end of<br>breakwater.<br>50 14 09.8<br>063 36 15.8                                                | Fl G 4s                  | .....                                    | 2                        | Cylindrical mast.                                                               | Seasonal.<br>Flash 1 s; eclipse 3 s.                |
| 1590<br>H1940               | Pointe aux<br>Esquimaux front<br>range light                | 50 14 17.7<br>063 36 45.6                                                                                  | F R ..... 14.1           | 14.1                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>12.5 | Year round.                                         |
| 1591<br>H1940.1             | Pointe aux<br>Esquimaux rear<br>range light                 | 50 14 16.9<br>063 36 33.7<br><br>096°19' 238.2 m<br>from front.                                            | F R ..... 23.2           | 23.2                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>18.5 | Year round.                                         |
| 1592<br>H1943               | Île du Fantôme<br>Entrance front range<br>light             | 50 15 26.8<br>063 39 18.1                                                                                  | F G ..... 9.7            | 9.7                                      | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>7.9  | Year round.                                         |
| 1593<br>H1943.1             | Île du Fantôme<br>Entrance rear range<br>light              | 50 15 36.2<br>063 39 15.4<br><br>010°02' 295.7 m<br>from front.                                            | F G ..... 19.3           | 19.3                                     | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>18.5 | Year round.                                         |
| 1594                        | Île du Fantôme<br>Entrance Channel<br>Outer light buoy CM10 | S. of the island.<br>50 11 58.3<br>063 39 53.5                                                             | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "CM10".                                                     | Seasonal.                                           |
| 1595                        | Île du Havre Shoal<br>light buoy CM12                       | 50 12 40.3<br>063 39 52.5                                                                                  | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "CM12".                                                     | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.    | Name<br>-----<br>RACON                                    | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                          |
|-----------------------------|-----------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>GULF OF ST. LAWRENCE</b> |                                                           |                                                                 |                          |                                          |                          |                                                                                 |                                                                              |
| 1596<br>H1944               | Île à Firmin                                              | Minganie, at S. end<br>of island.<br>50 12 14.5<br>063 41 13.3  | Fl W 6s                  | 10.6                                     | 7                        | Square skeleton tower,<br>orange rectangular<br>daymark.<br>8.0                 | Year round.<br>Flash 1 s; eclipse 5 s.                                       |
| 1598                        | Pointe aux Morts light<br>buoy CM17                       | 50 14 33.8<br>063 41 18.5                                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"CM17".                                                | Seasonal.                                                                    |
| 1598.5                      | Pointe aux Morts light<br>and bell buoy CM16              | 50 14 46.3<br>063 41 18.5                                       | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "CM16".                                                     | Seasonal.<br><br><b>Audible signal: Bell</b>                                 |
| 1603                        | Mingan East Entrance<br>light buoy CM28                   | Harbour entrance.<br>50 17 03.3<br>063 59 28.6                  | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "CM28".                                                     | Seasonal.                                                                    |
| 1604<br>H1946               | Havre de Mingan<br>Eastern Entrance<br>front range light  | W. of wharf, near<br>water's edge.<br>50 17 22.3<br>064 01 18.1 | F G .....                | 14.1                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>12.5 | Year round.<br>Operates 24 h.                                                |
| 1605<br>H1946.1             | Havre de Mingan<br>Eastern Entrance<br>rear range light   | 50 17 24.1<br>064 01 27.2<br><br>287°50' 189.0 m<br>from front. | F G .....                | 22.1                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>20.1 | Year round.<br>Operates 24 h.                                                |
| 1606<br>H1950               | Havre de Mingan<br>Western Entrance<br>front range light  | E. of wharf, near<br>water's edge.<br>50 17 25.2<br>064 00 39.7 | F G .....                | 7.0                                      | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.3  | Year round.<br>Operates 24 h.                                                |
| 1607<br>H1950.1             | Havre de Mingan<br>Western Entrance<br>rear range light   | 50 17 30.8<br>064 00 20.4<br><br>065°47' 420.7 m<br>from front. | F G .....                | 21.2                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.5 | Year round.<br>Operates 24 h.                                                |
| 1607.3                      | Baie Mingan West<br>Cardinal light and bell<br>buoy       | 50 16 39.2<br>064 02 39.6                                       | Q(9) W 15s               | .....                                    | .....                    | Yellow-black-yellow, pillar,<br>marked "BMING".                                 | Seasonal.<br><br><b>Audible signal: Bell</b>                                 |
| 1608<br>H1958               | Îles aux Perroquets                                       | Minganie on NW.<br>island.<br>50 13 14.1<br>064 12 24.1         | Fl W 5s                  | 24.0                                     | 12                       | White octagonal tower with<br>red top.<br>12.3                                  | Seasonal.<br>Flash 1 s; eclipse 4 s.<br>Obscured 269°-292° by île<br>Mingan. |
| 1614.5<br>H1975             | Rivière-au-Tonnerre                                       | 50 16 25.3<br>064 46 50.7                                       | F R .....                | 10.0                                     | 6                        | Square skeleton tower,<br>orange rectangular<br>daymark.<br>6.5                 | Seasonal.                                                                    |
| 1614.7                      | Rivière-au-Tonnerre<br>light and bell fairway<br>buoy RAT | 50 15 49.6<br>064 46 47.5                                       | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"RAT".                                             | Seasonal.<br><br><b>Audible signal: Bell</b>                                 |
| 1615<br>H1974               | Rivière-au-Tonnerre<br>front range light                  | 50 16 38.2<br>064 46 47.6                                       | F G .....                | 19.0                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>9.4  | Seasonal.<br>Operates 24 h.                                                  |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## GULF OF ST. LAWRENCE

|                        |                                         |                                                                 |                       |      |    |                                                                                 |                                      |
|------------------------|-----------------------------------------|-----------------------------------------------------------------|-----------------------|------|----|---------------------------------------------------------------------------------|--------------------------------------|
| 1616<br><i>H1974.1</i> | Rivière-au-Tonnerre<br>rear range light | 50 16 42.0<br>064 46 47.6<br><br>359°50' 119.1 m<br>from front. | F G .....<br><br><br> | 25.7 | 16 | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>10.9 | Seasonal.<br>Operates 24 h.          |
| 1617<br><i>H1978</i>   | Sheldrake                               | E. of Rivière<br>Sheldrake.<br>50 15 49.1<br>064 54 29.1        | Fl R 6s<br><br><br>   | 16.5 | 4  | Square skeleton tower,<br>orange rectangular<br>daymark.<br>5.0                 | Seasonal.<br>Flash 1 s; eclipse 5 s. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                                            | Name<br>-----<br>RACON                             | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)             | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS       |
|---------------------------------------------------------------------|----------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------|
| <b>ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP</b> |                                                    |                                                                 |                          |                                          |                          |                                                                                      |                                                           |
| 1620<br>H1770                                                       | Cap-des-Rosiers-Est Wharf                          | On outer end of jetty.<br>48 50 18.8<br>064 12 46.4             | Iso R 2s                 | 7.6                                      | 4                        | Pipe swing pole.<br>6.3                                                              | Seasonal.                                                 |
| 1621<br>H1768                                                       | <b>Cap-des-Rosiers</b>                             | On cape.<br>48 51 22.5<br>064 12 03.8                           | Oc W 20s                 | 41.5                                     | <b>24</b>                | White cylindrical tower.<br>34.1                                                     | Year round.<br>Operates 24 h.<br>Flash 15 s; eclipse 5 s. |
| 1629<br>H1782                                                       | <b>Rivière au Renard</b>                           | On outer end of wharf.<br>48 59 52.4<br>064 22 59.9             | Fl G 5s                  | 8.4                                      | <b>19</b>                | Square skeleton tower.<br>6.4                                                        | Seasonal.<br>Flash 1 s; eclipse 4 s.                      |
| 1639<br>H1798                                                       | Anse-à-Valleau East                                | Close to cliff edge, near wharf.<br>49 04 49.9<br>064 32 42.2   | Iso R 2s                 | 16.9                                     | 6                        | Square skeleton tower.<br>6.6                                                        | Seasonal.                                                 |
| 1640<br>H1800                                                       | <b>Anse-A-Valleau</b>                              | 49 05 15.5<br>064 33 34.3                                       | Fl W 10s                 | 95.5                                     | <b>21</b>                | Skeleton tower.<br>33.5                                                              | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 9 s.  |
| 1641                                                                | <i>Baie-de-Cloridorme fairway light buoy CLORI</i> | 49 11 15.2<br>064 50 40.0                                       | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked "CLORI".                                                   | Seasonal.                                                 |
| 1641.3                                                              | <i>Baie-de-Cloridorme light buoy CL1</i>           | 49 11 09.1<br>064 50 40.1                                       | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "CL1".                                                            | Seasonal.                                                 |
| 1641.7                                                              | <i>Baie-de-Cloridorme light buoy CL3</i>           | 49 11 05.5<br>064 50 52.3                                       | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "CL3".                                                            | Seasonal.                                                 |
| 1642<br>H1808                                                       | <b>Cloridorme front range light</b>                | Close to cliff edge.<br>49 10 50.5<br>064 50 51.1               | F R .....                | 10.9                                     | <b>16</b>                | Square skeleton tower, orange rectangular daymark with black vertical stripe.<br>4.8 | Seasonal.                                                 |
| 1643<br>H1808.1                                                     | <b>Cloridorme rear range light</b>                 | 49 10 48.2<br>064 50 52.1<br><br>196°25' 73.8 m from front.     | F R .....                | 22.1                                     | <b>16</b>                | Square skeleton tower, orange rectangular daymark with black vertical stripe.<br>7.9 | Seasonal.                                                 |
| 1644<br>H1811                                                       | Cloridorme                                         | On outer end of wharf.<br>49 11 09.1<br>064 50 51.5             | Fl G 6s                  | 8.8                                      | 5                        | Square skeleton tower.<br>8.0                                                        | Seasonal.<br>Flash 1 s; eclipse 5 s.                      |
| 1649<br>H1826                                                       | Grande-Vallée                                      | On outer end of wharf.<br>49 13 47.2<br>065 08 00.0             | Fl G 6s                  | 10.0                                     | 7                        | Square skeleton tower.<br>8.0                                                        | Year round.<br>Flash 1 s; eclipse 5 s.                    |
| 1650                                                                | <i>Rivière Madeleine light buoy RM1</i>            | <i>Havre de Rivière Madeleine.</i><br>49 14 38.1<br>065 17 20.9 | Q G 1s                   | .....                                    | .....                    | Green, can, marked "RM1".                                                            | Seasonal.                                                 |
| 1651<br>H1828                                                       | <b>Cap de la Madeleine</b>                         | On cape.<br>49 15 03.5<br>065 19 32.3                           | Fl(3) W 27s              | 44.5                                     | <b>20</b>                | White cylindrical tower.<br>16.8                                                     | Private aid.<br>Year round.<br>Operates 24 h.             |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP

|               |                                      |                                                                              |       |             |     |       |       |                                                           |                                                                                                                                                                                             |
|---------------|--------------------------------------|------------------------------------------------------------------------------|-------|-------------|-----|-------|-------|-----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1651.5        | Mont-Louis Cautionary light buoy WML | At the end of SaintMaxime-du-ontLouis E. wharf.<br>49 14 15.3<br>065 43 40.7 | Fl    | Y           | 4s  | ..... | ..... | Yellow, pillar, marked "WML".                             | Seasonal.                                                                                                                                                                                   |
| 1652.5        | Mont-Louis Sector Light              | 49 13 44.9<br>065 43 56.7                                                    | Iso   | R<br>W<br>G | 4s  | 6.7   | 12    | Skeleton tower, red and white rectangular daymark.<br>3.2 | Seasonal.<br>Operates 24 h.<br>R 168.5°-174°;<br>W 174°-178°;<br>G 178°-183.5°.                                                                                                             |
| 1654          | Mont Louis ODAS light buoy MLS 45138 | Off Mont-Louis.<br>49 32 20.8<br>065 42 38.5                                 | Fl(5) | Y           | 20s | ..... | ..... | Yellow, ODAS, marked "MLS 45138".                         | Seasonal.                                                                                                                                                                                   |
| 1656          | ODAS light buoy IML-7                | Off La Martre.<br>49 14 30.0<br>066 12 00.0                                  | Fl(5) | Y           | 20s | ..... | ..... | Yellow, ODAS, marked "IML-7".                             | Seasonal.                                                                                                                                                                                   |
| 1657<br>H1842 | La Martre                            | On S. shore.<br>49 12 22.1<br>066 10 17.1                                    | Fl(4) | W           | 30s | 39.6  | 17    | Red octagonal tower with white vertical stripe.<br>19.2   | Private aid.<br>Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 3 s;<br>flash 2 s; eclipse 3 s;<br>flash 2 s; eclipse 3 s;<br>flash 2 s; eclipse 13 s.<br>Emergency light: Fl(6) W 15s. |

## Baie des Sept Îles and Archipel des Sept Îles

|                 |                                     |                                                      |              |       |       |                                                           |                                            |
|-----------------|-------------------------------------|------------------------------------------------------|--------------|-------|-------|-----------------------------------------------------------|--------------------------------------------|
| 1658<br>H1990   | Île du Corossol                     | SE. of Île du Corossol.<br>50 05 20.2<br>066 22 36.9 | Fl W 2.5s    | ..... | 12    | Skeleton tower.                                           | Year round.<br>Flash 0.1 s; eclipse 2.4 s. |
| 1659<br>H1993   | Île Grande-Basque                   | SW. side of the island.<br>50 09 10.4<br>066 22 38.6 | Fl W 6s      | 12.1  | 7     | Square skeleton tower.<br>6.5                             | Year round.<br>Flash 1 s; eclipse 5 s.     |
| 1660<br>H1992.5 | Pointe au Corbeau                   | On point.<br>50 09 03.0<br>066 25 29.3               | Fl G 6s      | 17.2  | 6     | Square skeleton tower, orange rectangular daymark.<br>6.5 | Year round.<br>Flash 1 s; eclipse 5 s.     |
| 1661            | Pointe à la Marmite light buoy D11  | Sept-Îles harbour.<br>50 10 17.2<br>066 25 45.9      | Fl G 4s      | ..... | ..... | Green, pillar, marked "D11".                              | Seasonal.                                  |
| 1662            | Basques Est light buoy BASQE        | Sept-Îles harbour.<br>50 10 55.3<br>066 21 43.7      | Fl(2+1) G 6s | ..... | ..... | Green-red-green, pillar, marked "BASQE".                  | Year round.<br>(Winter spar.)              |
| 1662.3          | Pointe aux Basques light buoy D4    | Sept-Îles harbour.<br>50 11 02.4<br>066 21 50.3      | Fl R 4s      | ..... | ..... | Red, pillar, marked "D4".                                 | Seasonal.                                  |
| 1662.5          | Récif du Basque North light buoy D7 | Sept-Îles harbour.<br>50 11 00.7<br>066 22 15.2      | Fl G 4s      | ..... | ..... | Green, pillar, marked "D7".                               | Seasonal.                                  |

| No.<br>-----<br>Intl No.                                     | Name<br>-----<br>RACON                          | Location<br>-----<br>Latitude N.<br>Longitude W.                  | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)   | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                     |
|--------------------------------------------------------------|-------------------------------------------------|-------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|----------------------------------------------------------------------------|-------------------------------------------------------------------------|
| ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP |                                                 |                                                                   |                          |   |       |                                          |                          |                                                                            |                                                                         |
| 1663                                                         | Récif du Basque light<br>and bell buoy D6       | Sept-Îles harbour.<br>50 10 52.2<br>066 21 57.9                   | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "D6".                                                  | Seasonal.<br><br><b>Audible signal: Bell</b>                            |
| 1663.5                                                       | Basque Ouest light<br>buoy BASQO                | Sept-Îles harbour.<br>50 10 47.9<br>066 22 36.3                   | F(2+1)                   | R | 6s    | .....                                    | .....                    | Red-green-red, pillar,<br>marked "BASQO".                                  | Year round.<br>(Winter spar.)                                           |
| 1663.7<br>H1994.6                                            | Sept-Îles, Iron Ore<br>front range light No. 2  | Dock no. 2.<br>50 11 20.3<br>066 22 14.8                          | Iso                      | Y | 4s    | 13.6                                     | .....                    | Mast, orange daymark with<br>black vertical stripe.<br>12.1                | Private aid.<br>Year round.<br>Operates 24 h.                           |
| 1663.71<br>H1994.61                                          | Sept-Îles, Iron Ore<br>rear range light No. 2   | 50 11 11.7<br>066 21 53.7<br><br>121°48' 495.8 m<br>from front.   | Iso                      | Y | 4s    | 25.3                                     | .....                    | Mast, orange daymark with<br>black vertical stripe.<br>23.8                | Private aid.<br>Year round.<br>Operates 24 h.                           |
| 1664<br>H1994                                                | Sept-Îles, Iron Ore<br>front range light        | Dock no. 5.<br>50 11 41.8<br>066 22 35.3                          | Iso                      | G | 4s    | 19.1                                     | .....                    | Cylindrical mast, orange<br>daymark with black vertical<br>stripe.<br>17.7 | Private aid.<br>Year round.<br>Operates 24 h.                           |
| 1665<br>H1994.1                                              | Sept-Îles, Iron Ore<br>rear range light         | 50 11 40.4<br>066 22 21.4<br><br>097°41' 280.2 m<br>from front.   | Iso                      | G | 4s    | 34.6                                     | .....                    | Cylindrical mast, orange<br>daymark with black vertical<br>stripe.<br>33.2 | Private aid.<br>Year round.<br>Operates 24 h.                           |
| 1666<br>H1994.4                                              | Sept-Îles Oil Tanker<br>Wharf                   | On dolphin.<br>50 11 47.4<br>066 22 55.4                          | Iso                      | W | 6s    | 10.9                                     | 9                        | Mast, orange rectangular<br>daymark.<br>8.1                                | Year round.<br>Secondary light: Iso R 2s.<br>Secondary light: Iso R 2s. |
| 1666.05<br>H1994.38                                          | Terminal des<br>croisières                      | W. end of dolphin.<br>50 11 50.6<br>066 23 03.9                   | Iso                      | R | 2s    | .....                                    | 2                        | Mast.                                                                      | Year round.                                                             |
| 1666.07                                                      | Sept-Îles, Terminal<br>des croisières           | E. end of Duc<br>d'Albe, section 12.<br>50 11 50.6<br>066 22 48.7 | Iso                      | W | 2s    | .....                                    | .....                    | Mast.                                                                      | Year round.                                                             |
| 1666.1<br>H1994.37                                           | Sept-Îles, Havre de<br>pêche                    | On end of<br>breakwater.<br>50 11 56.1<br>066 23 00.4             | Iso                      | G | 2s    | 3.7                                      | 3                        | Mast.                                                                      | Seasonal.                                                               |
| 1666.3<br>H1994.3                                            | Sept-Îles Marina<br>Entrance West<br>Breakwater | On end of<br>breakwater.<br>50 12 04.6<br>066 23 10.1             | Iso                      | W | 2s    | 4.5                                      | 5                        | Pyramid tower.                                                             | Private aid.<br>Year round.                                             |
| 1666.5<br>H1994.34                                           | Sept-Îles Marina West<br>Breakwater             | 50 12 11.7<br>066 23 17.4                                         | F                        | W | ..... | 4.8                                      | .....                    | Pyramid tower.<br>1.8                                                      | Private aid.<br>Year round.                                             |
| 1667<br>H1994.2                                              | Sept-Îles East                                  | On wharf extension.<br>50 12 21.6<br>066 23 32.7                  | Iso                      | G | 2s    | 13.2                                     | 6                        | Square skeleton tower.<br>12.5                                             | Year round.                                                             |
| 1670.4                                                       | Pointe Noire light buoy<br>D15                  | Sept-Îles harbour.<br>50 09 47.2<br>066 27 23.0                   | Q                        | G | 1s    | .....                                    | .....                    | Green, pillar, marked<br>"D15".                                            | Year round.<br>(Winter spar.)                                           |

| No.<br>-----<br>Intl No.                                     | Name<br>-----<br>RACON                                      | Location<br>-----<br>Latitude N.<br>Longitude W.                                       | Light<br>Characteristics |             |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                    | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                               |
|--------------------------------------------------------------|-------------------------------------------------------------|----------------------------------------------------------------------------------------|--------------------------|-------------|-------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP |                                                             |                                                                                        |                          |             |       |                                          |                          |                                                                                             |                                                                                                                                                                                   |
| 1671.2<br>H1997.4                                            | Pointe-Noire Wharf<br>front range light                     | Pointe-Noire wharf,<br>on a building.<br>50 09 55.3<br>066 28 55.5                     | Iso                      | Y           | 2s    | 18.6                                     | .....                    | On building.                                                                                | Year round.<br>Operates 24 h.                                                                                                                                                     |
| 1671.3<br>H1997.41                                           | Pointe-Noire Wharf<br>rear range light                      | 50 09 49.7<br>066 28 55.5<br><br>179°59' 173.3 m<br>from front.                        | Iso                      | Y           | 2s    | 26.6                                     | .....                    | On building.                                                                                | Year round.<br>Operates 24 h.                                                                                                                                                     |
| 1672<br>H1997.6                                              | Pointe Noire Ore<br>Terminal West                           | W. end of Minière<br>Wabush wharf.<br>50 09 55.4<br>066 29 10.1                        | Fl                       | R           | 4s    | 5.2                                      | 6                        | Black cylindrical mast.<br>2.7                                                              | Private aid.<br>Year round.<br>Operates 24 h.                                                                                                                                     |
| 1672.1<br>H1997.5                                            | Pointe-Noire, Anse-<br>du-Portage Ste-<br>Marguerite Sector | Baie de Sept-Iles –<br>Anse du portage<br>Ste-Marguerite.<br>50 09 47.1<br>066 29 12.3 | F                        | R<br>W<br>G | ..... | .....                                    | .....                    | Square skeleton tower.                                                                      | Year round.<br>Operates 24 h.<br>R 202°41'47"-206°56'47";<br>AI RW 206°56'47"-210°56'47";<br>W 210°56'47"-216°56'47";<br>AI GW 216°56'47"-220°56'47";<br>G 220°56'47"-225°11'47". |
| 1672.3<br>H1997.7                                            | Pointe Noire Railway<br>Ferry Wharf                         | NE. end of dolphin.<br>50 09 39.1<br>066 27 24.2                                       | Iso                      | Bu          | 2s    | 5.0                                      | .....                    | On structure.                                                                               | Year round.                                                                                                                                                                       |
| 1672.4<br>H1997.8                                            | Quai de Pointe Noire<br>(La Relance) front<br>range light   | 50 09 33.9<br>066 27 37.4                                                              | Iso                      | R           | 2s    | .....                                    | .....                    | Cylindrical mast, red<br>daymark with white vertical<br>stripe.                             | Year round.<br>Operates 24 h.                                                                                                                                                     |
| 1672.5<br>H1997.81                                           | Quai de Pointe Noire<br>(La Relance) rear<br>range light    | 50 09 25.3<br>066 27 40.5<br><br>192°42' 272.0 m<br>from front.                        | Iso                      | R           | 2s    | .....                                    | .....                    | On silo, red daymark with<br>white vertical stripe.                                         | Year round.<br>Operates 24 h.                                                                                                                                                     |
| 1672.7                                                       | Sept-Îles, Pointe Noire                                     | Section 35, West<br>end.<br>50 10 05.9<br>066 28 15.7                                  | Iso                      | R           | 1s    | .....                                    | 6                        | Cylindrical mast.                                                                           | Year round.                                                                                                                                                                       |
| 1672.9                                                       | Sept-Îles, Pointe Noire                                     | Section 35, East<br>end.<br>50 10 01.5<br>066 27 56.4                                  | Iso                      | G           | 1s    | .....                                    | 6                        | Cylindrical mast.                                                                           | Year round.                                                                                                                                                                       |
| 1673                                                         | Pointe Noire light buoy<br>D20                              | 50 10 06.2<br>066 29 27.9                                                              | Fl                       | R           | 4s    | .....                                    | .....                    | Red, pillar, marked "D20".                                                                  | Year round.<br>(Winter spar.)                                                                                                                                                     |
| 1674<br>H1991                                                | West Rocks Dequen                                           | At West Rocks.<br>50 07 16.3<br>066 25 58.1                                            | Fl                       | R           | 6s    | 12.4                                     | 6                        | Square skeleton tower.<br>6.5                                                               | Year round.<br>Flash 1 s; eclipse 5 s.                                                                                                                                            |
| 1675<br>H1992                                                | Pointe à la Chasse                                          | On point.<br>50 07 38.9<br>066 27 07.9                                                 | Fl                       | W           | 6s    | 12.2                                     | 8                        | Square skeleton tower.<br>6.5                                                               | Year round.<br>Flash 1 s; eclipse 5 s.                                                                                                                                            |
| 1676<br>H1999                                                | Québec Rayonier<br>front range light                        | 50 01 05.4<br>066 48 56.9                                                              | F                        | W           | ..... | 9.6                                      | 19                       | Triangular skeleton tower,<br>orange slatwork daymark<br>with black vertical stripe.<br>7.3 | Private aid.<br>Year round.<br>Operates 24 h.                                                                                                                                     |

| No.<br>-----<br>Intl No.                                            | Name<br>-----<br>RACON                               | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics     | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                 | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                         |
|---------------------------------------------------------------------|------------------------------------------------------|-----------------------------------------------------------------|------------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP</b> |                                                      |                                                                 |                              |                                          |                          |                                                                                          |                                                                                                                                                             |
| 1676.1<br>H1999.1                                                   | Québec Rayonier<br>rear range light                  | 50 01 17.3<br>066 48 55.1<br><br>005°25' 368.3 m<br>from front. | F W .....<br><br><br>        | 19.2                                     | 19                       | Triangular skeleton tower,<br>orange slatwork daymark,<br>black vertical stripe.<br>10.3 | Private aid.<br>Year round.<br>Operates 24 h.                                                                                                               |
| 1677                                                                | Town of Port-Cartier<br>West Light                   | Town wharf.<br>50 00 53.7<br>066 48 50.4                        | F W .....<br><br><br>        | .....                                    | .....                    | .....                                                                                    | Private aid.<br>Year round.                                                                                                                                 |
| 1677.2                                                              | Town of Port-Cartier<br>East Light                   | Town wharf.<br>50 00 53.5<br>066 48 50.0                        | F W .....<br><br><br>        | .....                                    | .....                    | .....                                                                                    | Private aid.<br>Year round.                                                                                                                                 |
| 1677.4                                                              | Québec Rayonier light<br>buoy KA13                   | Port-Cartier.<br>50 00 48.7<br>066 49 02.5                      | Fl G 4s .....<br><br><br>    | .....                                    | .....                    | Green, pillar, marked<br>"KA13".                                                         | Year round.<br>(Winter spar.)                                                                                                                               |
| 1677.6                                                              | Québec Rayonier light<br>buoy KA12                   | Port-Cartier.<br>50 00 48.8<br>066 48 56.1                      | Fl R 4s .....<br><br><br>    | .....                                    | .....                    | Red, pillar, marked "KA12".                                                              | Year round.<br>(Winter spar.)                                                                                                                               |
| 1678<br>H2002                                                       | Port-Cartier front<br>range light                    | 50 02 09.2<br>066 46 49.9                                       | F G .....<br><br><br>        | 50.7                                     | .....                    | Skeleton tower, yellow<br>diamond daymark with<br>black cross.                           | Private aid.<br>Year round.<br>Operates 24 h.                                                                                                               |
| 1679<br>H2002.1                                                     | Port-Cartier rear range<br>light                     | 50 02 25.1<br>066 46 42.6<br><br>016°34' 513.2 m<br>from front. | F G .....<br><br><br>        | 88.4                                     | .....                    | Skeleton tower, orange<br>rectangular daymark with<br>black vertical stripe.<br>23.2     | Private aid.<br>Year round.<br>Operates 24 h.                                                                                                               |
| 1680                                                                | Port-Cartier fairway<br>light and bell buoy<br>PTCAR | 50 00 12.3<br>066 47 44.1                                       | Mo(A) W 6s .....<br><br><br> | .....                                    | .....                    | Red-white, pillar, marked<br>"PTCAR".                                                    | Private aid.<br>Year round.<br>(Winter spar.)<br><br><b>Audible signal: Bell</b>                                                                            |
| 1681<br>H2000                                                       | Port-Cartier Entrance<br>East                        | 50 01 43.4<br>066 46 56.0                                       | Fl R 3s .....<br><br><br>    | 12.5                                     | 6                        | Mast.<br>4.9                                                                             | Private aid.<br>Year round.<br>Flash 0.5 s; eclipse 2.5 s.<br>Secondary light: Fl R 2s.<br>Radar reflector.<br><br><b>Fog Horn</b><br>Blast 3 s; sil. 27 s. |
| 1682<br>H2001                                                       | Port-Cartier Entrance<br>West                        | 50 01 42.5<br>066 47 07.2                                       | Fl G 3s .....<br><br><br>    | 12.2                                     | 6                        | Mast.                                                                                    | Private aid.<br>Year round.<br>Flash 0.5 s; eclipse 2.5 s.<br>Radar reflector.                                                                              |
| 1682.4                                                              | Petite-Tourelle                                      | At the end of<br>breakwater.<br>49 10 11.7<br>066 22 19.6       | Iso R 2s .....<br><br><br>   | .....                                    | 3                        | Cylindrical mast.<br>7.6                                                                 | Private aid.<br>Seasonal.                                                                                                                                   |
| 1682.6<br>H1846                                                     | Petite-Tourelle front<br>range light                 | At entrance of<br>wharf.<br>49 10 02.3<br>066 22 24.6           | F G .....<br><br><br>        | 15.5                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>11.0          | Seasonal.<br>Operates 24 h.                                                                                                                                 |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                                            | Name<br>-----<br>RACON                                 | Location<br>-----<br>Latitude N.<br>Longitude W.               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)       | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                       |
|---------------------------------------------------------------------|--------------------------------------------------------|----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP</b> |                                                        |                                                                |                          |                                          |                          |                                                                                |                                                                                                           |
| 1682.7<br><i>H1846.1</i>                                            | <b>Petite-Tourelle rear<br/>range light</b>            | 49 09 59.6<br>066 22 26.5<br><br>204°55' 90.6 m<br>from front. | F G .....<br><br><br>    | 25.8                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>9.5 | Seasonal.<br>Operates 24 h.                                                                               |
| 1683<br><i>H1852</i>                                                | Sainte-Anne-des-<br>Monts                              | On outer end of<br>wharf.<br>49 08 06.1<br>066 29 05.0         | Iso R 2s                 | 9.9                                      | 7                        | Square skeleton tower.<br>8.1                                                  | Seasonal.<br>Emergency mode.                                                                              |
| 1683.1<br><i>H1854</i>                                              | Sainte-Anne-des-<br>Monts harbour, North<br>Breakwater | 49 08 05.2<br>066 29 17.0                                      | Fl R 6s                  | 3.8                                      | 3                        | Mast.<br>0.2                                                                   | Seasonal.<br>Flash 1 s; eclipse 5 s.                                                                      |
| 1683.2<br><i>H1853</i>                                              | Sainte-Anne-des-<br>Monts Harbour, South<br>Breakwater | 49 08 01.6<br>066 29 17.2                                      | Fl G 6s                  | 3.4                                      | 3                        | Mast.<br>0.3                                                                   | Seasonal.<br>Flash 1 s; eclipse 5 s.                                                                      |
| 1685<br><i>H1860</i>                                                | <b>Cap-Chat</b>                                        | 49 05 20.4<br>066 44 28.0                                      | Fl W 6s                  | 41.4                                     | 15                       | White square tower with<br>red top.<br>9.5                                     | Private aid.<br>Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s.<br>Emergency light: Fl(6) W 15s. |
| 1685.1                                                              | <i>Cap-Chat light buoy<br/>HA1</i>                     | 49 05 58.1<br>066 41 28.4                                      | Fl G 4s                  | .....                                    | .....                    | <i>Green, can, marked "HA1".</i>                                               | <i>Seasonal.</i>                                                                                          |
| 1685.2                                                              | <i>Cap-Chat light buoy<br/>HA2</i>                     | 49 05 56.5<br>066 41 28.4                                      | Fl R 4s                  | .....                                    | .....                    | <i>Red, conical, marked<br/>"HA2".</i>                                         | <i>Seasonal.</i>                                                                                          |
| 1685.3<br><i>H1861</i>                                              | Cap-Chat Breakwater                                    | Gaspésie.<br>49 06 01.7<br>066 41 15.7                         | Fl R 6s                  | 18.0                                     | 8                        | Square skeleton tower.<br>15.7                                                 | Seasonal.<br>Flash 1 s; eclipse 5 s.                                                                      |
| 1686<br><i>H2010</i>                                                | Île du Grand Caoui                                     | Near point of island.<br>49 49 35.3<br>067 00 21.4             | Fl W 6s                  | 45.1                                     | 8                        | White octagonal tower with<br>red top.<br>14.3                                 | Year round.<br>Flash 1 s; eclipse 5 s.                                                                    |
| 1692                                                                | <i>Godbout light buoy<br/>K14</i>                      | 49 17 45.2<br>067 36 08.0                                      | Fl R 4s                  | .....                                    | .....                    | <i>Red, pillar, marked "K14".</i>                                              | <i>Seasonal.</i>                                                                                          |
| 1692.5<br><i>H2027</i>                                              | Godbout Ferry Wharf                                    | On ferry wharf.<br>49 19 21.2<br>067 35 28.0                   | Iso R 2s                 | 11.3                                     | 4                        | Square skeleton tower.                                                         | Year round.                                                                                               |
| 1697<br><i>H2031</i>                                                | Les Méchins East<br>Light                              | On outer end of<br>wharf.<br>49 00 16.4<br>066 58 24.4         | Fl R 6s                  | 7.9                                      | 5                        | Square skeleton tower.<br>6.5                                                  | Seasonal.<br>Flash 1 s; eclipse 5 s.                                                                      |
| 1698<br><i>H2032</i>                                                | Le Gros Méchins                                        | On NE. dolphin.<br>49 00 26.8<br>066 58 27.4                   | Fl Y 4s                  | 6.1                                      | 5                        | Square skeleton tower.<br>6.6                                                  | Private aid.<br>Seasonal.                                                                                 |
| 1702                                                                | <i>Matane fairway light<br/>buoy MATAN</i>             | 48 51 38.0<br>067 32 22.0                                      | Mo(A) W 6s               | .....                                    | .....                    | <i>Red-white, pillar, marked<br/>"MATAN".</i>                                  | <i>Private aid.<br/>Seasonal.</i>                                                                         |
| 1703<br><i>H2041.3</i>                                              | Rivière Matane - West<br>Breakwater                    | 48 51 21.4<br>067 32 07.9                                      | Fl R 5s                  | 5.7                                      | .....                    | Mast.                                                                          | Private aid.<br>Seasonal.<br>Flash 1 s; eclipse 4 s.                                                      |

| No.<br>-----<br>Intl No.                                            | Name<br>-----<br>RACON                    | Location<br>-----<br>Latitude N.<br>Longitude W.                  | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)    | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                          |
|---------------------------------------------------------------------|-------------------------------------------|-------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP</b> |                                           |                                                                   |                          |                                          |                          |                                                                             |                                                                                                                                              |
| 1703.5<br>H2041                                                     | Matane Sector                             | 48 51 07.0<br>067 31 52.8                                         | Oc R 4s<br>W G           | 6.2                                      | .....                    | On bridge.                                                                  | Private aid.<br>Seasonal.<br>Flash 3 s; eclipse 1 s.<br><b>R</b> 128°12'-148°12';<br><b>W</b> 148° 12'-152°12';<br><b>G</b> 152°12'-172°12'. |
| 1704<br>H2041.2                                                     | Rivière Matane - East<br>Breakwater       | 48 51 22.8<br>067 32 04.1                                         | Fl G 5s                  | 5.7                                      | .....                    | Mast.                                                                       | Private aid.<br>Seasonal.<br>Flash 1 s; eclipse 4 s.                                                                                         |
| 1705.4<br>H2043                                                     | <b>Port de Matane East<br/>Breakwater</b> | On outer end of E.<br>breakwater.<br>48 50 49.6<br>067 34 33.1    | Fl G 6s                  | 10.2                                     | <b>16</b>                | Square skeleton tower.                                                      | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s.                                                                                     |
| 1705.5<br>H2044                                                     | Matane Railway Ferry<br>Wharf             | On wharf.<br>48 50 37.9<br>067 34 25.2                            | F R .....                | 7.2                                      | 7                        | Square skeleton tower.                                                      | Year round.<br>Operates 24 h.                                                                                                                |
| 1705.55                                                             | Port de Matane Pile 1                     | 48 50 33.3<br>067 34 24.1                                         | Fl Y 4s                  | 4.7                                      | .....                    | Post.                                                                       | Private aid.<br>Seasonal (in place year round).<br>Operates 24 h.                                                                            |
| 1705.6<br>H2042                                                     | Port de Matane West<br>Breakwater         | On outer end of W.<br>breakwater.<br>48 50 56.5<br>067 34 39.6    | Fl R 4s                  | 10.9                                     | 9                        | Square skeleton tower.                                                      | Private aid.<br>Year round.<br>Flash 1 s; eclipse 3 s.                                                                                       |
| 1707<br>H2048                                                       | Pointe Mitis (Petit<br>Mitis)             | On point.<br>48 40 49.2<br>068 02 02.5                            | Fl(3) W 7.5s             | 21.0                                     | .....                    | White hexagonal tower with<br>red top.<br>24.9                              | Private aid.<br>Year round.<br>Operates 24 h.<br>Emergency light: Fl(6) W 15s.                                                               |
| 1707.9                                                              | ODAS light buoy IML-<br>4                 | Off Rimouski.<br>48 40 00.0<br>068 35 00.0                        | Fl(5) Y 20s              | .....                                    | .....                    | Yellow, ODAS, marked<br>"IML-4".                                            | Seasonal.                                                                                                                                    |
| 1709<br>H2050                                                       | Pointe Saint-Pancrace                     | On extremity of<br>point.<br>49 15 14.2<br>068 04 41.0            | Fl W 6s                  | 25.3                                     | 8                        | Square skeleton tower,<br>orange rectangular<br>daymark.<br>11.0            | Year round.<br>Flash 1 s; eclipse 5 s.                                                                                                       |
| 1710<br>H2050.5                                                     | Baie des Anglais front<br>range light     | On N. extremity<br>Baie des Anglais.<br>49 16 08.0<br>068 07 44.6 | F G .....                | 27.1                                     | .....                    | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.     | Private aid.<br>Year round.<br>Operates 24 h.                                                                                                |
| 1711<br>H2050.6                                                     | Baie des Anglais rear<br>range light      | 49 16 12.8<br>068 07 52.7<br><br>312°19' 220.1 m<br>from front.   | F G .....                | 38.3                                     | .....                    | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.     | Private aid.<br>Year round.<br>Operates 24 h.                                                                                                |
| 1712<br>H2051                                                       | Anse du Moulin front<br>range light       | E. of silos.<br>49 15 16.3<br>068 08 03.7                         | F R .....                | 36.3                                     | .....                    | Mast, white daymark with<br>red vertical stripe.                            | Private aid.<br>Year round.                                                                                                                  |
| 1713<br>H2051.1                                                     | Anse du Moulin rear<br>range light        | 49 15 12.3<br>068 08 13.3<br><br>237°18' 229.4 m<br>from front.   | F R .....                | 67.4                                     | .....                    | Square skeleton tower,<br>white daymark with red<br>vertical stripe.<br>4.4 | Private aid.<br>Year round.                                                                                                                  |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                                     | Name<br>-----<br>RACON                                                              | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                          |                           |
|--------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|------------------------------------------------------------------------------|---------------------------|
| ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP |                                                                                     |                                                                 |                          |                                          |                          |                                                                          |                                                                              |                           |
| 1713.5                                                       | Anse du Moulin light<br>buoy KD6                                                    | Baie Comeau.<br>49 15 06.2<br>068 07 51.3                       | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "KD6".                                               | Year round.<br>(Winter spar.)                                                |                           |
| 1714<br>H2052                                                | Anse du Moulin, Alcoa<br>front range light                                          | Fixed on top of a<br>tank.<br>49 14 51.3<br>068 08 17.2         | Fl R 3.5s                | 34.1                                     | .....                    | Orange square daymark<br>with white vertical stripe.                     | Private aid.<br>Year round.<br>Flash 0.6 s; eclipse 2.9 s.                   |                           |
| 1715<br>H2052.1                                              | Anse du Moulin, Alcoa<br>rear range light                                           | 49 14 48.3<br>068 08 25.0<br><br>239°17' 182.2 m<br>from front. | Iso R 10s                | 59.6                                     | .....                    | Orange square daymark<br>with white vertical stripe.                     | Private aid.<br>Year round.                                                  |                           |
| 1715.5                                                       | Anse du Moulin light<br>buoy KD7                                                    | Baie Comeau.<br>49 14 54.7<br>068 07 49.1                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"KD7".                                          | Seasonal.                                                                    |                           |
| 1715.7<br>H2055                                              | Baie-Comeau Ferry                                                                   | In harbour.<br>49 14 03.3<br>068 07 56.5                        | F R                      | .....                                    | 5.2                      | 7                                                                        | Square tower.                                                                | Year round.               |
| 1716<br>H2054                                                | <b>Baie-Comeau</b>                                                                  | On outer end of<br>wharf.<br>49 14 09.1<br>068 07 43.3          | Fl R 6s                  | 12.4                                     | <b>17</b>                | Square skeleton tower.<br>9.6                                            | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s.                     |                           |
| 1716.2<br>H2055.4                                            | Marina Baie-Comeau<br>Entrance, West<br>breakwater                                  | On outer end of W.<br>breakwater.<br>49 13 42.3<br>068 08 03.8  | F Bu                     | .....                                    | 6.7                      | .....                                                                    | On support.<br>1.2                                                           | Private aid.<br>Seasonal. |
| 1716.4<br>H2055.5                                            | Marina Baie-Comeau<br>Entrance, East<br>breakwater                                  | On outer end of E.<br>breakwater.<br>49 13 42.4<br>068 08 00.2  | F Bu                     | .....                                    | 7.7                      | .....                                                                    | On support.<br>1.2                                                           | Private aid.<br>Seasonal. |
| 1716.5                                                       | Club nautique de<br>Baie-Comeau light<br>buoy KC1                                   | 49 13 42.3<br>068 07 54.2                                       | Fl G 3s                  | .....                                    | .....                    | Green, can, marked "KC1".                                                | Private aid.<br>Seasonal.<br>Flash 0.5 s; eclipse 2.5 s.                     |                           |
| 1716.6<br>H2055.6                                            | Marina Baie-Comeau,<br>East breakwater<br>center                                    | On centre of E.<br>breakwater.<br>49 13 44.1<br>068 07 54.9     | F W                      | .....                                    | 6.8                      | .....                                                                    | On support.<br>1.2                                                           | Private aid.<br>Seasonal. |
| 1716.8                                                       | Club nautique de<br>Baie-Comeau light<br>buoy KC3                                   | 49 13 40.9<br>068 08 01.1                                       | Fl G 3s                  | .....                                    | .....                    | Green, can, marked "KC3".                                                | Private aid.<br>Seasonal.<br>Flash 0.5 s; eclipse 2.5 s.                     |                           |
| 1717                                                         | Rivière Manicouagan<br>light and bell buoy<br>KD14                                  | Port-Cartier.<br>49 12 04.2<br>068 03 21.1                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "KD14".                                              | Year round.<br>(Winter spar.)<br><br><b>Audible signal: Bell</b>             |                           |
| 1718                                                         | Battures de<br>Manicouagan light<br>buoy K30                                        | Port-Cartier.<br>49 03 45.2<br>068 08 18.1                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "K30".                                               | Seasonal.                                                                    |                           |
| 1719<br>H2056                                                | <b>Pointe de<br/>Manicouagan</b><br><br><b>Racon X (- . . )<br/>X &amp; S Bands</b> | On point.<br>49 06 04.4<br>068 11 37.8                          | Fl W 6s                  | 36.1                                     | <b>20</b>                | Skeleton tower.<br>30.5                                                  | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s.<br>Radar reflector. |                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                                     | Name<br>-----<br>RACON                                                                       | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------------------------------------------|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|-----------------------------------------------------|
| ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP |                                                                                              |                                                                 |                          |                                          |                          |                                                                                 |                                                     |
| 1726                                                         | Pointe à Michel light<br>buoy K32                                                            | Port-Cartier.<br>48 53 30.1<br>068 37 58.2                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "K32".                                                      | Seasonal.                                           |
| 1729<br>H2063                                                | Cap Colombier                                                                                | On cape.<br>48 49 14.3<br>068 52 33.3                           | Fl W 6s                  | 24.1                                     | 10                       | Square skeleton tower.<br>9.8                                                   | Seasonal.<br>Flash 1 s; eclipse 5 s.                |
| 1731                                                         | Port de Rimouski light<br>and bell buoy H41                                                  | Channel entrance.<br>48 30 28.1<br>068 31 04.1                  | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"H41".                                                 | Seasonal.<br><b>Audible signal: Bell</b>            |
| 1732                                                         | Port de Rimouski light<br>buoy HT2                                                           | Quai de Rimouski<br>approach.<br>48 29 32.5<br>068 31 11.8      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "HT2".                                                      | Seasonal.                                           |
| 1732.2                                                       | Port de Rimouski light<br>buoy HT3                                                           | Quai de Rimouski<br>approach.<br>48 29 25.3<br>068 31 07.0      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HT3".                                                 | Seasonal.                                           |
| 1732.3                                                       | Port de Rimouski light<br>buoy HT11                                                          | 48 28 56.7<br>068 31 06.7                                       | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"HT11".                                                | Seasonal.                                           |
| 1732.4                                                       | Port de Rimouski light<br>buoy HT10                                                          | Quai de Rimouski<br>approach.<br>48 28 49.6<br>068 31 10.5      | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "HT10".                                                     | Seasonal.                                           |
| 1733<br>H2072                                                | Rimouski                                                                                     | On outer end of<br>wharf.<br>48 28 52.0<br>068 31 02.1          | Iso G 2s                 | 14.4                                     | 6                        | Square skeleton tower.<br>12.6                                                  | Year round.                                         |
| 1734<br>H2074                                                | <b>Rimouski Harbour<br/>front range light</b><br><br><b>Racon N (- )<br/>X &amp; S Bands</b> | S. of wharf.<br>48 28 06.0<br>068 31 06.1                       | Iso R 2s                 | 11.2                                     | <b>15</b>                | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>11.2 | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 1735<br>H2074.1                                              | <b>Rimouski Harbour<br/>rear range light</b>                                                 | 48 27 43.3<br>068 31 05.1<br><br>178°23' 701.7 m<br>from front. | Iso R 2s                 | 20.6                                     | <b>15</b>                | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>18.9 | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 1736                                                         | Forestville light and<br>bell buoy K38                                                       | Port-Cartier.<br>48 44 30.1<br>068 58 28.2                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "K38".                                                      | Seasonal.<br><b>Audible signal: Bell</b>            |
| 1736.5                                                       | Baie Verte light buoy<br>KE3                                                                 | Forestville.<br>48 44 15.1<br>069 02 33.9                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"KE3".                                                 | Seasonal.                                           |
| 1736.6                                                       | Baie Verte light buoy<br>KE4                                                                 | Forestville.<br>48 44 18.3<br>069 02 34.6                       | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "KE4".                                                      | Seasonal.                                           |
| 1736.8                                                       | Baie Verte light buoy<br>KE2                                                                 | Forestville.<br>48 44 21.8<br>069 01 58.2                       | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "KE2".                                                      | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                                            | Name<br>-----<br>RACON                                                     | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                      | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                  |
|---------------------------------------------------------------------|----------------------------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP</b> |                                                                            |                                                                 |                          |                                          |                          |                                                                                               |                                                                                                                      |
| 1738<br>H2064                                                       | Pointe Rocheuse<br>(Forestville)                                           | On hill, E. of<br>harbour.<br>48 44 21.5<br>069 02 53.3         | LFI W 6s                 | 20.0                                     | 8                        | Square skeleton tower.<br>15.7                                                                | Year round.<br>Operates 24 h.<br>Flash 2 s; eclipse 4 s.                                                             |
| 1739<br>H2066                                                       | <b>Forestville front<br/>range light</b>                                   | On shore.<br>48 44 09.7<br>069 03 45.0                          | F G .....                | 17.9                                     | <b>16</b>                | Square skeleton tower,<br>orange rectangular<br>daymark with black vertical<br>stripe.<br>6.3 | Seasonal.<br>Operates 24 h.                                                                                          |
| 1740<br>H2066.1                                                     | <b>Forestville rear<br/>range light</b>                                    | 48 44 08.6<br>069 03 56.7<br><br>261°34' 241.4 m<br>from front. | F G .....                | 31.9                                     | <b>16</b>                | Square skeleton tower,<br>orange rectangular<br>daymark with black vertical<br>stripe.<br>4.7 | Seasonal.<br>Operates 24 h.                                                                                          |
| 1747                                                                | Pointe à Boisvert light<br>buoy K48                                        | SE. of the point.<br>48 33 00.1<br>069 07 18.2                  | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "K48".                                                                    | Seasonal.                                                                                                            |
| 1749                                                                | Récif du Nord-Ouest,<br>Île du Bic light and bell<br>buoy H47              | 48 24 27.1<br>068 56 05.1                                       | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"H47".                                                               | Seasonal.<br><br><b>Audible signal: Bell</b>                                                                         |
| 1750<br>H2086                                                       | Île du Bic (West end)                                                      | On SW. point of<br>island.<br>48 23 11.4<br>068 53 20.5         | FI W 6s                  | 11.1                                     | 8                        | Square skeleton tower,<br>orange rectangular<br>daymark.<br>9.2                               | Seasonal.<br>Flash 1 s; eclipse 5 s.                                                                                 |
| 1751                                                                | Rocher Alcide North<br>Cardinal light buoy<br>ROALC                        | 48 20 15.5<br>068 55 58.4                                       | Q W 1s                   | .....                                    | .....                    | Black-yellow, pillar, marked<br>"ROALC".                                                      | Seasonal.                                                                                                            |
| 1752                                                                | Cap à la Carre North<br>Cardinal light buoy<br>CALR                        | N. of shoal.<br>48 19 57.1<br>069 00 55.1                       | Q W 1s                   | .....                                    | .....                    | Black-yellow, pillar, marked<br>"CALR".                                                       | Seasonal.                                                                                                            |
| 1753<br>H2088                                                       | Les Escoumins Wharf                                                        | On the portal<br>landing, S. side.<br>48 20 45.2<br>069 23 22.6 | FI G 6s                  | 12.2                                     | 6                        | On superstructure.                                                                            | Private aid.<br>Seasonal.<br>Flash 1 s; eclipse 5 s.                                                                 |
| 1754<br>H2089                                                       | <b>Anse aux Basques</b><br><br><b>Racon K (- . - )<br/>X &amp; S Bands</b> | On shore, E. side.<br>48 19 07.5<br>069 24 46.5                 | FI Y 6s                  | 17.8                                     | <b>19</b>                | Square skeleton tower.<br>9.6                                                                 | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s.                                                             |
| 1754.4                                                              | Anse aux Basques                                                           | Wharf.<br>48 19 04.9<br>069 24 56.2                             | F R<br>W<br>G            | .....                                    | 7.4                      | 10<br>Square skeleton tower, red<br>and white rectangular<br>daymark.                         | Year round.<br>Operates 24 h.<br><b>R</b> 274.04°-281.04°;<br><b>W</b> 281.04°-302.04°;<br><b>G</b> 302.04°-309.04°. |
| 1755<br>H2093                                                       | <b>Bon-Désir</b>                                                           | 48 16 19.5<br>069 28 07.2                                       | FI W 6s                  | 46.4                                     | <b>18</b>                | White octagonal tower with<br>red top.<br>14.3                                                | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s.                                                             |
| 1756<br>H2098                                                       | Trois-Pistoles front<br>range light                                        | On outer end of<br>wharf.<br>48 08 05.1<br>069 11 12.5          | F R .....                | 8.5                                      | 6                        | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.9                | Private aid.<br>Seasonal.                                                                                            |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                                            | Name<br>-----<br>RACON                               | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS      |
|---------------------------------------------------------------------|------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|----------------------------------------------------------|
| <b>ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP</b> |                                                      |                                                                 |                          |                                          |                          |                                                                                 |                                                          |
| 1756.1<br>H2098.1                                                   | Trois-Pistoles rear<br>range light                   | 48 07 59.4<br>069 11 04.5<br><br>136°55' 242.0 m<br>from front. | F R .....<br><br><br>    | 17.2                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.5 | Private aid.<br>Seasonal.                                |
| 1756.14                                                             | Trois-Pistoles light<br>buoy HR3                     | 48 08 26.4<br>069 11 40.5                                       | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"HR3".                                                 | Seasonal.                                                |
| 1756.2                                                              | Trois-Pistoles light<br>buoy HR2                     | 48 08 18.3<br>069 11 32.5                                       | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "HR2".                                                      | Seasonal.                                                |
| 1756.4<br>H2096                                                     | Île aux Basques                                      | 48 08 57.1<br>069 14 18.4                                       | Fl Y 6s                  | 12.9                                     | 7                        | Square skeleton tower.<br>9.4                                                   | Seasonal.<br>Flash 1 s; eclipse 5 s.<br>Radar reflector. |
| 1757                                                                | Grandes-Bergeronnes<br>light buoy KJ2                | 48 13 18.1<br>069 33 11.2                                       | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"KJ2".                                                  | Private aid.<br>Seasonal.                                |
| 1757.1                                                              | Grandes-Bergeronnes<br>light buoy KJ4                | 48 13 37.7<br>069 33 20.3                                       | Fl R 4s                  | .....                                    | .....                    | Red, conical, marked<br>"KJ4".                                                  | Private aid.<br>Seasonal.                                |
| 1757.2                                                              | Grandes-Bergeronnes<br>Yacht Club light buoy<br>PRIV | 48 13 34.2<br>069 33 20.0                                       | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "PRIV".                                                     | Private aid.<br>Seasonal.                                |
| 1757.3                                                              | Grandes-Bergeronnes<br>Yacht Club light buoy<br>PRIV | 48 13 20.4<br>069 33 13.7                                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"PRIV".                                                | Private aid.<br>Seasonal.                                |
| 1761<br>H2146                                                       | Île Verte                                            | On NW. point of<br>island.<br>48 03 03.9<br>069 25 27.3         | Fl W 5s                  | 16.5                                     | 19                       | White cylindrical tower.                                                        | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 4 s. |
| 1762<br>H2148                                                       | Île Verte East Wharf                                 | On S. corner of E.<br>wharf.<br>48 02 22.4<br>069 24 22.7       | F G .....<br><br><br>    | 5.4                                      | 7                        | Square skeleton tower.<br>5.0                                                   | Seasonal.<br>Operates 24 h.                              |
| 1763                                                                | Batture de l'Île Ronde<br>light buoy HV1             | L'Isle-Verte.<br>48 02 06.2<br>069 21 27.2                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HV1".                                                 | Seasonal.                                                |
| 1763.1                                                              | Batture de l'Île Ronde<br>light buoy HV2             | L'Isle-Verte.<br>48 02 00.2<br>069 21 33.5                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "HV2".                                                      | Seasonal.                                                |
| 1763.15                                                             | Batture de l'Île Ronde<br>light buoy HV3             | L'Isle-Verte.<br>48 01 60.0<br>069 21 19.1                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HV3".                                                 | Seasonal.                                                |
| 1763.2                                                              | Batture de l'Île Ronde<br>light buoy HV4             | L'Isle-Verte.<br>48 01 56.1<br>069 21 26.6                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "HV4".                                                      | Seasonal.                                                |
| 1763.25                                                             | Batture de l'Île Ronde<br>light buoy HV5             | L'Isle-Verte.<br>48 01 52.2<br>069 21 010.0                     | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HV5".                                                 | Seasonal.                                                |
| 1763.3                                                              | Batture de l'Île Ronde<br>light buoy HV6             | L'Isle-Verte.<br>48 01 49.4<br>069 21 16.2                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "HV6".                                                      | Seasonal.                                                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                                            | Name<br>-----<br>RACON                  | Location<br>-----<br>Latitude N.<br>Longitude W.         | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|---------------------------------------------------------------------|-----------------------------------------|----------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP</b> |                                         |                                                          |                          |                                          |                          |                                                                          |                                                     |
| 1763.35                                                             | Anse Verte light buoy<br>HV7            | L'Isle-Verte.<br>48 01 45.3<br>069 21 03.0               | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HV7".                                          | Seasonal.                                           |
| 1763.4                                                              | Anse Verte light buoy<br>HV8            | L'Isle-Verte.<br>48 01 42.5<br>069 21 09.0               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "HV8".                                               | Seasonal.                                           |
| 1763.45                                                             | Anse Verte light buoy<br>HV9            | L'Isle-Verte.<br>48 01 35.8<br>069 20 57.7               | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HV9".                                          | Seasonal.                                           |
| 1763.5                                                              | Anse Verte light buoy<br>HV10           | L'Isle-Verte.<br>48 01 34.9<br>069 21 02.8               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "HV10".                                              | Seasonal.                                           |
| 1763.6                                                              | Anse Verte light buoy<br>HV12           | L'Isle-Verte.<br>48 01 28.4<br>069 20 59.5               | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "HV12".                                              | Seasonal.                                           |
| 1766.8                                                              | Bancs de l'île Rouge<br>light buoy K51  | NE. extremity of<br>bank.<br>48 06 53.1<br>069 31 03.2   | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"K51".                                          | Seasonal.<br><b>Audible signal: Bell</b>            |
| 1768                                                                | Bancs de l'île Rouge<br>light buoy K55  | NW. extremity of<br>bank.<br>48 05 37.8<br>069 33 58.9   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"K55".                                          | Seasonal.                                           |
| 1769                                                                | Bancs de l'île Rouge<br>light buoy H52  | 48 04 31.1<br>069 31 39.2                                | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "H52".                                               | Seasonal.                                           |
| 1770<br>H2104                                                       | Île Rouge                               | On centre of island.<br>48 04 010.0<br>069 33 16.9       | Fl W 10s                 | 20.1                                     | 20                       | Cylindrical tower.<br>20.1                                               | Year round.<br>Flash 1 s; eclipse 9 s.              |
| 1771                                                                | Batture aux Alouettes<br>light buoy K58 | Saguenay River<br>Entrance.<br>48 03 30.1<br>069 38 36.2 | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "K58".                                               | Year round.<br>(Winter spar.)                       |
| 1772                                                                | Batture aux Alouettes<br>light buoy K56 | At river entrance.<br>48 04 54.1<br>069 37 22.2          | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "K56".                                               | Seasonal.<br><b>Audible signal: Bell</b>            |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                        | Location<br>-----<br>Latitude N.<br>Longitude W.             | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                     |                                                             |
|--------------------------|-----------------------------------------------|--------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------|
| SAGUENAY RIVER           |                                               |                                                              |                          |                                          |                          |                                                                          |                                                                                         |                                                             |
| 1773<br>H2106            | Haut-fond Prince                              | 48 06 29.6<br>069 36 51.7                                    | Fl W 2.5s                | 24.6                                     | 18                       | White cylindrical tower with red bands.                                  | Year round.<br>Flash 0.1 s; eclipse 2.4 s.<br><br>Synthetic AIS AtoN<br>MMSI: 993161059 |                                                             |
| 1774.3                   | Rochers du Saguenay light buoy K54            | At river entrance.<br>48 07 48.6<br>069 35 56.9              | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "K54".                                               | Seasonal.                                                                               |                                                             |
| 1774.5                   | Saguenay River Entrance light buoy S3         | At river entrance.<br>48 06 47.1<br>069 37 50.2              | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "S3".                                              | Seasonal.                                                                               |                                                             |
| 1775                     | Batture aux Vaches light and bell buoy S4     | At river entrance.<br>48 07 24.1<br>069 37 58.2              | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "S4".                                                | Year round.<br>(Winter spar.)<br><br>Audible signal: Bell                               |                                                             |
| 1776                     | Récif Bar light and bell buoy S5              | At river entrance.<br>48 06 59.9<br>069 39 15.8              | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "S5".                                              | Seasonal.<br><br>Audible signal: Bell                                                   |                                                             |
| 1777                     | Batture de la Pointe aux Vaches light buoy S8 | At river entrance.<br>48 07 30.1<br>069 40 17.2              | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "S8".                                                | Seasonal.                                                                               |                                                             |
| 1778                     | Îlet aux Alouettes light buoy S7              | At river entrance.<br>48 07 11.1<br>069 40 30.2              | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "S7".                                              | Seasonal.                                                                               |                                                             |
| 1778.3                   | Îlet aux Alouettes North (V-AIS)              | 48 06 28.8<br>069 41 02.8                                    | .....                    | .....                                    | .....                    | .....                                                                    | Year round.<br><br>Virtual AIS AtoN<br>MMSI: 993166031<br>Reference point               |                                                             |
| 1779<br>H2112            | Pointe Noire, Saguenay front range light      | E. of point.<br>48 07 23.9<br>069 43 00.4                    | F W                      | .....                                    | 29.1                     | 20                                                                       | Square skeleton tower, orange daymark with black vertical stripe.<br>11.4               | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 1779.1<br>H2112          | Pointe Noire, Saguenay                        | E. of point.<br>48 07 23.9<br>069 43 00.4                    | F G                      | .....                                    | 28.8                     | 6                                                                        | Square skeleton tower.<br>11.1                                                          | Year round.<br>Operates 24 h.<br>Visible 077°-257°.         |
| 1780<br>H2112.1          | Pointe Noire, Saguenay rear range light       | 48 07 24.7<br>069 43 21.0<br><br>273°05' 427.4 m from front. | F W                      | .....                                    | 43.5                     | 20                                                                       | Square skeleton tower, orange daymark with black vertical stripe.<br>9.1                | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 1781<br>H2108            | Baie Sainte-Catherine                         | On wharf extremity.<br>48 06 56.8<br>069 43 14.0             | Fl G 6s                  | 9.1                                      | 6                        | Red square skeleon tower.<br>1.3                                         | Year round.<br>Flash 1 s; eclipse 5 s.                                                  |                                                             |
| 1782.5                   | Marina de Tadoussac Hazard light buoy PRIV    | 48 08 19.3<br>069 42 53.0                                    | Fl Y 4s                  | .....                                    | .....                    | White-orange, pillar, marked "PRIV".                                     | Private aid.<br>Seasonal.<br>Operates 24 h.<br>Flash 1 s; eclipse 3 s.                  |                                                             |
| 1783<br>H2115            | Pointe de l'Islet                             | At point.<br>48 08 07.3<br>069 42 59.4                       | Fl W 6s                  | 12.0                                     | 5                        | Square skeleton tower.<br>9.5                                            | Year round.<br>Flash 1 s; eclipse 5 s.                                                  |                                                             |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON             | Location<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------------------|-------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| SAGUENAY RIVER           |                                    |                                                             |                          |   |       |                                          |                          |                                                                          |                                                     |
| 1784<br>H2118            | Anse à l'Eau                       | On outer end of<br>wharf.<br>48 08 19.1<br>069 43 38.9      | F                        | G | ..... | 10.6                                     | .....                    | Square skeleton tower.<br>6.5                                            | Year round.<br>Radar reflector.                     |
| 1784.5<br>H2113          | Anse du Portage                    | On outer end of<br>wharf.<br>48 07 36.6<br>069 43 49.6      | F                        | Y | ..... | 9.7                                      | 8                        | Square skeleton tower.<br>6.9                                            | Year round.                                         |
| 1785<br>H2122            | Cap de la Boule                    | On S. side of point.<br>48 08 52.7<br>069 48 13.1           | Fl                       | W | 6s    | 18.0                                     | 5                        | Square skeleton tower.<br>6.6                                            | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1786<br>H2124            | Anse de Sable                      | W. of cove.<br>48 09 05.6<br>069 51 18.8                    | Fl                       | W | 6s    | 6.8                                      | 5                        | Square skeleton tower.<br>6.5                                            | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1787<br>H2130            | Anse à Pierrot                     | NW. of cove.<br>48 14 01.7<br>069 53 41.8                   | Fl                       | W | 6s    | 13.1                                     | 5                        | Square skeleton tower.<br>9.5                                            | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1788<br>H2126            | Pointe aux Crêpes                  | On point.<br>48 13 01.2<br>069 53 41.4                      | Fl                       | G | 6s    | 12.9                                     | 5                        | Square skeleton tower.<br>8.0                                            | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1789<br>H2128            | Anse-de-Roche                      | On wharf on N.<br>shore.<br>48 13 06.2<br>069 52 30.6       | Iso                      | R | 2s    | 6.6                                      | 7                        | Skeleton tower.<br>6.4                                                   | Private aid.<br>Seasonal.                           |
| 1790<br>H2131            | Île Saint-Louis                    | On N. side of<br>island.<br>48 15 03.3<br>070 01 08.6       | Fl                       | W | 6s    | 39.6                                     | 5                        | Square skeleton tower.<br>9.5                                            | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1791<br>H2133            | Pointe Claveau                     | On point.<br>48 15 37.7<br>070 06 52.4                      | Fl                       | W | 6s    | 15.3                                     | 5                        | Square skeleton tower.<br>9.5                                            | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1793<br>H2136            | Anse de Tabatière                  | NW. of Pointe au<br>Boeuf.<br>48 16 19.5<br>070 12 08.1     | Fl                       | W | 6s    | 15.0                                     | 5                        | Square skeleton tower.<br>5.0                                            | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1794<br>H2138            | Baie Trinité                       | On point opposite<br>La Niche.<br>48 21 13.5<br>070 20 40.5 | Fl                       | W | 6s    | 16.3                                     | 8                        | Square skeleton tower,<br>orange rectangular<br>daymark.<br>9.5          | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1795<br>H2140            | Pointe Rouge                       | 48 22 28.2<br>070 32 06.7                                   | Fl                       | W | 6s    | 14.8                                     | 5                        | Square skeleton tower.<br>8.0                                            | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 1798<br>H2142            | Cap à l'Est                        | On S. extremity of<br>cape.<br>48 22 33.2<br>070 42 20.4    | Fl                       | W | 6s    | 17.0                                     | 5                        | White octagonal tower with<br>red top.<br>8.1                            | Year round.<br>Flash 1 s; eclipse 5 s.              |
| Baie des Ha! Ha! Harbour |                                    |                                                             |                          |   |       |                                          |                          |                                                                          |                                                     |
| 1799                     | Baie des Ha! Ha! light<br>buoy SH9 | 48 21 24.1<br>070 45 42.3                                   | Fl                       | G | 4s    | .....                                    | .....                    | Green, spar, marked<br>"SH9".                                            | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                             |                                               |
|--------------------------|----------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------|-----------------------------------------------|
| SAGUENAY RIVER           |                                              |                                                                  |                          |                                          |                          |                                                                          |                                                                                 |                                               |
| 1799.11                  | Powell Docking Basin<br>#2 front range light | 48 19 57.8<br>070 52 25.7                                        | Iso Y 1s                 | .....                                    | .....                    | Mast, yellow daymark with<br>black vertical stripe.                      | Private aid.<br>Year round.<br>Operates 24 h.                                   |                                               |
| 1799.12                  | Powell Docking Basin<br>#2 rear range light  | 48 19 57.6<br>070 52 28.6<br><br>083°47' 59.0 m<br>from front.   | Iso Y 1s                 | .....                                    | .....                    | Mast, yellow daymark with<br>black vertical stripe.                      | Private aid.<br>Year round.<br>Operates 24 h.                                   |                                               |
| 1799.13                  | Powell Docking Basin<br>#2 front range light | 48 19 59.3<br>070 52 25.3                                        | F Bu                     | .....                                    | .....                    | Mast, yellow daymark with<br>black vertical stripe.                      | Private aid.<br>Year round.<br>Operates 24 h.                                   |                                               |
| 1799.14                  | Powell Docking Basin<br>#2 rear range light  | 48 19 59.0<br>070 52 29.7<br><br>084°39' 89.0 m<br>from front.   | F Bu                     | .....                                    | .....                    | Mast, yellow daymark with<br>black vertical stripe.                      | Private aid.<br>Year round.<br>Operates 24 h.                                   |                                               |
| 1799.2<br>H2142.3        | Port-Alfred front range<br>light             | 48 20 04.2<br>070 52 27.0                                        | F R                      | .....                                    | 15.0                     | .....                                                                    | On building, orange<br>daymark with black vertical<br>stripe.                   | Private aid.<br>Year round.<br>Operates 24 h. |
| 1799.3<br>H2142.31       | Port-Alfred rear range<br>light              | 48 20 03.6<br>070 52 32.8<br><br>261°46' 122.4 m<br>from front.  | F R                      | .....                                    | 26.1                     | .....                                                                    | On building, orange<br>daymark with black vertical<br>stripe.                   | Private aid.<br>Year round.<br>Operates 24 h. |
| 1799.4<br>H2142.2        | Bagotville Wharf                             | 48 20 35.7<br>070 52 33.9                                        | Iso R 2s                 | 10.7                                     | 6                        | Pipe swing pole.<br>8.1                                                  | Year round.                                                                     |                                               |
| Chicoutimi Harbour       |                                              |                                                                  |                          |                                          |                          |                                                                          |                                                                                 |                                               |
| 1799.5<br>H2142.8        | Pointe aux Pins,<br>Saguenay                 | W. side of the point.<br>48 25 08.2<br>070 49 52.8               | Fl Y 6s                  | 10.9                                     | 5                        | Square skeleton tower,<br>orange rectangular<br>daymark.<br>6.4          | Year round.<br>Flash 1 s; eclipse 5 s.                                          |                                               |
| 1800.5                   | Poste-Saint-Martin<br>light buoy S30         | 48 25 20.7<br>070 52 49.0                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "S30".                                               | Seasonal.                                                                       |                                               |
| 1801<br>H2143            | Poste-Saint-Martin<br>front range light      | S. of wharf.<br>48 26 36.7<br>070 59 00.6                        | F W                      | .....                                    | 24.0                     | 15                                                                       | Square tower, orange<br>daymark with black vertical<br>stripe.                  | Seasonal.<br>Operates 24 h.                   |
| 1802<br>H2143.1          | Poste-Saint-Martin<br>rear range light       | 48 27 08.7<br>071 01 35.0<br><br>287°18' 3322.3 m<br>from front. | F W                      | .....                                    | 54.1                     | 15                                                                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>18.9 | Seasonal.<br>Operates 24 h.                   |
| 1802.4                   | Poste-Saint-Martin<br>light buoy S32         | Chicoutimi Harbour.<br>48 25 29.8<br>070 53 32.2                 | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "S32".                                               | Seasonal.                                                                       |                                               |
| 1802.6                   | Poste-Saint-Martin<br>light buoy S34         | 48 25 38.8<br>070 54 15.7                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "S34".                                               | Seasonal.                                                                       |                                               |
| 1803                     | Poste-Saint-Martin<br>light buoy S36         | 48 25 47.9<br>070 54 59.2                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "S36".                                               | Seasonal.                                                                       |                                               |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                          | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                             | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|-------------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>SAGUENAY RIVER</b>    |                                                 |                                                                  |                          |                                          |                          |                                                                                                      |                                                     |
| 1803.5                   | Poste-Saint-Martin<br>light buoy S37            | 48 25 55.0<br>070 55 45.6                                        | Fl G 4s .....            | .....                                    |                          | Green, pillar, marked<br>"S37".                                                                      | Seasonal.                                           |
| 1804                     | Poste-Saint-Martin<br>light buoy S38            | 48 26 04.2<br>070 56 17.8                                        | Q R 1s .....             | .....                                    |                          | Red, pillar, marked "S38".                                                                           | Seasonal.                                           |
| 1804.3                   | Poste-Saint-Martin<br>light buoy S39            | 48 26 05.0<br>070 56 34.0                                        | Fl G 4s .....            | .....                                    |                          | Green, pillar, marked<br>"S39".                                                                      | Seasonal.                                           |
| 1804.5                   | Poste-Saint-Martin<br>light buoy S40            | 48 26 14.1<br>070 56 42.8                                        | Q R 1s .....             | .....                                    |                          | Red, pillar, marked "S40".                                                                           | Seasonal.                                           |
| 1804.7                   | Rivière Valin light<br>buoy S42                 | 48 26 30.7<br>070 57 08.6                                        | Fl R 4s .....            | .....                                    |                          | Red, pillar, marked "S42".                                                                           | Seasonal.                                           |
| 1805<br>H2143.3          | Rivière Valin front<br>range light              | E. of river mouth.<br>48 27 36.7<br>070 58 53.7                  | Iso W 2s                 | 27.4                                     | 11                       | Square skeleton tower,<br>fluorescent red slatwork<br>daymark with black vertical<br>stripe.<br>26.2 | Seasonal.<br>Operates 24 h.                         |
| 1806<br>H2143.31         | Rivière Valin rear<br>range light               | 48 27 59.7<br>070 59 29.5<br><br>314°02' 1020.8 m<br>from front. | Iso W 2s                 | 47.9                                     | 11                       | Square skeleton tower,<br>fluorescent red daymark<br>with black vertical stripe.<br>9.5              | Seasonal.<br>Operates 24 h.                         |
| 1806.5                   | Rivière à la loutre light<br>buoy S44           | 48 26 45.2<br>070 57 31.0                                        | Fl R 4s .....            | .....                                    |                          | Red, pillar, marked "S44".                                                                           | Seasonal.                                           |
| 1808<br>H2143.4          | <b>Rivière du Caribou<br/>front range light</b> | On N. side of river.<br>48 27 23.2<br>071 00 35.6                | F W .....                | 13.2                                     | 15                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>12.6                      | Seasonal.<br>Operates 24 h.                         |
| 1809<br>H2143.5          | <b>Rivière du Caribou<br/>rear range light</b>  | 48 27 24.9<br>071 00 46.4<br><br>283°34' 229.0 m<br>from front.  | F W .....                | 19.2                                     | 15                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>9.6                       | Seasonal.<br>Operates 24 h.                         |
| 1810                     | Rivière Valin light<br>buoy S46                 | 48 26 57.9<br>070 57 50.8                                        | Fl R 4s .....            | .....                                    |                          | Red, pillar, marked "S46".                                                                           | Seasonal.                                           |
| 1811<br>H2143.6          | Simard front range<br>light                     | On N. side of the<br>river.<br>48 26 59.1<br>071 01 16.7         | F G .....                | 8.8                                      | 6                        | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>8.1                       | Seasonal.<br>Operates 24 h.                         |
| 1812<br>H2143.7          | <b>Simard rear range<br/>light</b>              | 48 26 57.4<br>071 01 26.8<br><br>256°15' 212.9 m<br>from front.  | F G .....                | 13.9                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>12.4                      | Seasonal.<br>Operates 24 h.                         |
| 1813                     | Caribou Curve light<br>buoy S47                 | 48 26 57.9<br>070 58 06.0                                        | Q G 1s .....             | .....                                    |                          | Green, pillar, marked<br>"S47".                                                                      | Seasonal.                                           |
| 1813.8                   | Rivière Caribou light<br>buoy S50               | 48 27 07.1<br>070 58 47.3                                        | Fl R 4s .....            | .....                                    |                          | Red, pillar, marked "S50".                                                                           | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                          | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics |             |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)       | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                               |
|--------------------------|-------------------------------------------------|-----------------------------------------------------------------|--------------------------|-------------|-------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| SAGUENAY RIVER           |                                                 |                                                                 |                          |             |       |                                          |                          |                                                                                |                                                                                                                                                   |
| 1814<br>H2143.9          | Rivière-du-Moulin<br>Lower front range<br>light | N. of river.<br>48 26 07.4<br>071 01 31.1                       | F                        | G           | ..... | 10.6                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>9.4 | Seasonal.<br>Operates 24 h.                                                                                                                       |
| 1815<br>H2143.91         | Rivière-du-Moulin<br>Lower rear range<br>light  | 48 26 02.2<br>071 01 36.6<br><br>214°46' 197.1 m<br>from front. | F                        | G           | ..... | 17.6                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>7.9 | Seasonal.<br>Operates 24 h.                                                                                                                       |
| 1817<br>H2144            | Rivière-du-Moulin<br>Upper front range<br>light | E. of river mouth.<br>48 26 01.6<br>071 01 42.9                 | F                        | G           | ..... | 9.6                                      | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.4 | Seasonal.<br>Operates 24 h.                                                                                                                       |
| 1818<br>H2144.1          | Rivière-du-Moulin<br>Upper rear range<br>light  | 48 26 02.2<br>071 01 36.5<br><br>081°38' 132.1 m<br>from front. | F                        | G           | ..... | 17.6                                     | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>7.9 | Seasonal.<br>Operates 24 h.                                                                                                                       |
| 1820                     | Quai Maltais light buoy<br>S53                  | 48 27 08.5<br>070 59 11.8                                       | Q                        | G           | 1s    | .....                                    | .....                    | Green, pillar, marked<br>"S53".                                                | Seasonal.                                                                                                                                         |
| 1820.2                   | Caribou Curve light<br>buoy S56                 | 48 27 16.1<br>070 59 43.2                                       | Fl                       | R           | 4s    | .....                                    | .....                    | Red, pillar, marked "S56".                                                     | Seasonal.                                                                                                                                         |
| 1820.5                   | Alignement Simard<br>light buoy S59             | 48 27 07.7<br>071 00 12.9                                       | Q                        | G           | 1s    | .....                                    | .....                    | Green, pillar, marked<br>"S59".                                                | Seasonal.                                                                                                                                         |
| 1820.6                   | Simard Curve light<br>buoy S60                  | 48 27 06.9<br>071 00 28.6                                       | Fl                       | R           | 4s    | .....                                    | .....                    | Red, pillar, marked "S60".                                                     | Seasonal.                                                                                                                                         |
| 1820.7                   | Rivière du Moulin<br>curve light buoy S61       | 48 26 55.0<br>071 00 39.3                                       | Q                        | G           | 1s    | .....                                    | .....                    | Green, pillar, marked<br>"S61".                                                | Seasonal.                                                                                                                                         |
| 1820.9                   | Chicoutimi Harbour<br>light buoy S63            | 48 26 29.2<br>071 01 06.2                                       | Fl                       | G           | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"S63".                                                | Seasonal.                                                                                                                                         |
| 1821.1                   | Chicoutimi Harbour<br>light buoy S65            | 48 26 13.2<br>071 01 37.2                                       | Fl                       | G           | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"S65".                                                | Seasonal.                                                                                                                                         |
| 1821.3                   | Chicoutimi Harbour<br>light buoy S67            | 48 25 57.2<br>071 02 08.3                                       | Fl                       | G           | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"S67".                                                | Seasonal.                                                                                                                                         |
| 1822<br>H2145            | Price Monument<br>Sector                        | 48 25 45.8<br>071 02 34.9                                       | F                        | R<br>W<br>G | ..... | 13.0                                     | 13                       | Square skeleton tower.                                                         | Seasonal.<br>Operates 24 h.<br>R 229°30'-231°30';<br>AI RW 231°30'-231°50';<br>W 231°50'-232°10';<br>AI GW 232°10'-232°30';<br>G 232°30'-234°30'. |
| 1823.3                   | Rivière du Moulin light<br>buoy S71             | 48 25 52.9<br>071 02 56.8                                       | Fl                       | G           | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"S71".                                                | Seasonal.                                                                                                                                         |
| 1823.4                   | Chicoutimi Yacht Club                           | Outer end of wharf.<br>48 25 51.4<br>071 03 00.1                | Fl                       | Y           | 4s    | 1.5                                      | 2                        | .....                                                                          | Private aid.<br>Seasonal.<br>Operates 24 h.<br>Flash 1 s; eclipse 3 s.                                                                            |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON              | Location<br>-----<br>Latitude N.<br>Longitude W.             | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                      |
|--------------------------|-------------------------------------|--------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>LAC SAINT-JEAN</b>    |                                     |                                                              |                          |                                          |                          |                                                                          |                                                                          |
| 1823.55                  | Grosse Île Verte                    | Baie Gaudreault.<br>48 32 59.9<br>071 49 01.2                | Iso R 2s                 | 9.4                                      | 4                        | Square skeleton tower.<br>4.9                                            | Private aid.<br>Year round.                                              |
| 1823.57                  | La Belle Rivière light<br>buoy PRIV | 48 29 18.5<br>071 47 54.1                                    | Fl G 4s                  | .....                                    | .....                    | Green, marked "PRIV".                                                    | Private aid.                                                             |
| 1823.61                  | Roberval Breakwater                 | Off outer end of<br>breakwater.<br>48 31 33.3<br>072 13 01.9 | Fl R 6s                  | 7.0                                      | 5                        | Square tower, orange<br>rectangular daymark.<br>4.9                      | Private aid.<br>Year round.<br>Flash 1 s; eclipse 5 s.                   |
| 1823.611                 | Roberval                            | 48 31 03.6<br>072 13 01.9                                    | Fl R 6s                  | 7.3                                      | .....                    | Mast.                                                                    | Private aid.<br>Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s. |
| 1823.612                 | Roberval                            | 48 31 04.5<br>072 13 03.7                                    | Fl G 6s                  | .....                                    | .....                    | Mast.                                                                    | Private aid.<br>Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s. |
| 1823.613                 | Roberval, breakwater                | Off outer end of<br>breakwater.<br>48 31 17.2<br>072 13 07.9 | Fl Y 4s                  | .....                                    | .....                    | Skeleton tower.                                                          | Private aid.<br>Year round.                                              |
| 1823.63                  | St-Prime                            | 48 36 03.3<br>072 19 19.3                                    | Fl R 4s                  | 7.0                                      | .....                    | Mast.                                                                    | Private aid.<br>Seasonal.<br>Operates 24 h.                              |
| 1823.631                 | Saint-Prime                         | 48 36 01.7<br>072 19 19.5                                    | Fl G 4s                  | .....                                    | .....                    | Mast.                                                                    | Private aid.<br>Seasonal.<br>Operates 24 h.                              |
| 1823.65                  | Saint-Prime                         | 48 35 59.3<br>072 19 19.8                                    | Fl Y 4s                  | .....                                    | .....                    | Mast.                                                                    | Private aid.<br>Year round.<br>Operates 24 h.                            |
| 1823.71                  | Péribonka West<br>Breakwater        | Péribonka Marina.<br>48 45 56.7<br>072 03 16.1               | Fl Y 4s                  | .....                                    | .....                    | Pile.                                                                    | Private aid.<br>Seasonal.<br>Flash 1 s; eclipse 3 s.                     |
| 1823.73                  | Péribonka                           | Péribonka Marina.<br>48 45 55.3<br>072 03 06.6               | F G                      | .....                                    | .....                    | Green skeleton tower.                                                    | Private aid.<br>Seasonal.                                                |
| 1823.76                  | Petite Île Beemer                   | N. point of island.<br>48 37 09.0<br>071 47 46.8             | Fl Y 6s                  | 8.0                                      | 7                        | Square skeleton tower.<br>5.0                                            | Private aid.<br>Seasonal.<br>Flash 1 s; eclipse 5 s.                     |
| 1823.77                  | Île Ronde                           | N. end of island.<br>48 36 20.0<br>071 49 11.0               | Iso W 2s                 | 21.0                                     | 6                        | Square skeleton tower.<br>15.6                                           | Private aid.<br>Seasonal.                                                |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                                    | Location<br>-----<br>Latitude N.<br>Longitude W.                  | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)  | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                             |                               |
|---------------------------------------------|-----------------------------------------------------------|-------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                           |                                                                   |                          |                                          |                          |                                                                           |                                                                                 |                               |
| 1823.8                                      | Le Pilier de l'Île<br>Blanche light buoy<br>K59           | Chenal du Nord.<br>47 59 06.1<br>069 37 52.2                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"K59".                                           | Seasonal.                                                                       |                               |
| 1824.1<br>H2160                             | Cacouna Harbour<br>front range light                      | E. of harbour.<br>47 55 55.4<br>069 29 35.7                       | F R                      | .....                                    | 29.6                     | 16                                                                        | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.5 | Year round.<br>Operates 24 h. |
| 1824.2<br>H2160.1                           | Cacouna Harbour<br>rear range light                       | 47 55 56.9<br>069 29 19.0<br><br>082°10' 349.2 m<br>from front.   | F R                      | .....                                    | 40.0                     | 16                                                                        | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.6 | Year round.<br>Operates 24 h. |
| 1824.23                                     | Le Gros Cacouna light<br>buoy HC1                         | 47 55 56.5<br>069 30 51.6                                         | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HC1".                                           | Seasonal.                                                                       |                               |
| 1824.24                                     | Le Gros Cacouna light<br>buoy HC3                         | 47 55 49.3<br>069 30 44.7                                         | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"HC3".                                           | Seasonal.                                                                       |                               |
| 1824.3<br>H2160.5                           | Port de Gros-Cacouna<br>North                             | End of breakwater.<br>47 55 50.4<br>069 31 13.4                   | Fl Y 6s                  | 8.0                                      | 8                        | Square skeleton tower.<br>5.0                                             | Year round.<br>Flash 1 s; eclipse 5 s.                                          |                               |
| 1824.33                                     | Le Gros Cacouna light<br>buoy HC2                         | 47 55 39.6<br>069 30 57.9                                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "HC2".                                                | Year round.<br>(Winter spar.)                                                   |                               |
| 1824.4<br>H2160.6                           | Port de Gros-Cacouna                                      | End of S.<br>breakwater.<br>47 55 41.6<br>069 31 13.0             | Iso W 2s                 | 8.0                                      | 8                        | Square skeleton tower.<br>4.9                                             | Year round.                                                                     |                               |
| 1825                                        | Brisants Barrett light<br>and bell buoy H56               | 47 52 54.1<br>069 37 11.2                                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "H56".                                                | Seasonal.<br><br>Audible signal: Bell                                           |                               |
| 1825.5                                      | Rocher Demers light<br>buoy H58                           | 47 51 22.1<br>069 38 55.2                                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "H58".                                                | Seasonal.                                                                       |                               |
| 1826<br>H2162                               | Pointe de la Rivière du<br>Loup                           | On end of wharf.<br>47 50 52.4<br>069 34 14.0                     | Iso G 2s                 | 10.2                                     | 10                       | Pipe swing pole.<br>8.1                                                   | Year round.                                                                     |                               |
| 1826.5                                      | Pointe de Rivière du<br>Loup west light                   | On W. outer end of<br>S. breakwater.<br>47 50 48.6<br>069 34 19.8 | Fl R 4s                  | .....                                    | .....                    | Cylindrical mast.                                                         | Private aid.<br>Year round.                                                     |                               |
| 1829<br>H2167                               | Île aux Lièvres                                           | On small island,<br>SW. end.<br>47 47 55.3<br>069 46 29.2         | Fl G 6s                  | 9.4                                      | 10                       | Square skeleton tower,<br>orange and white<br>rectangular daymark.<br>7.9 | Seasonal.<br>Flash 1 s; eclipse 5 s.<br>Radar reflector.                        |                               |
| 1830                                        | Passe de l'Île aux<br>Lièvres Fairway light<br>buoy ILIEV | Chenal du Sud.<br>47 47 14.2<br>069 47 10.3                       | Mo(A) W 6s               | .....                                    | .....                    | Red-white, pillar, marked<br>"ILIEV".                                     | Year round.<br>(Winter spar.)                                                   |                               |
| 1831                                        | Battures des Pèlerins<br>light and bell buoy<br>H63       | Chenal du Sud.<br>47 45 46.1<br>069 43 48.2                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"H63".                                           | Seasonal.<br><br>Audible signal: Bell                                           |                               |

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                              | Location<br>-----<br>Latitude N.<br>Longitude W.     | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS      |
|----------------------------------------------------|-----------------------------------------------------|------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|----------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                     |                                                      |                          |                                          |                          |                                                                          |                                                          |
| 1832<br>H2172                                      | Le Long Pèlerin                                     | Centre of island.<br>47 42 58.8<br>069 44 51.8       | Fl W 6s                  | 44.0                                     | 9                        | Square skeleton tower.<br>13.9                                           | Seasonal.<br>Flash 1 s; eclipse 5 s.                     |
| 1834<br>H2166                                      | <b>Cap de la Tête au Chien</b>                      | On the cape.<br>47 54 41.5<br>069 48 23.7            | Fl W 6s                  | 62.9                                     | <b>15</b>                | White octagonal tower with red top.                                      | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s. |
| 1834.5                                             | <i>Saint-Siméon light buoy K60</i>                  | 47 50 40.0<br>069 52 11.6                            | Fl R 4s                  | .....                                    | .....                    | <i>Red, pillar, marked "K60".</i>                                        | <i>Seasonal.</i>                                         |
| 1835<br>H2168                                      | Saint-Siméon                                        | On outer end of wharf.<br>47 50 23.7<br>069 52 23.0  | Iso R 2s                 | 8.5                                      | 5                        | Square skeleton tower.<br>6.2                                            | Year round.                                              |
| 1836<br>H2182                                      | <b>Cap au Saumon</b>                                | 47 46 13.8<br>069 54 21.4                            | Fl(3) W 15s              | 25.0                                     | <b>20</b>                | White octagonal tower with red top.                                      | Year round.<br>Operates 24 h.                            |
| 1838<br>H2174                                      | Grande Île Kamouraska                               | Near NE. end of island.<br>47 37 20.4<br>069 51 44.3 | Fl W 6s                  | 35.0                                     | 8                        | Square skeleton tower.<br>12.6                                           | Seasonal.<br>Flash 1 s; eclipse 5 s.                     |
| 1839<br>H2187                                      | Cap à l'Aigle Breakwater                            | Marina, on breakwater.<br>47 39 45.9<br>070 05 46.0  | Fl Y 6s                  | 6.4                                      | 7                        | Square skeleton tower.<br>5.0                                            | Private aid.<br>Seasonal.<br>Flash 1 s; eclipse 5 s.     |
| 1839.5<br>H2187.2                                  | Cap à l'Aigle Marina                                | 47 39 44.6<br>070 05 48.7                            | Iso R 6s                 | 4.8                                      | .....                    | Square skeleton tower.<br>3.4                                            | Private aid.<br>Seasonal.                                |
| 1840<br>H2186                                      | Cap à l'Aigle                                       | East end of pier.<br>47 39 43.0<br>070 05 46.7       | Iso R 2s                 | 6.1                                      | 6                        | Mast.                                                                    | Private aid.<br>Year round.                              |
| 1841                                               | <i>Haut-fond Morin bifurcation light buoy HFMOR</i> | 47 36 08.1<br>070 02 16.2                            | Fl(2+1) G 6s             | .....                                    | .....                    | <i>Green-red-green, pillar, marked "HFMOR".</i>                          | <i>Year round.<br/>(Winter spar.)</i>                    |
| 1843                                               | <i>Pointe-au-Pic light and bell buoy K64</i>        | <i>Chenal du Nord.</i><br>47 37 22.0<br>070 08 03.3  | <i>Fl R 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Red, pillar, marked "K64".</i>                                        | <i>Seasonal.</i><br><br><i>Audible signal: Bell</i>      |
| 1843.5                                             | <i>Pointe-au-Pic South Cardinal light buoy KPP</i>  | 47 37 22.9<br>070 08 18.8                            | <i>Q(6) + LFI W 15s</i>  | <i>.....</i>                             | <i>.....</i>             | <i>Yellow-black, pillar, marked "KPP".</i>                               | <i>Seasonal.</i>                                         |
| 1843.7<br>H2195                                    | Pointe-au-Pic Breakwater                            | 47 37 24.9<br>070 08 19.6                            | F Y .....                | 7.2                                      | .....                    | Mast.                                                                    | Private aid.<br>Seasonal.                                |
| 1844<br>H2194                                      | <b>Pointe-au-Pic</b>                                | On inner side of wharf.<br>47 37 21.1<br>070 08 24.2 | Fl R 6s                  | 19.5                                     | <b>17</b>                | Square skeleton tower.<br>18.5                                           | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s. |
| 1849<br>H2202                                      | <b>Cap-aux-Oies</b>                                 | On cape.<br>47 29 17.6<br>070 13 53.2                | Fl W 6s                  | 15.9                                     | <b>20</b>                | Square skeleton tower.<br>9.5                                            | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 5 s. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                    | Location<br>-----<br>Latitude N.<br>Longitude W.                                     | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                                  | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                     |
|----------------------------------------------------|-------------------------------------------|--------------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                           |                                                                                      |                          |                                          |                          |                                                                                                           |                                                                                                         |
| 1849.5<br>H2204                                    | Cap Saint-Joseph                          | On the portal<br>landing.<br>47 26 54.1<br>070 21 52.7                               | Iso G 2s                 | 13.4                                     | 7                        | Structure.<br>11.2                                                                                        | Year round.<br>Radar reflector.<br><br>Synthetic AIS AtoN<br>MMSI: 993161078                            |
| 1850<br>H2206                                      | Île aux Coudres                           | On outer end of<br>wharf.<br>47 25 14.9<br>070 23 33.4                               | F G .....                | 13.7                                     | .....                    | On landing stage of<br>superstructure.                                                                    | Year round.<br>Operates 24 h.                                                                           |
| 1851<br>H2208                                      | Pointe de la Prairie                      | On La Grande<br>Batture, W. of<br>Pointe de la Prairie.<br>47 24 33.8<br>070 25 51.2 | Fl W 2.5s                | 15.6                                     | 16                       | Red and white cylindrical<br>tower.                                                                       | Year round.<br>Operates 24 h.<br>Flash 0.5 s; eclipse 2 s.<br><br>Synthetic AIS AtoN<br>MMSI: 993161077 |
| 1852<br>H2218                                      | Cap-aux-Corbeaux<br>front range light     | E. of wharf.<br>47 26 06.7<br>070 25 40.6                                            | F W .....                | 32.9                                     | 20                       | Skeleton tower, orange<br>daymark with black vertical<br>stripe.<br>32.2                                  | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s.                                             |
| 1852.1<br>H2218                                    | Cap-aux-Corbeaux                          | 47 26 06.7<br>070 25 40.6                                                            | F W .....                | 32.0                                     | 8                        | Skeleton tower.<br>31.4                                                                                   | Year round.<br>Operates 24 h.<br>Visible 252°30'-004°30'.<br>Emergency mode.                            |
| 1853<br>H2218.1                                    | Cap-aux-Corbeaux<br>rear range light      | 47 26 17.8<br>070 25 33.3<br><br>024°13' 374.6 m<br>from front.                      | F W .....                | 52.4                                     | 20                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>13.0                           | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s.                                             |
| 1853.1<br>H2218.1                                  | Cap-aux-Corbeaux                          | 47 26 17.8<br>070 25 33.3                                                            | F W .....                | 52.1                                     | 8                        | Square skeleton tower.<br>12.8                                                                            | Year round.<br>Operates 24 h.<br>Visible 256°-004°30'.<br>Emergency mode.                               |
| 1857                                               | Pointe de la Prairie<br>light buoy K65    | Chenal du Nord.<br>47 24 40.1<br>070 26 04.3                                         | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"K65".                                                                           | Seasonal.                                                                                               |
| 1857.2<br>H2212                                    | Marina Baie St-Paul<br>front range light  | Near the wharf.<br>47 25 53.9<br>070 29 31.0                                         | F R .....                | 5.9                                      | .....                    | Orange, black and white<br>tripod skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>2.9 | Private aid.<br>Seasonal.                                                                               |
| 1857.21<br>H2212.1                                 | Marina Baie St-Paul<br>rear range light   | 47 25 54.5<br>070 29 32.1<br><br>308°59' 27.9 m<br>from front.                       | F R .....                | 12.3                                     | .....                    | Orange, black and white<br>tripod skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>5.4 | Private aid.<br>Seasonal.                                                                               |
| 1867                                               | Traverse de Saint-<br>Roch light buoy H68 | Chenal du Sud.<br>47 25 02.1<br>070 13 00.2                                          | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "H68".                                                                                | Seasonal.                                                                                               |
| 1869                                               | Traverse de Saint-<br>Roch light buoy H72 | Chenal du Sud.<br>47 22 45.8<br>070 14 31.5                                          | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "H72".                                                                                | Seasonal.                                                                                               |



| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                               | Location<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |                                                 |
|---------------------------------------------|------------------------------------------------------|-------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|-------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                      |                                                             |                          |                                          |                          |                                                                          |                                                     |                                                 |
| 1870                                        | Traverse de Saint-Roch light buoy H79                | Chenal du Sud.<br>47 21 18.1<br>070 15 19.3                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "H79".                                             | Seasonal.                                           |                                                 |
| 1871                                        | Traverse de Saint-Roch light buoy H83                | Chenal du Sud.<br>47 19 05.1<br>070 16 51.3                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "H83".                                             | Seasonal.                                           |                                                 |
| 1873                                        | St-Roch Shoals light buoy H89                        | Chenal du Sud.<br>47 16 47.1<br>070 18 03.3                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "H89".                                             | Seasonal.                                           |                                                 |
| 1874                                        | Port-Joli Shoals light buoy H93                      | Chenal du Sud.<br>47 14 19.1<br>070 19 09.8                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "H93".                                             | Seasonal.                                           |                                                 |
| 1875<br>H2226                               | Saint-Jean-Port-Joli                                 | On outer end of wharf.<br>47 12 58.0<br>070 16 28.6         | Fl G 6s                  | 6.2                                      | 5                        | Square skeleton tower.<br>5.0                                            | Seasonal.<br>Flash 1 s; eclipse 5 s.                |                                                 |
| 1875.5<br>H2226.1                           | Parc nautique de St-Jean-Port-Joli front range light | 47 12 58.1<br>070 16 28.6                                   | F R                      | .....                                    | .....                    | 5                                                                        | Stucture, white daymark with red vertical stripe.   | Private aid.<br>Seasonal (in place year round). |
| 1875.7                                      | Parc nautique de St-Jean-Port-Joli rear range light  | 47 12 56.9<br>070 16 27.4<br><br>144°25' 45.6 m from front. | F R                      | .....                                    | .....                    | 5                                                                        | Post, white daymark with red vertical stripe.       | Private aid.<br>Seasonal (in place year round). |
| 1875.8                                      | Saint-Jean-Port-Joli                                 | On the end of N. breakwater.<br>47 13 00.9<br>070 16 29.6   | Fl G 4s                  | .....                                    | .....                    | Square skeleton tower, green, white and black square daymark.            | Private aid.<br>Year round.                         |                                                 |
| 1875.9                                      | Saint-Jean-Port-Joli                                 | On the end of S. breakwater.<br>47 12 59.0<br>070 16 31.1   | Fl R 4s                  | .....                                    | .....                    | Red and white triangular daymark with red triangle in centre.            | Private aid.<br>Year round.                         |                                                 |
| 1876<br>H2228                               | Pilier de Pierre                                     | S. side of islet.<br>47 12 20.7<br>070 21 34.4              | Fl W 6s                  | 25.3                                     | 10                       | Cylindrical tower.<br>12.7                                               | Seasonal.<br>Flash 1 s; eclipse 5 s.                |                                                 |
| 1878.3                                      | Roche à Veillon light buoy H98                       | Chenal du Sud.<br>47 12 02.4<br>070 21 07.0                 | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "H98".                                               | Seasonal.                                           |                                                 |
| 1879.5                                      | Beaujeu North Cardinal light buoy BEAUJ              | Chenal du Sud.<br>47 05 03.3<br>070 29 22.3                 | Q W 1s                   | .....                                    | .....                    | Black-yellow, pillar, marked "BEAUJ".                                    | Seasonal.                                           |                                                 |
| 1886.5                                      | Chenal de Beaujeu South Cardinal light buoy CBJ      | SE. of pile.<br>47 04 08.2<br>070 30 52.9                   | Q(6) + LFI               | W 15s                                    | .....                    | .....                                                                    | Yellow-black, pillar, marked "CBJ".                 | Seasonal.                                       |
| 1887<br>H2238.2                             | Île aux Grues                                        | On wharf.<br>47 03 18.3<br>070 31 53.6                      | Fl G 6s                  | 11.6                                     | 10                       | Red square skeleon tower.<br>9.1                                         | Year round.<br>Flash 1 s; eclipse 5 s.              |                                                 |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                                   | Location<br>-----<br>Latitude N.<br>Longitude W.         | Light<br>Characteristics |             |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)      | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                    |
|---------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|--------------------------|-------------|-------|------------------------------------------|--------------------------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                          |                                                          |                          |             |       |                                          |                          |                                                                               |                                                                                                                                                                                        |
| 1890                                        | Montmagny                                                | End of S. Warf.<br>46 59 11.1<br>070 33 06.5             | F                        | R<br>W<br>G | ..... | 7.9                                      | 12                       | Square skeleton tower,<br>white rectangular daymark<br>with red bands.<br>6.3 | Year round.<br>Operates 24 h.<br><b>R</b> 167.25°-167.75°;<br><b>AI RW</b> 167.75°-168.25°;<br><b>W</b> 168.25°-168.75°;<br><b>AI GW</b> 168.75°-169.25°;<br><b>G</b> 169.25°-169.75°. |
| 1890.42                                     | Battures de<br>Montmagny light buoy<br>HM13              | 46 59 43.3<br>070 33 14.8                                | Fl                       | G           | 4s    | .....                                    | .....                    | Green, spar, marked<br>"HM13".                                                | Seasonal.                                                                                                                                                                              |
| 1890.43                                     | Battures de<br>Montmagny light buoy<br>HM11              | 46 59 53.4<br>070 33 16.9                                | Fl                       | G           | 4s    | .....                                    | .....                    | Green, spar, marked<br>"HM11".                                                | Seasonal.                                                                                                                                                                              |
| 1890.44                                     | Battures de<br>Montmagny light buoy<br>HM10              | Montmagny<br>channel.<br>46 59 33.3<br>070 33 14.7       | Fl                       | R           | 4s    | .....                                    | .....                    | Red, spar, marked "HM10".                                                     | Seasonal.                                                                                                                                                                              |
| 1890.45                                     | Battures de<br>Montmagny light buoy<br>HM8               | 46 59 40.9<br>070 33 17.8                                | Fl                       | R           | 4s    | .....                                    | .....                    | Red, spar, marked "HM8".                                                      | Seasonal.                                                                                                                                                                              |
| 1890.46                                     | Battures de<br>Montmagny light buoy<br>HM6               | Montmagny<br>channel.<br>46 59 53.0<br>070 33 21.6       | Fl                       | R           | 4s    | .....                                    | .....                    | Red, spar, marked "HM6".                                                      | Seasonal.                                                                                                                                                                              |
| 1890.47                                     | Battures de<br>Montmagny light buoy<br>HM5               | 47 00 00.9<br>070 33 18.7                                | Fl                       | G           | 4s    | .....                                    | .....                    | Green, spar, marked<br>"HM5".                                                 | Seasonal.                                                                                                                                                                              |
| 1890.48                                     | Battures de<br>Montmagny light buoy<br>HM4               | 47 00 03.8<br>070 33 23.2                                | Fl                       | R           | 4s    | .....                                    | .....                    | Red, spar, marked "HM4".                                                      | Seasonal.                                                                                                                                                                              |
| 1890.5                                      | Battures de<br>Montmagny light buoy<br>HM2               | Montmagny<br>channel.<br>47 00 09.1<br>070 33 25.0       | Fl                       | R           | 4s    | .....                                    | .....                    | Red, pillar, marked "HM2".                                                    | Seasonal.                                                                                                                                                                              |
| 1890.6                                      | Montmagny<br>information light buoy<br>MTGNY             | Chenal du Sud.<br>47 01 34.3<br>070 33 43.2              | Fl                       | Y           | 4s    | .....                                    | .....                    | White-orange, pillar,<br>marked "MTGNY".                                      | Seasonal.                                                                                                                                                                              |
| 1891.2<br>H2246                             | Pointe aux Pins                                          | W. end of île aux<br>Grues.<br>47 02 24.7<br>070 34 30.6 | Fl                       | G           | 6s    | 10.7                                     | 6                        | Square skeleton tower.<br>9.6                                                 | Seasonal.<br>Flash 1 s; eclipse 5 s.                                                                                                                                                   |
| 1891.25                                     | Rocher de la Baleine<br>North Cardinal light<br>buoy BAL | Chenal du Sud.<br>47 08 39.7<br>070 30 46.6              | Q                        | W           | 1s    | .....                                    | .....                    | Black-yellow, pillar, marked<br>"BAL".                                        | Seasonal.                                                                                                                                                                              |
| 1891.4                                      | Barre de la Grosse île<br>light buoy HP8                 | Chenal du Sud.<br>47 00 09.1<br>070 41 40.3              | Fl                       | R           | 4s    | .....                                    | .....                    | Red, pillar, marked "HP8".                                                    | Seasonal.                                                                                                                                                                              |
| 1891.6                                      | Rocher Wye light buoy<br>H121                            | Chenal du Sud.<br>46 59 33.1<br>070 37 57.3              | Fl                       | G           | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"H121".                                              | Seasonal.                                                                                                                                                                              |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                      | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                     | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS        |
|----------------------------------------------------|---------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                             |                                                                  |                          |                                          |                          |                                                                                              |                                                            |
| 1892.1                                             | Cap Maillard light<br>buoy K82              | Chenal du Nord.<br>47 15 15.1<br>070 34 16.3                     | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "K82".                                                                   | Seasonal.                                                  |
| 1892.2                                             | Cap Maillard light<br>buoy K83              | Chenal du Nord.<br>47 14 33.1<br>070 32 34.3                     | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"K83".                                                              | Seasonal.<br><br><b>Audible signal: Bell</b>               |
| 1892.6                                             | Sault-au-Cochon light<br>buoy K87           | Chenal du Nord.<br>47 11 00.1<br>070 36 36.3                     | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"K87".                                                              | Seasonal.                                                  |
| 1893<br>H2254                                      | Sault-au-Cochon                             | 47 11 49.5<br>070 38 15.6                                        | Fl W 6s                  | 16.2                                     | 4                        | Square skeleton tower,<br>orange rectangular<br>daymark.                                     | Year round.<br>Flash 1 s; eclipse 5 s.<br>Radar reflector. |
| 1893.5                                             | Pointe du<br>Débarquement light<br>buoy K91 | Chenal du Nord.<br>47 09 16.2<br>070 39 36.5                     | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"K91".                                                              | Seasonal.                                                  |
| 1893.6                                             | Anse aux Bardeaux<br>light buoy K92         | Chenal du Nord.<br>47 09 35.4<br>070 39 40.5                     | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "K92".                                                                     | Year round (YRLS).                                         |
| 1894                                               | Récifs de Longue<br>Pointe light buoy K96   | Chenal du Nord.<br>47 08 39.8<br>070 40 31.1                     | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "K96".                                                                     | Year round (YRLS).                                         |
| 1895                                               | Cap Gribane light<br>buoy K95               | Chenal du Nord.<br>47 08 04.8<br>070 40 46.1                     | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "K95".                                                                   | Year round (YRLS).                                         |
| 1895.2<br>H2255                                    | <b>Cap Gribane front<br/>range light</b>    | Near shore.<br>47 08 27.2<br>070 41 08.8                         | F W                      | .....                                    | 13.2                     | <b>18</b><br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>8.0  | Year round.<br>Operates 24 h.                              |
| 1895.3<br>H2255.1                                  | <b>Cap Gribane rear<br/>range light</b>     | 47 08 40.4<br>070 41 00.2<br><br>023°52' 445.4 m<br>from front.  | F W                      | .....                                    | 27.2                     | <b>18</b><br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>11.0 | Year round.<br>Operates 24 h.                              |
| 1895.6<br>H2256                                    | <b>Cap Rouge front<br/>range light</b>      | 47 07 30.0<br>070 42 06.0                                        | F Y                      | .....                                    | 28.7                     | <b>17</b><br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>11.0 | Year round.<br>Operates 24 h.                              |
| 1895.7<br>H2256.1                                  | <b>Cap Rouge rear<br/>range light</b>       | 47 07 05.1<br>070 42 38.1<br><br>221°12' 1025.3 m<br>from front. | F Y                      | .....                                    | 55.7                     | <b>17</b><br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>8.3  | Year round.<br>Operates 24 h.                              |
| 1895.8                                             | Banc du Cap Brûlé<br>light buoy K99         | Chenal du Nord.<br>47 06 53.4<br>070 41 55.7                     | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"K99".                                                              | Seasonal.                                                  |
| 1895.9                                             | Anse aux Cenelliers<br>light buoy K100      | Traverse du Nord.<br>47 06 44.2<br>070 42 23.8                   | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "K100".                                                                    | Year round (YRLS).                                         |

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                                                                     | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                           |                                                                            |
|---------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                                                            |                                                                  |                          |                                          |                          |                                                                          |                                                                               |                                                                            |
| 1895.91                                     | Banc du Cap Brûlé<br>light buoy K101                                                       | Traverse du Nord.<br>47 06 15.9<br>070 42 26.3                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"K101".                                         | Seasonal.                                                                     |                                                                            |
| 1896                                        | Cap Tourmente light<br>buoy K103                                                           | Traverse du Nord.<br>47 05 10.9<br>070 43 08.3                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"K103".                                         | Seasonal.                                                                     |                                                                            |
| 1897                                        | Cap Tourmente light<br>buoy K104                                                           | Traverse du Nord.<br>47 05 14.9<br>070 43 21.5                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "K104".                                              | Seasonal.                                                                     |                                                                            |
| 1898<br>H2261                               | Banc du Cap Brûlé<br>Downstream front<br>range light                                       | 47 05 50.1<br>070 42 12.5                                        | F W                      | .....                                    | 8.8                      | 18                                                                       | On downstream pile,<br>orange slatwork daymark<br>with black vertical stripe. | Year round.<br>Operates 24 h.                                              |
| 1899<br>H2261.1                             | Banc du Cap Brûlé<br>Downstream rear<br>range light<br><br>Racon K (- . - )<br>X & S Bands | 47 05 22.7<br>070 42 38.9<br><br>213°23' 1012.3 m<br>from front. | F W                      | .....                                    | 23.1                     | 18                                                                       | On upstream pile, white<br>cylindrical tower with red<br>top.<br><br>18.4     | Year round.<br>Operates 24 h.                                              |
| 1900<br>H2262                               | Banc du Cap Brûlé<br>Upstream front<br>range light                                         | On upstream pile.<br>47 05 22.5<br>070 42 38.9                   | F W                      | .....                                    | 8.7                      | 18                                                                       | Square skeleton tower, red<br>daymark with black vertical<br>stripe.          | Year round.<br>Operates 24 h.<br><br>Synthetic AIS AtoN<br>MMSI: 993161075 |
| 1901<br>H2262.1                             | Banc du Cap Brûlé<br>Upstream rear range<br>light                                          | 47 05 50.0<br>070 42 12.4<br><br>033°23' 1014.4 m<br>from front. | F W                      | .....                                    | 29.4                     | 18                                                                       | White cylindrical tower with<br>red bands.<br><br>21.2                        | Year round.<br>Operates 24 h.<br><br>Synthetic AIS AtoN<br>MMSI: 993161076 |
| 1902<br>H2259                               | Cap Brûlé                                                                                  | On S. extremity of<br>cape.<br>47 06 30.5<br>070 42 59.6         | Iso W 2s                 | 41.1                                     | 6                        | Square skeleton tower,<br>orange rectangular<br>daymark.<br><br>5.0      | Year round.                                                                   |                                                                            |
| 1904                                        | Le Banc de Sable light<br>buoy K107                                                        | Traverse du Nord.<br>47 03 46.2<br>070 44 03.1                   | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"K107".                                           | Year round (YRLS).                                                            |                                                                            |
| 1905                                        | Le Banc de Sable light<br>buoy K108                                                        | Traverse du Nord.<br>47 03 50.9<br>070 44 15.8                   | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "K108".                                                | Year round (YRLS).                                                            |                                                                            |
| 1906                                        | Traverse Nord light<br>buoy K111                                                           | Traverse du Nord.<br>47 02 31.8<br>070 45 14.7                   | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"K111".                                         | Seasonal.                                                                     |                                                                            |
| 1908                                        | Battures de la<br>Traverse light buoy<br>K112                                              | Traverse du Nord.<br>47 02 37.3<br>070 45 26.8                   | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "K112".                                                | Year round (YRLS).                                                            |                                                                            |
| 1909                                        | Traverse Nord light<br>buoy K115                                                           | 47 01 18.2<br>070 46 25.6                                        | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"K115".                                         | Seasonal.                                                                     |                                                                            |
| 1910                                        | Pointe Argentenay<br>light buoy K116                                                       | Traverse du Nord.<br>47 01 23.6<br>070 46 37.7                   | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "K116".                                                | Year round (YRLS).                                                            |                                                                            |

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                                                     | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS         |
|---------------------------------------------|----------------------------------------------------------------------------|------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                                            |                                                                  |                          |   |       |                                          |                          |                                                                          |                                                             |
| 1910.5<br>H2267                             | Pointe Argentenay<br>front range light                                     | On Île d'Orléans,<br>SW. of point.<br>47 00 27.9<br>070 48 18.5  | F                        | W | ..... | 25.2                                     | 20                       | Square skeleton tower.<br>4.8                                            | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 1910.6<br>H2267.1                           | Pointe Argentenay<br>rear range light                                      | 46 59 13.1<br>070 49 30.8<br><br>213°30' 2768.3 m<br>from front. | F                        | W | ..... | 64.3                                     | 20                       | Skeleton tower.<br>35.5                                                  | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 1911                                        | Traverse du Nord<br>(Downstream Quai<br>Saint-François) light<br>buoy K119 | Sault-au-Cochon.<br>47 00 04.6<br>070 47 36.5                    | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"K119".                                         | Seasonal.                                                   |
| 1912                                        | Traverse du Nord<br>(Downstream Quai<br>Saint-François) light<br>buoy K120 | Sault-au-Cochon.<br>47 00 010.0<br>070 47 48.5                   | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "K120".                                              | Year round.<br>(Winter spar.)                               |
| 1912.5                                      | Traverse du Nord<br>(Upstream Quai Saint-<br>François) light buoy<br>K124  | Sault-au-Cochon.<br>46 58 56.3<br>070 48 59.3                    | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "K124".                                              | Seasonal.                                                   |
| 1913<br>H2278                               | Saint-François                                                             | At outer end of<br>wharf, E. side.<br>46 59 47.6<br>070 48 29.5  | Fl                       | W | 5s    | 10.6                                     | 20                       | Square skeleton tower.<br>9.7                                            | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 4 s.    |
| 1913.4                                      | Traverse du Nord<br>(Upstream Quai Saint-<br>François) light buoy<br>K123  | Sault-au-Cochon.<br>46 58 50.9<br>070 48 47.2                    | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"K123".                                         | Seasonal.                                                   |
| 1914                                        | Traverse du Nord<br>(Pointe Dauphine)<br>light buoy K127                   | Sault-au-Cochon.<br>46 57 37.2<br>070 49 58.0                    | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"K127".                                         | Seasonal.                                                   |
| 1915                                        | Traverse du Nord<br>(Pointe Dauphine)<br>light buoy K128                   | Sault-au-Cochon.<br>46 57 42.7<br>070 50 10.0                    | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "K128".                                              | Year round.<br>(Winter spar.)                               |
| 1916                                        | Traverse du Nord<br>(Pointe à Blaye) light<br>buoy K131                    | Sault-au-Cochon.<br>46 56 41.7<br>070 50 51.2                    | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"K131".                                         | Seasonal.                                                   |
| 1917                                        | Pointe à Blaye light<br>buoy K132                                          | Traverse du Nord.<br>46 56 45.5<br>070 51 04.9                   | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "K132".                                                | Year round (YRLS).                                          |
| 1917.2                                      | Pointe Saint-Jean light<br>buoy K136                                       | Traverse du Nord.<br>46 55 31.8<br>070 52 15.5                   | Q                        | R | 1s    | .....                                    | .....                    | Red, spar, marked "K136".                                                | Year round (YRLS).                                          |
| 1917.3                                      | Pointe à Blaye light<br>buoy K135                                          | Traverse du Nord.<br>46 55 53.6<br>070 51 37.3                   | Fl                       | G | 4s    | .....                                    | .....                    | Green, spar, marked<br>"K135".                                           | Year round (YRLS).                                          |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                                      | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------|-------------------------------------------------------------|------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                             |                                                                  |                          |   |       |                                          |                          |                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 1918<br>H2274                               | Saint-Michel front<br>range light                           | W. of Pointe Saint-<br>Michel.<br>46 52 31.0<br>070 54 59.8      | F                        | W | ..... | 29.7                                     | 20                       | Skeleton tower, orange<br>daymark with black vertical<br>stripe.<br>24.4        | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s.<br>An increase power of the range<br>lights is available from a<br>distance on channel 69<br>(156,475 MHz). All mariners<br>wanting to operate at the<br>increase power will have to<br>push the transmitter of his VHF<br>radio five (5) times with an<br>interval of 1 second. The<br>additional power of the lights<br>will be in function for 45<br>minutes. After this delay, the<br>mariner will have to repeat the<br>same operation. This<br>additionnal power of lights can<br>be turned off by pushing seven<br>(7) times the transmitter of his<br>VHF radio. |
| 1919<br>H2274.1                             | Saint-Michel rear<br>range light                            | 46 51 43.9<br>070 55 44.8<br><br>213°14' 1737.9 m<br>from front. | F                        | W | ..... | 56.6                                     | 20                       | Tripod skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>25.2 | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s.<br>An increase power of the range<br>lights is available from a<br>distance on channel 69<br>(156,475 MHz). All mariners<br>wanting to operate at the<br>increase power will have to<br>push the transmitter of his VHF<br>radio five (5) times with an<br>interval of 1 second. The<br>additional power of the lights<br>will be in function for 45<br>minutes. After this delay, the<br>mariner will have to repeat the<br>same operation. This<br>additionnal power of lights can<br>be turned off by pushing seven<br>(7) times the transmitter of his<br>VHF radio. |
| 1920<br>H2272                               | Île de Bellechasse                                          | On summit of<br>island.<br>46 55 53.5<br>070 46 02.6             | Fl                       | Y | 6s    | 13.1                                     | 5                        | Square skeleton tower.<br>7.9                                                   | Seasonal.<br>Flash 1 s; eclipse 5 s.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 1922                                        | Récif de l'île Madame<br>South Cardinal light<br>buoy DAME  | Chenal du Sud.<br>46 55 53.1<br>070 50 30.3                      | Q(6) +<br>LFI            | W | 15s   | .....                                    | .....                    | Yellow-black, pillar, marked<br>"DAME".                                         | Seasonal.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 1922.5                                      | Pointe Samson light<br>buoy H131                            | Chenal du Sud.<br>46 54 22.1<br>070 51 58.3                      | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"H131".                                                | Seasonal.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 1923<br>H2282                               | Saint-Jean-d'Orléans<br><br>Racon G ( - - .)<br>X & S Bands | Near outer end of<br>wharf.<br>46 54 56.5<br>070 53 47.0         | Fl                       | R | 5s    | 10.9                                     | 12                       | Square skeleton tower,<br>orange rectangular<br>daymark.<br>9.4                 | Year round.<br>Flash 1 s; eclipse 4 s.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 1923.2                                      | Rivière Lafleur light<br>buoy K140                          | Chenal des Grands<br>Voiliers.<br>46 53 16.5<br>070 55 39.5      | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "K140".                                                       | Year round (YRLS).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                                     | Location<br>-----<br>Latitude N.<br>Longitude W.              | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                    |
|----------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|------------------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                            |                                                               |                          |                                          |                          |                                                                          |                                                                        |
| 1923.21                                            | Saint-Michel-de-Bellechasse dumping ground light buoy PRIV | 46 53 03.1<br>070 54 27.7                                     | Fl Y 4s                  | .....                                    | .....                    | Yellow, spar, marked "PRIV".                                             | Private aid.<br>Seasonal.<br>Operates 24 h.<br>Flash 1 s; eclipse 3 s. |
| 1923.22                                            | Saint-Michel-de-Bellechasse dumping ground light buoy PRIV | 46 53 05.0<br>070 54 30.0                                     | Fl Y 5s                  | .....                                    | .....                    | Yellow, spar, marked "PRIV".                                             | Private aid.<br>Seasonal.<br>Operates 24 h.<br>Flash 1 s; eclipse 4 s. |
| 1923.23                                            | Saint-Michel-de-Bellechasse dumping ground light buoy PRIV | 46 53 00.5<br>070 54 38.3                                     | Fl Y 4s                  | .....                                    | .....                    | Yellow, spar, marked "PRIV".                                             | Private aid.<br>Seasonal.<br>Operates 24 h.<br>Flash 1 s; eclipse 3 s. |
| 1923.24                                            | Saint-Michel-de-Bellechasse dumping ground light buoy PRIV | 46 53 02.0<br>070 54 40.0                                     | Fl Y 4s                  | .....                                    | .....                    | Yellow, spar, marked "PRIV".                                             | Private aid.<br>Seasonal.<br>Operates 24 h.<br>Flash 1 s; eclipse 3 s. |
| 1923.3                                             | Saint-Michel-de-la-Durantaye light buoy K141               | Sault-au-Cochon.<br>46 53 14.5<br>070 54 51.8                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "K141".                                            | Seasonal.                                                              |
| 1923.4                                             | Pointe de La Durantaye West light buoy K143                | Sault-au-Cochon.<br>46 52 14.2<br>070 56 57.4                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "K143".                                            | Seasonal.                                                              |
| 1923.7                                             | St-Laurent light buoy K145                                 | 46 51 26.0<br>070 58 40.1                                     | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked "K145".                                            | Seasonal.                                                              |
| 1924<br>H2284                                      | Saint-Laurent-de-l'Île-d'Orléans                           | On the portal landing.<br>46 51 28.9<br>071 00 10.5           | Fl G 5s                  | 13.6                                     | 12                       | Pipe swing pole.<br>12.9                                                 | Year round.<br>Flash 1 s; eclipse 4 s.                                 |
| 1925                                               | Battures de Beaumont light buoy K147                       | Québec, downstream.<br>46 50 55.1<br>070 59 58.3              | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "K147".                                            | Seasonal.                                                              |
| 1925.2<br>H2285                                    | Cap au Diable front range light                            | At Beaumont.<br>46 49 57.5<br>071 01 54.5                     | F W                      | .....                                    | 53.9                     | 20<br>Skeleton tower, orange daymark with black vertical stripe.<br>19.9 | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s.            |
| 1925.3<br>H2285.1                                  | Cap au Diable rear range light                             | 46 49 26.3<br>071 02 56.1<br><br>233°38' 1622.6 m from front. | F W                      | .....                                    | 89.0                     | 20<br>Skeleton tower, orange daymark with black vertical stripe.<br>22.9 | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s.            |
| 1925.4                                             | Battures de Beaumont light buoy K149                       | Québec, downstream.<br>46 50 30.7<br>071 02 10.3              | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked "K149".                                            | Seasonal.                                                              |
| 1925.52                                            | Tours Hydro Upstream light buoy K154                       | Québec, downstream.<br>46 50 32.1<br>071 05 08.3              | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "K154".                                              | Seasonal.                                                              |

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL

|                   |                                                 |                                                                 |               |       |       |                                  |                                                             |
|-------------------|-------------------------------------------------|-----------------------------------------------------------------|---------------|-------|-------|----------------------------------|-------------------------------------------------------------|
| 1925.6<br>H2286   | Pointe de la<br>Martinière front<br>range light | 46 49 43.7<br>071 06 59.0                                       | F W .....     | 45.9  | 20    | Skeleton tower.<br>20.0          | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 1925.7<br>H2286.1 | Pointe de la<br>Martinière rear range<br>light  | 46 49 37.2<br>071 07 28.4<br><br>252°02' 655.3 m<br>from front. | F W .....     | 66.0  | 20    | Skeleton tower.<br>34.0          | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 1925.8            | Pointe De La<br>Martinière light buoy<br>K155   | Québec,<br>downstream.<br>46 50 05.6<br>071 06 20.0             | Fl G 4s ..... | ..... | ..... | Green, pillar, marked<br>"K155". | Seasonal.                                                   |
| 1926              | Rochers Maranda light<br>buoy K156              | Québec,<br>downstream.<br>46 50 34.1<br>071 06 51.3             | Fl R 4s ..... | ..... | ..... | Red, pillar, marked "K156".      | Seasonal.                                                   |
| 1927<br>H2288     | Sainte-Pétronille<br>(Beaulieu)                 | On wharf.<br>46 50 41.9<br>071 07 54.6                          | Fl Y 5s       | 15.3  | 19    | Square skeleton tower.<br>14.5   | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 4 s.    |

## Québec Harbour

|        |                                      |                                            |               |       |       |                                   |                    |
|--------|--------------------------------------|--------------------------------------------|---------------|-------|-------|-----------------------------------|--------------------|
| 1928   | Anse aux Sauvages<br>light buoy K159 | Off dry dock.<br>46 50 19.2<br>071 08 53.2 | Fl G 4s ..... | ..... | ..... | Green, spar, marked<br>"K159".    | Year round (YRLS). |
| 1929   | Sainte-Pétronille light<br>buoy K160 | 46 50 39.2<br>071 08 51.5                  | Q R 1s .....  | ..... | ..... | Red, pillar, marked "K160".       | Seasonal.          |
| 1929.1 | Anchorage light buoy<br>LIMITE F     | 46 50 54.5<br>071 09 01.4                  | Fl Y 4s ..... | ..... | ..... | Yellow, pillar, marked<br>"LIMF". | Seasonal.          |
| 1929.2 | Anchorage light buoy<br>LIMITE D     | 46 51 02.6<br>071 09 23.3                  | Fl Y 4s ..... | ..... | ..... | Yellow, pillar, marked<br>"LIMD". | Seasonal.          |
| 1929.3 | Light buoy K164                      | 46 50 39.1<br>071 10 16.3                  | Fl R 4s ..... | ..... | ..... | Red, pillar, marked "K164".       | Seasonal.          |
| 1930   | Cale Sèche Lorne light<br>buoy K163  | 46 49 55.6<br>071 10 18.2                  | Fl G 4s ..... | ..... | ..... | Green, pillar, marked<br>"K163".  | Seasonal.          |
| 1931.5 | Pointe de Lévy light<br>buoy K165    | 46 49 18.1<br>071 11 05.3                  | Fl G 4s ..... | ..... | ..... | Green, pillar, marked<br>"K165".  | Seasonal.          |

## Chenal de l'Île d'Orléans

|                 |                                    |                                                                 |           |      |    |                                                                                |                             |
|-----------------|------------------------------------|-----------------------------------------------------------------|-----------|------|----|--------------------------------------------------------------------------------|-----------------------------|
| 1932<br>H2290   | Île d'Orléans front<br>range light | E. of Ruisseau du<br>Moulin.<br>47 01 06.2<br>070 49 40.3       | F W ..... | 11.3 | 19 | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>9.6 | Seasonal.<br>Operates 24 h. |
| 1933<br>H2290.1 | Île d'Orléans rear<br>range light  | 47 00 48.5<br>070 50 07.2<br><br>226°14' 787.8 m<br>from front. | F W ..... | 37.3 | 19 | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>9.6 | Seasonal.<br>Operates 24 h. |



| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                              | Location<br>-----<br>Latitude N.<br>Longitude W.                                               | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                     | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                                  |
|----------------------------------------------------|-----------------------------------------------------|------------------------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                     |                                                                                                |                          |                                          |                          |                                                                                              |                                                                                                                                                                                      |
| 1934                                               | Pointe aux Prêtres<br>light buoy V6                 | 47 02 59.1<br>070 46 59.3                                                                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "V6".                                                                    | Seasonal.                                                                                                                                                                            |
| 1935                                               | Beaupré Southeast<br>light buoy V8                  | 47 02 06.8<br>070 51 52.2                                                                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "V8".                                                                    | Seasonal.                                                                                                                                                                            |
| 1936                                               | Beaupré Southwest<br>light buoy V13                 | 47 01 39.1<br>070 53 21.3                                                                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"V13".                                                              | Seasonal.                                                                                                                                                                            |
| 1936.1<br>H2293                                    | <b>Sainte-Anne de<br/>Beaupré Sector</b>            | On pier, E. side of<br>wharf.<br>47 01 15.0<br>070 55 40.0                                     | Iso<br>R<br>W<br>G       | 3s                                       | 11.4                     | <b>19</b><br>Skeleton tower, orange<br>daymark with black vertical<br>stripe.                | Seasonal.<br>Operates 24 h.<br><b>R</b> 251°30'-253°30';<br><b>AI RW</b> 253°30'-253°50';<br><b>W</b> 253°50'-254°10';<br><b>AI GW</b> 254°10'-254°30';<br><b>G</b> 254°30'-256°30'. |
| 1941<br>H2294                                      | <b>Ste-Famille front<br/>range light</b>            | Near stone mill, S.<br>side of channel.<br>46 57 51.7<br>070 58 34.3                           | F G                      | .....                                    | 18.6                     | <b>18</b><br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>18.6 | Seasonal.<br>Operates 24 h.                                                                                                                                                          |
| 1942<br>H2294.1                                    | <b>Ste-Famille rear<br/>range light</b>             | 46 58 03.7<br>070 58 11.4<br><br>052°36' 608.8 m<br>from front.                                | F G                      | .....                                    | 76.0                     | <b>18</b><br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.5 | Seasonal.<br>Operates 24 h.                                                                                                                                                          |
| 1944                                               | Alignement Pointe<br>Saint-Pierre Light<br>buoy V19 | 46 57 12.1<br>071 00 27.3                                                                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"V19".                                                              | Seasonal.                                                                                                                                                                            |
| 1945                                               | Alignement Pointe<br>Saint-Pierre Light<br>buoy V22 | 46 56 35.1<br>071 01 24.3                                                                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "V22".                                                                   | Seasonal.                                                                                                                                                                            |
| 1946<br>H2300                                      | <b>Pointe Saint-Pierre<br/>front range light</b>    | On beach on S.<br>side of channel.<br>46 55 35.3<br>071 02 26.8                                | F G                      | .....                                    | 6.5                      | <b>16</b><br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.3  | Seasonal.<br>Operates 24 h.                                                                                                                                                          |
| 1947<br>H2300.1                                    | <b>Pointe Saint-Pierre<br/>rear range light</b>     | 46 55 31.0<br>071 02 31.7<br><br>218°36' 166.7 m<br>from front.                                | F G                      | .....                                    | 13.0                     | <b>16</b><br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>12.4 | Seasonal.<br>Operates 24 h.                                                                                                                                                          |
| 1948                                               | Pont de l'Île-d'Orléans<br>light buoy V31           | Downstream of<br>bridge, NE side.<br>46 53 12.1<br>071 07 35.3                                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"V31".                                                              | Seasonal.                                                                                                                                                                            |
| 1949<br>H2310                                      | <b>Ange-Gardien front<br/>range light</b>           | On point between<br>Montmorency and<br>l'Ange-Gardien<br>Village.<br>46 53 55.9<br>071 07 14.1 | F G                      | .....                                    | 14.3                     | <b>16</b><br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>12.4 | Seasonal.<br>Operates 24 h.                                                                                                                                                          |
| 1950<br>H2310.1                                    | <b>Ange-Gardien rear<br/>range light</b>            | 46 54 08.3<br>071 07 06.2<br><br>023°45' 415.7 m<br>from front.                                | F G                      | .....                                    | 24.4                     | <b>16</b><br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>14.0 | Seasonal.<br>Operates 24 h.                                                                                                                                                          |

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)       | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                           |
|---------------------------------------------|----------------------------------------------|-----------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                              |                                                                 |                          |   |       |                                          |                          |                                                                                |                                                                               |
| 1950.4                                      | Pont de l'Île-d'Orléans<br>light buoy V34    | Upstream of bridge,<br>NE side.<br>46 52 32.5<br>071 08 27.3    | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "V34".                                                     | Seasonal.                                                                     |
| 1950.5                                      | Pont de l'Île-d'Orléans<br>light buoy V35    | Upstream of bridge,<br>SE side.<br>46 52 24.7<br>071 08 03.4    | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"V35".                                                | Seasonal.                                                                     |
| 1951                                        | Pont de l'Île-d'Orléans<br>light buoy V36    | Upstream of bridge,<br>N side.<br>46 52 00.1<br>071 08 32.3     | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "V36".                                                     | Seasonal.                                                                     |
| Québec Harbour                              |                                              |                                                                 |                          |   |       |                                          |                          |                                                                                |                                                                               |
| 1953                                        | Rivière Saint-Charles<br>light buoy K168     | 46 50 02.1<br>071 11 13.8                                       | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "K168".                                                    | Seasonal.                                                                     |
| 1953.5                                      | Rivière Saint-Charles<br>light buoy KP2      | 46 49 31.1<br>071 12 17.3                                       | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "KP2".                                                     | Seasonal.                                                                     |
| 1954                                        | Québec bifurcation<br>light buoy QUEB        | Rivière Saint-<br>Charles estuary.<br>46 49 24.3<br>071 12 21.9 | Fl(2+1)                  | R | 6s    | .....                                    | .....                    | Red-green-red, pillar,<br>marked "QUEB".                                       | Seasonal.                                                                     |
| 1958<br>H2321                               | Québec North Limit<br>Anchorage              | 46 48 34.2<br>071 12 10.5                                       | Iso                      | R | 2s    | 20.1                                     | 6                        | On building.                                                                   | Year round.<br>Operates 24 h.<br>Increased intensity on a<br>bearing of 280°. |
| 1959                                        | Anse au Foulon light<br>buoy Q4              | 46 47 50.1<br>071 12 44.3                                       | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "Q4".                                                      | Seasonal.                                                                     |
| 1959.5<br>H2322.6                           | Parc nautique Lévy<br>Floating Breakwater    | On floating<br>breakwater.<br>46 47 25.8<br>071 11 55.3         | Fl                       | G | 4s    | .....                                    | .....                    | Mast.                                                                          | Private aid.<br>Seasonal.                                                     |
| 1959.6<br>H2322.7                           | Parc nautique Lévy<br>North Breakwater       | 46 47 27.3<br>071 11 54.7                                       | Fl                       | Y | 4s    | .....                                    | .....                    | Mast.                                                                          | Private aid.<br>Seasonal.                                                     |
| 1959.7<br>H2322.8                           | Parc nautique Lévy<br>South Breakwater       | 46 47 24.8<br>071 11 56.0                                       | F                        | R | ..... | .....                                    | .....                    | Mast.                                                                          | Private aid.<br>Seasonal.                                                     |
| 1959.8                                      | Parc nautique Lévy<br>Information light buoy | 46 47 30.0<br>071 12 00.0                                       | Fl                       | Y | 4s    | .....                                    | .....                    | White-orange, pillar,<br>marked "PRIV".                                        | Private aid.<br>Seasonal.                                                     |
| 1960                                        | Anse au Foulon light<br>buoy Q6              | 46 47 12.1<br>071 13 27.3                                       | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "Q6".                                                      | Seasonal.                                                                     |
| 1960.3<br>H2323.3                           | Quebec Yacht Club<br>East                    | On outer end of E.<br>breakwater.<br>46 46 58.5<br>071 14 01.8  | F                        | Y | ..... | 5.0                                      | 8                        | Square skeleton tower.<br>3.4                                                  | Private aid.<br>Seasonal.                                                     |
| 1960.4<br>H2323                             | Québec Yacht Club<br>front range light       | 46 47 02.1<br>071 14 14.0                                       | F                        | R | ..... | 4.9                                      | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>3.3 | Private aid.<br>Seasonal.                                                     |

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                         | Location<br>-----<br>Latitude N.<br>Longitude W.               | Light<br>Characteristics |       |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)       | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                       |
|---------------------------------------------|------------------------------------------------|----------------------------------------------------------------|--------------------------|-------|-------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                |                                                                |                          |       |       |                                          |                          |                                                                                |                                                                           |
| 1960.5<br>H2323.1                           | Québec Yacht Club<br>rear range light          | 46 47 02.4<br>071 14 14.8<br><br>298°57' 19.6 m<br>from front. | F                        | R     | ..... | 8.3                                      | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.4 | Private aid.<br>Seasonal.                                                 |
| 1960.6<br>H2323.4                           | Québec Yacht Club<br>West                      | On outer end of W.<br>breakwater.<br>46 46 57.1<br>071 14 04.0 | Iso                      | W     | 2s    | 4.4                                      | 8                        | Square skeleton tower.<br>3.4                                                  | Private aid.<br>Seasonal.                                                 |
| 1960.8                                      | Québec Yacht Club<br>light buoy                | Marina entrance.<br>46 46 56.1<br>071 13 52.3                  | Fl                       | Y     | 4s    | .....                                    | .....                    | White-orange, pillar,<br>marked "PRIV".                                        | Private aid.<br>Seasonal.                                                 |
| 1961                                        | Anse Fréchette light<br>buoy Q7                | 46 46 40.1<br>071 12 58.3                                      | Fl                       | G     | 4s    | .....                                    | .....                    | Green, pillar, marked "Q7".                                                    | Seasonal.                                                                 |
| 1961.2                                      | Saint-Romuald<br>d'Etchemin light buoy<br>Q11  | 46 45 52.1<br>071 14 26.3                                      | Fl                       | G     | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"Q11".                                                | Seasonal.                                                                 |
| 1962<br>H2324                               | Pointe à Puiseaux                              | Sillery, W. of wharf.<br>46 46 19.4<br>071 14 35.9             | Fl                       | R     | 5s    | 10.6                                     | 10                       | Pipe swing pole.<br>7.8                                                        | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 4 s.                  |
| 1962.1                                      | Marina de la<br>Chaudière Wharf B<br>Light     | N. end of wharf B.<br>46 44 33.2<br>071 16 42.3                | .....                    | ..... | ..... | .....                                    | .....                    | Mast.                                                                          | Private aid.<br>Seasonal (in place year round).<br>Secondary light: F W.  |
| 1962.2                                      | Marina de la<br>Chaudière Wharf B<br>Light     | 46 44 31.7<br>071 16 40.5                                      | .....                    | ..... | ..... | .....                                    | .....                    | Mast.                                                                          | Private aid.<br>Seasonal (in place year round).<br>Secondary light: F W.  |
| 1962.3                                      | Marina de la<br>Chaudière light buoy<br>QC2    | 46 44 43.7<br>071 16 42.6                                      | Q                        | R     | 1s    | .....                                    | .....                    | Red, conical, marked<br>"QC2".                                                 | Private aid.<br>Seasonal.                                                 |
| 1962.4                                      | Marina de la<br>Chaudière Wharf A<br>Light     | N. end of wharf A.<br>46 44 35.0<br>071 16 41.1                | .....                    | ..... | ..... | .....                                    | .....                    | Mast.                                                                          | Private aid.<br>Seasonal (in place year round).<br>Secondary light: F Bu. |
| 1962.5                                      | Marina de la<br>Chaudière light buoy<br>QC3    | 46 44 43.7<br>071 16 40.8                                      | Q                        | G     | 1s    | .....                                    | .....                    | Green, can, marked "QC3".                                                      | Private aid.<br>Seasonal.                                                 |
| 1962.6                                      | Marina de la<br>Chaudière Wharf A<br>Light     | S. end of wharf A.<br>46 44 32.1<br>071 16 37.1                | .....                    | ..... | ..... | .....                                    | .....                    | Mast.                                                                          | Private aid.<br>Seasonal (in place year round).<br>Secondary light: F Bu. |
| 1962.7                                      | Marina Chaudière<br>Entrance light buoy<br>QC4 | 46 44 35.8<br>071 16 42.6                                      | Fl                       | R     | 4s    | .....                                    | .....                    | Red, conical, marked<br>"QC4".                                                 | Private aid.<br>Seasonal.                                                 |
| 1962.8                                      | Marina de la<br>Chaudière Wharf D<br>Light     | N. end of wharf D.<br>46 44 29.0<br>071 16 36.1                | .....                    | ..... | ..... | .....                                    | .....                    | Mast.                                                                          | Private aid.<br>Seasonal (in place year round).<br>Secondary light: F W.  |
| 1962.9                                      | Marina de la<br>Chaudière Wharf D<br>Light     | S. end of wharf D.<br>46 44 27.7<br>071 16 34.8                | .....                    | ..... | ..... | .....                                    | .....                    | Mast.                                                                          | Private aid.<br>Seasonal (in place year round).<br>Secondary light: F W.  |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                         | Location<br>-----<br>Latitude N.<br>Longitude W.                      | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                        |
|----------------------------------------------------|------------------------------------------------|-----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                |                                                                       |                          |                                          |                          |                                                                          |                                                                                            |
| 1963<br>H2326                                      | <b>Pont de Québec</b>                          | In the centre of the<br>bridge, E. side.<br>46 44 44.2<br>071 17 16.2 | Iso G 2s                 | 54.1                                     | 15                       | On bridge.                                                               | Year round.<br>Operates 24 h.<br>Visible eastward.                                         |
| 1963.1<br>H2327                                    | Pont Pierre-Laporte                            | On bridge, W. side.<br>46 44 42.1<br>071 17 26.2                      | Iso G 2s                 | 50.5                                     | 11                       | On bridge.                                                               | Year round.<br>Operates 24 h.<br>Visible westward;<br>obscured 180° towards the<br>bridge. |
| 1963.4<br>H2325                                    | Pont de Québec North                           | 46 44 50.1<br>071 17 19.6                                             | F R .....                | 27.6                                     | .....                    | On bridge.                                                               | Private aid.<br>Year round.                                                                |
| 1963.41<br>H2325.5                                 | Pont de Québec North                           | 46 44 47.6<br>071 17 18.2                                             | F W .....                | 47.0                                     | .....                    | On bridge.                                                               | Private aid.<br>Year round.                                                                |
| 1963.42<br>H2326.5                                 | Pont de Québec South                           | 46 44 40.6<br>071 17 14.0                                             | F W .....                | 46.9                                     | .....                    | On bridge.                                                               | Private aid.<br>Year round.                                                                |
| 1963.43<br>H2326.8                                 | Pont de Québec South                           | 46 44 38.2<br>071 17 12.5                                             | F R .....                | 28.3                                     | .....                    | On bridge.                                                               | Private aid.<br>Year round.                                                                |
| 1963.5<br>H2328                                    | Pierre Laporte Bridge<br>Centre-West           | W. of Québec<br>bridge.<br>46 44 43.3<br>071 17 27.0                  | F G .....                | 49.8                                     | .....                    | On bridge.                                                               | Year round.                                                                                |
| 1964<br>H2330                                      | <b>Pointe à Basile front<br/>range light</b>   | E. from extremity of<br>point.<br>46 43 48.1<br>071 19 45.1           | F W .....                | 59.8                                     | 21                       | Skeleton tower, orange<br>daymark with black vertical<br>stripe.<br>38.3 | Year round.<br>Operates 24 h.<br>Emergency mode.                                           |
| 1964.1                                             | <b>Pointe à Basile</b>                         | 46 43 48.1<br>071 19 45.1                                             | Iso R 2s                 | 59.2                                     | 16                       | Skeleton tower.<br>37.8                                                  | Year round.<br>Visible downstream from Pont<br>de Québec on a bearing of<br>241°17'.       |
| 1965<br>H2330.1                                    | <b>Pointe à Basile rear<br/>range light</b>    | 46 43 56.7<br>071 18 48.0<br><br>077°39' 1240.9 m<br>from front.      | F W .....                | 88.5                                     | 21                       | Skeleton tower, orange<br>daymark with black vertical<br>stripe.<br>35.1 | Year round.<br>Operates 24 h.<br>Emergency mode.                                           |
| 1966<br>H2332                                      | Pointe Saint-Nicolas                           | 46 42 07.1<br>071 26 45.4                                             | F G .....                | 81.2                                     | 6                        | Square skeleton tower,<br>orange rectangular<br>daymark.<br>14.0         | Year round.                                                                                |
| 1966.5                                             | Haut-fond Saint-<br>Augustin light buoy<br>Q16 | 46 43 08.8<br>071 24 33.0                                             | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "Q16".                                               | Year round.<br>(Winter spar.)                                                              |
| 1966.8                                             | Haut-fond Saint-<br>Augustin light buoy<br>Q18 | 46 42 55.9<br>071 25 58.2                                             | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "Q18".                                               | Seasonal.                                                                                  |
| 1967                                               | Pointe Saint-Nicolas<br>light buoy Q19         | Route Saint-<br>Augustin.<br>46 42 41.2<br>071 26 41.8                | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "Q19".                                               | Year round (YRLS).                                                                         |

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                                                              | Location<br>-----<br>Latitude N.<br>Longitude W.                        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS         |
|----------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                                                     |                                                                         |                          |                                          |                          |                                                                                                   |                                                             |
| 1968                                               | Haut-fond Saint-Augustin light buoy Q20                                             | Route Saint-Augustin.<br>46 42 43.0<br>071 27 23.4                      | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "Q20".                                                                          | Year round (YRLS).                                          |
| 1969                                               | Haut-fond Saint-Augustin light buoy Q22                                             | Route Saint-Augustin.<br>46 42 30.0<br>071 28 48.6                      | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "Q22".                                                                          | Year round (YRLS).                                          |
| 1970                                               | Anse du Vieux Moulin light buoy Q23                                                 | Route Saint-Augustin.<br>46 42 22.3<br>071 28 46.3                      | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked "Q23".                                                                        | Year round (YRLS).                                          |
| 1970.5                                             | Pointe Aubin light buoy Q27                                                         | 46 42 00.1<br>071 30 15.8                                               | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked "Q27".                                                                      | Year round.<br>(Winter spar.)                               |
| 1972                                               | Banc de St-Antoine light buoy Q31                                                   | 46 41 10.7<br>071 32 45.8                                               | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked "Q31".                                                                      | Year round.<br>(Winter spar.)                               |
| 1973                                               | Pointe aux Trembles light buoy Q32                                                  | Traverse Saint-Antoine.<br>46 41 11.6<br>071 33 010.0                   | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "Q32".                                                                          | Year round (YRLS).                                          |
| 1973.5                                             | Marina Vauquelin light buoy VAUQU                                                   | 46 41 15.0<br>071 33 49.7                                               | Fl Y 4s .....            | .....                                    | .....                    | White-orange, can, marked "VAUQU".                                                                | Private aid.<br>Seasonal.                                   |
| 1973.6<br>H2333.2                                  | Club Nautique Vauquelin front range light                                           | Pointe aux Trembles.<br>46 41 50.0<br>071 34 29.6                       | F G .....                | 4.0                                      | .....                    | Black cylindrical mast.                                                                           | Private aid.<br>Seasonal.<br>Operates 24 h.                 |
| 1973.7<br>H2333.21                                 | Club Nautique Vauquelin rear range light                                            | 46 41 51.1<br>071 34 30.9<br><br>321°22' 45.5 m from front.             | F G .....                | 6.4                                      | .....                    | Side of boat house.                                                                               | Private aid.<br>Seasonal.<br>Operates 24 h.                 |
| 1973.8<br>H2333.22                                 | Club Nautique Vauquelin                                                             | On outer end of breakwater.<br>46 41 46.2<br>071 34 24.4                | Fl R 4s .....            | .....                                    | .....                    | Mast.                                                                                             | Private aid.<br>Seasonal.                                   |
| 1974<br>H2334                                      | <b>Pointe aux Trembles (Neuville)</b><br><br><b>Racon G (- - .) X &amp; S Bands</b> | On breakwater, E. side.<br>46 41 47.4<br>071 34 22.5                    | Fl W 5s 9.9              | 20                                       | .....                    | Square skeleton tower.<br>8.1                                                                     | Year round.<br>Operates 24 h.<br>Flash 1 s; eclipse 4 s.    |
| 1974.5                                             | Pointe aux Trembles light buoy Q34                                                  | Traverse Saint-Antoine.<br>46 40 42.6<br>071 34 32.4                    | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "Q34".                                                                          | Year round (YRLS).                                          |
| 1975<br>H2336.1                                    | <b>Route Saint-Antoine front range light</b>                                        | On W. side of Pointe du Chalet des Phares.<br>46 39 57.9<br>071 35 02.3 | F G .....                | 10.1                                     | 17                       | White pyramid tower with red upper portion, orange daymark with black vertical stripe.<br><br>7.7 | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                                      | Location<br>-----<br>Latitude N.<br>Longitude W.                              | Light<br>Characteristics  | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                          | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS         |
|----------------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------------|---------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                             |                                                                               |                           |                                          |                          |                                                                                                   |                                                             |
| 1976<br>H2335.9                                    | <b>Route Saint-Antoine<br/>rear range light</b>             | 46 40 00.4<br>071 34 51.1<br><br>071°56' 250.1 m<br>from front.               | F G .....<br><br><br>     | 16.8                                     | 17                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.9                   | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 1976.1<br>H2335.9                                  | <b>Traverse de Saint-<br/>Antoine front range<br/>light</b> | On W. side of<br>Pointe du Chalet<br>des Phares.<br>46 40 00.4<br>071 34 51.1 | F G .....<br><br><br>     | 16.8                                     | 15                       | White square skeleton<br>tower, orange slatwork<br>daymark with black vertical<br>stripe.<br>15.9 | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 1977<br>H2336                                      | <b>Traverse de Saint-<br/>Antoine rear range<br/>light</b>  | 46 39 53.4<br>071 35 02.2<br><br>227°37' 321.0 m<br>from front.               | F G .....<br><br><br>     | 58.0                                     | 15                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>17.2                   | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 1978                                               | <i>Pointe du Chalet des<br/>Phares light buoy Q37</i>       | 46 39 53.1<br>071 36 28.3                                                     | Fl G 4s .....<br><br><br> | .....                                    | .....                    | <i>Green, pillar, marked<br/>"Q37".</i>                                                           | <i>Seasonal.</i>                                            |
| 1979                                               | <i>Pointe du Chalet des<br/>Phares light buoy Q38</i>       | <i>Ruisseau Méthot.</i><br>46 40 03.9<br>071 36 51.1                          | Fl R 4s .....<br><br><br> | .....                                    | .....                    | <i>Red, spar, marked "Q38".</i>                                                                   | <i>Year round (YRLS).</i>                                   |
| 1980                                               | <i>Sainte-Croix-Est light<br/>buoy Q40</i>                  | <i>Route Saint-<br/>Antoine.</i><br>46 39 19.4<br>071 38 39.6                 | Fl R 4s .....<br><br><br> | .....                                    | .....                    | <i>Red, spar, marked "Q40".</i>                                                                   | <i>Year round (YRLS).</i>                                   |
| 1981<br>H2338                                      | Sainte-Croix-Est                                            | On S. shore of<br>river.<br>46 38 25.5<br>071 38 010.0                        | F G .....<br><br><br>     | 11.2                                     | 6                        | Skeleton tower, orange<br>rectangular slatwork<br>daymark.<br>9.5                                 | Year round.                                                 |
| 1982                                               | <i>Sainte-Croix-Est light<br/>buoy Q41</i>                  | 46 38 47.1<br>071 39 43.3                                                     | Fl G 4s .....<br><br><br> | .....                                    | .....                    | <i>Green, pillar, marked<br/>"Q41".</i>                                                           | <i>Seasonal.</i>                                            |
| 1982.5                                             | <i>Sainte-Croix-Est light<br/>buoy Q42</i>                  | 46 38 58.8<br>071 39 50.7                                                     | Fl R 4s .....<br><br><br> | .....                                    | .....                    | <i>Red, pillar, marked "Q42".</i>                                                                 | <i>Seasonal.</i>                                            |
| 1983                                               | <i>Banc des Écureuils<br/>light buoy Q46</i>                | <i>Route Saint-<br/>Antoine.</i><br>46 38 39.1<br>071 41 12.3                 | Fl R 4s .....<br><br><br> | .....                                    | .....                    | <i>Red, spar, marked "Q46".</i>                                                                   | <i>Year round (YRLS).</i>                                   |
| 1984                                               | <i>Banc des Écureuils<br/>light buoy Q48</i>                | <i>Sainte-Croix.</i><br>46 38 26.5<br>071 42 48.4                             | Fl R 4s .....<br><br><br> | .....                                    | .....                    | <i>Red, spar, marked "Q48".</i>                                                                   | <i>Year round (YRLS).</i>                                   |
| 1985<br>H2340                                      | <b>Sainte-Croix front<br/>range light</b>                   | E. of wharf.<br>46 37 40.6<br>071 41 58.5                                     | F W .....<br><br><br>     | 60.1                                     | 20                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>7.6                    | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 1986<br>H2340.1                                    | <b>Sainte-Croix rear<br/>range light</b>                    | 46 37 33.4<br>071 41 38.2<br><br>117°02' 483.9 m<br>from front.               | F W .....<br><br><br>     | 75.1                                     | 20                       | Square skeleton tower,<br>orange rectangular<br>daymark.<br>15.9                                  | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 1986.1                                             | Sainte-Croix                                                | E. of Sainte-Croix.<br>46 37 33.4<br>071 41 38.2                              | F G .....<br><br><br>     | 74.7                                     | 6                        | Square skeleton tower.<br>15.6                                                                    | Year round.<br>Visible eastward of 137°.<br>Emergency mode. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                  | Location<br>-----<br>Latitude N.<br>Longitude W.                     | Light<br>Characteristics |       |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                  | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                       |
|---------------------------------------------|-----------------------------------------|----------------------------------------------------------------------|--------------------------|-------|-------|------------------------------------------|--------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                         |                                                                      |                          |       |       |                                          |                          |                                                                                           |                                                                           |
| 1987                                        | Banc des Écureuils<br>light buoy Q50    | Traverse de Cap-<br>Santé.<br>46 38 28.5<br>071 43 56.8              | Q                        | R     | 1s    | .....                                    | .....                    | Red, spar, marked "Q50".                                                                  | Year round (YRLS).                                                        |
| 1988<br>H2342                               | Sainte-Croix                            | On shore.<br>46 37 40.9<br>071 43 53.8                               | Iso                      | Y     | 2s    | 15.0                                     | 7                        | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>12.7                   | Year round.<br>Visible 172°-255°.<br>Emergency mode.                      |
| 1989                                        | Brisants Sainte-Croix<br>light buoy Q51 | Traverse de Cap-<br>Santé.<br>46 38 41.2<br>071 45 03.8              | Fl                       | G     | 4s    | .....                                    | .....                    | Green, spar, marked "Q51".                                                                | Year round (YRLS).                                                        |
| 1989.3                                      | Sainte-Croix Tower<br>(V-AIS)           | 46 37 15.3<br>071 43 36.2                                            | .....                    | ..... | ..... | .....                                    | .....                    | .....                                                                                     | Year round.<br><br>Virtual AIS AtoN<br>MMSI: 993166022<br>Reference point |
| 1989.6                                      | Traverse Cap-Santé<br>light buoy Q53    | 46 39 08.8<br>071 46 22.3                                            | Fl                       | G     | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"Q53".                                                           | Seasonal.                                                                 |
| 1990                                        | Pointe aux Sables<br>light buoy Q54     | Traverse de Cap-<br>Santé.<br>46 39 15.9<br>071 46 17.1              | Fl                       | R     | 4s    | .....                                    | .....                    | Red, spar, marked "Q54".                                                                  | Year round (YRLS).                                                        |
| 1990.6                                      | Traverse Cap-Santé<br>light buoy Q55    | 46 39 36.3<br>071 47 40.9                                            | Fl                       | G     | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"Q55".                                                           | Year round.<br>(Winter spar.)                                             |
| 1992                                        | Poulier Paget light<br>buoy Q57         | Traverse de Cap-<br>Santé.<br>46 40 03.9<br>071 48 59.4              | Fl                       | G     | 4s    | .....                                    | .....                    | Green, spar, marked "Q57".                                                                | Year round (YRLS).                                                        |
| 1993                                        | Pointe Platon light<br>buoy Q61         | N. of point.<br>46 40 37.5<br>071 50 58.2                            | Q                        | G     | 1s    | .....                                    | .....                    | Green, spar, marked "Q61".                                                                | Year round (YRLS).                                                        |
| 1993.7<br>H2343                             | Pointe-Platon                           | On point.<br>46 40 12.4<br>071 50 48.4                               | F                        | G     | ..... | 9.6                                      | 7                        | Square skeleton tower,<br>orange rectangular<br>daymark.<br>8.0                           | Year round.<br>Operates 24 h.<br>Emergency mode.<br>Radar reflector.      |
| 1994                                        | Pointe Platon light<br>buoy Q63         | 46 40 40.6<br>071 51 40.2                                            | Fl                       | G     | 4s    | .....                                    | .....                    | Green, spar, marked "Q63".                                                                | Year round (YRLS).                                                        |
| 1995<br>H2344                               | Traverse Cap-Santé<br>front range light | E. of Rivière<br>Portneuf mouth.<br>46 41 23.8<br>071 52 35.2        | F                        | G     | ..... | 11.4                                     | 17                       | White cylindrical mast,<br>orange slatwork daymark<br>with black vertical stripe.<br>10.9 | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s.               |
| 1996<br>H2344.1                             | Traverse Cap-Santé<br>rear range light  | 46 41 32.6<br>071 53 00.4<br><br>296°56' 599.6 m<br>from front.      | F                        | G     | ..... | 22.6                                     | 17                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.                   | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s.               |
| 1997<br>H2346                               | Portneuf front range<br>light           | On N. shore, E. of<br>Rivière Portneuf.<br>46 41 22.7<br>071 52 12.9 | F                        | G     | ..... | 20.0                                     | 17                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>18.6           | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s.               |

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL

|                    |                                                   |                                                                  |                                |            |         |                                                                                 |                                                                                                                                                                                                                  |
|--------------------|---------------------------------------------------|------------------------------------------------------------------|--------------------------------|------------|---------|---------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1998<br>H2346.1    | Portneuf rear range light                         | 46 41 39.8<br>071 51 59.4<br><br>028°29' 600.4 m<br>from front.  | F G .....<br><br><br>          | 40.7       | 17      | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>14.4 | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s.                                                                                                                                                      |
| 1998.51<br>H2347.5 | Portneuf marina,<br>Breakwater                    | On outer end of<br>breakwater.<br>46 40 54.5<br>071 52 36.0      | Fl W 4s .....<br><br><br>      | .....      | .....   | On a monument.                                                                  | Private aid.<br>Seasonal.                                                                                                                                                                                        |
| 1999<br>H2347      | Portneuf                                          | On outer end of<br>wharf, E. side.<br>46 40 56.2<br>071 52 38.3  | Iso R 2s 13.3<br><br><br>      | 13.3       | 10      | Cylindrical mast.<br>8.0                                                        | Year round.                                                                                                                                                                                                      |
| 1999.5             | Portneuf light buoy<br>Q65                        | 46 40 23.7<br>071 52 44.3                                        | Q G 1s .....<br><br><br>       | .....      | .....   | Green, pillar, marked<br>"Q65".                                                 | Year round.<br>(Winter spar.)                                                                                                                                                                                    |
| 2000               | Portneuf light buoy<br>Q66                        | NE. of<br>Deschambault.<br>46 39 46.8<br>071 53 43.2             | Fl R 4s .....<br><br><br>      | .....      | .....   | Red, pillar, marked "Q66".                                                      | Year round.<br>(Winter spar.)                                                                                                                                                                                    |
| 2001               | Rapides Richelieu<br>light buoy Q67               | NE. of Île Richelieu.<br>46 39 30.5<br>071 53 34.0               | Fl G 4s .....<br><br><br>      | .....      | .....   | Green, spar, marked "Q67".                                                      | Year round (YRLS).                                                                                                                                                                                               |
| 2001.1             | Rapides Richelieu<br>light buoy Q68               | 46 39 10.1<br>071 54 13.1                                        | Fl R 4s .....<br><br><br>      | .....      | .....   | Red, spar, marked "Q68".                                                        | Year round (YRLS).                                                                                                                                                                                               |
| 2001.8<br>H2349    | Île Richelieu<br><br>Racon M (- -)<br>X & S Bands | N. side of island.<br>46 38 33.5<br>071 54 35.2                  | F G .....<br>F Y .....<br><br> | 5.8<br>5.8 | 7<br>16 | Orange pile.<br>12.0                                                            | Year round.<br>Operates 24 h.<br>Visible on a bearing of 054°.<br>Not to be used as a direction<br>light.<br>Visible on a bearing of 160°<br>through S. to 250°.<br>Increased intensity on a<br>bearing of 211°. |
| 2002<br>H2350      | Barre à Boulard front<br>range light              | On edge of cliff.<br>46 39 33.8<br>071 52 34.6                   | F W .....<br><br><br>          | 51.7       | 20      | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>18.6 | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s.                                                                                                                                                      |
| 2003<br>H2350.1    | Barre à Boulard rear<br>range light               | 46 39 53.6<br>071 51 54.9<br><br>054°03' 1042.8 m<br>from front. | F W .....<br><br><br>          | 71.3       | .....   | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>19.9 | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s.                                                                                                                                                      |
| 2004               | Deschambault light<br>buoy Q70                    | 46 38 28.5<br>071 55 08.1                                        | Fl R 4s .....<br><br><br>      | .....      | .....   | Red, pillar, marked "Q70".                                                      | Seasonal.                                                                                                                                                                                                        |
| 2004.5             | Barre à Boulard light<br>buoy Q73                 | Route de<br>Lotbinière.<br>46 38 03.8<br>071 55 24.7             | Q G 1s .....<br><br><br>       | .....      | .....   | Green, spar, marked "Q73".                                                      | Year round (YRLS).                                                                                                                                                                                               |
| 2005               | Barre à Boulard light<br>buoy Q74                 | Deschambault.<br>46 38 03.3<br>071 55 45.4                       | Q R 1s .....<br><br><br>       | .....      | .....   | Red, spar, marked "Q74".                                                        | Year round (YRLS).                                                                                                                                                                                               |



| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL

|                   |                                                        |                                                               |               |       |       |                                                                           |                                                             |
|-------------------|--------------------------------------------------------|---------------------------------------------------------------|---------------|-------|-------|---------------------------------------------------------------------------|-------------------------------------------------------------|
| 2006<br>H2348     | <b>Lotbinière front range light</b>                    | On S. shore.<br>46 36 40.1<br>071 57 21.5                     | F W .....     | 15.5  | 20    | Square skeleton tower, orange daymark with black vertical stripe.         | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 2007<br>H2348.1   | <b>Lotbinière rear range light</b>                     | 46 36 19.3<br>071 57 48.7<br><br>221°56' 867.8 m from front.  | F W .....     | 41.3  | 20    | Square skeleton tower, orange daymark with black vertical stripe.<br>17.4 | Year round.<br>Operates 24 h.<br>Emergency light: Iso W 1s. |
| 2008              | <i>Barre à Boulard light buoy Q77</i>                  | Lotbinière.<br>46 37 25.0<br>071 56 42.4                      | Fl G 4s ..... | ..... | ..... | Green, spar, marked "Q77".                                                | Year round (YRLS).                                          |
| 2008.1            | <i>Barre à Boulard light buoy Q76</i>                  | Lotbinière.<br>46 37 35.2<br>071 56 41.5                      | Fl R 4s ..... | ..... | ..... | Red, spar, marked "Q76".                                                  | Year round (YRLS).                                          |
| 2012              | <i>Îlet Mayrand light buoy Q83</i>                     | Grondines.<br>46 36 28.3<br>071 58 30.6                       | Fl G 4s ..... | ..... | ..... | Green, spar, marked "Q83".                                                | Year round (YRLS).                                          |
| 2012.1            | <i>Grondines-Est light buoy Q84</i>                    | 46 36 20.1<br>071 59 19.2                                     | Fl R 4s ..... | ..... | ..... | Red, pillar, marked "Q84".                                                | Year round.<br>(Winter spar.)                               |
| 2013<br>H2354     | Pointe Langlois                                        | On S. shore E. of point.<br>46 35 02.0<br>071 59 25.0         | Iso G 2s      | 21.8  | 6     | Skeleton tower, orange rectangular daymark.<br>11.1                       | Year round.<br>Radar reflector.                             |
| 2014              | <i>Batture Simon light buoy D4</i>                     | Mouillage des Grondines.<br>46 35 30.2<br>072 00 25.7         | Fl R 4s ..... | ..... | ..... | Red, spar, marked "D4".                                                   | Year round (YRLS).                                          |
| 2015<br>H2358     | <b>Leclercville (Sainte-Emmélie) front range light</b> | On S. shore.<br>46 33 44.6<br>072 00 49.0                     | F G .....     | 37.0  | 17    | Square skeleton tower, orange daymark with black vertical stripe.<br>9.9  | Year round.<br>Operates 24 h.<br>Emergency light: Iso G 1s. |
| 2016<br>H2358.1   | <b>Leclercville (Sainte-Emmélie) rear range light</b>  | 46 33 43.0<br>072 00 00.2<br><br>092°42' 1041.8 m from front. | F G .....     | 57.2  | 17    | Square skeleton tower, orange daymark with black vertical stripe.<br>12.4 | Year round.<br>Operates 24 h.<br>Emergency light: Iso G 1s. |
| 2016.1<br>H2358.1 | Leclercville (Sainte-Emmélie)                          | 46 33 43.0<br>072 00 00.2                                     | F G .....     | 57.2  | 6     | Square skeleton tower.<br>12.5                                            | Year round.<br>Operates 24 h.                               |
| 2017              | <i>Battures du Chêne light buoy D9</i>                 | 46 34 47.8<br>072 01 37.2                                     | Fl G 4s ..... | ..... | ..... | Green, pillar, marked "D9".                                               | Year round.<br>(Winter spar.)                               |
| 2017.5            | <i>Barre du Dos de Cheval light buoy D12</i>           | 46 34 39.6<br>072 02 18.6                                     | Fl R 4s ..... | ..... | ..... | Red, pillar, marked "D12".                                                | Year round.<br>(Winter spar.)                               |
| 2018              | <i>Battures à Cadieux light buoy D15</i>               | 46 34 06.0<br>072 03 16.0                                     | Fl G 4s ..... | ..... | ..... | Green, pillar, marked "D15".                                              | Year round.<br>(Winter spar.)                               |
| 2018.5            | <i>Batture de la Grande Pointe light buoy D18</i>      | Grondines-Ouest.<br>46 34 09.7<br>072 03 29.3                 | Q R 1s .....  | ..... | ..... | Red, spar, marked "D18".                                                  | Year round (YRLS).                                          |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                                 | Location<br>-----<br>Latitude N.<br>Longitude W.                  | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                             | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                    |
|---------------------------------------------|--------------------------------------------------------|-------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                        |                                                                   |                          |   |       |                                          |                          |                                                                                                      |                                                                                                        |
| 2019<br>H2356                               | Route du Cap Charles<br>front range light              | W. of Cap Charles.<br>46 33 22.0<br>072 05 10.9                   | F                        | G | ..... | 39.8                                     | 14                       | Square skeleton tower,<br>fluorescent orange<br>daymark with black vertical<br>stripe.<br>9.1        | Year round.<br>Operates 24 h.<br>Emergency mode.                                                       |
| 2020<br>H2356.1                             | Route du Cap Charles<br>rear range light               | 46 33 11.6<br>072 05 35.5<br><br>238°29' 615.8 m<br>from front.   | F                        | G | ..... | 54.3                                     | 14                       | Square skeleton tower,<br>fluorescent orange<br>daymark with black vertical<br>stripe.<br>20.5       | Year round.<br>Operates 24 h.<br>Emergency mode.                                                       |
| 2020.5                                      | Cap Charles light buoy<br>D23                          | 46 33 50.5<br>072 04 02.8                                         | Q                        | G | 1s    | .....                                    | .....                    | Green, pillar, marked<br>"D23".                                                                      | Year round.<br>(Winter spar.)                                                                          |
| 2021                                        | Cap Charles light buoy<br>D22                          | 46 34 01.3<br>072 04 06.9                                         | Q                        | R | 1s    | .....                                    | .....                    | Red, pillar, marked "D22".                                                                           | Year round.<br>(Winter spar.)                                                                          |
| 2022                                        | Poulier du Calvaire<br>light buoy D24                  | Pointe des<br>Grondines.<br>46 33 56.1<br>072 04 45.6             | Q                        | R | 1s    | .....                                    | .....                    | Red, spar, marked "D24".                                                                             | Year round (YRLS).                                                                                     |
| 2022.5                                      | Poulier du Calvaire<br>light buoy D25                  | 46 33 48.2<br>072 04 46.1                                         | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"D25".                                                                      | Year round.<br>(Winter spar.)                                                                          |
| 2023<br>H2362                               | Pointe des<br>Grondines front<br>range light           | On point.<br>46 34 43.5<br>072 04 11.8                            | F                        | G | ..... | 14.6                                     | 15                       | Square skeleton tower,<br>fluorescent red daymark<br>with black vertical stripe.<br>8.9              | Year round.<br>Operates 24 h.<br>Emergency mode.                                                       |
| 2024<br>H2362.1                             | Pointe des<br>Grondines rear<br>range light            | 46 35 14.8<br>072 02 26.6<br><br>066°37' 2439.8 m<br>from front.  | F                        | G | ..... | 42.1                                     | 15                       | Square skeleton tower,<br>fluorescent red slatwork<br>daymark with black vertical<br>stripe.<br>37.8 | Year round.<br>Operates 24 h.<br>Emergency mode.                                                       |
| 2025<br>H2364                               | Route de l'Anse-des-<br>Grondines front<br>range light | Upstream of Pointe<br>des Grondines.<br>46 35 06.4<br>072 05 52.0 | Iso                      | W | 2s    | 9.0                                      | 16                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>8.0                       | Year round.<br>Operates 24 h.<br>Emergency mode.                                                       |
| 2026<br>H2364.1                             | Route de l'Anse-des-<br>Grondines rear<br>range light  | 46 35 50.3<br>072 04 43.1<br><br>047°15' 1996.8 m<br>from front.  | Iso                      | W | 2s    | 38.4                                     | 16                       | Square skeleton tower,<br>fluorescent red slatwork<br>daymark with black vertical<br>stripe.<br>23.2 | Year round.<br>Operates 24 h.<br>Emergency mode.                                                       |
| 2027<br>H2360                               | La Pérade front<br>range light                         | Sainte-Anne-de-la-<br>Pérade.<br>46 34 02.9<br>072 10 23.8        | F                        | G | ..... | 14.8                                     | 17                       | Yellow skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>13.7                      | Year round.<br>Operates 24 h.<br>Emergency light: Iso G 1s.                                            |
| 2028<br>H2360.1                             | La Pérade rear range<br>light                          | 46 34 04.6<br>072 11 20.6<br><br>272°35' 1210.6 m<br>from front.  | F                        | G | ..... | 26.7                                     | 17                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>22.9                      | Year round.<br>Operates 24 h.<br>Emergency light: Iso G 1s.                                            |
| 2028.5<br>H2361                             | Deschaillons-sur-<br>Saint-Laurent                     | NW. corner of<br>Deschaillons wharf.<br>46 33 39.8<br>072 06 22.2 | Fl                       | G | 4s    | 11.5                                     | 6                        | White mast.<br>9.7                                                                                   | Year round.<br>Flash 1 s; eclipse 3 s.<br>Radar reflector.<br><br>Physical AIS AtoN<br>MMSI: 993161061 |

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                               | Location<br>-----<br>Latitude N.<br>Longitude W.                   | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|----------------------------------------------------|------------------------------------------------------|--------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                      |                                                                    |                          |                                          |                          |                                                                          |                                                     |
| 2029                                               | Pointe Deschaillons<br>light buoy D29                | Pouler Rayer.<br>46 33 50.9<br>072 06 11.2                         | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "D29".                                               | Year round (YRLS).                                  |
| 2029.5                                             | Deschaillons-sur-<br>Saint-Laurent light<br>buoy D30 | Route de Sainte-<br>Emmélie.<br>46 33 58.9<br>072 06 10.7          | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "D30".                                                 | Year round (YRLS).                                  |
| 2030                                               | Deschaillons-sur-<br>Saint-Laurent light<br>buoy D31 | Route de la Pointe-<br>des-Grondines.<br>46 33 48.4<br>072 06 47.6 | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "D31".                                               | Year round (YRLS).                                  |
| 2031                                               | Deschaillons-sur-<br>Saint-Laurent light<br>buoy D32 | Route de la Pointe-<br>des-Grondines.<br>46 33 57.8<br>072 06 50.0 | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "D32".                                                 | Year round (YRLS).                                  |
| 2032                                               | Cap à la Roche light<br>buoy D35                     | Route de la Pointe-<br>des-Grondines.<br>46 33 42.0<br>072 07 22.9 | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "D35".                                               | Year round (YRLS).                                  |
| 2033                                               | Poulier Villeneuve light<br>buoy D36                 | Route de la Pointe-<br>des-Grondines.<br>46 33 49.3<br>072 07 27.4 | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "D36".                                                 | Year round (YRLS).                                  |
| 2034                                               | Cap à la Roche light<br>buoy D37                     | Route de la Pointe-<br>des-Grondines.<br>46 33 33.5<br>072 07 51.8 | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "D37".                                               | Year round (YRLS).                                  |
| 2035                                               | Cap à la Roche light<br>buoy D38                     | 46 33 40.8<br>072 07 56.3                                          | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "D38".                                               | Year round.<br>(Winter spar.)                       |
| 2036                                               | Cap à la Roche<br>Course light buoy D40              | 46 33 29.2<br>072 08 28.5                                          | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "D40".                                               | Year round.<br>(Winter spar.)                       |
| 2037                                               | Battures des Belles<br>Filles light buoy D41         | Route de l'Anse-<br>des-Grondines.<br>46 33 07.9<br>072 08 49.3    | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "D41".                                               | Year round (YRLS).                                  |
| 2037.5                                             | Battures des Belles<br>Filles light buoy D42         | Route de l'Anse-<br>des-Grondines.<br>46 33 13.7<br>072 08 57.1    | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "D42".                                                 | Year round (YRLS).                                  |
| 2038                                               | Cap Lévrard light buoy<br>D49                        | 46 32 25.0<br>072 09 56.4                                          | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"D49".                                          | Year round.<br>(Winter spar.)                       |
| 2038.4                                             | Cap Lévrard light buoy<br>D52                        | 46 32 19.8<br>072 10 21.5                                          | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "D52".                                               | Year round.<br>(Winter spar.)                       |
| 2038.6                                             | Traverse de Batiscan<br>Curve light buoy D53         | 46 31 56.9<br>072 10 40.4                                          | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"D53".                                          | Year round.<br>(Winter spar.)                       |
| 2039                                               | Traverse de Batiscan<br>Curve light buoy D54         | Cap Lévrard.<br>46 32 04.9<br>072 10 48.9                          | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "D54".                                                 | Year round (YRLS).                                  |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)              | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|----------------------------------------------------|----------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                              |                                                                 |                          |                                          |                          |                                                                                       |                                                     |
| 2039.5                                             | Traverse de Batiscan<br>Curve light buoy D56 | 46 31 51.3<br>072 11 17.7                                       | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "D56".                                                            | Year round.<br>(Winter spar.)                       |
| 2040                                               | Butte à Moineau light<br>buoy D59            | Traverse de<br>Batiscan.<br>46 31 22.5<br>072 12 07.7           | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "D59".                                                            | Year round (YRLS).                                  |
| 2040.5                                             | Light buoy D60                               | 46 31 28.9<br>072 12 14.6                                       | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "D60".                                                            | Year round.<br>(Winter spar.)                       |
| 2041<br>H2368                                      | Les Becquets                                 | On wharf.<br>46 30 26.9<br>072 12 21.5                          | F G                      | .....                                    | 7.9                      | 7<br>White mast.<br>6.7                                                               | Year round.                                         |
| 2042<br>H2366                                      | Traverse de Batiscan<br>front range light    | 46 30 33.6<br>072 14 22.9                                       | F G                      | .....                                    | 13.7                     | 12<br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>8.1  | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2042.1<br>H2366                                    | Batiscan                                     | Near shore edge.<br>46 30 33.6<br>072 14 22.9                   | F G                      | .....                                    | 13.7                     | 6<br>Square skeleton tower.<br>8.1                                                    | Year round.<br>Operates 24 h.                       |
| 2043<br>H2366.1                                    | Traverse de Batiscan<br>rear range light     | 46 30 26.5<br>072 14 40.8<br><br>240°13' 440.2 m<br>from front. | F G                      | .....                                    | 24.6                     | 12<br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>21.7 | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2043.1<br>H2366.1                                  | Batiscan                                     | 46 30 26.5<br>072 14 40.8                                       | F G                      | .....                                    | 24.7                     | 6<br>Square skeleton tower.<br>21.8                                                   | Year round.<br>Operates 24 h.                       |
| 2043.6                                             | Rivière Batiscan light<br>buoy D62           | Traverse de<br>Batiscan.<br>46 31 09.7<br>072 12 56.4           | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "D62".                                                              | Year round (YRLS).                                  |
| 2044                                               | Battures Saint-Pierre<br>light buoy D63      | 46 31 01.0<br>072 12 47.6                                       | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"D63".                                                       | Year round.<br>(Winter spar.)                       |
| 2045                                               | Battures Saint-Pierre<br>light buoy D67      | 46 30 31.7<br>072 13 22.0                                       | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"D67".                                                       | Year round.<br>(Winter spar.)                       |
| 2046                                               | Mouillage Batiscan<br>light buoy D68         | 46 30 43.3<br>072 13 28.7                                       | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "D68".                                                            | Year round.<br>(Winter spar.)                       |
| 2047                                               | Battures Saint-Pierre<br>light buoy D71      | Route de Gentilly.<br>46 30 00.3<br>072 13 44.0                 | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "D71".                                                            | Year round (YRLS).                                  |
| 2047.2<br>H2366.4                                  | Batiscan                                     | 46 30 01.0<br>072 14 45.9                                       | Q R 1s                   | 12.8                                     | 5                        | Mast.<br>9.7                                                                          | Year round.<br>Radar reflector.                     |
| 2047.5                                             | Batiscan Anchorage<br>light buoy D74         | 46 29 21.2<br>072 14 14.2                                       | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "D74".                                                            | Year round.<br>(Winter spar.)                       |
| 2048                                               | Battures Perron light<br>buoy D82            | Route de Gentilly.<br>46 28 21.3<br>072 14 42.0                 | FI R 4s                  | .....                                    | .....                    | Red, spar, marked "D82".                                                              | Year round (YRLS).                                  |
| 2049.4                                             | Gentilly light buoy D83                      | 46 28 07.2<br>072 14 36.4                                       | FI G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"D83".                                                       | Year round.<br>(Winter spar.)                       |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                                            | Location<br>-----<br>Latitude N.<br>Longitude W.                           | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|---------------------------------------------|-------------------------------------------------------------------|----------------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|-----------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                                   |                                                                            |                          |   |       |                                          |                          |                                                                                 |                                                     |
| 2050<br>H2370                               | Gentilly front range<br>light<br><br>Racon K (-.-)<br>X & S Bands | On pile, Battures de<br>Gentilly.<br>46 25 48.0<br>072 15 46.9             | F                        | G | ..... | 11.9                                     | 14                       | White tower, orange<br>daymark with black vertical<br>stripe.<br>3.8            | Year round.<br>Emergency mode.                      |
| 2051<br>H2370.1                             | Gentilly rear range<br>light                                      | 46 24 27.9<br>072 16 23.9<br><br>197°44' 2596.1 m<br>from front.           | F                        | G | ..... | 31.1                                     | 14                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>24.4 | Year round.<br>Emergency mode.                      |
| 2052                                        | Pointe à la Citrouille<br>light buoy D87                          | 46 26 59.9<br>072 15 27.4                                                  | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"D87".                                                 | Year round.<br>(Winter spar.)                       |
| 2052.5                                      | Pointe à la Citrouille<br>light buoy D88                          | 46 27 17.3<br>072 15 31.1                                                  | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "D88".                                                        | Year round (YRLS).                                  |
| 2053<br>H2372                               | Pointe à la Citrouille                                            | 46 27 06.5<br>072 16 02.6                                                  | F                        | G | ..... | 17.5                                     | 7                        | Square skeleton tower,<br>orange rectangular<br>daymark.<br>15.7                | Year round.                                         |
| 2053.5                                      | Pointe à la Citrouille<br>light buoy D90                          | 46 26 47.4<br>072 16 04.6                                                  | Q                        | R | 1s    | .....                                    | .....                    | Red, pillar, marked "D90".                                                      | Year round.<br>(Winter spar.)                       |
| 2054                                        | Pointe à la Citrouille<br>light buoy C2                           | 46 26 36.5<br>072 16 29.0                                                  | Q                        | R | 1s    | .....                                    | .....                    | Red, pillar, marked "C2".                                                       | Year round.<br>(Winter spar.)                       |
| 2054.1                                      | Poulier Grandmont<br>light buoy C3                                | 46 26 24.2<br>072 16 19.9                                                  | Q                        | G | 1s    | .....                                    | .....                    | Green, pillar, marked "C3".                                                     | Seasonal.                                           |
| 2055                                        | Petite batture<br>Champlain light buoy<br>C4                      | Route de<br>Champlain, N. side<br>of channel.<br>46 26 29.1<br>072 17 02.3 | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "C4".                                                         | Year round (YRLS).                                  |
| 2056                                        | Poulier Turcotte light<br>buoy C7                                 | S. side of channel.<br>46 26 16.3<br>072 18 10.3                           | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked "C7".                                                     | Year round.<br>(Winter spar.)                       |
| 2057                                        | Poulier Dubord light<br>buoy C13                                  | Route de<br>Champlain, S. side<br>of channel.<br>46 26 08.4<br>072 20 00.7 | Fl                       | G | 4s    | .....                                    | .....                    | Green, spar, marked "C13".                                                      | Year round (YRLS).                                  |
| 2057.5                                      | Champlain light buoy<br>C14                                       | Route de<br>Champlain.<br>46 26 13.5<br>072 20 37.1                        | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "C14".                                                        | Year round (YRLS).                                  |
| 2058                                        | Poulier Dubord light<br>buoy C15                                  | 46 26 02.6<br>072 20 32.9                                                  | Q                        | G | 1s    | .....                                    | .....                    | Green, pillar, marked<br>"C15".                                                 | Year round.<br>(Winter spar.)                       |
| 2059                                        | Poulier Dubord light<br>buoy C17                                  | 46 25 52.5<br>072 21 02.0                                                  | Q                        | G | 1s    | .....                                    | .....                    | Green, spar, marked "C17".                                                      | Year round (YRLS).                                  |
| 2060                                        | Champlain Curve light<br>buoy C18                                 | 46 26 01.7<br>072 21 10.7                                                  | Q                        | R | 1s    | .....                                    | .....                    | Red, pillar, marked "C18".                                                      | Year round.<br>(Winter spar.)                       |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                                | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                 | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS        |
|----------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                       |                                                                 |                          |                                          |                          |                                                                                          |                                                            |
| 2061                                               | <i>Champlain Upstream<br/>Light buoy C19</i>          | 46 25 38.2<br>072 21 28.0                                       | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"C19".                                                          | Year round.<br>(Winter spar.)                              |
| 2062<br>H2382                                      | <b>Champlain</b>                                      | W. of village.<br>46 26 22.6<br>072 20 41.5                     | F G .....                | 18.1                                     | <b>16</b>                | White skeleton tower,<br>orange daymark.<br>14.6                                         | Year round.<br>Visible on a bearing of 038°.               |
| 2062.1<br>H2382                                    | Champlain                                             | W. of village.<br>46 26 22.6<br>072 20 41.5                     | Fl R 5s                  | 18.8                                     | 6                        | Skeleton tower.<br>15.3                                                                  | Year round.<br>Flash 1 s; eclipse 4 s.                     |
| 2063<br>H2380                                      | Route de Champlain<br>front range light               | W. of Champlain<br>village.<br>46 26 06.2<br>072 21 26.0        | F G .....                | 19.7                                     | 13                       | Mast, fluorescent red<br>daymark with black vertical<br>stripe.<br>13.4                  | Year round.<br>Operates 24 h.<br>Emergency mode.           |
| 2063.1<br>H2380                                    | Route de Champlain                                    | W. of Champlain<br>village.<br>46 26 06.2<br>072 21 26.0        | F G .....                | 19.8                                     | 7                        | Cylindrical mast.<br>13.4                                                                | Year round.<br>Operates 24 h.                              |
| 2064<br>H2380.1                                    | Route de Champlain<br>rear range light                | 46 26 04.7<br>072 21 47.2<br><br>264°03' 454.6 m<br>from front. | F G .....                | 33.4                                     | 13                       | Square skeleton tower,<br>fluorescent red daymark<br>with black vertical stripe.<br>27.5 | Year round.<br>Operates 24 h.<br>Emergency mode.           |
| 2064.1<br>H2380.1                                  | Route de Champlain                                    | W. of Champlain<br>village.<br>46 26 04.7<br>072 21 47.2        | F G .....                | 33.4                                     | 7                        | Square skeleton tower.<br>27.5                                                           | Year round.<br>Operates 24 h.                              |
| 2065                                               | <i>Pointe à Bigot light<br/>buoy C20</i>              | 46 25 04.2<br>072 22 29.4                                       | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "C20".                                                               | Year round.<br>(Winter spar.)                              |
| 2066                                               | <i>Pointe à Bigot light<br/>buoy C21</i>              | Port de Bécancour.<br>46 24 56.8<br>072 22 24.4                 | Fl G 4s .....            | .....                                    | .....                    | Green, spar, marked "C21".                                                               | Year round (YRLS).                                         |
| 2066.3<br>H2387                                    | Pointe à Bigot                                        | 46 24 55.2<br>072 23 00.6                                       | Fl R 6s                  | 14.9                                     | 4                        | White skeleton tower,<br>orange rectangular<br>slatwork daymark.<br>13.1                 | Year round.<br>Flash 1 s; eclipse 5 s.<br>Radar reflector. |
| 2067<br>H2390                                      | Route de Lottinville<br>front range light             | Pointe Lottinville.<br>46 23 36.1<br>072 27 44.5                | F G .....                | 18.6                                     | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.                  | Year round.<br>Operates 24 h.<br>Emergency mode.           |
| 2068<br>H2390.1                                    | Route de Lottinville<br>rear range light              | 46 24 01.1<br>072 27 16.7<br><br>037°31' 975.2 m<br>from front. | F G .....                | 33.1                                     | 13                       | Skeleton tower, orange<br>daymark with black vertical<br>stripe.<br>23.1                 | Year round.<br>Operates 24 h.<br>Emergency mode.           |
| 2068.1                                             | Port de Bécancour,<br>East Limit front range<br>light | 46 23 58.6<br>072 22 19.7                                       | F Y .....                | .....                                    | .....                    | .....                                                                                    | Private aid.<br>Year round.                                |
| 2068.2                                             | Port de Bécancour,<br>East Limit rear range<br>light  | 46 23 54.8<br>072 22 18.0<br><br>162°33' 125.0 m<br>from front. | F Y .....                | .....                                    | .....                    | .....                                                                                    | Private aid.<br>Year round.                                |

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                                 | Location<br>-----<br>Latitude N.<br>Longitude W.                                  | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                       |
|----------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                        |                                                                                   |                          |                                          |                          |                                                                                 |                                                                           |
| 2068.3<br>H2385                                    | Port de Bécancour                                      | 46 23 57.3<br>072 22 28.0                                                         | F Y .....                | 7.2                                      | .....                    | Black and yellow structure,<br>black vertical stripes.                          | Private aid.<br>Year round.<br>Operates 24 h.<br>Visible 167°44'-347°44'. |
| 2069                                               | Bécancour Alignement<br>light buoy C23                 | 46 24 16.6<br>072 23 34.2                                                         | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"C23".                                                 | Year round.<br>(Winter spar.)                                             |
| 2069.7                                             | Bécancour Alignement<br>light buoy C27                 | 46 23 09.1<br>072 25 31.3                                                         | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"C27".                                                 | Year round.<br>(Winter spar.)                                             |
| 2069.8                                             | Batture Francoeur<br>light buoy C28                    | Route de<br>Bécancour.<br>46 23 15.2<br>072 25 38.6                               | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "C28".                                                        | Year round (YRLS).                                                        |
| 2070                                               | Bécancour Bend light<br>buoy C30                       | 46 23 02.9<br>072 26 07.2                                                         | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "C30".                                                      | Year round.<br>(Winter spar.)                                             |
| <b>Trois-Rivières Harbour</b>                      |                                                        |                                                                                   |                          |                                          |                          |                                                                                 |                                                                           |
| 2071                                               | Île Lamy light buoy<br>C33                             | Traverse de<br>Bécancour.<br>46 22 44.0<br>072 26 49.1                            | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "C33".                                                      | Year round (YRLS).                                                        |
| 2072                                               | Pointe de Bécancour<br>light buoy C34                  | Battures<br>Provencher,<br>Traverse de<br>Bécancour.<br>46 22 54.1<br>072 26 38.4 | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "C34".                                                        | Year round (YRLS).                                                        |
| 2073<br>H2384                                      | Bécancour front<br>range light                         | W. bank of Rivière<br>Bécancour.<br>46 22 24.1<br>072 26 58.4                     | F G .....                | 4.2                                      | 17                       | Square block, orange<br>daymark with black vertical<br>stripe.<br>1.7           | Year round.<br>Operates 24 h.<br>Emergency mode.                          |
| 2073.1<br>H2384                                    | Bécancour                                              | W. bank of Rivière<br>Bécancour.<br>46 22 24.1<br>072 26 58.4                     | F G .....                | 5.4                                      | 6                        | .....                                                                           | Year round.<br>Operates 24 h.<br>Emergency mode.                          |
| 2074<br>H2384.1                                    | Bécancour rear<br>range light                          | 46 21 46.8<br>072 28 03.0<br><br>230°10' 1798.5 m<br>from front.                  | F G .....                | 22.5                                     | 17                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.         | Year round.<br>Operates 24 h.<br>Emergency mode.                          |
| 2075<br>H2386                                      | Traverse de<br>Bécancour Upstream<br>front range light | On S. shore.<br>46 23 21.2<br>072 23 40.8                                         | F G .....                | 10.3                                     | 17                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.5  | Year round.<br>Operates 24 h.<br>Emergency mode.                          |
| 2076<br>H2386.1                                    | Traverse de<br>Bécancour Upstream<br>rear range light  | 46 23 26.1<br>072 23 12.5<br><br>075°47' 624.8 m<br>from front.                   | F G .....                | 21.2                                     | 17                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>17.1 | Year round.<br>Operates 24 h.<br>Emergency mode.                          |
| 2076.8                                             | Traverse de<br>Bécancour Upstream<br>light buoy C36    | 46 22 43.2<br>072 27 40.4                                                         | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "C36".                                                      | Year round.<br>(Winter spar.)                                             |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                                | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                                 | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|----------------------------------------------------|-------------------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                       |                                                                  |                          |                                          |                          |                                                                                                          |                                                     |
| 2077                                               | Cap à l'Anse light<br>buoy C39                        | 46 22 35.5<br>072 27 37.6                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "C39".                                                                               | Year round (YRLS).                                  |
| 2078                                               | Traverse de<br>Bécancour Upstream<br>light buoy C41   | 46 22 24.0<br>072 28 21.4                                        | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"C41".                                                                          | Year round.<br>(Winter spar.)                       |
| 2079                                               | Sainte-Marthe-du-Cap<br>light buoy C43                | Batture aux Veaux.<br>46 22 13.5<br>072 28 50.7                  | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "C43".                                                                               | Year round (YRLS).                                  |
| 2080<br>H2388                                      | Cap-de-la-Madeleine<br>Wharf front range light        | On SW. corner of<br>wharf.<br>46 21 56.4<br>072 29 50.9          | F G                      | .....                                    | 10.3                     | 11<br>Green square tower,<br>orange slatwork daymark<br>with black vertical stripe.                      | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2081<br>H2388.1                                    | Cap-de-la-Madeleine<br>Wharf rear range light         | 46 21 54.2<br>072 29 57.0<br><br>242°37' 147.0 m<br>from front.  | F G                      | .....                                    | 19.9                     | 11<br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>12.8                    | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2081.5                                             | Cap-de-la-Madeleine<br>light buoy C46                 | 46 22 11.7<br>072 29 20.5                                        | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "C46".                                                                               | Seasonal.                                           |
| 2082                                               | Cap-de-la-Madeleine<br>light buoy C45                 | 46 21 60.0<br>072 29 18.1                                        | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"C45".                                                                          | Year round.<br>(Winter spar.)                       |
| 2083                                               | Cap de la Madeleine<br>light buoy C47                 | Route de Lottinville.<br>46 21 43.7<br>072 29 42.1               | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "C47".                                                                               | Year round (YRLS).                                  |
| 2083.8<br>H2389                                    | Île La Poterie                                        | On outer end of<br>wharf.<br>46 21 23.5<br>072 30 24.5           | Fl R 6s                  | 12.8                                     | 6                        | Mast.                                                                                                    | Year round.<br>Flash 1 s; eclipse 5 s.              |
| 2084.7                                             | Île La Poterie light<br>buoy C48                      | 46 21 06.2<br>072 30 46.3                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "C48".                                                                               | Seasonal.                                           |
| 2085                                               | Pointe des Chenaux<br>light buoy C49                  | 46 21 06.5<br>072 30 23.3                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "C49".                                                                               | Year round (YRLS).                                  |
| 2092<br>H2392                                      | Route de la Pointe-<br>aux-Ormes front range<br>light | E. of Pont<br>Laviolette, N. shore.<br>46 18 48.3<br>072 33 59.9 | F G                      | .....                                    | 7.7                      | 12<br>Cylindrical tower, orange<br>rectangular slatwork<br>daymark with black vertical<br>stripe.<br>8.1 | Year round.<br>Operates 24 h.                       |
| 2093<br>H2392.1                                    | Route de la Pointe-<br>aux-Ormes rear range<br>light  | 46 18 43.5<br>072 34 07.7<br><br>228°47' 222.0 m<br>from front.  | F G                      | .....                                    | 15.3                     | 12<br>Square skeleton tower,<br>fluorescent red daymark<br>with black vertical stripe.<br>12.9           | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2093.3                                             | Trois-Rivières Harbour<br>light buoy C52              | 46 20 42.7<br>072 31 36.6                                        | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "C52".                                                                               | Seasonal.                                           |
| 2094                                               | Sainte-Angèle-de-<br>Laval light buoy C53             | 46 20 29.4<br>072 31 04.5                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "C53".                                                                               | Year round (YRLS).                                  |
| 2099                                               | Trois-Rivières Harbour<br>light buoy C61              | 46 19 45.2<br>072 32 17.4                                        | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"C61".                                                                          | Year round.<br>(Winter spar.)                       |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                                | Location<br>-----<br>Latitude N.<br>Longitude W.          | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                                                  | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                  |
|----------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                       |                                                           |                          |                                          |                          |                                                                                                                           |                                                                      |
| 2104.2                                             | Trois-Rivières Harbour<br>light buoy C63              | 46 19 22.1<br>072 32 44.6                                 | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "C63".                                                                                                | Year round (YRLS).                                                   |
| 2104.6                                             | Pont Laviolette light<br>buoy C65                     | Downstream of the<br>bridge.<br>46 18 48.7<br>072 33 08.3 | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "C65".                                                                                                | Year round (YRLS).                                                   |
| 2105.2                                             | Pont Laviolette North                                 | 46 18 29.1<br>072 33 45.8                                 | F R                      | .....                                    | 47.7                     | On bridge.                                                                                                                | Year round.                                                          |
| 2105.4                                             | Pont Laviolette Centre                                | 46 18 26.8<br>072 33 41.7                                 | F G                      | .....                                    | 49.0                     | On bridge.                                                                                                                | Year round.                                                          |
| 2105.6                                             | Pont Laviolette South                                 | 46 18 24.4<br>072 33 37.6                                 | F R                      | .....                                    | 48.0                     | On bridge.                                                                                                                | Year round.                                                          |
| 2105.72                                            | Pont Laviolette, North<br>Racon                       | 46 18 29.1<br>072 33 45.9                                 | .....                    | .....                                    | .....                    | On bridge.                                                                                                                | Year round.                                                          |
| <b>Racon T (-)<br/>X &amp; S Bands</b>             |                                                       |                                                           |                          |                                          |                          |                                                                                                                           |                                                                      |
| 2105.73                                            | Pont Laviolette, South<br>Racon                       | 46 18 24.4<br>072 33 37.7                                 | .....                    | .....                                    | .....                    | On bridge.                                                                                                                | Year round.                                                          |
| <b>Racon H (. . . )<br/>X &amp; S Bands</b>        |                                                       |                                                           |                          |                                          |                          |                                                                                                                           |                                                                      |
| 2106                                               | Pont Laviolette light<br>buoy C67                     | Upstream of bridge.<br>46 18 15.8<br>072 33 48.3          | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "C67".                                                                                                | Year round (YRLS).                                                   |
| 2108                                               | Pointe aux Ormes light<br>buoy C70                    | 46 18 05.4<br>072 34 36.1                                 | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "C70".                                                                                                | Year round.<br>(Winter spar.)                                        |
| 2109                                               | Pointe des Ormes light<br>buoy C71                    | S. side of channel.<br>46 17 14.2<br>072 35 22.0          | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"C71".                                                                                           | Seasonal.                                                            |
| 2109.1                                             | Pointe des Ormes light<br>buoy C72                    | 46 17 38.6<br>072 35 25.5                                 | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "C72".                                                                                                | Year round.<br>(Winter spar.)                                        |
| 2109.6                                             | Port-Saint-François<br>light buoy C77                 | 46 16 42.7<br>072 36 35.6                                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"C77".                                                                                           | Year round.<br>(Winter spar.)                                        |
| 2110                                               | Pointe aux Sables<br>light buoy S2                    | Port-Saint-François.<br>46 16 30.0<br>072 37 22.4         | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "S2".                                                                                                   | Year round (YRLS).                                                   |
| 2111<br>H2398.4                                    | Port-Saint-François                                   | Downstream of the<br>lake.<br>46 16 21.2<br>072 37 10.4   | Fl Y 5s                  | 10.0                                     | 10                       | Pipe swing pole.<br>6.3                                                                                                   | Year round.<br>Flash 1 s; eclipse 4 s.                               |
| 2112<br>H2398                                      | Route de Port-Saint-<br>François front range<br>light | Pointe aux Sables.<br>46 16 16.5<br>072 37 11.0           | F G                      | .....                                    | 10.8                     | 11<br>Red octagonal shelter on<br>white concrete block,<br>fluorescent red daymark<br>with black vertical stripe.<br>11.1 | Year round.<br>Operates 24 h.<br>Emergency mode.<br>Radar reflector. |

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                              | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics |        |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                       |
|---------------------------------------------|-----------------------------------------------------|------------------------------------------------------------------|--------------------------|--------|-------|------------------------------------------|--------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                     |                                                                  |                          |        |       |                                          |                          |                                                                                                 |                                                                                                           |
| 2113<br>H2398.1                             | Route de Port-Saint-François rear range light       | 46 16 33.0<br>072 36 11.4<br><br>068°12' 1372.1 m<br>from front. | F                        | G      | ..... | 18.8                                     | 11                       | Square skeleton tower, fluorescent red slatwork daymark with black vertical stripe.<br><br>14.3 | Year round.<br>Operates 24 h.<br>Emergency mode.                                                          |
| 2113.1                                      | Port Saint-François                                 | 46 16 33.1<br>072 36 11.3                                        | Iso                      | R      | 2s    | 18.9                                     | 15                       | Skeleton tower.<br>14.4                                                                         | Year round.<br>Visible on a bearing of 220°. Emergency mode.                                              |
| 2114                                        | Battures Laforce light buoy S4                      | Lac Saint-Pierre.<br>46 16 06.7<br>072 38 05.3                   | Fl                       | R      | 4s    | .....                                    | .....                    | Red, spar, marked "S4".                                                                         | Year round (YRLS).                                                                                        |
| 2114.5                                      | Batture aux Outardes light buoy S3                  | Route de Port Saint-François.<br>46 15 58.1<br>072 37 58.2       | Fl                       | G      | 4s    | .....                                    | .....                    | Green, spar, marked "S3".                                                                       | Year round (YRLS).                                                                                        |
| Lac Saint-Pierre                            |                                                     |                                                                  |                          |        |       |                                          |                          |                                                                                                 |                                                                                                           |
| 2117<br>H2401                               | Traverse de Nicolet front range light               | Batture aux Outardes.<br>46 15 34.9<br>072 37 48.4               | F                        | G      | ..... | 9.5                                      | 12                       | White square skeleton tower, fluorescent red daymark with black vertical stripe.<br><br>4.9     | Year round.<br>Operates 24 h.<br>Emergency mode.                                                          |
| 2118<br>H2401.1                             | Traverse de Nicolet rear range light                | 46 15 32.7<br>072 37 21.4<br><br>096°44' 582.8 m<br>from front.  | F                        | G      | ..... | 29.0                                     | 12                       | Square skeleton tower, fluorescent red daymark with black vertical stripe.<br>23.2              | Year round.<br>Operates 24 h.<br>Emergency mode.                                                          |
| 2118.5                                      | Battures au Fer light buoy S6                       | 46 15 56.5<br>072 38 42.0                                        | Q                        | R      | 1s    | .....                                    | .....                    | Red, spar, marked "S6".                                                                         | Year round (YRLS).                                                                                        |
| 2119                                        | Courbe de Nicolet light buoy S8                     | 46 15 50.8<br>072 39 16.7                                        | Q                        | R      | 1s    | .....                                    | .....                    | Red, spar, marked "S8".                                                                         | Year round (YRLS).                                                                                        |
| 2119.5<br>H2400                             | Nicolet Sector<br><br>Racon G (- - )<br>X & S Bands | 46 15 27.1<br>072 39 03.5                                        | Iso                      | G<br>W | 2s    | 8.5                                      | .....                    | Square tower.                                                                                   | Year round.<br>G 173°-353°;<br>W 353°-173°. Radar reflector.<br><br>Synthetic AIS AtoN<br>MMSI: 993161034 |
| 2120.5                                      | Battures à Biron light buoy S10                     | Traverse de Nicolet.<br>46 15 50.0<br>072 39 52.4                | Q                        | R      | 1s    | .....                                    | .....                    | Red, spar, marked "S10".                                                                        | Year round (YRLS).                                                                                        |
| 2121                                        | Traverse Nicolet light buoy S12                     | 46 15 53.9<br>072 40 40.1                                        | Fl                       | R      | 4s    | .....                                    | .....                    | Red, pillar, marked "S12".                                                                      | Year round.<br>(Winter spar.)                                                                             |
| 2122                                        | Banc des Anglais light buoy S13                     | Traverse de Nicolet.<br>46 15 43.5<br>072 40 34.4                | Q                        | G      | 1s    | .....                                    | .....                    | Green, spar, marked "S13".                                                                      | Year round (YRLS).                                                                                        |
| 2122.8                                      | Pointe-du-Lac curve light buoy S16                  | 46 15 57.8<br>072 41 27.9                                        | Q                        | R      | 1s    | .....                                    | .....                    | Red, pillar, marked "S16".                                                                      | Year round.<br>(Winter spar.)                                                                             |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                       | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                 | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|---------------------------------------------|----------------------------------------------|------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------|-----------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                              |                                                                  |                          |   |       |                                          |                          |                                                                                          |                                                     |
| 2123                                        | Banc des Anglais light<br>buoy S17           | Courbe de la Pointe<br>du Lac.<br>46 15 44.9<br>072 41 010.0     | Q                        | G | 1s    | .....                                    | .....                    | Green, spar, marked "S17".                                                               | Year round (YRLS).                                  |
| 2123.5                                      | Cautionary light buoy<br>LAC                 | Pointe-du-Lac.<br>46 16 03.1<br>072 41 43.4                      | Fl                       | Y | 4s    | .....                                    | .....                    | Yellow, pillar, marked<br>"LAC".                                                         | Seasonal.                                           |
| 2124                                        | Pointe-du-Lac light<br>buoy S21              | Courbe de la<br>Pointe-du-Lac.<br>46 15 42.6<br>072 41 49.1      | Q                        | G | 1s    | .....                                    | .....                    | Green, spar, marked "S21".                                                               | Year round (YRLS).                                  |
| 2125<br>H2402                               | Pointe-du-Lac front<br>range light           | 46 16 05.5<br>072 41 43.2                                        | F                        | G | ..... | 12.2                                     | 12                       | Square skeleton tower,<br>fluorescent red daymark<br>with black vertical stripe.<br>4.9  | Year round.<br>Emergency mode.<br>Radar reflector.  |
| 2125.1<br>H2402                             | Pointe-du-Lac                                | 46 16 05.5<br>072 41 43.2                                        | Iso                      | Y | 2s    | 12.1                                     | 5                        | Square skeleton tower.<br>4.8                                                            | Year round.                                         |
| 2126<br>H2402.1                             | Pointe-du-Lac rear<br>range light            | 46 16 46.3<br>072 40 15.6<br><br>056°07' 2260.7 m<br>from front. | F                        | G | ..... | 50.4                                     | 12                       | Square skeleton tower,<br>fluorescent red daymark<br>with black vertical stripe.<br>35.4 | Year round.<br>Emergency mode.                      |
| 2127                                        | Pointe-du-Lac curve<br>light buoy S22        | 46 15 54.6<br>072 42 02.8                                        | Q                        | R | 1s    | .....                                    | .....                    | Red, pillar, marked "S22".                                                               | Year round.<br>(Winter spar.)                       |
| 2128                                        | Pointe-du-Lac light<br>buoy S25              | Route de la Pointe<br>du Lac.<br>46 15 35.5<br>072 42 27.2       | Q                        | G | 1s    | .....                                    | .....                    | Green, spar, marked "S25".                                                               | Year round (YRLS).                                  |
| 2129                                        | Pointe-du-Lac<br>Alignment light buoy<br>S26 | 46 15 40.6<br>072 42 46.9                                        | Q                        | R | 1s    | .....                                    | .....                    | Red, pillar, marked "S26".                                                               | Year round.<br>(Winter spar.)                       |
| 2129.3                                      | Pointe-du-Lac light<br>buoy S27              | Route de la Pointe<br>du Lac.<br>46 15 25.0<br>072 42 59.9       | Q                        | G | 1s    | .....                                    | .....                    | Green, spar, marked "S27".                                                               | Year round (YRLS).                                  |
| 2129.6                                      | Pointe-du-Lac Range<br>light buoy S31        | 46 14 36.9<br>072 44 43.1                                        | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"S31".                                                          | Year round.<br>(Winter spar.)                       |
| 2130                                        | Pointe-du-Lac<br>Alignment light buoy<br>S32 | 46 14 43.5<br>072 44 49.5                                        | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "S32".                                                               | Year round.<br>(Winter spar.)                       |
| 2131.7                                      | Pointe-du-Lac range<br>light buoy S43        | 46 13 48.7<br>072 46 26.2                                        | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"S43".                                                          | Year round.<br>(Winter spar.)                       |
| 2132                                        | Pointe-du-Lac<br>Alignment light buoy<br>S44 | 46 13 55.3<br>072 46 32.6                                        | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "S44".                                                               | Year round.<br>(Winter spar.)                       |
| 2133                                        | Lac Saint-Pierre light<br>buoy S51           | Courbe<br>Yamachiche.<br>46 12 55.6<br>072 48 19.9               | Q                        | G | 1s    | .....                                    | .....                    | Green, spar, marked "S51".                                                               | Year round (YRLS).                                  |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                                              | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                 | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                       |
|---------------------------------------------|---------------------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                                     |                                                                 |                          |                                          |                          |                                                                                          |                                                                           |
| 2134                                        | Yamachiche light buoy<br>S54                                        | 46 13 07.2<br>072 48 15.7                                       | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "S54".                                                               | Year round.<br>(Winter spar.)                                             |
| 2134.8<br>H2404                             | Yamachiche Bend                                                     | On experimental<br>island.<br>46 12 53.0<br>072 49 010.0        | Iso R 2s                 | 10.2                                     | 5                        | Mast.                                                                                    | Year round.                                                               |
| 2135                                        | Yamachiche light buoy<br>S58                                        | Courbe<br>Yamachiche.<br>46 12 48.7<br>072 49 07.9              | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "S58".                                                                 | Year round (YRLS).                                                        |
| 2136                                        | Yamachiche light buoy<br>S62                                        | 46 12 30.3<br>072 50 00.1                                       | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "S62".                                                               | Year round.<br>(Winter spar.)                                             |
| 2137                                        | Lac Saint-Pierre light<br>buoy S63                                  | Courbe<br>Yamachiche.<br>46 12 25.8<br>072 49 44.2              | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "S63".                                                               | Year round (YRLS).                                                        |
| 2137.2<br>H2405                             | Yamachiche front<br>range light<br><br>Racon M (- -)<br>X & S Bands | 46 12 18.7<br>072 49 49.1                                       | F G                      | .....                                    | 12.4                     | 14<br><br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.9 | Year round.<br>Emergency mode.                                            |
| 2137.21                                     | Yamachiche                                                          | 46 12 18.7<br>072 49 49.1                                       | Fl G 6s                  | 12.4                                     | 5                        | Square skeleton tower.<br>4.9                                                            | Year round.<br>Flash 1 s; eclipse 5 s.                                    |
| 2137.3<br>H2405.1                           | Yamachiche rear<br>range light                                      | 46 12 04.9<br>072 50 18.6<br><br>236°01' 761.8 m<br>from front. | F G                      | .....                                    | 25.5                     | 14<br><br>White skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>17.3 | Year round.<br>Emergency mode.                                            |
| 2138                                        | Upstream Curve light<br>buoy S67                                    | 46 12 01.4<br>072 51 20.7                                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"S67".                                                          | Year round.<br>(Winter spar.)                                             |
| 2138.2                                      | Upstream Curve light<br>buoy S68                                    | 46 12 08.9<br>072 51 24.5                                       | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "S68".                                                               | Year round.<br>(Winter spar.)                                             |
| 2138.3                                      | Island B (V-AIS)                                                    | 46 11 51.6<br>072 50 55.7                                       | .....                    | .....                                    | .....                    | .....                                                                                    | Year round.<br><br>Virtual AIS AtoN<br>MMSI: 993166026<br>Reference point |
| 2138.4                                      | Island C (V-AIS)                                                    | 46 11 43.8<br>072 51 26.3                                       | .....                    | .....                                    | .....                    | .....                                                                                    | Year round.<br><br>Virtual AIS AtoN<br>MMSI: 993166027<br>Reference point |
| 2138.5                                      | Island D (V-AIS)                                                    | 46 11 33.3<br>072 52 07.7                                       | .....                    | .....                                    | .....                    | .....                                                                                    | Year round.<br><br>Virtual AIS AtoN<br>MMSI: 993166028<br>Reference point |
| 2138.6                                      | Island E (V-AIS)                                                    | 46 11 24.4<br>072 52 42.3                                       | .....                    | .....                                    | .....                    | .....                                                                                    | Year round.<br><br>Virtual AIS AtoN<br>MMSI: 993166029<br>Reference point |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                                                                              | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                                   | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                          |
|----------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                                                                     |                                                                 |                          |                                          |                          |                                                                                                            |                                                                              |
| 2138.7                                             | Island F (V-AIS)                                                                                    | 46 11 14.3<br>072 53 22.4                                       | .....                    | .....                                    | .....                    | .....                                                                                                      | Year round.<br><br>Virtual AIS AtoN<br>MMSI: 993166030<br>Reference point    |
| 2139.5                                             | Louiseville light buoy<br>S77                                                                       | Route Louiseville<br>Aval.<br>46 11 35.8<br>072 53 01.8         | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "S77".                                                                                 | Year round (YRLS).                                                           |
| 2141                                               | Louiseville light buoy<br>S80                                                                       | 46 11 36.8<br>072 53 31.1                                       | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "S80".                                                                                 | Year round.<br>(Winter spar.)                                                |
| 2142                                               | Louiseville light buoy<br>S81                                                                       | Courbe Louiseville.<br>46 11 13.2<br>072 54 01.7                | FI G 4s                  | .....                                    | .....                    | Green, spar, marked "S81".                                                                                 | Year round (YRLS).                                                           |
| 2142.2                                             | Light buoy S82                                                                                      | 46 11 22.0<br>072 54 09.9                                       | FI R 4s                  | .....                                    | .....                    | Red, pillar, marked "S82".                                                                                 | Year round.<br>(Winter spar.)                                                |
| 2143<br>H2408                                      | Route Louiseville<br>Downstream front<br>range light                                                | On pile in water.<br>46 11 10.6<br>072 54 58.2                  | F G                      | .....                                    | 10.5                     | 14<br>Red and white cylindrical<br>tower, red rectangular<br>daymark with black vertical<br>stripe.<br>3.9 | Year round.<br>Radar reflector.<br><br>Synthetic AIS AtoN<br>MMSI: 993161073 |
| 2143.1                                             | Route Louiseville<br>Downstream                                                                     | 46 11 10.6<br>072 54 58.2                                       | Iso G 2s                 | 11.0                                     | 5                        | White cylindrical tower with<br>red vertical stripe.<br>4.5                                                | Year round.                                                                  |
| 2143.5<br>H2408.1                                  | Route Louiseville<br>Downstream rear<br>range light<br><br><b>Racon N (- .)<br/>X &amp; S Bands</b> | 46 11 00.4<br>072 55 38.2<br><br>249°57' 913.9 m<br>from front. | F G                      | .....                                    | 22.7                     | 14<br>Skeleton tower, orange<br>daymark with black vertical<br>stripe.<br>16.7                             | Year round.<br>Radar reflector.<br><br>Synthetic AIS AtoN<br>MMSI: 993161074 |
| 2143.51                                            | Route Louiseville<br>Downstream                                                                     | 46 11 00.4<br>072 55 38.2                                       | Iso R 2s                 | 23.8                                     | 5                        | Skeleton tower.<br>17.9                                                                                    | Year round.                                                                  |
| 2144<br>H2409                                      | Route Louiseville<br>Upstream front range<br>light                                                  | On pier in water.<br>46 11 41.5<br>072 53 43.9                  | F G                      | .....                                    | 11.6                     | 12<br>Orange cylindrical tower,<br>orange rectangular<br>daymark with black vertical<br>stripe.<br>5.1     | Year round.<br>Emergency mode.<br>Radar reflector.                           |
| 2144.1<br>H2409                                    | Route Louiseville<br>Upstream                                                                       | 46 11 41.5<br>072 53 43.9                                       | Iso W 2s                 | 11.9                                     | 6                        | Orange rectangular tower.<br>5.4                                                                           | Year round.                                                                  |
| 2145<br>H2409.1                                    | Route Louiseville<br>Upstream rear range<br>light                                                   | 46 11 55.7<br>072 53 24.2<br><br>044°04' 609.8 m<br>from front. | F G                      | .....                                    | 21.0                     | 12<br>White skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>14.9                       | Year round.<br>Emergency mode.                                               |
| 2145.1<br>H2409.1                                  | Route Louiseville<br>Upstream                                                                       | 46 11 55.7<br>072 53 24.2                                       | Iso G 2s                 | 21.6                                     | 6                        | Skeleton tower.<br>15.5                                                                                    | Year round.                                                                  |
| 2146                                               | Battures Saint-<br>François light buoy<br>S87                                                       | Route Louiseville<br>upstream.<br>46 10 44.4<br>072 54 55.8     | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "S87".                                                                                 | Year round (YRLS).                                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                          | Location<br>-----<br>Latitude N.<br>Longitude W.                          | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)            | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                               |
|----------------------------------------------------|-------------------------------------------------|---------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                 |                                                                           |                          |                                          |                          |                                                                                     |                                                                                   |
| 2147                                               | Lac St-Pierre light<br>buoy S86                 | 46 11 03.4<br>072 54 45.2                                                 | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "S86".                                                          | Year round.<br>(Winter spar.)                                                     |
| 2148<br>H2410                                      | Louiseville                                     | On W. shore of<br>Petite Rivière du<br>Loup.<br>46 13 17.5<br>072 55 29.5 | F G .....                | 8.0                                      | .....                    | Mast.<br>5.6                                                                        | Private aid.<br>Year round.<br>Operates 24 h.<br>Visible on a bearing of 334°30'. |
| 2151                                               | Battures Saint-<br>François light buoy<br>S97   | Courbe<br>Maskinongé.<br>46 10 00.7<br>072 55 56.4                        | Q G 1s                   | .....                                    | .....                    | Green, spar, marked "S97".                                                          | Year round (YRLS).                                                                |
| 2151.5                                             | Light buoy S98                                  | 46 09 48.5<br>072 56 29.3                                                 | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "S98".                                                          | Year round.<br>(Winter spar.)                                                     |
| 2152                                               | Light buoy S100                                 | 46 09 31.2<br>072 56 46.8                                                 | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "S100".                                                         | Year round.<br>(Winter spar.)                                                     |
| 2153.3<br>H2411                                    | Maskinongé Curve                                | Courbe<br>Masquinongé.<br>46 09 24.4<br>072 56 28.6                       | Iso Y 2s                 | 13.9                                     | 5                        | Orange cylindrical tower,<br>red and white horizontal<br>stripes daymark.<br>5.5    | Year round.<br>Radar reflector.                                                   |
| 2153.5                                             | Light buoy S102                                 | 46 09 05.5<br>072 57 01.6                                                 | Q R 1s                   | .....                                    | .....                    | Red, pillar, marked "S102".                                                         | Year round.<br>(Winter spar.)                                                     |
| 2154                                               | Battures Saint-<br>François light buoy<br>S103  | Route Île aux<br>Raisins.<br>46 08 51.2<br>072 56 51.8                    | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"S103".                                                      | Year round (YRLS).                                                                |
| 2154.2                                             | Île aux Raisins<br>Alignment light buoy<br>S107 | 46 07 59.4<br>072 57 09.0                                                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"S107".                                                    | Year round.<br>(Winter spar.)                                                     |
| 2163                                               | Le Banc de Sable light<br>buoy S110             | Route Île aux<br>Raisins.<br>46 07 36.7<br>072 57 31.1                    | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "S110".                                                           | Year round (YRLS).                                                                |
| 2164                                               | Îlets Percés light buoy<br>S111                 | Route Île des<br>Barques.<br>46 07 07.6<br>072 57 26.2                    | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"S111".                                                      | Year round (YRLS).                                                                |
| 2164.1                                             | Île des Barques<br>Alignment light buoy<br>S113 | 46 06 43.3<br>072 57 54.0                                                 | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"S113".                                                    | Year round.<br>(Winter spar.)                                                     |
| 2165                                               | Îlets Percés light buoy<br>S114                 | Route Île des<br>Barques.<br>46 06 48.2<br>072 58 02.9                    | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "S114".                                                           | Year round (YRLS).                                                                |
| 2166<br>H2414                                      | Île aux Raisins front<br>range light            | 46 06 10.7<br>072 57 52.4                                                 | F G .....                | 9.7                                      | 11                       | Cylindrical tower, orange<br>slatwork daymark with<br>black vertical stripe.<br>7.0 | Year round.<br>Emergency mode.                                                    |

| No.<br>-----<br>Intl No.                           | Name<br>-----<br>RACON                                                       | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|----------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL</b> |                                                                              |                                                                  |                          |                                          |                          |                                                                                 |                                                     |
| 2167<br>H2414.1                                    | Île aux Raisins rear<br>range light<br><br><b>Racon K (- - -)<br/>X Band</b> | 46 05 52.6<br>072 57 58.4<br><br>193°01' 573.9 m<br>from front.  | F G .....<br><br><br>    | 27.0                                     | 11                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>23.2 | Year round.<br>Emergency mode.                      |
| 2167.05                                            | Île aux Raisins                                                              | 46 05 52.6<br>072 57 58.4                                        | Iso W 2s                 | 27.2                                     | 6                        | Square skeleton tower.<br>23.5                                                  | Year round.                                         |
| 2167.1                                             | <i>Battures de l'Île à la<br/>Pierre light buoy S116</i>                     | <i>Route Île des<br/>Barques.<br/>46 06 18.7<br/>072 58 36.7</i> | <i>Fl R 4s</i>           | <i>.....</i>                             | <i>.....</i>             | <i>Red, spar, marked "S116".</i>                                                | <i>Year round (YRLS).</i>                           |
| 2168<br>H2416                                      | Route de l'Île des<br>Barques front range<br>light                           | On NE. end of<br>island.<br>46 05 15.3<br>072 59 41.8            | F G .....<br><br><br>    | 11.4                                     | 12                       | Square block, orange<br>daymark with black vertical<br>stripe.<br>4.0           | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2169<br>H2416.1                                    | Route de l'Île des<br>Barques rear range<br>light                            | 46 05 03.1<br>072 59 55.7<br><br>218°25' 479.6 m<br>from front.  | F G .....<br><br><br>    | 28.5                                     | 12                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>20.0 | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2170                                               | Île aux Raisins light<br>buoy S117                                           | 46 05 57.9<br>072 58 45.8                                        | Q G 1s                   | .....                                    | .....                    | <i>Green, pillar, marked<br/>"S117".</i>                                        | <i>Year round.<br/>(Winter spar.)</i>               |
| 2171                                               | Chenal du Moine<br>North light buoy SN2                                      | Sorel.<br>46 06 09.1<br>072 58 21.4                              | Fl R 4s                  | .....                                    | .....                    | <i>Red, pillar, marked "SN2".</i>                                               | <i>Seasonal.</i>                                    |
| 2172                                               | Baie de l'Île à la Pierre<br>light buoy S120                                 | Route Sainte-Anne-<br>de-Sorel.<br>46 05 51.7<br>072 59 15.7     | Fl R 4s                  | .....                                    | .....                    | <i>Red, spar, marked "S120".</i>                                                | <i>Year round (YRLS).</i>                           |
| 2173                                               | Île des Barques light<br>buoy S123                                           | Route Sainte-Anne-<br>de-Sorel.<br>46 04 48.5<br>073 00 53.5     | Fl G 4s                  | .....                                    | .....                    | <i>Green, spar, marked<br/>"S123".</i>                                          | <i>Year round (YRLS).</i>                           |
| 2174                                               | Île à la Pierre light<br>buoy S126                                           | Route Sainte-Anne-<br>de-Sorel.<br>46 04 54.7<br>073 01 00.2     | Fl R 4s                  | .....                                    | .....                    | <i>Red, spar, marked "S126".</i>                                                | <i>Year round (YRLS).</i>                           |
| 2174.3                                             | Chenal du Moine light<br>buoy SN12                                           | Sorel.<br>46 03 54.7<br>073 01 37.4                              | Fl R 4s                  | .....                                    | .....                    | <i>Red, pillar, marked "SN12".</i>                                              | <i>Seasonal.</i>                                    |
| 2174.4                                             | Chenal du Moine<br>South light buoy SN11                                     | Sorel.<br>46 03 53.9<br>073 01 37.9                              | Fl G 4s                  | .....                                    | .....                    | <i>Green, pillar, marked<br/>"SN11".</i>                                        | <i>Seasonal.</i>                                    |
| 2174.7                                             | Île de Grâce light buoy<br>S129                                              | 46 04 08.2<br>073 02 06.8                                        | Fl G 4s                  | .....                                    | .....                    | <i>Green, pillar, marked<br/>"S129".</i>                                        | <i>Year round.<br/>(Winter spar.)</i>               |
| 2174.8                                             | Île de Grâce light buoy<br>S130                                              | Route Sainte-Anne-<br>de-Sorel.<br>46 04 14.4<br>073 02 13.8     | Fl R 4s                  | .....                                    | .....                    | <i>Red, spar, marked "S130".</i>                                                | <i>Year round (YRLS).</i>                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                              | Location<br>-----<br>Latitude N.<br>Longitude W.                                    | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                                        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                           |
|---------------------------------------------|-----------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                     |                                                                                     |                          |   |       |                                          |                          |                                                                                                                 |                                                                                               |
| 2175<br>H2426                               | Île de Grâce front<br>range light                   | On concrete pillar<br>on the S. side of the<br>island.<br>46 04 08.4<br>073 02 59.8 | F                        | G | ..... | 12.8                                     | 15                       | White pyramid tower with<br>red upper portion, orange<br>daymark with black vertical<br>stripe.<br>8.2          | Year round.<br>Emergency mode.                                                                |
| 2175.1                                      | Île de Grâce                                        | 46 04 08.4<br>073 02 59.8                                                           | Iso                      | G | 2s    | 12.6                                     | 5                        | White square tower.<br>8.2                                                                                      | Year round.<br>Visible 311°-346°.                                                             |
| 2176<br>H2426.1                             | Île de Grâce rear<br>range light                    | 46 04 14.0<br>073 02 33.2<br><br>073°16' 598.4 m<br>from front.                     | F                        | G | ..... | 22.1                                     | 15                       | Skeleton tower, orange<br>daymark with black vertical<br>stripe.<br>17.8                                        | Year round.<br>Emergency mode.                                                                |
| 2176.1                                      | Île de Grâce                                        | 46 04 14.0<br>073 02 33.2                                                           | Iso                      | G | 2s    | 21.9                                     | 5                        | Skeleton tower.<br>17.7                                                                                         | Year round.<br>Visible 275°-018°.                                                             |
| 2177<br>H2422                               | Route Sainte-Anne-<br>de-Sorel front range<br>light | 46 03 32.4<br>073 03 21.6                                                           | F                        | G | ..... | 13.1                                     | 16                       | Pyramid tower, fluorescent<br>red daymark with black<br>vertical stripe.<br>8.1                                 | Year round.<br>Operates 24 h.<br>Emergency mode.                                              |
| 2177.1<br>H2422                             | Sainte-Anne-de-Sorel                                | 46 03 32.4<br>073 03 21.6                                                           | F                        | G | ..... | 12.9                                     | 5                        | White square tower.<br>7.3                                                                                      | Year round.<br>Operates 24 h.<br>Emergency mode.                                              |
| 2178<br>H2422.1                             | Route Sainte-Anne-<br>de-Sorel rear range<br>light  | 46 03 16.9<br>073 03 49.8<br><br>231°51' 771.0 m<br>from front.                     | F                        | G | ..... | 30.7                                     | 16                       | Tripod skeleton tower,<br>fluorescent red daymark<br>with black vertical stripe.<br>25.2                        | Year round.<br>Operates 24 h.<br>Emergency mode.                                              |
| 2179                                        | Île de Grâce light buoy<br>S136                     | Battures de l'Île de<br>Grâce.<br>46 03 59.8<br>073 02 52.3                         | Q                        | R | 1s    | .....                                    | .....                    | Red, spar, marked "S136".                                                                                       | Year round (YRLS).                                                                            |
| 2180<br>H2424                               | Route de l'Île du<br>Moine front range light        | W. of island.<br>46 03 58.3<br>073 01 29.6                                          | F                        | G | ..... | 12.9                                     | 12                       | Wooden shelter mounted<br>on a concrete pier,<br>fluorescent red daymark<br>with black vertical stripe.<br>10.1 | Year round.<br>Operates 24 h.<br>Emergency mode.                                              |
| 2181<br>H2424.1                             | Route de l'Île du<br>Moine rear range light         | 46 04 00.4<br>073 01 07.1<br><br>082°31' 487.9 m<br>from front.                     | F                        | G | ..... | 27.5                                     | 12                       | Square skeleton tower,<br>fluorescent red slatwork<br>daymark with black vertical<br>stripe.<br>18.6            | Year round.<br>Operates 24 h.<br>Emergency mode.<br><br>Synthetic AIS AtoN<br>MMSI: 993161068 |
| 2181.1                                      | Ste-Anne-de-Sorel<br>light buoy S139                | 46 03 45.9<br>073 03 01.6                                                           | Q                        | G | 1s    | .....                                    | .....                    | Green, pillar, marked<br>"S139".                                                                                | Year round.<br>(Winter spar.)                                                                 |
| 2181.15                                     | Île de Grâce light buoy<br>S140                     | Route de l'Île du<br>Moine.<br>46 03 50.9<br>073 03 34.3                            | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "S140".                                                                                       | Year round (YRLS).                                                                            |
| 2181.2                                      | Sainte-Anne-de-Sorel<br>light buoy S141             | Route de l'Île du<br>Moine.<br>46 03 35.1<br>073 04 59.5                            | Fl                       | G | 4s    | .....                                    | .....                    | Green, spar, marked<br>"S141".                                                                                  | Year round (YRLS).                                                                            |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                    | Name<br>-----<br>RACON                          | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|---------------------------------------------|-------------------------------------------------|-----------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL |                                                 |                                                                 |                          |   |       |                                          |                          |                                                                          |                                                     |
| 2182                                        | Haut-fond Nepigon<br>light buoy S146            | Courbe Nepigon.<br>46 03 39.7<br>073 05 36.6                    | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "S146".                                                | Year round (YRLS).                                  |
| 2182.2<br>H2426.9                           | Sorel Marina<br>Downstream front<br>range light | On islet at marina<br>entrance.<br>46 03 03.5<br>073 05 31.8    | F                        | G | ..... | 6.7                                      | .....                    | Mast.                                                                    | Private aid.<br>Seasonal.                           |
| 2182.3                                      | Sorel Marina<br>Downstream rear<br>range light  | 46 03 03.0<br>073 05 24.3<br><br>095°03' 160.9 m<br>from front. | F                        | G | ..... | 8.1                                      | .....                    | Yellow cylindrical mast.                                                 | Private aid.<br>Seasonal.                           |
| 2182.4                                      | Port de Sorel East<br>light buoy SN22           | 46 03 14.1<br>073 05 24.0                                       | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "SN22".                                              | Seasonal.                                           |
| 2182.5                                      | Port de Sorel light<br>buoy SN26                | 46 03 06.0<br>073 05 55.3                                       | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "SN26".                                              | Seasonal.                                           |
| 2182.52                                     | Bifurcation lighted<br>buoy PNF                 | Sorel marina<br>channel.<br>46 03 01.9<br>073 05 59.5           | Fl(2+1)                  | G | 6s    | .....                                    | .....                    | Green-red-green, pillar,<br>marked "PNF".                                | Seasonal.                                           |
| 2182.6                                      | Port de Sorel Middle<br>light buoy SN24         | 46 03 09.0<br>073 05 36.2                                       | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "SN24".                                              | Seasonal.                                           |
| 2182.8                                      | Port de Sorel light<br>buoy SN28                | 46 03 06.9<br>073 06 13.6                                       | Q                        | R | 1s    | .....                                    | .....                    | Red, pillar, marked "SN28".                                              | Seasonal.                                           |
| 2183.3<br>H2427                             | Sorel Marina<br>Upstream front range<br>light   | On islet at marina<br>entrance.<br>46 03 03.5<br>073 05 31.8    | F                        | G | ..... | 6.7                                      | .....                    | Mast.                                                                    | Private aid.<br>Seasonal.                           |
| 2183.4<br>H2427.1                           | Sorel Marina<br>Upstream rear range<br>light    | 46 03 00.5<br>073 05 36.7<br><br>229°10' 138.3 m<br>from front. | F                        | G | ..... | 8.1                                      | .....                    | Yellow cylindrical mast.                                                 | Private aid.<br>Seasonal.                           |
| 2185.1                                      | Sorel Basin<br>Cautionary light buoy<br>SOREL   | 46 03 30.1<br>073 07 02.0                                       | Fl                       | Y | 4s    | .....                                    | .....                    | Yellow, pillar, marked<br>"SOREL".                                       | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                             | Location<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|----------------------------------------------------|------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>RIVIÈRE RICHELIEU</b> |                                                    |                                                                  |                          |                                          |                          |                                                                          |                                                     |
| 2190                     | CNR light buoy                                     | 46 02 18.7<br>073 06 58.8                                        | Fl G 4s                  | .....                                    | .....                    | Green, can, marked<br>"PRIV".                                            | Private aid.<br>Seasonal.                           |
| 2197                     | Île Deschailons light<br>buoy E45                  | 45 55 32.2<br>073 09 23.3                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "E45".                                               | Seasonal.                                           |
| 2200                     | Saint-Ours Information<br>light buoy PC1           | Downstream of<br>canal.<br>45 52 03.4<br>073 08 53.3             | Fl Y 4s                  | .....                                    | .....                    | White-orange, pillar,<br>marked "PC1".                                   | Seasonal.                                           |
| 2204.58                  | Saint-Ours Lock<br>Cautionary light buoy<br>DAN-Z  | 45 51 41.4<br>073 08 48.1                                        | Fl Y 4s                  | .....                                    | .....                    | Yellow, pillar, marked<br>"DANZ".                                        | Seasonal.                                           |
| 2204.59                  | St-Ours Lock<br>Cautionary light buoy<br>DAN-Y     | Upstream of lock.<br>45 51 40.0<br>073 08 50.0                   | Fl Y 4s                  | .....                                    | .....                    | Yellow, pillar, marked<br>"DANY".                                        | Seasonal.                                           |
| 2204.6                   | St-Ours Lock<br>Cautionary light buoy<br>DAN-X     | Upstream of lock.<br>45 51 38.7<br>073 08 52.5                   | Fl Y 4s                  | .....                                    | .....                    | Yellow, pillar, marked<br>"DANX".                                        | Seasonal.                                           |
| 2204.61                  | St-Ours Lock<br>Cautionary light buoy<br>DANAM     | 45 51 37.5<br>073 08 54.5                                        | Fl Y 4s                  | .....                                    | .....                    | Yellow, pillar, marked<br>"DANAM".                                       | Seasonal.                                           |
| 2204.62                  | Saint-Ours Lock<br>Cautionary light buoy<br>DAN-C  | 45 51 56.0<br>073 08 58.4                                        | Fl Y 4s                  | .....                                    | .....                    | Yellow, pillar, marked<br>"DANC".                                        | Seasonal.                                           |
| 2204.63                  | Saint-Ours Lock<br>Cautionary light buoy<br>DAN-E  | 45 51 56.2<br>073 08 56.6                                        | Fl Y 4s                  | .....                                    | .....                    | Yellow, pillar, marked<br>"DANE".                                        | Seasonal.                                           |
| 2204.64                  | Saint-Ours Lock<br>Cautionary light buoy<br>DAN-W  | 45 51 55.7<br>073 09 00.3                                        | Fl Y 4s                  | .....                                    | .....                    | Yellow, pillar, marked<br>"DANW".                                        | Seasonal.                                           |
| 2204.65                  | Saint-Ours Lock<br>Cautionary light buoy<br>DAN-AV | 45 51 56.5<br>073 08 54.8                                        | Fl Y 4s                  | .....                                    | .....                    | Yellow, pillar, marked<br>"DANAV".                                       | Seasonal.                                           |
| 2204.8                   | Saint-Ours Dam<br>Cautionary light buoy            | 45 51 41.7<br>073 08 53.3                                        | Fl W 4s                  | .....                                    | .....                    | Yellow, spar.                                                            | Seasonal (in place year round).<br>Operates 24 h.   |
| 2205                     | Cautionary light buoy<br>PC2                       | Upstream of canal<br>de Saint-Ours.<br>45 51 44.2<br>073 08 46.8 | Fl Y 4s                  | .....                                    | .....                    | White-orange, pillar,<br>marked "PC2".                                   | Seasonal.                                           |
| 2207                     | Saint-Ours Lock<br>Upstream light buoy<br>E88      | 45 51 40.9<br>073 08 46.7                                        | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "E88".                                                 | Seasonal.                                           |
| 2208                     | Saint-Ours Lock<br>Upstream light buoy<br>E87      | 45 51 40.7<br>073 08 44.6                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked "E87".                                               | Seasonal.                                           |
| 2243                     | Rivière Richelieu light<br>buoy E223               | 45 32 54.2<br>073 12 40.8                                        | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"E223".                                           | Seasonal.                                           |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.              | Name<br>-----<br>RACON                              | Location<br>-----<br>Latitude N.<br>Longitude W.                                                                     | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS    |
|---------------------------------------|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|--------------------------------------------------------|
| <b>RIVIÈRE RICHELIEU</b>              |                                                     |                                                                                                                      |                          |                                          |                          |                                                                          |                                                        |
| 2244.5                                | Rivière Richelieu light<br>buoy E224                | 45 32 48.1<br>073 12 46.6                                                                                            | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "E224".                                                | Seasonal.                                              |
| 2245                                  | Pont Beloeil                                        | Upstream of railway<br>bridge, S. end of<br>approach wall.<br>45 32 50.7<br>073 12 42.1                              | Fl G 4s                  | 3.5                                      | 4                        | Cylindrical mast, green and<br>white square daymark.<br>1.9              | Seasonal.<br>Light is visible upstream only.           |
| 2246                                  | Rivière Richelieu light<br>buoy E225                | 45 32 47.6<br>073 12 44.7                                                                                            | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"E225".                                           | Seasonal.                                              |
| 2254                                  | Chambly basin light<br>buoy E257                    | 45 27 05.4<br>073 17 02.8                                                                                            | Fl G 4s                  | .....                                    | .....                    | Green, can, marked<br>"E257".                                            | Seasonal.                                              |
| 2255                                  | Chambly                                             | Downstream<br>entrance of<br>Chambly canal,<br>northern extremity<br>on approach wharf.<br>45 26 58.7<br>073 17 02.1 | Fl W 4s                  | .....                                    | 4                        | Mast.<br>3.0                                                             | Seasonal.                                              |
| 2255.8                                | Saint-Jean Upstream<br>Light                        | W. side of channel.<br>45 18 09.2<br>073 14 55.8                                                                     | Fl R 4s                  | 5.3                                      | 4                        | Skeleton tower.<br>3.6                                                   | Seasonal.                                              |
| 2256.5                                | Saint-Jean-sur-<br>Richelieu, Marina Le<br>Nautique | At the end of the<br>marina's wharf.<br>45 18 02.5<br>073 14 57.3                                                    | .....                    | .....                                    | .....                    | Mast.                                                                    | Private aid.<br>Seasonal.<br>Secondary light: Fl Y 4s. |
| 2257.3                                | Light buoy E433                                     | 45 11 55.1<br>073 15 11.0                                                                                            | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"E433".                                           | Seasonal (in place year round).                        |
| 2258.1                                | Pointe Cartier light<br>buoy E443                   | 45 10 52.3<br>073 15 16.0                                                                                            | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"E443".                                           | Seasonal (in place year round).                        |
| 2258.2                                | St. Blaise light buoy<br>E429                       | 45 12 40.7<br>073 15 07.3                                                                                            | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"E429".                                           | Seasonal (in place year round).                        |
| 2258.31                               | Pointe Cartier light<br>buoy E440                   | 45 11 09.0<br>073 15 16.7                                                                                            | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "E440".                                                | Seasonal (in place year round).                        |
| 2258.35                               | Pointe Cartier light<br>buoy E445                   | 45 10 33.9<br>073 15 16.0                                                                                            | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"E445".                                           | Seasonal (in place year round).                        |
| 2258.4                                | Pointe Cartier light<br>buoy E448                   | 45 10 23.2<br>073 15 18.9                                                                                            | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "E448".                                                | Seasonal (in place year round).                        |
| 2258.72                               | Light buoy bifurcation<br>NOIX                      | 45 09 00.1<br>073 15 23.5                                                                                            | Fl(2+1) G 6s             | .....                                    | .....                    | Green-red-green, spar,<br>marked "NOIX".                                 | Seasonal (in place year round).                        |
| <b>Île aux Noix Secondary Channel</b> |                                                     |                                                                                                                      |                          |                                          |                          |                                                                          |                                                        |
| 2258.91                               | Île aux Noix light buoy<br>EA17                     | 45 07 57.2<br>073 15 54.9                                                                                            | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"EA17".                                           | Seasonal (in place year round).                        |
| 2258.92                               | Île aux Noix light buoy<br>EA19                     | 45 07 39.1<br>073 16 02.6                                                                                            | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"EA19".                                           | Seasonal (in place year round).                        |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                                                  | Location<br>-----<br>Latitude N.<br>Longitude W.         | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                                       |                                 |
|--------------------------|-------------------------------------------------------------------------|----------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| RIVIÈRE RICHELIEU        |                                                                         |                                                          |                          |                                          |                          |                                                                          |                                                                                                                                                                           |                                 |
| 2258.93                  | Île aux Noix light buoy<br>EA22                                         | 45 07 31.3<br>073 16 04.9                                | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "EA22".                                                | Seasonal (in place year round).                                                                                                                                           |                                 |
| 2258.94                  | Île aux Noix light buoy<br>EA23                                         | 45 07 16.3<br>073 16 19.6                                | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"EA23".                                           | Seasonal (in place year round).                                                                                                                                           |                                 |
| 2261.6                   | South Cardinal light<br>buoy FORT                                       | 45 06 52.3<br>073 16 27.1                                | Q(6) + W<br>LFI          | 15s                                      | .....                    | .....                                                                    | Yellow-black, spar, marked<br>"FORT".                                                                                                                                     | Seasonal (in place year round). |
| 2263                     | Information light buoy<br>E514                                          | 45 06 15.2<br>073 17 19.8                                | Fl Y 4s                  | .....                                    | .....                    | White-orange, spar,<br>marked "PRIV".                                    | Private aid.<br>Seasonal.                                                                                                                                                 |                                 |
| 2268                     | Pont-rail de Cantic<br>(Lacolle)                                        | On swing-bridge.<br>45 03 41.2<br>073 19 53.1            | F R G                    | .....                                    | .....                    | .....                                                                    | On bridge.<br><br>Private aid.<br>Year round.<br>Operates 24 h.<br>Shows green when draw bridge<br>is open, red when closed.<br>West guide pier shows one<br>white light. |                                 |
| 2268.5                   | Pont-rail de Cantic<br>(Lacolle)                                        | On swing-bridge.<br>45 03 41.2<br>073 19 52.5            | F R G                    | .....                                    | .....                    | .....                                                                    | On bridge.<br><br>Private aid.<br>Year round.<br>Operates 24 h.<br>Shows green when draw bridge<br>is open, red when closed.<br>West guide pier shows one<br>white light. |                                 |
| 2270.2                   | Île du Sang light buoy<br>E544                                          | 45 02 48.1<br>073 20 04.8                                | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "E544".                                                | Seasonal (in place year round).                                                                                                                                           |                                 |
| 2270.5                   | Light buoy E549                                                         | 45 02 15.3<br>073 20 08.7                                | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"E549".                                           | Seasonal (in place year round).                                                                                                                                           |                                 |
| 2271.31                  | Cantic                                                                  | On roof of the<br>building.<br>45 01 27.6<br>073 20 55.3 | Iso R 2s                 | 7.2                                      | 2                        | Mast.                                                                    | Seasonal.                                                                                                                                                                 |                                 |
| 2271.6                   | Information light buoy<br>DOUAN                                         | 45 00 38.7<br>073 20 43.8                                | Fl Y 4s                  | .....                                    | .....                    | White-orange, pillar,<br>marked "DOUAN".                                 | Seasonal.<br>(Winter spar.)                                                                                                                                               |                                 |
| 2271.7                   | Customs Wharf light<br>buoy E558                                        | 45 01 14.2<br>073 20 38.3                                | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "E558".                                                | Seasonal (in place year round).                                                                                                                                           |                                 |
| Baie Missisquoi          |                                                                         |                                                          |                          |                                          |                          |                                                                          |                                                                                                                                                                           |                                 |
| 2271.8                   | Philipsburg light buoy                                                  | 45 01 14.2<br>073 20 38.3                                | Fl R 4s                  | .....                                    | .....                    | Red, spar.                                                               | Private aid.<br>Year round.                                                                                                                                               |                                 |
| 2271.9                   | Baie Missisquoi<br>Canada/USA Border<br>Information light buoy<br>BAIE1 | Lake Champlain.<br>45 00 47.0<br>073 12 09.5             | Fl Y 4s                  | .....                                    | .....                    | White-orange, pillar,<br>marked "BAIE1".                                 | Seasonal.                                                                                                                                                                 |                                 |
| 2271.91                  | Baie Missisquoi<br>Canada/USA Border<br>Information light buoy<br>BAIE2 | Lake Champlain.<br>45 00 49.0<br>073 10 50.0             | Fl Y 4s                  | .....                                    | .....                    | White-orange, pillar,<br>marked "BAIE2".                                 | Seasonal.                                                                                                                                                                 |                                 |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## RIVIÈRE RICHELIEU

|         |                                                                         |                                              |         |       |       |                                          |           |
|---------|-------------------------------------------------------------------------|----------------------------------------------|---------|-------|-------|------------------------------------------|-----------|
| 2271.92 | Baie Missisquoi<br>Canada/USA Border<br>Information light buoy<br>BAIE3 | Lake Champlain.<br>45 00 52.5<br>073 06 44.0 | Fl Y 4s | ..... | ..... | White-orange, pillar,<br>marked "BAIE3". | Seasonal. |
|---------|-------------------------------------------------------------------------|----------------------------------------------|---------|-------|-------|------------------------------------------|-----------|

| No.<br>-----<br>Intl No.                     | Name<br>-----<br>RACON                                        | Location<br>-----<br>Latitude N.<br>Longitude W.                         | Light<br>Characteristics |   |       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS         |
|----------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------|--------------------------|---|-------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|-------------------------------------------------------------|
| ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL |                                                               |                                                                          |                          |   |       |                                          |                          |                                                                                 |                                                             |
| 2272.2                                       | Cautionary light buoy<br>TRACY                                | Saint-Joseph-de-Sorel.<br>46 03 20.0<br>073 07 39.0                      | Fl                       | Y | 4s    | .....                                    | .....                    | Yellow, pillar, marked<br>"TRACY".                                              | Seasonal.                                                   |
| 2272.3<br>H2450                              | Route de l'Île Dupas<br>front range light                     | On shore, E. side of<br>Île aux Cochons.<br>46 03 27.9<br>073 09 23.0    | F                        | G | ..... | 13.9                                     | 12                       | White Square tower,<br>orange daymark with black<br>vertical stripe.<br>3.9     | Year round.<br>Emergency mode.                              |
| 2272.4<br>H2450.1                            | Route de l'Île Dupas<br>rear range light                      | 46 03 47.4<br>073 09 15.4<br><br>015°07' 623.3 m<br>from front.          | F                        | G | ..... | 25.4                                     | 12                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>20.4 | Year round.<br>Emergency mode.                              |
| 2272.5                                       | Courbe de Sorel light<br>buoy S150                            | 46 02 56.9<br>073 09 06.1                                                | Q                        | R | 1s    | .....                                    | .....                    | Red, pillar, marked "S150".                                                     | Seasonal.                                                   |
| 2272.6                                       | Light buoy MP1                                                | Downstream<br>entrance to Île aux<br>Foins.<br>46 02 54.6<br>073 09 50.8 | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked<br>"MP1".                                                 | Seasonal.                                                   |
| 2272.8                                       | Île aux Foins light<br>buoy S154                              | Lac Saint-Pierre.<br>46 02 28.5<br>073 09 53.8                           | Q                        | R | 1s    | .....                                    | .....                    | Red, pillar, marked "S154".                                                     | Seasonal.                                                   |
| 2273                                         | Tracy light buoy M1                                           | Courbe de Sorel.<br>46 02 08.7<br>073 09 50.4                            | Q                        | G | 1s    | .....                                    | .....                    | Green, spar, marked "M1".                                                       | Year round (YRLS).                                          |
| 2273.1                                       | Île aux Foins light<br>buoy S158                              | Sorel-Tracy.<br>46 01 58.0<br>073 10 17.0                                | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "S158".                                                     | Seasonal.                                                   |
| 2273.5                                       | Tracy light buoy M2                                           | Route de l'Île<br>Dupas.<br>46 01 17.0<br>073 10 20.5                    | Fl                       | R | 4s    | .....                                    | .....                    | Red, spar, marked "M2".                                                         | Year round (YRLS).                                          |
| 2273.6                                       | Lanoraie light buoy M3                                        | 46 01 36.9<br>073 10 02.7                                                | Fl                       | G | 4s    | .....                                    | .....                    | Green, pillar, marked "M3".                                                     | Seasonal.                                                   |
| 2273.7                                       | Lanoraie light buoy M4                                        | 46 00 32.0<br>073 10 37.0                                                | Fl                       | R | 4s    | .....                                    | .....                    | Red, pillar, marked "M4".                                                       | Year round.<br>(Winter spar.)                               |
| Port de Montréal                             |                                                               |                                                                          |                          |   |       |                                          |                          |                                                                                 |                                                             |
| 2277                                         | Lano B Anchorage<br>light buoy                                | 45 59 09.0<br>073 11 21.3                                                | Fl                       | Y | 4s    | .....                                    | .....                    | Yellow, pillar, marked<br>"LANOB".                                              | Seasonal.                                                   |
| 2278.5<br>H2451                              | Route de l'Île Saint-<br>Ours downstream<br>front range light | Lanoraie.<br>45 57 51.4<br>073 12 40.9                                   | F                        | G | ..... | 10.8                                     | 17                       | Cylindrical tower, orange<br>daymark with black vertical<br>stripe.<br>5.9      | Year round.<br>Operates 24 h.<br>Emergency light: Iso G 1s. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                            | Name<br>-----<br>RACON                                       | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics       | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)            | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                                                                                    |
|-----------------------------------------------------|--------------------------------------------------------------|-----------------------------------------------------------------|--------------------------------|------------------------------------------|--------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL</b> |                                                              |                                                                 |                                |                                          |                          |                                                                                     |                                                                                                                                                        |
| 2278.6<br>H2451.1                                   | <b>Route de l'Île Saint-Ours downstream rear range light</b> | 45 58 14.5<br>073 12 39.5<br><br>002°24' 713.8 m<br>from front. | F G .....<br><br><br>          | 33.7                                     | 17                       | Skeleton tower, orange<br>daymark with black vertical<br>stripe.<br><br>22.3        | Year round.<br>Operates 24 h.<br>Emergency light: Iso G 1s.<br><br>Synthetic AIS AtoN<br>MMSI: 993161067                                               |
| 2278.7                                              | Lanoraie light buoy M8                                       | 45 57 33.3<br>073 12 23.3                                       | Fl R 4s .....<br><br><br>      | .....                                    | .....                    | Red, pillar, marked "M8".                                                           | Seasonal.                                                                                                                                              |
| 2279                                                | Route de l'Île Saint-Ours light buoy M9                      | 45 56 54.6<br>073 12 33.5                                       | Q G 1s .....<br><br><br>       | .....                                    | .....                    | Green, pillar, marked "M9".                                                         | Year round.<br>(Winter spar.)                                                                                                                          |
| 2280                                                | Île Saint-Ours bifurcation light buoy ISO                    | Route de l'Île Saint-Ours.<br>45 56 45.5<br>073 12 50.7         | Fl(2+1) R 6s .....<br><br><br> | .....                                    | .....                    | Red-green-red, spar,<br>marked "ISO".                                               | Year round (YRLS).                                                                                                                                     |
| 2280.5                                              | Course Île Saint-Ours light buoy M11                         | 45 56 32.9<br>073 12 40.1                                       | Fl G 4s .....<br><br><br>      | .....                                    | .....                    | Green, pillar, marked<br>"M11".                                                     | Year round.<br>(Winter spar.)                                                                                                                          |
| 2280.7                                              | Île Saint-Ours light buoy M13                                | 45 55 45.8<br>073 12 42.8                                       | Fl G 4s .....<br><br><br>      | .....                                    | .....                    | Green, spar, marked<br>"M13".                                                       | Year round (YRLS).                                                                                                                                     |
| 2281                                                | Île Saint-Ours light buoy M16                                | Route de l'Île Saint-Ours.<br>45 54 59.4<br>073 12 56.9         | Fl R 4s .....<br><br><br>      | .....                                    | .....                    | Red, spar, marked "M16".                                                            | Year round (YRLS).                                                                                                                                     |
| 2281.5                                              | Île Saint-Ours light buoy M17                                | Courbe de Bellmouth.<br>45 54 40.7<br>073 12 46.6               | Fl G 4s .....<br><br><br>      | .....                                    | .....                    | Green, spar, marked<br>"M17".                                                       | Year round (YRLS).                                                                                                                                     |
| 2282<br>H2452                                       | Route de l'Île Saint-Ours upstream front range light         | Off shore.<br>45 53 05.4<br>073 12 57.9                         | F G .....<br><br><br>          | 17.1                                     | 13                       | Skeleton tower, orange<br>daymark with black vertical<br>stripe.<br><br>13.2        | Year round.<br>Operates 24 h.<br>Emergency mode.                                                                                                       |
| 2283<br>H2452.1                                     | Route de l'Île Saint-Ours upstream rear range light          | 45 52 43.7<br>073 12 59.2<br><br>182°22' 670.3 m<br>from front. | F G .....<br><br><br>          | 33.0                                     | 13                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br><br>18.6 | Year round.<br>Operates 24 h.<br>Emergency mode.                                                                                                       |
| 2283.1<br>H2452.1                                   | Route Île Saint-Ours                                         | 45 52 43.7<br>073 12 59.2                                       | F G .....<br><br><br>          | 32.7                                     | 5                        | Square skeleton tower.<br><br>18.3                                                  | Year round.<br>Operates 24 h.<br>Visible 066°20'-112°23'.<br>Emergency mode.                                                                           |
| 2284                                                | Courbe de Bellmouth light buoy M19                           | Contrecoeur.<br>45 54 23.3<br>073 12 51.7                       | Fl G 4s .....<br><br><br>      | .....                                    | .....                    | Green, spar, marked<br>"M19".                                                       | Year round (YRLS).                                                                                                                                     |
| 2285                                                | Île Saint-Ours light buoy M20                                | Courbe de Bellmouth.<br>45 54 29.5<br>073 13 05.0               | Q R 1s .....<br><br><br>       | .....                                    | .....                    | Red, spar, marked "M20".                                                            | Year round (YRLS).                                                                                                                                     |
| 2286<br>H2456                                       | <b>Courbe de Bellmouth</b>                                   | Courbe de Bellmouth.<br>45 55 12.9<br>073 12 31.1               | F R .....<br><br><br>          | 22.1                                     | 15                       | Skeleton tower, orange and<br>white rectangular daymark.<br><br>12.2                | Year round.<br>Operates 24 h.<br>Reference light is visible on a<br>bearing of 024°46' with Course<br>Contrecoeur rear range light.<br>Emergency mode. |

| No.<br>-----<br>Intl No.                            | Name<br>-----<br>RACON                                                                | Location<br>-----<br>Latitude N.<br>Longitude W.                        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)            | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS                                           |
|-----------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL</b> |                                                                                       |                                                                         |                          |                                          |                          |                                                                                     |                                                                                               |
| 2286.5<br>H2453                                     | <i>Courbe de Bellmouth<br/>light buoy M23</i>                                         | <i>Contrecoeur.</i><br>45 54 09.0<br>073 13 06.9                        | <i>Fl G 4s</i> .....     | .....                                    | .....                    | <i>Green, spar, marked<br/>"M23".</i>                                               | <i>Year round (YRLS).</i>                                                                     |
| 2286.7<br>H2453                                     | Île Saint-Ours South<br>Light<br><br><b>Racon M (- -)<br/>X &amp; S Bands</b>         | S. end of island.<br>45 54 20.5<br>073 13 31.5                          | Iso Y 2s                 | 15.1                                     | 5                        | Square skeleton tower.<br>6.5                                                       | Year round.                                                                                   |
| 2287                                                | <i>Chenal de l'Île Saint-<br/>Ours light buoy M26</i>                                 | <i>Petite Traverse de<br/>Contrecoeur.</i><br>45 54 01.8<br>073 13 33.7 | <i>Fl R 4s</i> .....     | .....                                    | .....                    | <i>Red, spar, marked "M26".</i>                                                     | <i>Year round (YRLS).</i>                                                                     |
| 2288<br>H2454                                       | Petite Traverse front<br>range light                                                  | On E. bank.<br>45 54 40.1<br>073 12 29.1                                | F G .....                | 16.8                                     | 14                       | Cylindrical tower, orange<br>slatwork daymark with<br>black vertical stripe.<br>7.7 | Year round.<br>Operates 24 h.<br>Emergency mode.                                              |
| 2288.1<br>H2454                                     | Petite Traverse                                                                       | On E. bank.<br>45 54 40.1<br>073 12 29.1                                | F G .....                | 16.4                                     | 6                        | Cylindrical tower.<br>7.4                                                           | Year round.<br>Operates 24 h.<br>Visible 045°30'-164°30'.                                     |
| 2289<br>H2454.1                                     | Petite Traverse rear<br>range light                                                   | 45 54 51.8<br>073 12 12.0<br><br>045°43' 517.2 m<br>from front.         | F G .....                | 31.9                                     | 14                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>20.5     | Year round.<br>Operates 24 h.<br>Emergency mode.<br><br>Synthetic AIS AtoN<br>MMSI: 993161069 |
| 2289.1<br>H2454.1                                   | Petite Traverse                                                                       | 45 54 51.8<br>073 12 12.0                                               | F G .....                | 31.6                                     | 6                        | Square skeleton tower.<br>20.2                                                      | Year round.<br>Operates 24 h.                                                                 |
| 2289.3                                              | Saint-Ours Tower<br>(V-AIS)                                                           | 45 54 51.4<br>073 11 24.3                                               | .....                    | .....                                    | .....                    | .....                                                                               | Year round.<br><br>Virtual AIS AtoN<br>MMSI: 993166023<br>Reference point                     |
| 2290<br>H2458                                       | <b>Route de<br/>Contrecoeur front<br/>range light</b>                                 | Route de<br>Contrecoeur.<br>45 55 19.5<br>073 12 32.4                   | F Y .....                | 26.2                                     | 20                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>17.4     | Year round.<br>Operates 24 h.<br>Emergency light: Iso Y 1s.                                   |
| 2291<br>H2458.1                                     | <b>Route de<br/>Contrecoeur rear<br/>range light</b>                                  | 45 55 40.4<br>073 12 12.8<br><br>033°10' 772.5 m<br>from front.         | F Y .....                | 42.3                                     | 20                       | Tripod skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>25.2     | Year round.<br>Operates 24 h.<br>Emergency light: Iso Y 1s.                                   |
| 2292<br>H2460                                       | <b>Lavaltrie front range<br/>light</b>                                                | On shore, E. side of<br>Lavaltrie Island.<br>45 52 59.1<br>073 15 50.1  | F G .....                | 7.9                                      | 16                       | White square tower, orange<br>daymark, black vertical<br>stripe.<br>3.8             | Year round.<br>Operates 24 h.<br>Emergency mode.                                              |
| 2293<br>H2460.1                                     | <b>Lavaltrie rear range<br/>light</b><br><br><b>Racon N (- -)<br/>X &amp; S Bands</b> | 45 52 43.1<br>073 16 02.6<br><br>208°34' 560.9 m<br>from front.         | F G .....                | 19.9                                     | 16                       | Skeleton tower, orange<br>daymark with black vertical<br>stripe.<br>16.4            | Year round.<br>Operates 24 h.<br>Emergency mode.                                              |
| 2293.5                                              | <i>Contrecoeur light buoy<br/>M29</i>                                                 | 45 53 34.4<br>073 13 57.7                                               | <i>Fl G 4s</i> .....     | .....                                    | .....                    | <i>Green, pillar, marked<br/>"M29".</i>                                             | <i>Year round.<br/>(Winter spar.)</i>                                                         |



## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                            | Name<br>-----<br>RACON                 | Location<br>-----<br>Latitude N.<br>Longitude W.      | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------------------------------|----------------------------------------|-------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL</b> |                                        |                                                       |                          |                                          |                          |                                                                          |                                                     |
| 2294.2                                              | Route de Contrecoeur<br>light buoy M32 | Îles de<br>Contrecoeur.<br>45 53 27.4<br>073 14 24.3  | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "M32".                                                 | Year round (YRLS).                                  |
| 2294.4                                              | Contrecoeur light buoy<br>M33          | 45 53 07.8<br>073 14 29.1                             | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"M33".                                          | Year round.<br>(Winter spar.)                       |
| 2294.6                                              | Contrecoeur light buoy<br>M38          | Route de<br>Contrecoeur.<br>45 52 35.9<br>073 15 12.5 | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "M38".                                                 | Year round (YRLS).                                  |
| 2294.8                                              | Contrecoeur light buoy<br>M41          | 45 51 55.3<br>073 15 36.8                             | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"M41".                                          | Seasonal.                                           |
| 2295                                                | Contrecoeur light buoy<br>M45          | 45 51 34.1<br>073 15 53.3                             | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"M45".                                          | Year round.<br>(Winter spar.)                       |
| 2295.2                                              | Contrecoeur light buoy<br>M46          | Route de<br>Contrecoeur.<br>45 51 38.6<br>073 16 06.0 | Fl R 4s .....            | .....                                    | .....                    | Red, spar, marked "M46".                                                 | Year round (YRLS).                                  |
| <b>Small Craft Channel - Lavaltrie<br/>Channel</b>  |                                        |                                                       |                          |                                          |                          |                                                                          |                                                     |
| 2296.2                                              | Light buoy MS9                         | Chenal du Nord.<br>45 53 37.3<br>073 15 17.9          | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"MS9".                                          | Seasonal.                                           |
| <b>Contrecoeur Traverse</b>                         |                                        |                                                       |                          |                                          |                          |                                                                          |                                                     |
| 2297                                                | Light buoy MS20                        | Chenal du Nord.<br>45 52 17.1<br>073 15 51.8          | Fl R 4s .....            | .....                                    | .....                    | Red, pillar, marked "MS20".                                              | Seasonal.                                           |
| <b>Île Mousseau Course</b>                          |                                        |                                                       |                          |                                          |                          |                                                                          |                                                     |
| 2298                                                | Light buoy MS29                        | Chenal de Lavaltrie.<br>45 51 02.2<br>073 17 15.6     | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"MS29".                                         | Seasonal.                                           |
| <b>Île Bouchard Peninsula Course</b>                |                                        |                                                       |                          |                                          |                          |                                                                          |                                                     |
| 2299.6                                              | Light buoy MS39                        | Chenal du Nord.<br>45 49 25.7<br>073 20 01.4          | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"MS39".                                         | Seasonal.                                           |
| <b>Saint-Sulpice Traverse</b>                       |                                        |                                                       |                          |                                          |                          |                                                                          |                                                     |
| 2301.6                                              | Light buoy MS43                        | Chenal du Nord.<br>45 48 49.0<br>073 21 37.3          | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"MS43".                                         | Seasonal.                                           |

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL

## Repentigny Curve

|        |                                |                                                    |              |       |       |                                        |           |
|--------|--------------------------------|----------------------------------------------------|--------------|-------|-------|----------------------------------------|-----------|
| 2308.4 | Lebel bifurcation light buoy   | Chenal du Nord.<br>45 44 08.7<br>073 26 14.6       | Fl(2+1) R 6s | ..... | ..... | Red-green-red, pillar, marked "LEBEL". | Seasonal. |
| 2309   | Île à la Pierre light buoy MV6 | Chenal de Repentigny.<br>45 43 49.1<br>073 26 42.1 | Fl R 4s      | ..... | ..... | Red, pillar, marked "MV6".             | Seasonal. |
| 2311   | Aiglon light buoy              | Chenal de Repentigny.<br>45 42 26.4<br>073 28 25.2 | Fl(2+1) R 6s | ..... | ..... | Red-green-red, pillar, marked "AIGLO". | Seasonal. |
| 2311.2 | Bout-de-l'Île light buoy MV28  | Chenal de Repentigny.<br>45 42 05.4<br>073 28 33.6 | Fl R 4s      | ..... | ..... | Red, conical, marked "MV28".           | Seasonal. |

## Port de Montréal and Secondary Channels

|                 |                                           |                                                          |          |       |       |                                                                           |                                            |
|-----------------|-------------------------------------------|----------------------------------------------------------|----------|-------|-------|---------------------------------------------------------------------------|--------------------------------------------|
| 2312<br>H2470   | Traverse de Contrecoeur front range light | 45 49 55.5<br>073 16 54.2                                | Iso G 2s | 17.7  | 20    | Square skeleton tower, orange daymark with black vertical stripe.<br>12.9 | Year round. Operates 24 h. Emergency mode. |
| 2313<br>H2470.1 | Traverse de Contrecoeur rear range light  | 45 49 43.3<br>073 17 00.6<br>200°00' 400.4 m from front. | Iso G 2s | 28.3  | 20    | Square skeleton tower, orange daymark with black vertical stripe.<br>23.4 | Year round. Operates 24 h. Emergency mode. |
| 2313.05         | Traverse de Contrecoeur light buoy M49    | 45 51 12.2<br>073 16 07.8                                | Fl G 4s  | ..... | ..... | Green, pillar, marked "M49".                                              | Seasonal.                                  |
| 2313.1          | Traverse de Contrecoeur light buoy M51    | Îles de Contrecoeur.<br>45 50 48.3<br>073 16 20.4        | Q G 1s   | ..... | ..... | Green, spar, marked "M51".                                                | Year round (YRLS).                         |
| 2313.4          | Light buoy MQ32                           | Îles de Contrecoeur.<br>45 50 55.6<br>073 16 00.9        | Fl R 4s  | ..... | ..... | Red, pillar, marked "MQ32".                                               | Seasonal.                                  |
| 2313.5          | Light buoy MQ27                           | Îles de Contrecoeur.<br>45 51 10.4<br>073 14 56.9        | Fl G 4s  | ..... | ..... | Green, spar, marked "MQ27".                                               | Seasonal (in place year round).            |
| 2314            | Contrecoeur light buoy M52                | Traverse de Contrecoeur.<br>45 50 53.3<br>073 16 32.7    | Q R 1s   | ..... | ..... | Red, spar, marked "M52".                                                  | Year round (YRLS).                         |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                            | Name<br>-----<br>RACON                              | Location<br>-----<br>Latitude N.<br>Longitude W.                      | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                            | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL</b> |                                                     |                                                                       |                          |                                          |                          |                                                                                                     |                                                     |
| 2315<br>H2472                                       | Contrecoeur-<br>Verchères front range<br>light      | On pier,<br>Contrecoeur<br>Islands.<br>45 51 54.9<br>073 15 06.7      | F G .....<br>.....       | 9.4                                      | 14                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>4.1                      | Year round.<br>Emergency mode.                      |
| 2316<br>H2472.1                                     | Contrecoeur-<br>Verchères rear range<br>light       | 45 52 37.4<br>073 14 14.9<br><br>040°24' 1723.6 m<br>from front.      | F G .....<br>.....       | 20.3                                     | 14                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>15.7                     | Year round.<br>Emergency mode.                      |
| 2316.1<br>H2472.1                                   | Contrecoeur-<br>Verchères                           | Îles de<br>Contrecoeur.<br>45 52 37.4<br>073 14 14.9                  | Iso G 2s<br>.....        | 20.4                                     | 6                        | Square skeleton tower.<br>15.8                                                                      | Year round.<br>Emergency mode.                      |
| 2317<br>H2478                                       | <b>Traverse Verchères<br/>front range light</b>     | On S. shore.<br>45 47 46.2<br>073 19 38.6                             | F G .....<br>.....       | 15.8                                     | 16                       | White cylindrical tower,<br>orange rectangular<br>daymark with black vertical<br>stripe.<br>1.5     | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2318<br>H2478.1                                     | <b>Traverse Verchères<br/>rear range light</b>      | 45 47 55.1<br>073 19 19.6<br><br>056°03' 494.5 m<br>from front.       | F G .....<br>.....       | 25.8                                     | 16                       | Square skeleton tower,<br>orange rectangular<br>daymark with black vertical<br>stripe.<br>1.1       | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2319<br>H2476                                       | <b>Verchères Village<br/>front range light</b>      | 45 46 46.0<br>073 21 22.4                                             | F G .....<br>.....       | 10.0                                     | 16                       | Square skeleton tower,<br>fluorescent red slatwork<br>daymark with black vertical<br>stripe.<br>6.0 | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2320<br>H2476.1                                     | <b>Verchères Village<br/>rear range light</b>       | 45 46 30.3<br>073 21 41.4<br><br>220°21' 633.2 m<br>from front.       | F G .....<br>.....       | 30.8                                     | 16                       | Square skeleton tower,<br>fluorescent red daymark<br>with black vertical stripe.<br>24.5            | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2320.5                                              | Contrecoeur light buoy<br>M54                       | Chenal de<br>Verchères –<br>Contrecoeur.<br>45 50 33.9<br>073 16 52.8 | Fl R 4s<br>.....         | .....                                    | .....                    | Red, spar, marked "M54".                                                                            | Year round (YRLS).                                  |
| 2321                                                | Contrecoeur light buoy<br>M57                       | Chenal de<br>Verchères –<br>Contrecoeur.<br>45 50 29.3<br>073 16 43.4 | Fl G 4s<br>.....         | .....                                    | .....                    | Green, spar, marked<br>"M57".                                                                       | Year round (YRLS).                                  |
| 2322                                                | Course Contrecoeur -<br>Verchères light buoy<br>M76 | 45 49 48.2<br>073 17 48.4                                             | Fl R 4s<br>.....         | .....                                    | .....                    | Red, pillar, marked "M76".                                                                          | Year round.<br>(Winter spar.)                       |
| 2323                                                | Île Bouchard light<br>buoy M77                      | Chenal de<br>Verchères –<br>Contrecoeur.<br>45 49 48.9<br>073 17 32.6 | Fl G 4s<br>.....         | .....                                    | .....                    | Green, spar, marked<br>"M77".                                                                       | Year round (YRLS).                                  |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No.                            | Name<br>-----<br>RACON                                                                | Location<br>-----<br>Latitude N.<br>Longitude W.                      | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                       | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL</b> |                                                                                       |                                                                       |                          |                                          |                          |                                                                                                |                                                     |
| 2323.5                                              | Course Contrecoeur -<br>Verchères light buoy<br>M78                                   | 45 48 49.6<br>073 18 59.7                                             | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "M78".                                                                     | Seasonal.                                           |
| 2324                                                | Course Contrecoeur -<br>Verchères light buoy<br>M79                                   | S. of island.<br>45 48 12.2<br>073 19 30.1                            | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"M79".                                                                | Year round.<br>(Winter spar.)                       |
| 2325                                                | Île aux Prunes light<br>buoy M82                                                      | Chenal de<br>Verchères –<br>Contrecoeur.<br>45 47 26.3<br>073 20 40.8 | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M82".                                                                       | Year round (YRLS).                                  |
| 2325.2                                              | Île Marie light buoy<br>M84                                                           | Traverse de<br>Verchères.<br>45 47 07.5<br>073 21 10.9                | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M84".                                                                       | Year round (YRLS).                                  |
| 2326<br>H2480                                       | Chenal du Cap-Saint-<br>Michel – Verchères<br>downstream front<br>range light         | On island.<br>45 47 56.4<br>073 20 40.5                               | F G                      | .....                                    | 14.1                     | 14<br>Square skeleton tower,<br>fluorescent red daymark<br>with black vertical stripe.<br>9.9  | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2327<br>H2480.1                                     | Chenal du Cap-Saint-<br>Michel – Verchères<br>downstream rear<br>range light          | 45 48 20.3<br>073 20 14.1<br><br>037°35' 934.2 m<br>from front.       | F G                      | .....                                    | 29.2                     | 14<br>Square skeleton tower,<br>fluorescent red daymark<br>with black vertical stripe.<br>24.7 | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2327.4                                              | Verchères light buoy<br>M87                                                           | Traverse de<br>Verchères.<br>45 46 40.0<br>073 21 49.0                | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M87".                                                                  | Year round (YRLS).                                  |
| 2327.5                                              | Île Marie light buoy<br>M88                                                           | Traverse de<br>Verchères.<br>45 46 37.6<br>073 22 14.4                | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M88".                                                                       | Year round (YRLS).                                  |
| 2328                                                | Chenal du Cap Saint-<br>Michel - Verchères<br>light buoy M89                          | 45 46 20.0<br>073 22 19.4                                             | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"M89".                                                                | Year round.<br>(Winter spar.)                       |
| 2329                                                | Chenal du Cap Saint-<br>Michel - Verchères<br>light buoy M103                         | 45 44 56.1<br>073 23 51.7                                             | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"M103".                                                               | Year round.<br>(Winter spar.)                       |
| 2329.2                                              | Chenal du Cap-Saint-<br>Michel - Verchères<br>light buoy M104                         | 45 45 00.9<br>073 24 00.7                                             | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M104".                                                                      | Year round (YRLS).                                  |
| 2330<br>H2482                                       | <b>Chenal du Cap-Saint-<br/>Michel – Verchères<br/>upstream front range<br/>light</b> | NE. side of Île<br>Sainte-Thérèse.<br>45 41 36.7<br>073 27 37.6       | Iso G 2s                 | 18.5                                     | <b>19</b>                | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>6.6                 | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2330.1<br>H2482.1                                   | Île Ste-Thérèse                                                                       | NE. side of Île<br>Sainte-Thérèse.<br>45 41 36.6<br>073 27 37.5       | Iso G 2s                 | 18.2                                     | 7                        | Skeleton tower.<br>27.4                                                                        | Year round.                                         |

| No.<br>-----<br>Intl No.                            | Name<br>-----<br>RACON                                                  | Location<br>-----<br>Latitude N.<br>Longitude W.                            | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                         | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------------------------------|-------------------------------------------------------------------------|-----------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL</b> |                                                                         |                                                                             |                          |                                          |                          |                                                                                                  |                                                     |
| 2331<br>H2482.1                                     | <b>Chenal du Cap-Saint-Michel – Verchères upstream rear range light</b> | 45 41 15.8<br>073 28 00.4<br><br>217°32' 819.0 m<br>from front.             | Iso G 2s                 | 31.1                                     | 19                       | Skeleton tower, orange<br>daymark with black vertical<br>stripe.<br><br>26.8                     | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2331.5                                              | Île Bellegarde light<br>buoy M116                                       | 45 44 05.2<br>073 25 01.8                                                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "M116".                                                                      | Seasonal.                                           |
| 2332                                                | Cap Saint-Michel light<br>buoy M117                                     | Chenal du Cap-<br>Saint-Michel,<br>Verchères.<br>45 43 13.8<br>073 25 43.9  | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"M117".                                                                   | Year round (YRLS).                                  |
| 2333                                                | Île Saint-Laurent light<br>buoy M118                                    | Chenal du Cap-<br>Saint-Michel -<br>Verchères.<br>45 43 09.6<br>073 26 02.9 | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M118".                                                                        | Year round (YRLS).                                  |
| 2333.3                                              | Cap Saint-Michel light<br>buoy M119                                     | 45 42 55.9<br>073 25 58.4                                                   | Q G 1s                   | .....                                    | .....                    | Green, pillar, marked<br>"M119".                                                                 | Seasonal.                                           |
| 2333.4                                              | Île Deslauriers light<br>buoy M122                                      | 45 42 32.1<br>073 26 24.2                                                   | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "M122".                                                                      | Year round.<br>(Winter spar.)                       |
| 2333.5                                              | Varennes light buoy<br>M123                                             | Chenal de<br>Varennes.<br>45 42 18.7<br>073 26 19.6                         | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"M123".                                                                   | Year round (YRLS).                                  |
| 2334                                                | Îlet Vert light buoy<br>M124                                            | Chenal de<br>Varennes.<br>45 42 13.6<br>073 26 37.9                         | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M124".                                                                        | Year round (YRLS).                                  |
| 2335<br>H2484                                       | Île Sainte-Thérèse<br>Downstream front<br>range light                   | E. side of island.<br>45 41 06.8<br>073 27 32.7                             | F G                      | .....                                    | 11.9                     | 11<br>Skeleton tower, fluorescent<br>red slatwork daymark with<br>black vertical stripe.<br>6.2  | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2335.1                                              | Île Sainte-Thérèse<br>Downstream                                        | E. side of island.<br>45 41 06.8<br>073 27 32.7                             | F G                      | .....                                    | 11.9                     | 4<br>Skeleton tower.<br>6.2                                                                      | Year round.<br>Emergency mode.                      |
| 2336<br>H2484.1                                     | Île Sainte-Thérèse<br>Downstream rear<br>range light                    | 45 41 02.7<br>073 27 36.5<br><br>212°53' 152.7 m<br>from front.             | F G                      | .....                                    | 18.1                     | 11<br>Skeleton tower, fluorescent<br>red slatwork daymark with<br>black vertical stripe.<br>13.1 | Year round.<br>Operates 24 h.                       |
| 2337                                                | Poulier du Calvaire<br>light buoy M129                                  | Chenal de<br>Varennes.<br>45 41 45.6<br>073 26 50.2                         | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"M129".                                                                   | Year round (YRLS).                                  |
| 2337.3                                              | Île Sainte-Thérèse<br>light buoy M130                                   | Chenal de<br>Varennes.<br>45 41 43.2<br>073 27 05.9                         | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M130".                                                                        | Year round (YRLS).                                  |

| No.<br>-----<br>Intl No.                     | Name<br>-----<br>RACON                               | Location<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                   | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS         |
|----------------------------------------------|------------------------------------------------------|-----------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL |                                                      |                                                                 |                          |                                          |                          |                                                                                            |                                                             |
| 2337.7                                       | Île Sainte-Thérèse<br>light buoy M132                | Chenal de<br>Varenes.<br>45 41 22.7<br>073 27 17.0              | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M132".                                                                  | Year round (YRLS).                                          |
| 2338                                         | Varenes light buoy<br>M133                           | Traverse de<br>Varenes.<br>45 41 15.0<br>073 27 06.8            | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M133".                                                             | Year round (YRLS).                                          |
| 2338.5                                       | Île Sainte-Thérèse<br>light buoy M138                | Traverse de<br>Varenes.<br>45 40 51.6<br>073 27 21.8            | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M138".                                                                  | Year round (YRLS).                                          |
| 2339.2                                       | Varenes light buoy<br>M139                           | 45 40 39.5<br>073 27 12.3                                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"M139".                                                           | Year round.<br>(Winter spar.)                               |
| 2339.4                                       | Île Sainte-Thérèse<br>light buoy M140                | Chenal de l'Île<br>Sainte-Thérèse.<br>45 40 34.5<br>073 27 27.3 | Q R 1s                   | .....                                    | .....                    | Red, spar, marked "M140".                                                                  | Year round (YRLS).                                          |
| 2340<br>H2486                                | Traverse de Varenes<br>front range light             | N. end of La<br>Grande Île.<br>45 40 03.2<br>073 27 23.5        | F G                      | .....                                    | 9.4                      | 11<br>Cylindrical tower, orange<br>slatwork daymark with<br>black vertical stripe.<br>5.5  | Year round.<br>Operates 24 h.                               |
| 2341<br>H2486.1                              | Traverse de Varenes<br>rear range light              | 45 39 59.3<br>073 27 24.1<br><br>186°05' 122.4 m<br>from front. | F G                      | .....                                    | 15.7                     | 11<br>Cylindrical tower, orange<br>slatwork daymark with<br>black vertical stripe.<br>11.9 | Year round.<br>Operates 24 h.                               |
| 2343                                         | La Grande Île light<br>buoy M143                     | 45 39 53.1<br>073 27 38.7                                       | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"M143".                                                           | Year round.<br>(Winter spar.)                               |
| 2343.2                                       | Île aux Vaches light<br>buoy M144                    | 45 39 56.7<br>073 27 48.8                                       | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "M144".                                                                  | Year round (YRLS).                                          |
| 2344<br>H2487                                | Traverse de l'Île aux<br>Vaches front range<br>light | Varenes.<br>45 41 12.8<br>073 26 32.9                           | F G                      | .....                                    | 12.2                     | 15<br>White cylindrical tower,<br>orange daymark with black<br>vertical stripe.<br>9.5     | Year round.<br>Operates 24 h.<br>Emergency light: Iso G 1s. |
| 2345<br>H2487.1                              | Traverse de l'Île aux<br>Vaches rear range<br>light  | 45 41 21.7<br>073 26 24.8<br><br>032°35' 325.8 m<br>from front. | F G                      | .....                                    | 22.7                     | 15<br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>18.8      | Year round.<br>Operates 24 h.<br>Emergency light: Iso G 1s. |
| 2345.1<br>H2487.1                            | Traverse de l'Île aux<br>Vaches                      | Varenes.<br>45 41 21.7<br>073 26 24.8                           | F G                      | .....                                    | 22.3                     | 5<br>Square skeleton tower.<br>18.4                                                        | Year round.<br>Operates 24 h.                               |
| 2346<br>H2490                                | Île Ste-Thérèse Upper<br>front range light           | On E. shore of Île<br>aux Vaches.<br>45 39 52.8<br>073 27 58.3  | F G                      | .....                                    | 11.4                     | 10<br>White cylindrical tower,<br>orange rectangular<br>daymark with black stripe.<br>4.0  | Year round.<br>Emergency mode.                              |
| 2346.1<br>H2490                              | Île Ste-Thérèse Upper                                | On E. shore of Île<br>aux Vaches.<br>45 39 52.8<br>073 27 58.3  | F G                      | .....                                    | 12.2                     | 5<br>White cylindrical tower.<br>4.9                                                       | Year round.                                                 |

| No.<br>-----<br>Intl No.                            | Name<br>-----<br>RACON                                  | Location<br>-----<br>Latitude N.<br>Longitude W.                      | Light<br>Characteristics  | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)        | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|-----------------------------------------------------|---------------------------------------------------------|-----------------------------------------------------------------------|---------------------------|------------------------------------------|--------------------------|---------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL</b> |                                                         |                                                                       |                           |                                          |                          |                                                                                 |                                                     |
| 2347<br>H2490.1                                     | Île Ste-Thérèse Upper<br>rear range light               | 45 40 29.9<br>073 27 33.8<br><br>024°50' 1262.1 m<br>from front.      | F G .....<br><br><br>     | 30.2                                     | 10                       | Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>21.7 | Year round.<br>Emergency mode.                      |
| 2347.1<br>H2490.1                                   | Île Ste-Thérèse Upper                                   | Islet E. of Île Sainte<br>Thérèse.<br>45 40 29.9<br>073 27 33.8       | F G .....<br><br><br>     | 30.2                                     | 5                        | Square skeleton tower.<br>21.6                                                  | Year round.                                         |
| 2348.1                                              | Pointe aux Trembles<br>South Cardinal light<br>buoy PAT | Chenal de la<br>Pointe-aux-<br>Trembles.<br>45 39 03.7<br>073 28 36.9 | Q(6) + W 15s .....<br>LFI | .....                                    | .....                    | Yellow-black, spar, marked<br>"PAT".                                            | Year round (YRLS).                                  |
| 2349                                                | Île Saint-Patrice light<br>buoy M151                    | Chenal de la<br>Pointe-aux-<br>Trembles.<br>45 38 48.0<br>073 28 34.8 | FI G 4s .....<br><br><br> | .....                                    | .....                    | Green, spar, marked<br>"M151".                                                  | Year round (YRLS).                                  |
| 2349.1                                              | Pointe-aux-Trembles<br>Anchorage light buoy<br>PATB     | 45 38 38.4<br>073 28 29.6                                             | FI Y 4s .....<br><br><br> | .....                                    | .....                    | Yellow, spar, marked<br>"PATB".                                                 | Year round (YRLS).                                  |
| 2349.2                                              | Pointe-aux-Trembles<br>Anchorage light buoy<br>PATC     | 45 38 26.6<br>073 28 37.3                                             | FI Y 4s .....<br><br><br> | .....                                    | .....                    | Yellow, spar, marked<br>"PATC".                                                 | Year round (YRLS).                                  |
| 2349.3                                              | Pointe-aux-Trembles<br>Anchorage light buoy<br>PATD     | 45 38 14.9<br>073 28 45.0                                             | FI Y 4s .....<br><br><br> | .....                                    | .....                    | Yellow, pillar, marked<br>"PATD".                                               | Year round.<br>(Winter spar.)                       |
| 2349.4                                              | Pointe aux Trembles<br>Anchorage light buoy<br>PATE     | 45 38 03.1<br>073 28 52.8                                             | FI Y 4s .....<br><br><br> | .....                                    | .....                    | Yellow, spar, marked<br>"PATE".                                                 | Year round (YRLS).                                  |
| 2349.5                                              | Pointe-aux-Trembles<br>light buoy M156                  | 45 38 00.3<br>073 29 18.7                                             | FI R 4s .....<br><br><br> | .....                                    | .....                    | Red, pillar, marked "M156".                                                     | Year round.<br>(Winter spar.)                       |
| 2350.5                                              | Pointe-aux-Trembles<br>Anchorage light buoy<br>PATG     | 45 37 51.4<br>073 29 00.5                                             | FI Y 4s .....<br><br><br> | .....                                    | .....                    | Yellow, spar, marked<br>"PATG".                                                 | Year round (YRLS).                                  |
| 2352                                                | Île Dufault light buoy<br>M157                          | Chenal de la<br>Pointe-aux-<br>Trembles.<br>45 37 46.9<br>073 29 15.1 | FI G 4s .....<br><br><br> | .....                                    | .....                    | Green, spar, marked<br>"M157".                                                  | Year round (YRLS).                                  |
| 2354                                                | Montréal East light<br>buoy M161                        | 45 37 01.4<br>073 29 45.0                                             | FI G 4s .....<br><br><br> | .....                                    | .....                    | Green, pillar, marked<br>"M161".                                                | Year round.<br>(Winter spar.)                       |
| 2354.5                                              | Montréal East<br>Anchorage light buoy<br>MEB            | 45 36 38.8<br>073 29 50.7                                             | FI Y 4s .....<br><br><br> | .....                                    | .....                    | Yellow, pillar, marked<br>"MEB".                                                | Seasonal.                                           |
| 2355                                                | Tétreaultville light<br>buoy M163                       | Chenal de la<br>Pointe-aux-<br>Trembles.<br>45 36 35.9<br>073 30 01.8 | Q G 1s .....<br><br><br>  | .....                                    | .....                    | Green, spar, marked<br>"M163".                                                  | Year round (YRLS).                                  |

| No.<br>-----<br>Intl No.                            | Name<br>-----<br>RACON                                         | Location<br>-----<br>Latitude N.<br>Longitude W.                           | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)                                   | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS         |
|-----------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| <b>ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL</b> |                                                                |                                                                            |                          |                                          |                          |                                                                                                            |                                                             |
| 2355.5                                              | Tétreaultville light<br>buoy M165                              | 45 36 18.1<br>073 30 07.2                                                  | Fl G 4s                  | .....                                    | .....                    | Green, spar, marked<br>"M165".                                                                             | Year round (YRLS).                                          |
| 2356                                                | Montréal light buoy<br>M166                                    | 45 36 24.7<br>073 30 24.0                                                  | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "M166".                                                                                | Seasonal.                                                   |
| 2358                                                | Tétreaultville light<br>buoy M167                              | Traverse de<br>Longue-Pointe.<br>45 35 53.9<br>073 30 09.2                 | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M167".                                                                             | Year round (YRLS).                                          |
| 2359<br>H2496                                       | Chenal de la Pointe-<br>aux-Trembles front<br>range light      | Tétreaultville.<br>45 35 50.6<br>073 30 37.9                               | F G                      | .....                                    | 14.6                     | 13<br>White cylindrical tower,<br>orange daymark with black<br>vertical stripe.<br>7.4                     | Year round.<br>Operates 24 h.<br>Emergency light: Iso G 1s. |
| 2360<br>H2496.1                                     | Chenal de la Pointe-<br>aux-Trembles rear<br>range light       | 45 35 32.1<br>073 30 50.1<br><br>204°50' 629.8 m<br>from front.            | F G                      | .....                                    | 30.2                     | 13<br>Cylindrical tower, orange<br>daymark with black vertical<br>stripe.<br>21.9                          | Year round.<br>Operates 24 h.<br>Emergency light: Iso G 1s. |
| 2363<br>H2499                                       | Route Maisonneuve-<br>Longue-Pointe front<br>range light       | S. end of Grandes<br>battures<br>Tailhandier.<br>45 35 42.3<br>073 29 34.2 | F W                      | .....                                    | 10.1                     | 11<br>Square skeleton tower,<br>orange daymark with black<br>vertical stripe.<br>7.2                       | Year round.<br>Operates 24 h.<br>Emergency mode.            |
| 2364<br>H2499.1                                     | Route Maisonneuve-<br>Longue-Pointe rear<br>range light        | 45 35 56.5<br>073 29 25.8<br><br>022°38' 477.1 m<br>from front.            | F W                      | .....                                    | 23.7                     | 11<br>White square skeleton<br>tower, orange rectangular<br>daymark with black vertical<br>stripe.<br>18.6 | Year round.<br>Operates 24 h.<br>Emergency mode.            |
| 2365                                                | Pont-tunnel Louis-<br>Hippolyte-La Fontaine<br>light buoy M171 | Traverse de<br>Longue-Pointe.<br>45 35 09.3<br>073 29 57.8                 | Q G 1s                   | .....                                    | .....                    | Green, spar, marked<br>"M171".                                                                             | Year round (YRLS).                                          |
| 2365.1                                              | Îlot de la Baronnie<br>light buoy MT66                         | Boucherville<br>channel.<br>45 34 32.1<br>073 29 22.5                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "MT66".                                                                                | Seasonal.                                                   |
| 2365.3                                              | Îlot de la Baronnie<br>light buoy MT68                         | Boucherville<br>channel.<br>45 34 29.8<br>073 29 36.5                      | Fl R 4s                  | .....                                    | .....                    | Red, pillar, marked "MT68".                                                                                | Seasonal.                                                   |
| 2365.4                                              | Longue-Pointe light<br>buoy M175                               | Montréal, main<br>channel.<br>45 34 35.7<br>073 30 07.7                    | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"M175".                                                                           | Seasonal.                                                   |
| 2365.51                                             | Light buoy MT1                                                 | Boucherville<br>channel.<br>45 41 22.1<br>073 26 52.5                      | Fl G 4s                  | .....                                    | .....                    | Green, pillar, marked<br>"MT1".                                                                            | Seasonal.                                                   |
| 2365.53                                             | Quai Bellevue light<br>buoy MT3                                | Boucherville<br>channel.<br>45 41 03.1<br>073 26 55.5                      | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "MT3".                                                                                  | Seasonal.                                                   |



| No.<br>-----<br>Intl No.                     | Name<br>-----<br>RACON                             | Location<br>-----<br>Latitude N.<br>Longitude W.                        | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m)             | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|----------------------------------------------|----------------------------------------------------|-------------------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------|
| ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL |                                                    |                                                                         |                          |                                          |                          |                                                                                      |                                                     |
| 2365.65                                      | Light buoy MT31                                    | Boucherville<br>channel.<br>45 38 25.8<br>073 27 01.5                   | Q G 1s .....             | .....                                    | .....                    | Green, pillar, marked<br>"MT31".                                                     | Seasonal.                                           |
| 2365.69                                      | Light buoy MT40                                    | Boucherville<br>channel.<br>45 37 09.1<br>073 27 36.5                   | Q R 1s .....             | .....                                    | .....                    | Red, pillar, marked "MT40".                                                          | Seasonal.                                           |
| 2365.73                                      | Île Charron light buoy<br>MT59                     | Îles de<br>Boucherville,<br>Chenal du Sud.<br>45 34 57.6<br>073 28 30.5 | Fl G 4s .....            | .....                                    | .....                    | Green, can, marked<br>"MT59".                                                        | Seasonal.                                           |
| 2365.75                                      | Île Charron light buoy<br>MT60                     | Îles de<br>Boucherville,<br>Chenal du Sud.<br>45 34 59.1<br>073 28 33.6 | Fl R 4s .....            | .....                                    | .....                    | Red, conical, marked<br>"MT60".                                                      | Seasonal.                                           |
| 2365.83                                      | Light buoy MT69                                    | Boucherville<br>channel.<br>45 34 13.9<br>073 30 04.3                   | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"MT69".                                                     | Seasonal.                                           |
| 2365.9                                       | Poulier à Gagnon light<br>buoy M177                | Montréal, main<br>channel.<br>45 33 56.9<br>073 30 33.0                 | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"M177".                                                     | Year round.<br>(Winter spar.)                       |
| 2366<br>H2497                                | Traverse de Longue-<br>Pointe front range<br>light | Pointe-du-Marigot.<br>45 33 42.6<br>073 29 41.3                         | Iso G 2s                 | 15.6                                     | 17                       | White cylindrical tower,<br>orange daymark with black<br>vertical stripe.<br>8.9     | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2367<br>H2497.1                              | Traverse de Longue-<br>Pointe rear range<br>light  | 45 33 36.5<br>073 29 39.7<br><br>169°48' 190.0 m<br>from front.         | Iso G 2s                 | 20.6                                     | 17                       | Cylindrical tower, orange<br>slatwork daymark with<br>black vertical stripe.<br>13.4 | Year round.<br>Operates 24 h.<br>Emergency mode.    |
| 2368                                         | Longueuil B<br>Anchorage light buoy<br>LGLB        | Montréal, main<br>channel.<br>45 33 07.2<br>073 30 53.3                 | Fl Y 4s .....            | .....                                    | .....                    | Yellow, pillar, marked<br>"LGLB".                                                    | Year round.<br>(Winter spar.)                       |
| 2369.5                                       | Longueuil light buoy<br>M187                       | Haut-fond<br>Longueuil.<br>45 32 52.1<br>073 31 15.6                    | Q G 1s .....             | .....                                    | .....                    | Green, spar, marked<br>"M187".                                                       | Year round (YRLS).                                  |
| 2370                                         | Longueuil light buoy<br>MT79                       | Boucherville<br>channel.<br>45 32 38.1<br>073 31 21.7                   | Fl G 4s .....            | .....                                    | .....                    | Green, can, marked<br>"MT79".                                                        | Seasonal.                                           |
| 2371                                         | Longueuil light buoy<br>MT81                       | Boucherville<br>channel.<br>45 32 26.8<br>073 31 26.6                   | Fl G 4s .....            | .....                                    | .....                    | Green, pillar, marked<br>"MT81".                                                     | Seasonal.                                           |

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON | Location<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
|--------------------------|------------------------|--------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|

## ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL

|                   |                                                       |                                                                |                    |       |       |                                       |                             |
|-------------------|-------------------------------------------------------|----------------------------------------------------------------|--------------------|-------|-------|---------------------------------------|-----------------------------|
| 2374              | Longueuil light buoy<br>MT85                          | Boucherville<br>channel.<br>45 32 18.1<br>073 31 21.8          | FI G 4s .....      | ..... | ..... | Green, pillar, marked<br>"MT85".      | Seasonal.                   |
| 2377              | Longueuil light buoy<br>M189                          | Haut-fond<br>Longueuil.<br>45 32 16.2<br>073 31 36.5           | FI G 4s .....      | ..... | ..... | Green, spar, marked<br>"M189".        | Year round (YRLS).          |
| 2377.8            | Île Sainte-Hélène<br>North Cardinal light<br>buoy ISH | NE. point of island.<br>45 32 08.5<br>073 31 53.7              | VQ W 0.5s .....    | ..... | ..... | Black-yellow, spar, marked<br>"ISH".  | Year round (YRLS).          |
| 2378              | Cap sur Mer light buoy<br>M191                        | Canal de la Rive<br>Sud entrance.<br>45 32 05.4<br>073 31 39.8 | FI G 4s .....      | ..... | ..... | Green, spar, marked<br>"M191".        | Year round (YRLS).          |
| 2378.5            | Port Sainte-Hélène<br>bifurcation light buoy<br>PSH   | Marina.<br>45 31 53.2<br>073 31 46.9                           | FI(2+1) R 6s ..... | ..... | ..... | Red-green-red, spar,<br>marked "PSH". | Year round (YRLS).          |
| 2379              | Port Sainte-Hélène<br>light buoy M192                 | Canal de la Rive<br>Sud entrance.<br>45 31 43.8<br>073 31 42.7 | FI R 4s .....      | ..... | ..... | Red, spar, marked "M192".             | Year round (YRLS).          |
| 2379.3<br>H2506   | Pont Jacques-Cartier<br>Bridge South Light            | S. side of bridge.<br>45 31 18.9<br>073 32 35.1                | F G ..... 54.4     | ..... | ..... | On bridge.                            | Year round.                 |
| 2379.4<br>H2506.2 | Pont Jacques-Cartier<br>Bridge North Light            | N. side of bridge.<br>45 31 19.6<br>073 32 34.8                | F G ..... 54.4     | ..... | ..... | On bridge.                            | Year round.                 |
| 2379.6<br>H2506.5 | Pont Jacques-Cartier<br>Bridge East Light             | N. side of bridge.<br>45 31 17.4<br>073 31 32.9                | F G ..... 43.4     | 2     | ..... | On bridge.                            | Seasonal.<br>Operates 24 h. |
| 2381              | Île Sainte-Hélène light<br>buoy M195                  | Montréal, main<br>channel.<br>45 31 31.4<br>073 32 26.2        | FI G 4s .....      | ..... | ..... | Green, pillar, marked<br>"M195".      | Seasonal.                   |
| 2383              | Île Sainte-Hélène light<br>buoy M199                  | Montréal, main<br>channel.<br>45 30 58.5<br>073 32 32.3        | FI G 4s .....      | ..... | ..... | Green, pillar, marked<br>"M199".      | Seasonal.                   |
| 2384              | Quai Jacques-Cartier<br>light buoy M201               | 45 30 43.3<br>073 32 34.9                                      | FI G 4s .....      | ..... | ..... | Green, pillar, marked<br>"M201".      | Seasonal.                   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No.<br>-----<br>Intl No. | Name<br>-----<br>RACON                                | Location<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics | Focal<br>Height<br>Above<br>Water<br>(m) | Nominal<br>Range<br>(NM) | Description<br>-----<br>Height of Structure<br>Above Ground Level<br>(m) | Remarks<br>-----<br>Audible Signals<br>-----<br>AIS |
|--------------------------|-------------------------------------------------------|-------------------------------------------------------------|--------------------------|------------------------------------------|--------------------------|--------------------------------------------------------------------------|-----------------------------------------------------|
| <b>LAC MEMPHRÉMAGOG</b>  |                                                       |                                                             |                          |                                          |                          |                                                                          |                                                     |
| 2389                     | Old Witch Shoal                                       | 45 15 58.2<br>072 10 05.3                                   | Q R 1s                   | 1.6                                      | 2                        | Red mast, orange<br>rectangular daymark.<br>2.1                          | Seasonal.                                           |
| 2390                     | Magog light buoy K20                                  | Baie de Magog, île<br>Charest.<br>45 15 45.2<br>072 09 42.7 | Fl R 4s                  | .....                                    | .....                    | Red, spar, marked "K20".                                                 | Seasonal (in place year round).                     |
| 2390.2                   | Magog light buoy K21                                  | Baie de Magog.<br>45 15 38.3<br>072 09 51.4                 | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "K21".                                                | Seasonal.                                           |
| 2390.4                   | Les Trois Soeurs light<br>buoy K29                    | 45 14 54.7<br>072 10 41.2                                   | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "K29".                                                | Seasonal.                                           |
| 2390.5                   | Les Trois Soeurs light<br>buoy K33                    | 45 14 31.8<br>072 10 59.2                                   | Fl G 4s                  | .....                                    | .....                    | Green, can, marked "K33".                                                | Seasonal.                                           |
| 2392                     | Bryant's Landing                                      | 45 11 13.6<br>072 14 01.4                                   | Fl W 4s                  | 4.1                                      | 2                        | White mast.<br>3.2                                                       | Private aid.<br>Seasonal.                           |
| 2397.2                   | Île de la Province<br>information light buoy<br>DOUA1 | At the border.<br>45 00 18.0<br>072 14 56.0                 | Fl Y 4s                  | .....                                    | .....                    | White-orange, pillar,<br>marked "DOUA1".                                 | Seasonal.                                           |
| 2397.4                   | Île de la Province<br>information light buoy<br>DOUA2 | At the border.<br>45 00 19.1<br>072 14 21.5                 | Fl Y 4s                  | .....                                    | .....                    | White-orange, pillar,<br>marked "DOUA2".                                 | Seasonal.                                           |
| 2397.7                   | Île de la Province<br>information light buoy<br>DOUA3 | At the border.<br>45 01 02.0<br>072 13 32.0                 | Fl Y 4s                  | .....                                    | .....                    | White-orange, pillar,<br>marked "DOUA3".                                 | Seasonal.                                           |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| A                                                     | NO.      |
|-------------------------------------------------------|----------|
| Abbotts Harbour light buoy AC1                        | 296.2    |
| Abram-Village light buoy DH2                          | 1023.1   |
| Abram-Village light buoy DH5                          | 1023.7   |
| Abram-Village light buoy DH6                          | 1023.2   |
| Abram-Village light buoy DH8                          | 1023.3   |
| Abram-Village light buoy DH9                          | 1023.4   |
| Abram-Village light buoy DH10                         | 1023.5   |
| Abram-Village light buoy DH16                         | 1023.52  |
| Abram-Village Wharf Light                             | 1027.31  |
| Abrams Village fairway light buoy DH                  | 1023     |
| Adam Island light and bell buoy S3                    | 75       |
| Advocate Harbour                                      | 166      |
| Advocate Harbour light and bell buoy MM               | 165      |
| Aiglon light buoy                                     | 2311     |
| Aitken Point light buoy NH15                          | 956.3    |
| Alberton Breakwater                                   | 1082.1   |
| Alberton Harbour light buoy JV10                      | 1075.5   |
| Alberton Harbour light buoy JV12                      | 1075.7   |
| Alberton Harbour light buoy JV17                      | 1075.805 |
| Alberton Harbour Middle Ground light buoy JV15        | 1075.6   |
| Alder Point light buoy U4                             | 791      |
| Alignement Pointe Saint-Pierre Light buoy V19         | 1944     |
| Alignement Pointe Saint-Pierre Light buoy V22         | 1945     |
| Alignement Simard light buoy S59                      | 1820.5   |
| Allen Point light buoy SA8                            | 777.02   |
| Allen Rock light buoy NS9                             | 274.9    |
| Alma                                                  | 155      |
| Alma light and bell buoy KX                           | 155.5    |
| America Rock light and bell buoy J14                  | 112      |
| Amet Island                                           | 921      |
| Anchorage light buoy LIMITE D                         | 1929.2   |
| Anchorage light buoy LIMITE F                         | 1929.1   |
| Andrew Island East Cardinal light and whistle buoy PK | 666.8    |
| Ange-Gardien front range light                        | 1949     |
| Ange-Gardien rear range light                         | 1950     |
| Angels Island                                         | 315.3    |
| Annandale Breakwater West                             | 950.3    |
| Annandale Grand River East light buoy NE2             | 948.6    |
| Annandale Grand River East light buoy NE5             | 950.1    |
| Annandale Grand River East light buoy NE7             | 950.12   |
| Annandale Grand River East light buoy NE9             | 950.15   |
| Annandale Grand River East light buoy NE10            | 950.2    |
| Annandale light buoy NE                               | 948.5    |
| Annandale Sector Light                                | 949.5    |
| Annapolis                                             | 211      |
| Anse au Foulon light buoy Q4                          | 1959     |
| Anse au Foulon light buoy Q6                          | 1960     |
| Anse aux Bardeaux light buoy K92                      | 1893.6   |
| Anse aux Basques                                      | 1754     |
| Anse aux Basques                                      | 1754.4   |
| Anse aux Cenelliers light buoy K100                   | 1895.9   |
| Anse aux Gascons front range light                    | 1382     |
| Anse aux Gascons rear range light                     | 1382.1   |
| Anse aux Sauvages light buoy K159                     | 1928     |
| Anse Bleue Breakwater Light                           | 1325.4   |
| Anse Bleue Light                                      | 1325.1   |
| Anse Bleue Wharf Light                                | 1325     |
| Anse de Sable                                         | 1786     |
| Anse de Tabatière                                     | 1793     |
| Anse du Moulin front range light                      | 1712     |
| Anse du Moulin light buoy KD6                         | 1713.5   |
| Anse du Moulin light buoy KD7                         | 1715.5   |
| Anse du Moulin rear range light                       | 1713     |
| Anse du Moulin, Alcoa front range light               | 1714     |
| Anse du Moulin, Alcoa rear range light                | 1715     |
| Anse du Portage                                       | 1784.5   |
| Anse du Vieux Moulin light buoy Q23                   | 1970     |
| Anse Fréchette light buoy Q7                          | 1961     |
| Anse Verte light buoy HV7                             | 1763.35  |
| Anse Verte light buoy HV8                             | 1763.4   |
| Anse Verte light buoy HV9                             | 1763.45  |
| Anse Verte light buoy HV10                            | 1763.5   |
| Anse Verte light buoy HV12                            | 1763.6   |
| Anse à Beaufils light buoy AF-1                       | 1404     |

| A                                   | NO.    |
|-------------------------------------|--------|
| Anse à l'Eau                        | 1784   |
| Anse à l'Îlot                       | 1394   |
| Anse à Pierrot                      | 1787   |
| Anse-de-Roche                       | 1789   |
| Anse-À-Valleau                      | 1640   |
| Anse-à-Valleau East                 | 1639   |
| Antigonish Harbour light buoy VS    | 889.5  |
| Apple Island light buoy SP56        | 351.02 |
| Apple River                         | 163    |
| Apple Rock light buoy C5            | 319.3  |
| Argos Shoal light buoy CS1          | 687.1  |
| Arisaig East                        | 894.2  |
| Arisaig West                        | 894.1  |
| Arnold Rock light and bell buoy YT3 | 570.5  |
| Arrow Point light buoy CJ2          | 712    |
| Aspotogan light and bell buoy DF    | 476    |
| Aulds Cove light buoy VT2           | 883.2  |
| Avondale Reef light buoy TT10       | 636.1  |

| B                                                              | NO.      |
|----------------------------------------------------------------|----------|
| Baccaro Point                                                  | 336      |
| Back Bay                                                       | 72       |
| Bag Ledge light                                                | 54       |
| Bagotville Wharf                                               | 1799.4   |
| Baie Chevalier light buoy CX4                                  | 1531.9   |
| Baie de Blanc-Sablon                                           | 1526     |
| Baie de Blanc-Sablon                                           | 1525.5   |
| Baie de Blanc-Sablon front range light                         | 1524     |
| Baie de Blanc-Sablon rear range light                          | 1525     |
| Baie de Bonne-Espérance light buoy C12                         | 1531.7   |
| Baie de Bonne-Espérance light buoy CX2                         | 1531.8   |
| Baie de Brador front range light                               | 1530     |
| Baie de Brador rear range light                                | 1531     |
| Baie de Caraquet light buoy EM42                               | 1320     |
| Baie de La Tabatière Inner front range light                   | 1548     |
| Baie de La Tabatière Inner rear range light                    | 1549     |
| Baie de La Tabatière Outer front range light                   | 1546     |
| Baie de La Tabatière Outer rear range light                    | 1547     |
| Baie de Lamèque light buoy EJ5                                 | 1295.3   |
| Baie de Lamèque light buoy EJ7                                 | 1295.4   |
| Baie de Lamèque light buoy EJ10                                | 1298     |
| Baie de Lamèque light buoy EJ11                                | 1299     |
| Baie de Lamèque light buoy EJ14                                | 1300     |
| Baie de l'Île à la Pierre light buoy S120                      | 2172     |
| Baie de Paspébiac Aquaculture Area light buoy PRIV             | 1375.5   |
| Baie de Paspébiac Aquaculture Area light buoy PRIV             | 1375.6   |
| Baie de Paspébiac Aquaculture Area light buoy PRIV             | 1375.7   |
| Baie de Paspébiac Aquaculture Area light buoy PRIV             | 1375.8   |
| Baie de Pokemouche light buoy TH27                             | 1246.76  |
| Baie de Pokemouche light buoy TH46                             | 1246.75  |
| Baie des Anglais front range light                             | 1710     |
| Baie des Anglais rear range light                              | 1711     |
| Baie des Ha! Ha! light buoy SH9                                | 1799     |
| Baie des Moutons front range light                             | 1551     |
| Baie des Moutons light buoy MB1                                | 1552.5   |
| Baie des Moutons rear range light                              | 1552     |
| Baie du Vieux Fort                                             | 1539.123 |
| Baie Ellis Main front range light                              | 1519     |
| Baie Ellis Main rear range light                               | 1520     |
| Baie Johan-Beetz front range light                             | 1583     |
| Baie Johan-Beetz rear range light                              | 1584     |
| Baie Mingan West Cardinal light and bell buoy                  | 1607.3   |
| Baie Missisquoi Canada/USA Border Information light buoy BAIE1 | 2271.9   |
| Baie Missisquoi Canada/USA Border Information light buoy BAIE2 | 2271.91  |
| Baie Missisquoi Canada/USA Border Information light buoy BAIE3 | 2271.92  |
| Baie Sainte-Catherine                                          | 1781     |
| Baie Salmon front range light                                  | 1532     |
| Baie Salmon rear range light                                   | 1533     |
| Baie Trinité                                                   | 1794     |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| B                                              | NO.     |
|------------------------------------------------|---------|
| Baie Verte light buoy KE2                      | 1736.8  |
| Baie Verte light buoy KE3                      | 1736.5  |
| Baie Verte light buoy KE4                      | 1736.6  |
| Baie-Comeau                                    | 1716    |
| Baie-Comeau Ferry                              | 1715.7  |
| Baie-de-Cloridorme fairway light buoy CLORI    | 1641    |
| Baie-de-Cloridorme light buoy CL1              | 1641.3  |
| Baie-de-Cloridorme light buoy CL3              | 1641.7  |
| Baies Piashti light buoy C80                   | 1582    |
| Baileys Brook                                  | 895     |
| Baileys Brook East Breakwater                  | 896     |
| Baileys Brook West Breakwater                  | 896.1   |
| Balache Point front range light                | 701     |
| Balache Point rear range light                 | 702     |
| Bald Rock light and bell buoy PC2              | 681     |
| Bald Rock light buoy YA8                       | 590.06  |
| Baleine Cove light and bell buoy JM2           | 762     |
| Ball Ledge light buoy D3                       | 305.5   |
| Ballantynes Cove Wharf                         | 891     |
| Banc Bradelle Scientific light buoy IML-16     | 1500.3  |
| Banc de Miguasha light buoy EX2                | 1362    |
| Banc de St-Antoine light buoy Q31              | 1972    |
| Banc des Anglais light buoy S13                | 2122    |
| Banc des Anglais light buoy S17                | 2123    |
| Banc des Écureuils light buoy Q46              | 1993    |
| Banc des Écureuils light buoy Q48              | 1984    |
| Banc des Écureuils light buoy Q50              | 1987    |
| Banc du Cap Brûlé Downstream front range light | 1898    |
| Banc du Cap Brûlé Downstream rear range light  | 1899    |
| Banc du Cap Brûlé light buoy K99               | 1895.8  |
| Banc du Cap Brûlé light buoy K101              | 1895.91 |
| Banc du Cap Brûlé Upstream front range light   | 1900    |
| Banc du Cap Brûlé Upstream rear range light    | 1901    |
| Bancs de l'Île Rouge light buoy H52            | 1769    |
| Bancs de l'Île Rouge light buoy K51            | 1766.8  |
| Bancs de l'Île Rouge light buoy K55            | 1768    |
| Banquereau ODAS light buoy 44139               | 664.5   |
| Bantam Rock light buoy KA51                    | 386.01  |
| Bantam Rocks light buoy JS56                   | 337     |
| Bar Island                                     | 294.8   |
| Bar Reef light and bell buoy JJ3               | 764     |
| Bar Shoal light buoy YT8                       | 576     |
| Barachois light buoy S18                       | 785.5   |
| Barachois Point light and bell buoy VK3        | 621.5   |
| Barrachois Harbour light buoy UD4/2            | 920.8   |
| Barre de la Grosse Île light buoy HP8          | 1891.4  |
| Barre du Dos de Cheval light buoy D12          | 2017.5  |
| Barre à Boulard front range light              | 2002    |
| Barre à Boulard light buoy Q73                 | 2004.5  |
| Barre à Boulard light buoy Q74                 | 2005    |
| Barre à Boulard light buoy Q76                 | 2008.1  |
| Barre à Boulard light buoy Q77                 | 2008    |
| Barre à Boulard rear range light               | 2003    |
| Barrel Rock light buoy JA56                    | 346     |
| Barrie Beach light and bell buoy HP2/2         | 544     |
| Barrington Passage Channel light buoy JS76     | 334     |
| Barrios Beach Breakwater                       | 887     |
| Barrios Beach light buoy VP2                   | 887.2   |
| Barrios Beach light buoy VP5                   | 887.5   |
| Barrios Beach light buoy VP13                  | 887.7   |
| Barton Island light buoy E86                   | 141.3   |
| Bas-Cap-Pelé Approach                          | 1101    |
| Bas-Cap-Pelé Wharf                             | 1100.5  |
| Basque Ouest light buoy BASQO                  | 1663.5  |
| Basques Est light buoy BASQE                   | 1662    |
| Bass Rock light and bell buoy PJ2              | 669.5   |
| Bassin de Gaspé light buoy HD9                 | 1419.8  |
| Bassoon Reefs light and bell buoy XH1          | 605     |
| Bathurst Entrance Fairway light buoy EP        | 1330.45 |
| Bathurst Entrance light buoy EP15              | 1330.55 |
| Bathurst Entrance light buoy EP25              | 1330.6  |
| Bathurst Entrance light buoy EP28              | 1330.7  |
| Bathurst Entrance light buoy EP29              | 1330.8  |
| Bathurst Harbour light buoy EP33               | 1332.35 |

| B                                                       | NO.     |
|---------------------------------------------------------|---------|
| Bathurst Harbour light buoy EP65                        | 1336.8  |
| Bathurst Harbour Turn light buoy EP50                   | 1335.55 |
| Batiscan                                                | 2047.2  |
| Batiscan                                                | 2042.1  |
| Batiscan                                                | 2043.1  |
| Batiscan Anchorage light buoy D74                       | 2047.5  |
| Battery Point (Main-à-Dieu)                             | 765.3   |
| Battery Point Breakwater                                | 438     |
| Battery Point light buoy C8                             | 998     |
| Battery Point light buoy S19                            | 786     |
| Battery Point Wharf Light                               | 203.5   |
| Battery Shoal light buoy JT11                           | 760     |
| Batture aux Alouettes light buoy K56                    | 1772    |
| Batture aux Alouettes light buoy K58                    | 1771    |
| Batture aux Outardes light buoy S3                      | 2114.5  |
| Batture aux Vaches light and bell buoy S4               | 1775    |
| Batture de la Grande Pointe light buoy D18              | 2018.5  |
| Batture de la Pointe aux Vaches light buoy S8           | 1777    |
| Batture de l'Île Ronde light buoy HV1                   | 1763    |
| Batture de l'Île Ronde light buoy HV2                   | 1763.1  |
| Batture de l'Île Ronde light buoy HV3                   | 1763.15 |
| Batture de l'Île Ronde light buoy HV4                   | 1763.2  |
| Batture de l'Île Ronde light buoy HV5                   | 1763.25 |
| Batture de l'Île Ronde light buoy HV6                   | 1763.3  |
| Batture Francoeur light buoy C28                        | 2069.8  |
| Batture Simon light buoy D4                             | 2014    |
| Battures au Fer light buoy S6                           | 2118.5  |
| Battures de Beaumont light buoy K147                    | 1925    |
| Battures de Beaumont light buoy K149                    | 1925.4  |
| Battures de la Traverse light buoy K112                 | 1908    |
| Battures de l'Île à la Pierre light buoy S116           | 2167.1  |
| Battures de Manicouagan light buoy K30                  | 1718    |
| Battures de Montmagny light buoy HM2                    | 1890.5  |
| Battures de Montmagny light buoy HM4                    | 1890.48 |
| Battures de Montmagny light buoy HM5                    | 1890.47 |
| Battures de Montmagny light buoy HM6                    | 1890.46 |
| Battures de Montmagny light buoy HM8                    | 1890.45 |
| Battures de Montmagny light buoy HM10                   | 1890.44 |
| Battures de Montmagny light buoy HM11                   | 1890.43 |
| Battures de Montmagny light buoy HM13                   | 1890.42 |
| Battures des Belles Filles light buoy D41               | 2037    |
| Battures des Belles Filles light buoy D42               | 2037.5  |
| Battures des Pèlerins light and bell buoy H63           | 1831    |
| Battures du Chêne light buoy D9                         | 2017    |
| Battures Laforce light buoy S4                          | 2114    |
| Battures Perron light buoy D82                          | 2048    |
| Battures Saint-François light buoy S87                  | 2146    |
| Battures Saint-François light buoy S97                  | 2151    |
| Battures Saint-François light buoy S103                 | 2154    |
| Battures Saint-Pierre light buoy D63                    | 2044    |
| Battures Saint-Pierre light buoy D67                    | 2045    |
| Battures Saint-Pierre light buoy D71                    | 2047    |
| Battures à Biron light buoy S10                         | 2120.5  |
| Battures à Cadieux light buoy D15                       | 2018    |
| Bay du Vin Inner light buoy MS9                         | 1193    |
| Bay du Vin Island Sector                                | 1191    |
| Bay du Vin Outer light buoy MS1                         | 1192    |
| Bay du Vin Wharf light buoy MQ2                         | 1194    |
| Bay Fortune Entrance light buoy NC9                     | 948.22  |
| Bayfield Breakwater                                     | 888.5   |
| Bayfield light buoy VR2                                 | 887.75  |
| Bayfield light buoy VR4                                 | 887.8   |
| Bayfield light buoy VR8                                 | 887.82  |
| Beach Point Breakwater                                  | 967     |
| Beach Point light buoy NM11                             | 966.5   |
| Beacon Shoal light buoy MS57                            | 454.4   |
| Beak Point Shoal (Petit Nez) light and whistle buoy NQ3 | 727     |
| Bear Cove bifurcation light buoy HK                     | 517.5   |
| Bear Cove light and bell buoy H6                        | 517     |
| Bear Island light buoy V1                               | 204     |
| Bear Point Ledge light buoy C9                          | 317     |
| Bear Point Wharf                                        | 316     |
| Bear Reef East Cardinal light buoy NN                   | 970.4   |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| B                                                 | NO.     |
|---------------------------------------------------|---------|
| Beaujeu North Cardinal light buoy BEAUJ           | 1879.5  |
| Beaupré Southeast light buoy V8                   | 1935    |
| Beaupré Southwest light buoy V13                  | 1936    |
| Beaver Harbour                                    | 84      |
| Beaver Harbour light and bell buoy KEA            | 82      |
| Beaver Harbour light and whistle buoy XK1         | 600     |
| Beaver Harbour Wharf Light                        | 84.1    |
| Beaver Island                                     | 602     |
| Beaver Island                                     | 842     |
| Beaver Island light and bell buoy XK3             | 601     |
| Bedford Basin light buoy H45                      | 561.5   |
| Bell Point light and whistle buoy N8              | 977     |
| Bell Rock light buoy HD5                          | 512     |
| Belledune Point                                   | 1340.1  |
| Belledune Wharf                                   | 1340.2  |
| Belyeas Point                                     | 122     |
| Belyeas Point light buoy J37                      | 122.2   |
| Bergmans Point front range light                  | 939     |
| Bergmans Point rear range light                   | 940     |
| Berry Head                                        | 646     |
| Betty Island                                      | 495     |
| Bickerton East Bifurcation light buoy VCC         | 627.1   |
| Bickerton East Inner light buoy V6                | 628.5   |
| Bickerton East Middle light buoy V4               | 628.1   |
| Bickerton East Outer light buoy V3                | 627.5   |
| Bickerton Island light buoy V1                    | 626.9   |
| Bifurcation lighted buoy PNF                      | 2182.52 |
| Big Island light buoy HR2                         | 505.1   |
| Big Island light buoy HR4                         | 505.2   |
| Big Island light buoy HR5                         | 505.3   |
| Big Shippagan                                     | 1254    |
| Big Tancook Island                                | 463     |
| Big Tancook Island light and bell buoy MN51       | 460     |
| Big Tignish Breakwater                            | 1083    |
| Big Tignish South Breakwater                      | 1083.5  |
| Biglow Point front range light                    | 927     |
| Biglow Point rear range light                     | 928     |
| Black Breaker Rock South Cardinal light buoy NHA  | 739     |
| Black Head Ledge light buoy NA4                   | 326.02  |
| Black Ledge Light                                 | 297.12  |
| Black Point                                       | 145.3   |
| Black Point                                       | 1275    |
| Black Point Fairway light buoy KE                 | 383.1   |
| Black Point light and bell spoil ground buoy JB   | 145.4   |
| Black Point light buoy VE3                        | 209.3   |
| Black River                                       | 147     |
| Black Rock                                        | 193     |
| Black Rock East Cardinal light and whistle buoy T | 420.5   |
| Black Rock light buoy J311                        | 764.5   |
| Black Rock light buoy YM8                         | 586.01  |
| Black Rock Point                                  | 799     |
| Black Rock Point light buoy Q3                    | 798     |
| Black Rock Point Sector                           | 800     |
| Blacklands Gully light buoy XX                    | 1152.8  |
| Blacks Harbour Entrance                           | 81.1    |
| Blacks Harbour light and bell buoy KA             | 81.2    |
| Blacks Harbour Wharf                              | 81.12   |
| Blandford light and bell buoy MK52                | 459     |
| Blandford light buoy MK58                         | 457.4   |
| Bliss Island                                      | 77      |
| Bliss Island Fairway light and bell buoy S        | 77.5    |
| Blockhouse Point                                  | 993     |
| Blockhouse Point light buoy C7                    | 993.5   |
| Blond Rock East Cardinal light buoy NK            | 290.2   |
| Blueberry Bay light buoy UJ52                     | 412.5   |
| Boars Head                                        | 216     |
| Bon-Désir                                         | 1755    |
| Bonaventure front range light                     | 1369    |
| Bonaventure rear range light                      | 1369.1  |
| Bone Island light buoy A3                         | 814     |
| Bone Shoal light buoy A2                          | 813.5   |
| Botsford Breakwater                               | 1097    |
| Bout-de-l'Île light buoy MV28                     | 2311.2  |
| Bowen Ledge light and bell buoy XA2               | 607     |

| B                                            | NO.     |
|----------------------------------------------|---------|
| Bowman Bank North Cardinal light buoy VP     | 887.1   |
| Brador light and bell buoy BRA               | 1528.8  |
| Brador light buoy CB2                        | 1529    |
| Brandy Ledge light and bell buoy TQ2         | 639.7   |
| Brandy Point light buoy J25                  | 120.5   |
| Brazil Rock South Cardinal light buoy J      | 338     |
| Brazil Rocks light buoy UN54                 | 403.4   |
| Brazil Shoal light and bell buoy XKA         | 26      |
| Breton Cove front range light                | 845.7   |
| Breton Cove light and bell buoy KN           | 845.5   |
| Breton Cove rear range light                 | 845.8   |
| Brian Point light buoy A9                    | 816     |
| Brier Island                                 | 223     |
| Brig Rock light and bell buoy YT2            | 577     |
| Brig Rock light buoy YE5                     | 588.03  |
| Brighton Beach front range light             | 994     |
| Brighton Beach rear range light              | 995     |
| Brisants Barrett light and bell buoy H56     | 1825    |
| Brisants Sainte-Croix light buoy Q51         | 1989    |
| Brooklyn Pier                                | 409     |
| Brooklyn Pier light buoy UM52                | 408.5   |
| Brothers Cove light buoy AM2                 | 116.5   |
| Brudenell Point light buoy NH18              | 956.4   |
| Bryant's Landing                             | 2392    |
| Buck Rock light and bell buoy XA3            | 7.7     |
| Buctouche Bar                                | 1122    |
| Buctouche Harbour light buoy XV4             | 1119.64 |
| Buctouche Harbour light buoy XV6             | 1119.65 |
| Buctouche Harbour light buoy XV10            | 1119.3  |
| Buctouche Harbour light buoy XV15            | 1125.19 |
| Buctouche Harbour Light buoy XV16            | 1125.17 |
| Buctouche Harbour light buoy XV19            | 1125.21 |
| Buctouche Harbour light buoy XV20            | 1125.18 |
| Buctouche Harbour light buoy XV23            | 1125.23 |
| Buctouche Harbour light buoy XV26            | 1125.24 |
| Buctouche Harbour light buoy XV29            | 1125.25 |
| Buctouche Harbour light buoy XV32            | 1125.26 |
| Buctouche Harbour light buoy XV36            | 1125.27 |
| Buctouche Harbour light buoy XV37            | 1125.28 |
| Buctouche Harbour light buoy XV41            | 1125.29 |
| Buctouche Harbour light buoy XV44            | 1125.31 |
| Buctouche Harbour light buoy XV51            | 1125.3  |
| Budget Rock light and bell buoy SN51         | 350     |
| Bull Point light buoy HS13                   | 504.7   |
| Bull Rock bifurcation light and bell buoy YM | 586     |
| Bull Rock light and bell buoy M54            | 448     |
| Bull Rock light and whistle buoy XA1         | 7       |
| Bull Rock light buoy HX2                     | 563.2   |
| Bull Rock light buoy KK51                    | 369     |
| Bull Rock light buoy T63                     | 430     |
| Bull Rock light buoy TY5                     | 633.02  |
| Bunker Island                                | 263     |
| Burnt Church Wharf                           | 1228    |
| Butte à Moineau light buoy D59               | 2040    |
| Bécancour                                    | 2073.1  |
| Bécancour Alignement light buoy C23          | 2069    |
| Bécancour Alignement light buoy C27          | 2069.7  |
| Bécancour Bend light buoy C30                | 2070    |
| Bécancour front range light                  | 2073    |
| Bécancour rear range light                   | 2074    |

| C                                  | NO.     |
|------------------------------------|---------|
| Cacouna Harbour front range light  | 1824.1  |
| Cacouna Harbour rear range light   | 1824.2  |
| Cailiff Rock light buoy SE2        | 72.5    |
| Cale Sèche Lorne light buoy K163   | 1930    |
| Cameron Island                     | 838     |
| Cameron Point Shoal light buoy NX4 | 1009.12 |
| Campbells Shoal light buoy CK8     | 704.855 |
| Canceaux Spit light buoy C9        | 998.5   |
| Candlebox Island                   | 280     |
| Canso Canal NE. mooring berth      | 703     |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| C                                             | NO.     |
|-----------------------------------------------|---------|
| Canso Canal SE.                               | 700     |
| Canso Causeway                                | 700.5   |
| Canso front range light                       | 672     |
| Canso Harbour front range light               | 674     |
| Canso Harbour light and whistle buoy PC       | 682     |
| Canso Harbour rear range light                | 674.2   |
| Canso Harbour Turn light buoy PC14            | 675.1   |
| Canso rear range light                        | 673     |
| Cantic                                        | 2271.31 |
| Cap Airey                                     | 1558.7  |
| Cap au Diable front range light               | 1925.2  |
| Cap au Diable rear range light                | 1925.3  |
| Cap au Saumon                                 | 1836    |
| Cap Brûlé                                     | 1902    |
| Cap Charles light buoy D22                    | 2021    |
| Cap Charles light buoy D23                    | 2020.5  |
| Cap Colombier                                 | 1729    |
| Cap de Caissie Breakwater                     | 1112    |
| Cap de la Boule                               | 1785    |
| Cap de la Madeleine                           | 1651    |
| Cap de la Madeleine light buoy C47            | 2083    |
| Cap de la Tête au Chien                       | 1834    |
| Cap d'Espoir                                  | 1403    |
| Cap Gaspé                                     | 1426    |
| Cap Gribane front range light                 | 1895.2  |
| Cap Gribane light buoy K95                    | 1895    |
| Cap Gribane rear range light                  | 1895.3  |
| Cap Lévrard light buoy D49                    | 2038    |
| Cap Lévrard light buoy D52                    | 2038.4  |
| Cap Maillard light buoy K82                   | 1892.1  |
| Cap Maillard light buoy K83                   | 1892.2  |
| Cap Rouge front range light                   | 1895.6  |
| Cap Rouge rear range light                    | 1895.7  |
| Cap Saint-Joseph                              | 1849.5  |
| Cap Saint-Michel light buoy M117              | 2332    |
| Cap Saint-Michel light buoy M119              | 2333.3  |
| Cap sur Mer light buoy M191                   | 2378    |
| Cap Tourmente light buoy K103                 | 1896    |
| Cap Tourmente light buoy K104                 | 1897    |
| Cap à l'Aigle                                 | 1840    |
| Cap à l'Aigle Breakwater                      | 1839    |
| Cap à l'Aigle Marina                          | 1839.5  |
| Cap à l'Est                                   | 1798    |
| Cap à la Carre North Cardinal light buoy CALR | 1752    |
| Cap à la Roche Course light buoy D40          | 2036    |
| Cap à la Roche light buoy D35                 | 2032    |
| Cap à la Roche light buoy D37                 | 2034    |
| Cap à la Roche light buoy D38                 | 2035    |
| Cap à l'Anse light buoy C39                   | 2077    |
| Cap-aux-Corbeaux                              | 1852.1  |
| Cap-aux-Corbeaux                              | 1853.1  |
| Cap-aux-Corbeaux front range light            | 1852    |
| Cap-aux-Corbeaux rear range light             | 1853    |
| Cap-aux-Meules East Breakwater                | 1496.5  |
| Cap-aux-Meules light buoy YD4                 | 1496.4  |
| Cap-aux-Meules West Breakwater                | 1498.5  |
| Cap-aux-Meules Wharf front range light        | 1497    |
| Cap-aux-Meules Wharf rear range light         | 1498    |
| Cap-aux-Oies                                  | 1849    |
| Cap-Chat                                      | 1685    |
| Cap-Chat Breakwater                           | 1685.3  |
| Cap-Chat light buoy HA1                       | 1685.1  |
| Cap-Chat light buoy HA2                       | 1685.2  |
| Cap-de-Cocagne Wharf                          | 1114    |
| Cap-de-la-Madeleine light buoy C45            | 2082    |
| Cap-de-la-Madeleine light buoy C46            | 2081.5  |
| Cap-de-la-Madeleine Wharf front range light   | 2080    |
| Cap-de-la-Madeleine Wharf rear range light    | 2081    |
| Cap-de-Rabast                                 | 1515.2  |
| Cap-des-Rosiers                               | 1621    |
| Cap-des-Rosiers-Est Wharf                     | 1620    |
| Cap-Lumière light buoy QX1                    | 1129.1  |
| Cape Bald                                     | 1102    |
| Cape Bear                                     | 971     |

| C                                                    | NO.    |
|------------------------------------------------------|--------|
| Cape Breton scientific light buoy IML-17             | 1500.1 |
| Cape d'Or                                            | 167    |
| Cape Egmont                                          | 1024   |
| Cape Enrage light and bell buoy K19                  | 156    |
| Cape Enragé                                          | 157    |
| Cape Forchu                                          | 260    |
| Cape George                                          | 840    |
| Cape George                                          | 892    |
| Cape George light and bell buoy VU2                  | 891.5  |
| Cape John East                                       | 921.21 |
| Cape John West                                       | 921.2  |
| Cape LaHave Island South light and whistle buoy TS51 | 420    |
| Cape North                                           | 854    |
| Cape Porcupine front range light                     | 697    |
| Cape Porcupine rear range light                      | 698    |
| Cape Ronde light buoy NT1                            | 728.5  |
| Cape Roseway                                         | 355    |
| Cape Sable                                           | 327    |
| Cape Sable light buoy N                              | 325    |
| Cape Sharp                                           | 171    |
| Cape Smokey light and whistle buoy K4                | 846    |
| Cape Spencer                                         | 146    |
| Cape St. Lawrence                                    | 860    |
| Cape St. Marys                                       | 241    |
| Cape St. Marys Breakwater                            | 243    |
| Cape St. Marys light buoy NV                         | 242    |
| Cape Tormentine Breakwater                           | 1091.5 |
| Cape Tormentine Fisherman's Wharf                    | 1094.6 |
| Cape Tormentine Inner Wharf                          | 1094   |
| Cape Tormentine light buoy XD4                       | 1095.1 |
| Cape Tormentine light buoy XD5                       | 1096   |
| Cape Tormentine Outer Wharf                          | 1090   |
| Cape Tryon                                           | 1061   |
| Caraquet Channel light buoy EM2                      | 1306.3 |
| Caraquet Channel light buoy EM3                      | 1306.5 |
| Caraquet Channel light buoy EM4                      | 1306.2 |
| Caraquet Channel light buoy EM5                      | 1306.6 |
| Caraquet Channel light buoy EM7                      | 1307   |
| Caraquet Channel light buoy EM8                      | 1308   |
| Caraquet Channel light buoy EM10                     | 1308.5 |
| Caraquet Channel light buoy EM12                     | 1310.5 |
| Caraquet front range light                           | 1310   |
| Caraquet Harbour Breakwater Light                    | 1319.5 |
| Caraquet Harbour East light buoy EM20                | 1313   |
| Caraquet Harbour light buoy EM17                     | 1311.5 |
| Caraquet Harbour light buoy EM18                     | 1312   |
| Caraquet Harbour light buoy EM25                     | 1315   |
| Caraquet Harbour light buoy EM31                     | 1318.2 |
| Caraquet Harbour light buoy EM34                     | 1318.6 |
| Caraquet Harbour West light buoy EM23                | 1317   |
| Caraquet Inner Breakwater Light                      | 1319.6 |
| Caraquet Inner Breakwater Light                      | 1319.7 |
| Caraquet rear range light                            | 1311   |
| Cardigan River (Crawford's Point) light buoy NJ18    | 951.9  |
| Cardigan River (Owen's Flats) light buoy NJ23        | 951.91 |
| Cardigan River (Wilson's Point) light buoy NJ15      | 951.85 |
| Cardigan River light buoy NJ2                        | 951.6  |
| Cardigan River light buoy NJ7                        | 951.75 |
| Cardigan River light buoy NJ14                       | 951.8  |
| Cardigan River light buoy NJ25                       | 951.95 |
| Cardigan River light buoy NJ30                       | 952    |
| Cardigan Shoal light buoy NH4                        | 953.4  |
| Carey Beach light and bell buoy Q1                   | 797    |
| Carey Beach light and bell buoy Q2                   | 797.5  |
| Carey Point light buoy Q8                            | 802.2  |
| Caribou Curve light buoy S47                         | 1813   |
| Caribou Curve light buoy S56                         | 1820.2 |
| Caribou Harbour Entrance light buoy SS2              | 913.2  |
| Caribou Harbour Inner light buoy SS11                | 916    |
| Caribou Harbour light and bell buoy SS1              | 913    |
| Caribou Harbour light buoy SS3                       | 913.4  |
| Caribou Harbour light buoy SS6                       | 913.6  |
| Caribou Harbour light buoy SS7                       | 914    |

| C                                                  | NO.     |
|----------------------------------------------------|---------|
| Caribou Harbour light buoy SS8                     | 915     |
| Caribou Harbour light buoy SS10                    | 915.4   |
| Caribou Harbour light buoy SS12                    | 916.2   |
| Caribou Harbour light buoy SS15                    | 917     |
| Caribou Harbour light buoy SS16                    | 916.4   |
| Caribou Light                                      | 918     |
| Caribou light buoy SQ2                             | 912.5   |
| Carleton                                           | 1365    |
| Carleton-sur-Mer                                   | 1364    |
| Carter Island                                      | 374     |
| Carter Island light buoy KK69                      | 372     |
| Cascumpec light buoy JV9                           | 1075.4  |
| Cascumpeque Harbour Fairway light buoy JV          | 1075.05 |
| Cascumpeque light buoy JV4                         | 1075.2  |
| Cascumpeque light buoy JV5                         | 1075.3  |
| Cascumpeque light buoy JV6                         | 1075.33 |
| Cascumpeque light buoy JV7                         | 1075.34 |
| Cascumpeque light buoy JV8                         | 1075.32 |
| Cat Rock light buoy Y3                             | 259     |
| Catons Island light buoy JP                        | 123     |
| Cautionary light buoy LAC                          | 2123.5  |
| Cautionary light buoy PC2                          | 2205    |
| Cautionary light buoy TRACY                        | 2272.2  |
| Caveau Point front range light                     | 862     |
| Caveau Point rear range light                      | 863     |
| Centreville Breakwater Light                       | 214     |
| Centreville light buoy MA                          | 213     |
| Cerberus Rock light and whistle buoy CH4           | 709     |
| Chain Point Shoal light buoy Q11                   | 805     |
| Chambers Point light buoy UD4                      | 920.7   |
| Chambly                                            | 2255    |
| Chambly basin light buoy E257                      | 2254    |
| Champlain                                          | 2062    |
| Champlain                                          | 2062.1  |
| Champlain Curve light buoy C18                     | 2060    |
| Champlain light buoy C14                           | 2057.5  |
| Champlain Upstream Light buoy C19                  | 2061    |
| Chance Harbour                                     | 93      |
| Chance Harbour Breakwater Light                    | 93.5    |
| Chance Harbour light and bell buoy KS              | 94      |
| Chance Harbour light buoy KS1                      | 92.1    |
| Channel Entrance light buoy EA                     | 137.7   |
| Charley Island light buoy UN59                     | 400     |
| Charlos Harbour Fairway light buoy TN              | 648.1   |
| Charlottetown Harbour light buoy C15               | 1001    |
| Charlottetown Railway Wharf Turning light buoy C18 | 1003    |
| Chatham Bridge Pier North                          | 1215.5  |
| Chatham Bridge Pier South                          | 1215.6  |
| Chatham Wharf light buoy M62                       | 1215.2  |
| Chebogue Ledge light buoy EA1                      | 272.23  |
| Chebogue Point South Cardinal light buoy E         | 271     |
| Chebogue River Inner light buoy E3                 | 271.3   |
| Chebogue River Inner light buoy E9                 | 271.9   |
| Chebogue River Inner light buoy E13/5              | 272.135 |
| Chebogue River Inner light buoy E18                | 272.18  |
| Chebogue River light buoy E8                       | 271.8   |
| Chebogue River light buoy E11                      | 272.11  |
| Chebucto Head                                      | 513     |
| Chedabucto Bay East ODAS light buoy 4400488        | 709.55  |
| Chedabucto Bay light and bell buoy C7              | 687.2   |
| Chedabucto Bay light and bell buoy C8              | 687.3   |
| Chedabucto Bay light and bell buoy C11             | 687.5   |
| Chedabucto Bay light buoy C2                       | 686.7   |
| Chedabucto Bay light buoy C10                      | 687.4   |
| Chedabucto Bay light buoy C13                      | 687.7   |
| Chedabucto Bay light buoy C14                      | 687.8   |
| Chedabucto Bay light buoy C16                      | 688     |
| Chedabucto Bay light buoy C17                      | 688.1   |
| Chedabucto Bay light buoy C18                      | 688.2   |
| Chedabucto Bay light buoy C20                      | 688.4   |
| Chedabucto Bay light buoy C21                      | 688.5   |
| Chedabucto Bay light buoy CF                       | 686.5   |
| Chedabucto Bay light buoy CGB                      | 686.8   |
| Chedabucto Bay West ODAS light buoy 4400489        | 687.35  |

| C                                                                   | NO.      |
|---------------------------------------------------------------------|----------|
| Cheggoggin Point Breakwater                                         | 255.7    |
| Cheggoggin Point light buoy NQ1                                     | 256      |
| Chenal de Beaujeu South Cardinal light buoy CBJ                     | 1886.5   |
| Chenal de la Pointe-aux-Trembles front range light                  | 2359     |
| Chenal de la Pointe-aux-Trembles rear range light                   | 2360     |
| Chenal de l'Île Saint-Ours light buoy M26                           | 2287     |
| Chenal du Cap Saint-Michel - Verchères light buoy M89               | 2328     |
| Chenal du Cap Saint-Michel - Verchères light buoy M103              | 2329     |
| Chenal du Cap-Saint-Michel - Verchères light buoy M104              | 2329.2   |
| Chenal du Cap-Saint-Michel – Verchères downstream front range light | 2326     |
| Chenal du Cap-Saint-Michel – Verchères downstream rear range light  | 2327     |
| Chenal du Cap-Saint-Michel – Verchères upstream front range light   | 2330     |
| Chenal du Cap-Saint-Michel – Verchères upstream rear range light    | 2331     |
| Chenal du Havre aux Maisons Cautionary light buoy H3                | 1494.96  |
| Chenal du Havre aux Maisons light buoy YE6                          | 1494.4   |
| Chenal du Moine light buoy SN12                                     | 2174.3   |
| Chenal du Moine North light buoy SN2                                | 2171     |
| Chenal du Moine South light buoy SN11                               | 2174.4   |
| Chenal du Vieux Fort                                                | 1539.125 |
| Cherry Cove                                                         | 417.5    |
| Cherry Island                                                       | 41       |
| Chetwyn Reef light buoy D6                                          | 311.6    |
| Chevery cautionary light buoy CA                                    | 1561.67  |
| Chevery cautionary light buoy CB                                    | 1561.68  |
| Chevery cautionary light buoy CC                                    | 1561.69  |
| Chevery light buoy CS2                                              | 1561.7   |
| Chevery light buoy CS4                                              | 1561.74  |
| Chevery light buoy CS6                                              | 1561.76  |
| Chezzetcook Harbour light and bell buoy HJ2                         | 564      |
| Chicoutimi Harbour light buoy S63                                   | 1820.9   |
| Chicoutimi Harbour light buoy S65                                   | 1821.1   |
| Chicoutimi Harbour light buoy S67                                   | 1821.3   |
| Chicoutimi Yacht Club                                               | 1823.4   |
| Chockle Cap light and bell buoy M55                                 | 448.5    |
| Chockpish Breakwater                                                | 1127     |
| Chockpish light buoy XR1                                            | 1127.3   |
| Chockpish light buoy XR2                                            | 1127.4   |
| Chockpish South Breakwater                                          | 1127.2   |
| Chéticamp Harbour light buoy VD2                                    | 863.1    |
| Chéticamp Harbour light buoy VD4                                    | 864      |
| Chéticamp Harbour light buoy VD8                                    | 866.1    |
| Chéticamp Harbour light buoy VD9                                    | 866.2    |
| Chéticamp Inner light buoy VD10                                     | 866.3    |
| Chéticamp Inner light buoy VD13                                     | 866.4    |
| Chéticamp Inner light buoy VD14                                     | 866.6    |
| Chéticamp Inner light buoy VD15                                     | 866.5    |
| Clark's Harbour                                                     | 323      |
| Clark's Harbour light buoy CA5                                      | 323.07   |
| Cloridorme                                                          | 1644     |
| Cloridorme front range light                                        | 1642     |
| Cloridorme rear range light                                         | 1643     |
| Club nautique de Baie-Comeau light buoy KC1                         | 1716.5   |
| Club nautique de Baie-Comeau light buoy KC3                         | 1716.8   |
| Club Nautique Vauquelin                                             | 1973.8   |
| Club Nautique Vauquelin front range light                           | 1973.6   |
| Club Nautique Vauquelin rear range light                            | 1973.7   |
| CNR light buoy                                                      | 2190     |
| Coachman Ledge light and whistle buoy MA55                          | 457      |
| Cocagne Harbour Fairway light buoy XT                               | 1113.01  |
| Cocagne Harbour light buoy XT4                                      | 1113.04  |
| Cocagne Harbour light buoy XT14                                     | 1113.14  |
| Cocagne Harbour light buoy XT17                                     | 1113.17  |
| Cocagne River light buoy XT22                                       | 1113.22  |
| Cocagne River light buoy XT48                                       | 1113.48  |
| Cockawee Shoal bifurcation light and bell buoy TD                   | 426.25   |
| Cockawee Shoal light buoy T54/2                                     | 426.5    |



List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| C                                             | NO.      |
|-----------------------------------------------|----------|
| Cockawee Shoal West light buoy T56            | 427      |
| Cockerwitt Passage light buoy D               | 304      |
| Coddles Harbour                               | 641      |
| Coddles Harbour light and bell buoy TS6       | 640      |
| Codray Shoal light and bell buoy HH2          | 565      |
| Coffin Island                                 | 407      |
| Comeauville Wharf                             | 236.5    |
| Confederation Bridge                          | 1017.69  |
| Confederation Bridge                          | 1017.78  |
| Confederation Bridge                          | 1017.781 |
| Confederation Bridge N.W.                     | 1017.77  |
| Confederation Bridge S.E.                     | 1017.76  |
| Confederaton Bridge                           | 1017.79  |
| Confederaton Bridge                           | 1017.791 |
| Congress Shoal light buoy JS59                | 331      |
| Constable Ledge light and bell buoy XJ2       | 16       |
| Contrecoeur light buoy M29                    | 2293.5   |
| Contrecoeur light buoy M33                    | 2294.4   |
| Contrecoeur light buoy M38                    | 2294.6   |
| Contrecoeur light buoy M41                    | 2294.8   |
| Contrecoeur light buoy M45                    | 2295     |
| Contrecoeur light buoy M46                    | 2295.2   |
| Contrecoeur light buoy M52                    | 2314     |
| Contrecoeur light buoy M54                    | 2320.5   |
| Contrecoeur light buoy M57                    | 2321     |
| Contrecoeur-Verchères                         | 2316.1   |
| Contrecoeur-Verchères front range light       | 2315     |
| Contrecoeur-Verchères rear range light        | 2316     |
| Cormierville                                  | 1118.5   |
| Cormierville light buoy XU2                   | 1119     |
| Cornwall Rock light buoy N2                   | 307.02   |
| Country Island                                | 639      |
| Courbe de Bellmouth                           | 2286     |
| Courbe de Bellmouth light buoy M19            | 2284     |
| Courbe de Bellmouth light buoy M23            | 2286.5   |
| Courbe de Nicolet light buoy S8               | 2119     |
| Courbe de Sorel light buoy S150               | 2272.5   |
| Course Contrecoeur - Verchères light buoy M76 | 2322     |
| Course Contrecoeur - Verchères light buoy M78 | 2323.5   |
| Course Contrecoeur - Verchères light buoy M79 | 2324     |
| Course Île Saint-Ours light buoy M11          | 2280.5   |
| Courtenay Basin light buoy JC20               | 110      |
| Courtenay Bay Breakwater                      | 104      |
| Courtenay Bay Dock 1 Light                    | 110.2    |
| Courtenay Bay Inner front range light         | 110.3    |
| Courtenay Bay Inner rear range light          | 110.4    |
| Courtenay Bay light buoy JC                   | 111      |
| Courtenay Bay light buoy JC4                  | 103      |
| Courtenay Bay light buoy JC9                  | 106      |
| Courtenay Bay light buoy JC10                 | 106.1    |
| Courtenay Bay light buoy JC15                 | 108      |
| Courtenay Bay light buoy JC16                 | 108.16   |
| Courtenay Bay Outer Channel Sector            | 110.8    |
| Courtenay Bay Turn light buoy JC5             | 105      |
| Courtenay Bay Turn light buoy JC8             | 105.8    |
| Covehead Bridge                               | 1053.5   |
| Covehead Fairway light buoy JJ                | 1050.05  |
| Covehead Harbour                              | 1051     |
| Covehead Harbour light buoy JJ3               | 1050.1   |
| Covehead Harbour light buoy JJ4               | 1050.12  |
| Covehead Harbour light buoy JJ5               | 1050.13  |
| Covehead Harbour light buoy JJ6               | 1050.2   |
| Covehead Harbour light buoy JJ7               | 1050.3   |
| Covehead Harbour light buoy JJ8               | 1050.5   |
| Covehead Harbour light buoy JJ9               | 1050.9   |
| Covehead Harbour light buoy JJ10              | 1050.91  |
| Covey Ledge light buoy M61                    | 450      |
| Cow Ledge Shoal light buoy HA4                | 222      |
| Cow Reef light buoy JA2                       | 769      |
| Cowley Point Breakwater                       | 719.1    |
| Cowley Rock bifurcation light buoy HSA        | 504.02   |
| Cox Point                                     | 141      |
| Cran Rock light buoy S2                       | 789      |
| Cranberry Islands                             | 668      |

| C                                            | NO.      |
|----------------------------------------------|----------|
| Crawford Ledge light and bell buoy DA56      | 484      |
| Crawleys Creek front range light             | 785.84   |
| Crawleys Creek rear range light              | 785.85   |
| Cribbean Head Main                           | 890.2    |
| Cribbean Head Wharf                          | 890      |
| Crichton Head light buoy CN5                 | 704.93   |
| Crichton Head light buoy CN6                 | 704.94   |
| Crichton Island light buoy CN2               | 704.9    |
| Crid Passage light buoy CM5                  | 704.864  |
| Cripple Creek Breakwater Light               | 331.5    |
| Cripple Creek light buoy JS61                | 331.6    |
| Cronie Reef light buoy HS12                  | 504.5    |
| Crooked Channel light buoy TS56              | 421.2    |
| Crooked Channel light buoy TS61              | 421.5    |
| Crooked Channel light buoy TS64              | 423.8    |
| Cross Island                                 | 443      |
| Cross Island light and whistle buoy E50      | 434      |
| Croucher Island                              | 480      |
| Crowbush Cove Breakwater Light               | 1047     |
| Crowbush Cove Wharf Entrance light buoy JE10 | 1047.03  |
| Crowbush Cove Wharf Fairway light buoy JE    | 1046.81  |
| Crowbush Cove Wharf light buoy JE6           | 1047.01  |
| Crowbush Cove Wharf light buoy JE7           | 1047.15  |
| Crowbush Cove Wharf light buoy JE7/1         | 1047.011 |
| Crowbush Cove Wharf light buoy JE8           | 1047.02  |
| Crowbush Cove Wharf light buoy JE8/2         | 1047.021 |
| Crowbush Cove Wharf light buoy JE9           | 1047.028 |
| Crowbush Cove Wharf light buoy JE12          | 1047.04  |
| Crowbush Cove Wharf light buoy JE14          | 1047.051 |
| Crowbush Cove Wharf light buoy JE15          | 1047.1   |
| Crowbush Cove Wharf light buoy JE16          | 1047.2   |
| Crowbush Cove Wharf light buoy JE17          | 1047.06  |
| Cuckold Rock light buoy JJ51                 | 339      |
| Customs Wharf light buoy E558                | 2271.7   |

| D                                             | NO.     |
|-----------------------------------------------|---------|
| Dalhousie (Douglas) Island                    | 1344    |
| Dalhousie Harbour East front range light      | 1343.7  |
| Dalhousie Harbour East rear range light       | 1343.8  |
| Dalhousie Harbour Light                       | 1345    |
| Dalhousie Harbour light buoy EX4              | 1343.2  |
| Dalhousie Harbour light buoy EX6              | 1343.3  |
| Dalhousie Harbour light buoy EX8              | 1343.4  |
| Dalhousie Harbour light buoy EX9              | 1345.6  |
| Dalhousie Wharf                               | 1343.6  |
| Daniels Head                                  | 329.5   |
| Daniels Head light buoy JU50                  | 329.6   |
| Darnley Basin light buoy JT4                  | 1071.1  |
| Darnley Basin light buoy JU5                  | 1069.65 |
| Darnley Basin light buoy JU6                  | 1069.66 |
| Darnley Basin light buoy JU7                  | 1069.7  |
| Darnley Basin light buoy JU8                  | 1069.8  |
| Darnley Basin light buoy JU9                  | 1069.9  |
| Darnley Basin Outer light buoy JU3            | 1069.5  |
| Darnley Bridge                                | 1071.2  |
| Dartmouth Cove West Entrance light buoy HU1   | 540.1   |
| Dartmouth Point light buoy HA2                | 226     |
| Dartmouth Yacht Club                          | 560.5   |
| Dartmouth Yacht Club light buoy HY6           | 560     |
| Dauphinee Point light buoy MC66               | 454.6   |
| Dean Shoal light buoy VK12                    | 880.1   |
| Deer Point                                    | 49      |
| Delap Cove Wharf                              | 199.5   |
| Delhaven Entrance                             | 190     |
| Delhaven Shore Light                          | 189.5   |
| Dennis Point Shoal light buoy PB              | 301.5   |
| Derby Point                                   | 835     |
| Deschailions-sur-Saint-Laurent                | 2028.5  |
| Deschailions-sur-Saint-Laurent light buoy D30 | 2029.5  |
| Deschailions-sur-Saint-Laurent light buoy D31 | 2030    |
| Deschailions-sur-Saint-Laurent light buoy D32 | 2031    |
| Deschambault light buoy Q70                   | 2004    |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| D                                            | NO.    |
|----------------------------------------------|--------|
| Devils Island                                | 545    |
| Digby Breakwater Light                       | 206.2  |
| Digby Gut                                    | 202    |
| Dingwall Harbour North Breakwater            | 855    |
| Dingwall Harbour North light buoy KA6        | 857.2  |
| Dingwall Harbour South Breakwater            | 857    |
| Dingwall Harbour South light buoy KA9        | 857.3  |
| Dingwall light and bell buoy KA              | 856    |
| Dipper Harbour Breakwater                    | 92     |
| Dipper Harbour light and bell buoy KN        | 91     |
| Dixon Rock light buoy C28                    | 699    |
| Dobsons Point light buoy S20                 | 787    |
| Doctors Channel West Cardinal light buoy NAC | 324    |
| Donald Williams Point light buoy A22         | 828    |
| Douglas Harbour light buoy EN1               | 138    |
| Dover Bay light buoy PQ6                     | 662.2  |
| Dover Castle light buoy AT                   | 490    |
| Dover Harbour                                | 663    |
| Dover Harbour light buoy PQ11                | 662.9  |
| Dover Harbour light buoy PQ12                | 662.91 |
| Dover Harbour light buoy PQ15                | 662.94 |
| Dover West                                   | 487.5  |
| Drum Head                                    | 638    |
| Dublin Shore East light T60                  | 429.2  |
| Dublin Shore light buoy T59                  | 429    |
| Dublin Shore South Cardinal Light            | 428    |
| Duffus Point                                 | 804.5  |
| Duncan Reef light buoy H1                    | 512.5  |
| Dundee Marina light buoy                     | 836.02 |
| Dundee Marina light buoy                     | 836.03 |

| E                                                        | NO.    |
|----------------------------------------------------------|--------|
| East Bay light buoy EX3                                  | 1362.1 |
| East Chezzetcook light buoy HJ2/2                        | 564.22 |
| East Chezzetcook light buoy HJ4                          | 564.03 |
| East Dover Wharf                                         | 489    |
| East Entrance fairway light and whistle buoy SN          | 353    |
| East Ironbound Island                                    | 469    |
| East Ironbound South light and bell buoy MC52            | 470    |
| East Money Outer South cardinal light buoy ND            | 294.7  |
| East Point                                               | 943    |
| East Point Island                                        | 444    |
| East Point light buoy SN52                               | 350.02 |
| East Point Reef East Cardinal light and whistle buoy NDN | 942    |
| East Sandy Cove                                          | 230.2  |
| East Sandy Cove light buoy HK3                           | 234.3  |
| East Scotia Slope ODAS light buoy 44137                  | 664.7  |
| East Shoal light and bell buoy MC55                      | 452.7  |
| Eastern Chops light and bell buoy KA2                    | 78     |
| Eastern Head light buoy TP2                              | 643    |
| Eastern Passage light and whistle buoy HP                | 546    |
| Eastern Passage light buoy HP13                          | 549    |
| Eastern Passage light buoy HP15                          | 550    |
| Eastern Passage light buoy HP16                          | 551    |
| Eastern Passage light buoy HP17                          | 552    |
| Eastern Passage light buoy HP21                          | 534    |
| Eastern Passage light buoy UA2                           | 920.5  |
| Eastern Passage Wharf Light                              | 547.3  |
| Eddy Point Cautionary light buoy CY                      | 689.1  |
| Eddy Point front range light                             | 689.3  |
| Eddy Point rear range light                              | 689.4  |
| Edmunds Rock                                             | 33.5   |
| Eel Shoal light buoy A25                                 | 829    |
| Egg Island                                               | 580    |
| Eleazer Island light buoy CC3                            | 322.07 |
| Enragée Point                                            | 867    |
| Escarpement Bagot                                        | 1514   |
| Escuminac Breakwater                                     | 1165.8 |
| Escuminac Outer Breakwater Light                         | 1165.9 |
| Evandale ODAS light buoy                                 | 131.1  |
| Étang du Nord Centre Breakwater                          | 1491.3 |

| E                              | NO.    |
|--------------------------------|--------|
| Étang du Nord light buoy YS3   | 1489.1 |
| Étang du Nord light buoy YS4   | 1489.2 |
| Étang du Nord light buoy YS5   | 1489.3 |
| Étang du Nord light buoy YS9   | 1489.5 |
| Étang du Nord light buoy YS10  | 1489.6 |
| Étang du Nord North Breakwater | 1491.1 |
| Étang du Nord South Breakwater | 1491.2 |

| F                                              | NO.      |
|------------------------------------------------|----------|
| Fairchild Point light buoy NM33                | 969.9    |
| Fairhaven                                      | 48       |
| Fairway light and bell buoy NEWPO              | 1388     |
| Fairweather Rock East Cardinal light buoy HSE  | 508.44   |
| Falaise de l'Entrée                            | 1559     |
| Falls Point Wharf                              | 315      |
| False LaHave light and bell buoy T51           | 422      |
| Fanjoys Point                                  | 140      |
| Farmer Ledge                                   | 30.5     |
| Fawson Rock light buoy AA57                    | 501.1    |
| Feltzen South                                  | 435      |
| Fergusons Cove light buoy HK17                 | 526.6    |
| Finlay Point                                   | 874.4    |
| Fish Island                                    | 323.7    |
| Fish Ledge West light buoy TA5                 | 293.7    |
| Fishermans Harbour                             | 634      |
| Fishing Cove                                   | 1025     |
| Fishing Cove light buoy DG2                    | 1024.5   |
| Fishing Cove West Breakwater                   | 1025.5   |
| Fishing Point front range light                | 935      |
| Fishing Point rear range light                 | 936      |
| Fitzroy Rock light buoy C4                     | 989      |
| Five Fathom Hole                               | 97.5     |
| Flemming Ledge light buoy AT60                 | 488.5    |
| Flint Island                                   | 770      |
| Flying Point Shoals light and whistle buoy TA4 | 655      |
| Forestville front range light                  | 1739     |
| Forestville light and bell buoy K38            | 1736     |
| Forestville rear range light                   | 1740     |
| Fort Point Shoal light buoy UM53               | 410      |
| Fortune Bay Entrance light buoy NC5            | 948.09   |
| Fortune Bay Entrance light buoy NC6            | 948.1    |
| Fortune Bay Entrance light buoy NC8            | 948.2    |
| Fosters Islets light buoy UA64                 | 415.3    |
| Four Fathom Shoal light buoy HS4/2             | 508.42   |
| Fourchu Head                                   | 747      |
| Fourchu light buoy N14                         | 745      |
| Fourchu light buoy NC2                         | 746      |
| Fourchu light buoy NC3                         | 746.1    |
| Fourchu light buoy NC4                         | 746.2    |
| Fox Cove Wharf Light                           | 478.2    |
| Fox Dens Gully Light                           | 1262.8   |
| Fox Dens Gully light buoy TK2                  | 1262.5   |
| Fox Dens Gully light buoy TK3                  | 1262.6   |
| Fox Dens Gully light buoy TK4                  | 1262.11  |
| Fox Dens Gully light buoy TK5                  | 1262.12  |
| Fox Dens Gully light buoy TK6                  | 1262.121 |
| Fox Dens Gully light buoy TK7                  | 1262.131 |
| Fox Dens Gully light buoy TK8                  | 1262.14  |
| Fox Dens Gully light buoy TK9                  | 1262.15  |
| Fox Dens Gully light buoy TK10                 | 1262.16  |
| Fox Dens Gully light buoy TK11                 | 1262.17  |
| Fox Dens Gully light buoy TK12                 | 1262.18  |
| Fox Dens Gully light buoy TK15                 | 1262.75  |
| Fox Island South front range light             | 1170.5   |
| Fox Island South rear range light              | 1170.6   |
| Fraser Point light buoy Q21                    | 811.2    |
| Freeport                                       | 229      |
| Freeport South Breakwater                      | 228.5    |
| French Point                                   | 569      |
| French River Point light buoy MP22             | 1190     |
| Frenchman Point                                | 284      |
| Frenchman Point light buoy T3                  | 285      |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| F                                        | NO.   |
|------------------------------------------|-------|
| Frenchman Rock light buoy VV8            | 610.5 |
| Frying Pan Island                        | 415.5 |
| Frying Pan Shoal light and bell buoy PJ3 | 669.8 |

| G                                             | NO.      |
|-----------------------------------------------|----------|
| Gabarus                                       | 753      |
| Gabarus light buoy JX10                       | 752.7    |
| Gagetown                                      | 135      |
| Gammon Islands light buoy PU5                 | 657.5    |
| Gammon Point West Cardinal light buoy MK      | 1233     |
| Gannet Dry Ledge light buoy N6                | 110      |
| Gannet Rock                                   | 8        |
| Gannet Rock North Light                       | 8.1      |
| Gannet Rock South Light                       | 8.2      |
| Gaspé Bridge                                  | 1417.8   |
| Gaspé marina North Breakwater                 | 1417.4   |
| Gaspé marina South pier                       | 1417.5   |
| Gaudin Point light buoy NH14                  | 956.15   |
| Geddes Shoal light and whistle buoy X26       | 593      |
| Gentilly front range light                    | 2050     |
| Gentilly light buoy D83                       | 2049.4   |
| Gentilly rear range light                     | 2051     |
| Georgetown light buoy NH                      | 952.5    |
| Georgetown light buoy NH9                     | 953.7    |
| Glance Bay front range light                  | 772      |
| Glance Bay Inner light buoy KV5               | 771.04   |
| Glance Bay Inner light buoy KV6               | 771.05   |
| Glance Bay Light and Bell Buoy KV             | 771      |
| Glance Bay North Breakwater                   | 774      |
| Glance Bay Outer light buoy KV1               | 771.5    |
| Glance Bay Outer light buoy KV2               | 771.01   |
| Glance Bay rear range light                   | 773      |
| Glance Bay, South breakwater Light            | 773.5    |
| Goat Island light buoy E75                    | 139.75   |
| Goat Island light buoy VE4                    | 209.8    |
| Godbout Ferry Wharf                           | 1692.5   |
| Godbout light buoy K14                        | 1692     |
| Goillon Reef light buoy NT12                  | 730.5    |
| Gold Ledges light buoy MU57                   | 454.62   |
| Goose Bay                                     | 293      |
| Goose Island light buoy TT4                   | 636      |
| Gooseberry Beach light buoy Q7                | 802.1    |
| Gordon Point light buoy M53                   | 1210     |
| Gorhams Bluff                                 | 131.5    |
| Goulet de Terre-noire light buoy XX4          | 1154     |
| Goulet de Terre-noire light buoy XX14         | 1154.4   |
| Goulet de Terre-Noire light buoy XX31         | 1154.45  |
| Goulet de Terre-noire light buoy XX36         | 1154.5   |
| Graham Ledge light buoy NP                    | 958.5    |
| Graham Pond                                   | 959      |
| Graham Pond East Breakwater                   | 960.2    |
| Graham Pond South Breakwater                  | 960      |
| Graham Pond West Breakwater                   | 960.1    |
| Grampus Rock light and bell buoy AM52         | 496      |
| Grand Dune Channel Middle light buoy M30      | 1189.2   |
| Grand Dune Flats front range light            | 1196     |
| Grand Dune Flats light buoy M28               | 1188     |
| Grand Dune Flats North light buoy M34         | 1198     |
| Grand Dune Flats rear range light             | 1197     |
| Grand Dune Flats South light buoy M35         | 1198.3   |
| Grand Dune Outer front range light            | 1187     |
| Grand Dune Outer rear range light             | 1187.1   |
| Grand Dune range turning light buoy M31       | 1195     |
| Grand Dune range turning light buoy M33       | 1195.5   |
| Grand Harbour Middle light buoy XK11          | 19.3     |
| Grand Narrows Bridge                          | 834      |
| Grand Passage                                 | 221      |
| Grand Point Bar South Cardinal light buoy EAB | 139      |
| Grand Rigolet light buoy CU35                 | 1542.48  |
| Grand Tracadie light buoy JH1                 | 1049.11  |
| Grand Tracadie light buoy JH2                 | 1049.121 |
| Grand Tracadie light buoy JH3                 | 1049.131 |

| G                                              | NO.      |
|------------------------------------------------|----------|
| Grand Tracadie light buoy JH4                  | 1049.14  |
| Grand Tracadie light buoy JH5                  | 1049.09  |
| Grand Tracadie light buoy JH6                  | 1049.1   |
| Grand Tracadie light buoy JH7                  | 1049.15  |
| Grand Tracadie light buoy JH8                  | 1049.16  |
| Grand Tracadie light buoy JH9                  | 1049.2   |
| Grand Tracadie light buoy JH10                 | 1049.21  |
| Grand Tracadie light buoy JH11                 | 1049.211 |
| Grand Tracadie light buoy JH12                 | 1049.22  |
| Grand Tracadie light buoy JH16                 | 1049.4   |
| Grand Tracadie light buoy JH19                 | 1049.24  |
| Grand Tracadie light buoy JH21                 | 1049.6   |
| Grand Tracadie light buoy JH22                 | 1049.26  |
| Grand Tracadie light buoy JH26                 | 1049.27  |
| Grand Tracadie light buoy JH29                 | 1049.275 |
| Grand Tracadie light buoy JH30                 | 1049.28  |
| Grand Étang front range light                  | 869      |
| Grand Étang Northeast Breakwater               | 868.5    |
| Grand Étang rear range light                   | 870      |
| Grand Étang Southwest Breakwater               | 868.6    |
| Grande Île Kamouraska                          | 1838     |
| Grande-Anse North Breakwater                   | 1327.1   |
| Grande-Anse South Breakwater                   | 1326.1   |
| Grande-Entrée                                  | 1483.5   |
| Grande-Grève                                   | 1421     |
| Grande-Rivière North Breakwater                | 1399     |
| Grande-Rivière South Breakwater                | 1399.2   |
| Grande-Vallée                                  | 1649     |
| Grandes-Bergeronnes light buoy KJ2             | 1757     |
| Grandes-Bergeronnes light buoy KJ4             | 1757.1   |
| Grandes-Bergeronnes Yacht Club light buoy PRIV | 1757.2   |
| Grandes-Bergeronnes Yacht Club light buoy PRIV | 1757.3   |
| Grandique Point                                | 729      |
| Grants Beach front range light                 | 1207     |
| Grants Beach rear range light                  | 1208     |
| Grassy Island light buoy PJ12                  | 671      |
| Great Bras D'Or (St. Anns Bay) light buoy KP2  | 845.1    |
| Great Bras D'Or (St. Anns Bay) light buoy KP7  | 845.3    |
| Great Bras d'Or Entrance Outer light buoy Q4   | 801      |
| Great Bras d'Or front range light              | 803      |
| Great Bras d'Or Inner light buoy Q6            | 802      |
| Great Bras D'Or Inner light buoy Q10           | 804.8    |
| Great Bras d'Or light buoy A27                 | 829.1    |
| Great Bras d'Or light buoy A28                 | 829.2    |
| Great Bras d'Or rear range light               | 804      |
| Great Duck Island                              | 29       |
| Great Duck Ledge light and whistle buoy XP4    | 28.6     |
| Great Island bifurcation light buoy UAA        | 416.3    |
| Green Harbour light and bell buoy KP           | 368      |
| Green Harbour light buoy KPA                   | 367.7    |
| Green Island                                   | 272      |
| Green Island Light                             | 722      |
| Green Island Shoal light buoy UH2              | 43.5     |
| Green Rock light and bell buoy JX3             | 752      |
| Gregory Island                                 | 841      |
| Grime Shoal light and whistle buoy CV1         | 669      |
| Grog Rock light buoy SP54                      | 351      |
| Grondines-Est light buoy Q84                   | 2012.1   |
| Gros Cap aux Os                                | 1420.5   |
| Grosse Île South Breakwater                    | 1481.6   |
| Grosse Île Verte                               | 1823.55  |
| Grosse Île Sector                              | 1485.5   |
| Grosse-Île-Nord light buoy YG2                 | 1481.1   |
| Grosse-Île-Nord light buoy YGR                 | 1481.2   |
| Grosse-Île-Nord North Breakwater               | 1481.3   |
| Gull Island                                    | 295.9    |
| Gull Islet                                     | 30       |
| Gull Ledge light buoy NE2                      | 285.2    |
| Gull Rock light and bell buoy SP2              | 919      |
| Gull Rock light buoy HA1                       | 224      |
| Gunning Cove                                   | 361      |
| Gunning Cove light buoy SA51                   | 360.01   |
| Gunning Point Island (Tanner Island)           | 446      |
| Guyon Island                                   | 750      |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| G                                       | NO.    |
|-----------------------------------------|--------|
| Guyon Island light and whistle buoy J12 | 751    |
| Guysborough Harbour light buoy CQ2      | 683.1  |
| Guysborough Harbour light buoy CQ5      | 684.02 |

| H                                            | NO.      |
|----------------------------------------------|----------|
| Haddock Rock light and bell buoy NP2         | 735      |
| Half Tide Rock (Cheney Passage)              | 23       |
| Halibut Island light and bell buoy XA3       | 606.7    |
| Halifax Alpha light and whistle buoy HA      | 510      |
| Halifax Bravo light buoy HB                  | 509.5    |
| Halifax Charlie light and bell buoy HC       | 514      |
| Halifax Harbour Inner front range light      | 538      |
| Halifax Harbour Inner rear range light       | 539      |
| Halifax Harbour Middle front range light     | 528      |
| Halifax Harbour Middle rear range light      | 528.1    |
| Halifax Harbour Smart buoy                   | 521.5    |
| Halls Harbour                                | 192      |
| Hampton Breakwater                           | 198      |
| Harbour Shoal                                | 679.5    |
| Harbourville                                 | 194      |
| Hardys Channel Fairway light buoy JS         | 1071.35  |
| Hardys Channel light buoy JS2                | 1071.39  |
| Hardys Channel light buoy JS3                | 1071.41  |
| Hardys Channel light buoy JS4                | 1071.42  |
| Hardys Channel light buoy JS5                | 1071.45  |
| Hardys Channel light buoy JS7                | 1071.5   |
| Hardys Channel light buoy JS8                | 1071.52  |
| Hardys Channel light buoy JS12               | 1071.89  |
| Hardys Channel light buoy JS13               | 1071.9   |
| Hardys Channel light buoy JS14               | 1071.95  |
| Hardys Channel light buoy JS21               | 1071.96  |
| Hardys Channel light buoy JS22               | 1071.961 |
| Hardys Channel light buoy JS23               | 1071.962 |
| Hardys Channel light buoy JS24               | 1071.963 |
| Hardys Channel light buoy JS27               | 1071.977 |
| Hardys Channel light buoy JS32               | 1071.98  |
| Hardys Channel light buoy JS33               | 1071.99  |
| Hardys Channel light buoy JS39               | 1072.1   |
| Hardys Channel light buoy JS40               | 1072.59  |
| Hardys Channel light buoy JS42               | 1072.4   |
| Hardys Channel light buoy JS43               | 1072.5   |
| Hardys Channel light buoy JS44               | 1072.6   |
| Harper Point                                 | 1274.1   |
| Harrington Harbour                           | 1559.5   |
| Harrington Harbour front range light         | 1560     |
| Harrington Harbour rear range light          | 1561     |
| Harshman's Brook light buoy XJ4              | 1102.1   |
| Harshman's Brook light buoy XJ5              | 1102.11  |
| Harshman's Brook light buoy XJ6              | 1102.12  |
| Harshman's Brook light buoy XJ7              | 1102.13  |
| Hart Island front range light                | 679      |
| Hart Island light buoy PC6                   | 680.2    |
| Hart Island rear range light                 | 679.1    |
| Haszard Point front range light              | 991      |
| Haszard Point rear range light               | 992      |
| Haut-fond Collins light buoy C84             | 1584.5   |
| Haut-fond Morin bifurcation light buoy HFMOR | 1841     |
| Haut-fond Nepigon light buoy S146            | 2182     |
| Haut-fond Percy light buoy CT7               | 1545.5   |
| Haut-fond Prince                             | 1773     |
| Haut-fond Saint-Augustin light buoy Q16      | 1966.5   |
| Haut-fond Saint-Augustin light buoy Q18      | 1966.8   |
| Haut-fond Saint-Augustin light buoy Q20      | 1968     |
| Haut-fond Saint-Augustin light buoy Q22      | 1969     |
| Hautfond Shoal light buoy CK2                | 704.85   |
| Havre Aubert light buoy YK5                  | 1502.2   |
| Havre Aubert light buoy YK11                 | 1502.7   |
| Havre Aubert light buoy YK12                 | 1503     |
| Havre Aubert light buoy YK22                 | 1504     |
| Havre aux Maisons light buoy H1              | 1494.98  |
| Havre aux Maisons light buoy H2              | 1494.97  |
| Havre aux Maisons light buoy YE4             | 1494.2   |

| H                                                  | NO.      |
|----------------------------------------------------|----------|
| Havre aux Maisons light buoy YE8                   | 1494.7   |
| Havre aux Maisons light buoy YE14                  | 1494.92  |
| Havre Boucher front range light                    | 884      |
| Havre Boucher light buoy VQ                        | 883.4    |
| Havre Boucher light buoy VQ4                       | 883.5    |
| Havre Boucher light buoy VQ5                       | 883.6    |
| Havre Boucher light buoy VQ8                       | 883.9    |
| Havre Boucher rear range light                     | 885      |
| Havre de Gaspé Northwest Basin light buoy PRIV     | 1418.6   |
| Havre de Gaspé Northwest Basin light buoy PRIV     | 1418.7   |
| Havre de Gaspé Northwest Basin light buoy PRIV     | 1418.8   |
| Havre de Gaspé Northwest Basin light buoy PRIV     | 1418.1   |
| Havre de Gaspé Northwest Basin light buoy PRIV     | 1418.2   |
| Havre de Gaspé Northwest Basin light buoy PRIV     | 1418.3   |
| Havre de la Grande Entrée light buoy CB3           | 1485.45  |
| Havre de la Grande Entrée light buoy CB5           | 1485.49  |
| Havre de la Grande Entrée light buoy CB6           | 1485.495 |
| Havre de la Grande Entrée light buoy CB7           | 1485.51  |
| Havre de la Grande Entrée light buoy CB8           | 1485.52  |
| Havre de la Grande Entrée light buoy CB9           | 1485.53  |
| Havre de la Grande Entrée light buoy CB12          | 1485.56  |
| Havre de la Grande Entrée light buoy CB13          | 1485.57  |
| Havre de la Grande Entrée light buoy CB16          | 1485.6   |
| Havre de la Grande Entrée light buoy CB17          | 1485.61  |
| Havre de la Grande Entrée light buoy CB18          | 1485.62  |
| Havre de la Grande Entrée light buoy CB19          | 1485.63  |
| Havre de la Grande Entrée light buoy CB20          | 1485.64  |
| Havre de la Grande Entrée light buoy CB21          | 1485.65  |
| Havre de la Grande Entrée light buoy CB22          | 1485.66  |
| Havre de la Grande Entrée light buoy CB23          | 1485.67  |
| Havre de la Grande Entrée light buoy CB24          | 1486.51  |
| Havre de la Grande Entrée light buoy CB25          | 1486.52  |
| Havre de la Grande Entrée light buoy CB26          | 1486.53  |
| Havre de la Grande Entrée light buoy CB27          | 1486.54  |
| Havre de la Grande Entrée light buoy CB28          | 1486.55  |
| Havre de la Grande Entrée light buoy CB29          | 1486.56  |
| Havre de la Grande Entrée light buoy CB30          | 1486.57  |
| Havre de la Grande Entrée light buoy CB31          | 1486.58  |
| Havre de la Grande Entrée light buoy CB32          | 1486.59  |
| Havre de la Grande Entrée light buoy YC4           | 1482.1   |
| Havre de la Grande Entrée light buoy YC5           | 1482.2   |
| Havre de la Grande Entrée light buoy YC9           | 1482.3   |
| Havre de la Grande Entrée light buoy YC10          | 1482.4   |
| Havre de la Grande Entrée light buoy YC11          | 1482.5   |
| Havre de la Grande Entrée light buoy YC12          | 1482.55  |
| Havre de la Grande Entrée light buoy YC14          | 1482.6   |
| Havre de la Grande Entrée light buoy YC15          | 1482.7   |
| Havre de Mingan Eastern Entrance front range light | 1604     |
| Havre de Mingan Eastern Entrance rear range light  | 1605     |
| Havre de Mingan Western Entrance front range light | 1606     |
| Havre de Mingan Western Entrance rear range light  | 1607     |
| Havre de Natashquan light buoy CN8                 | 1576.2   |
| Havre Gethsémani front range light                 | 1569     |
| Havre Gethsémani light buoy CJ5                    | 1568.5   |
| Havre Gethsémani rear range light                  | 1570     |
| Havre St-Pierre East Breakwater                    | 1588.7   |
| Havre St-Pierre light buoy CM5                     | 1586     |
| Havre St-Pierre West Breakwater                    | 1588.8   |
| Havre-Aubert                                       | 1505.5   |
| Havre-Aubert light buoy YK1                        | 1501     |
| Havre-aux-Maisons Entrance light buoy YE2          | 1494     |
| Havre-aux-Maisons light buoy YE7                   | 1494.45  |
| Havre-aux-Maisons light buoy YE9                   | 1494.6   |
| Havre-aux-Maisons light buoy YE10                  | 1494.81  |
| Havre-aux-Maisons light buoy YE12                  | 1494.91  |
| Havre-aux-Maisons – Marina entrance                | 1494.94  |
| Havre-Saint-Pierre front range light               | 1587     |
| Havre-Saint-Pierre rear range light                | 1588     |
| Hawk Channel light buoy JS53                       | 328      |
| Hawk Island                                        | 730      |
| Hawkes Point                                       | 141.5    |
| Hay Island light buoy MH31                         | 1232     |
| Haymaker Ledge light buoy NS8                      | 274.8    |
| Head Harbour                                       | 44       |

| H                                           | NO.      |
|---------------------------------------------|----------|
| Head Harbour Inner                          | 44.5     |
| Hector Quay light buoy SJD                  | 905.55   |
| Helens Island                               | 843      |
| Hen and Chickens light buoy Y4              | 267      |
| Henry Island                                | 881      |
| Henry Point light buoy VM3                  | 882.1    |
| Henry Point light buoy VM4                  | 882.2    |
| Hens and Chickens light buoy HQ2            | 531      |
| Herring Cove Light                          | 522      |
| Herring Cove light and bell buoy HM1        | 521      |
| Herring Cove light buoy HM4                 | 521.3    |
| Higgins Wharf light buoy DJ                 | 1027.45  |
| Higgins Wharf light buoy DJ15               | 1027.425 |
| Higgins Wharf light buoy DJ16               | 1027.42  |
| Higgins Wharf light buoy DJ30               | 1027.43  |
| Hilyards Reef light buoy J18                | 102.18   |
| Hobsons Island North Cardinal light buoy ME | 449.25   |
| Hog Island                                  | 654      |
| Horne Shoal light and bell buoy PQ4         | 662      |
| Horse Island light buoy DP51                | 477.2    |
| Horse Shoal light buoy VK11                 | 622      |
| Horse Shoe Bar light buoy M21               | 1181     |
| Horse Shoe Bar light buoy M21/3             | 1181.5   |
| Horse Shoe Bar light buoy M22               | 1182     |
| Horse Shoe Bar light buoy M22/2             | 1182.5   |
| Horse Shoe Bar light buoy M24               | 1184.5   |
| Horse Shoe Bar light buoy M26               | 1186     |
| Horseshoe Ledge light and whistle buoy DA53 | 474      |
| Horton Bank light buoy UH3                  | 921.5    |
| Horton Bank light buoy UH5                  | 921.6    |
| Hospital Island Ledge light buoy UP2        | 51.5     |
| Hospital Ledge light buoy CA2               | 322      |
| Hospital Reef light buoy C2                 | 321      |
| Hospital Reef light buoy CA1                | 322.1    |
| Howards Cove                                | 1032     |
| Howards Cove Breakwater                     | 1031.5   |
| Howards Cove light buoy DN2                 | 1027.6   |
| Howe Point light and whistle buoy JJ2       | 765.7    |
| Hubbards Cove                               | 478      |
| Huckleberry Gully light buoy MN25           | 1169.1   |
| Huckleberry Gully light buoy MN28           | 1169.2   |
| Hunts Landing                               | 403      |

| I                                                        | NO.     |
|----------------------------------------------------------|---------|
| Imperial Oil Wharf No. 1 light buoy HP22                 | 533     |
| Inch Arran Point front range light                       | 1343    |
| Inch Arran Point rear range light                        | 1343.1  |
| Information light buoy DOUAN                             | 2271.6  |
| Information light buoy E514                              | 2263    |
| Ingalls Head Breakwater                                  | 22      |
| Ingomar Wharf                                            | 352     |
| Ingonish East Cardinal light buoy KF                     | 848.5   |
| Ingonish Harbour                                         | 847     |
| Ingonish Harbour light buoy KM3                          | 848.6   |
| Ingonish Harbour light buoy KM4                          | 848.7   |
| Ingonish Harbour light buoy KM6                          | 847.3   |
| Ingonish Harbour North light buoy KH2                    | 849.3   |
| Ingonish Island South Cardinal light buoy KH             | 849     |
| Inner Automatic light buoy H4                            | 516     |
| Inner Island Southwest Shoal West Cardinal light buoy NF | 306.002 |
| Inner Sambro Island light buoy HA2                       | 504.01  |
| Inner Sambro light and bell buoy HS6                     | 504     |
| Inverness Breakwater                                     | 874.1   |
| Inverness Harbour front range light                      | 874.2   |
| Inverness Harbour rear range light                       | 874.3   |
| Inverness Inner light buoy VL1                           | 874.31  |
| Inverness South Breakwater                               | 874.12  |
| Irving Oil Wharf Ruins light buoy SD52                   | 360.11  |
| Isaac's Harbour light and bell buoy TT                   | 635     |
| Isaac's Harbour light buoy TT7                           | 636.04  |
| Island B (V-AIS)                                         | 2138.3  |

| I                                                     | NO.      |
|-------------------------------------------------------|----------|
| Island C (V-AIS)                                      | 2138.4   |
| Island D (V-AIS)                                      | 2138.5   |
| Island E (V-AIS)                                      | 2138.6   |
| Island F (V-AIS)                                      | 2138.7   |
| Isle of Pines light buoy J48                          | 124.5    |
| Ives Knoll light buoy H22                             | 535      |
| Ives Knoll light buoy HT2                             | 536      |
| Île aux Basques                                       | 1756.4   |
| Île aux Coudres                                       | 1850     |
| Île aux Foins light buoy S154                         | 2272.8   |
| Île aux Foins light buoy S158                         | 2273.1   |
| Île aux Grues                                         | 1887     |
| Île aux Lièvres                                       | 1829     |
| Île aux Noix light buoy EA17                          | 2258.91  |
| Île aux Noix light buoy EA19                          | 2258.92  |
| Île aux Noix light buoy EA22                          | 2258.93  |
| Île aux Noix light buoy EA23                          | 2258.94  |
| Île aux Prunes light buoy M82                         | 2325     |
| Île aux Raisins                                       | 2167.05  |
| Île aux Raisins Alignment light buoy S107             | 2154.2   |
| Île aux Raisins front range light                     | 2166     |
| Île aux Raisins light buoy S117                       | 2170     |
| Île aux Raisins rear range light                      | 2167     |
| Île aux Vaches light buoy M144                        | 2343.2   |
| Île Bellegarde light buoy M116                        | 2331.5   |
| Île Bouchard light buoy M77                           | 2323     |
| Île Brion                                             | 1479     |
| Île Bursey front range light                          | 1539.45  |
| Île Bursey rear range light                           | 1539.46  |
| Île Charron light buoy MT59                           | 2365.73  |
| Île Charron light buoy MT60                           | 2365.75  |
| Île Cormandière                                       | 1545     |
| Île d'Entrée Sector Light                             | 1510.5   |
| Île d'Orléans front range light                       | 1932     |
| Île d'Orléans rear range light                        | 1933     |
| Île de Bellechasse                                    | 1920     |
| Île de Caraquet                                       | 1322     |
| Île de Caraquet Harbour light buoy EM28               | 1318     |
| Île de Caraquet light buoy EN3                        | 1320.5   |
| Île de Caraquet light buoy EN4                        | 1320.51  |
| Île de Caraquet light buoy EN5                        | 1320.61  |
| Île de Caraquet light buoy EN6                        | 1320.6   |
| Île de Caraquet light buoy EN7                        | 1320.611 |
| Île de Caraquet light buoy EN8                        | 1320.62  |
| Île de Caraquet light buoy EN9                        | 1321.5   |
| Île de Caraquet light buoy EN10                       | 1321.6   |
| Île de Caraquet West cardinal light buoy ENA          | 1322.2   |
| Île de Grâce                                          | 2175.1   |
| Île de Grâce                                          | 2176.1   |
| Île de Grâce front range light                        | 2175     |
| Île de Grâce light buoy S129                          | 2174.7   |
| Île de Grâce light buoy S130                          | 2174.8   |
| Île de Grâce light buoy S136                          | 2179     |
| Île de Grâce light buoy S140                          | 2181.15  |
| Île de Grâce rear range light                         | 2176     |
| Île de la Boule                                       | 1544     |
| Île de la Province information light buoy DOUA1       | 2397.2   |
| Île de la Province information light buoy DOUA2       | 2397.4   |
| Île de la Province information light buoy DOUA3       | 2397.7   |
| Île de l'Entrée                                       | 1559.2   |
| Île des Barques Alignment light buoy S113             | 2164.1   |
| Île des Barques light buoy S123                       | 2173     |
| Île Deschailons light buoy E45                        | 2197     |
| Île Deslauriers light buoy M122                       | 2333.4   |
| Île Driscoll light buoy CU27                          | 1539.9   |
| Île du Bic (West end)                                 | 1750     |
| Île du Corossol                                       | 1658     |
| Île du Fantôme Entrance Channel Outer light buoy CM10 | 1594     |
| Île du Fantôme Entrance front range light             | 1592     |
| Île du Fantôme Entrance rear range light              | 1593     |
| Île du Grand Caoui                                    | 1686     |
| Île du Guet                                           | 1542.5   |
| Île du Havre Shoal light buoy CM12                    | 1595     |

| I                                               | NO.     |
|-------------------------------------------------|---------|
| Île du Sang light buoy E544                     | 2270.2  |
| Île Dufault light buoy M157                     | 2352    |
| Île Dufour fairway light and bell buoy STAUG    | 1539.15 |
| Île Dupuis                                      | 1393    |
| Île d'Entrée North Breakwater                   | 1510.3  |
| Île d'Entrée North side                         | 1511    |
| Île Entrance                                    | 1550    |
| Île Grande-Basque                               | 1659    |
| Île Greenly                                     | 1528.9  |
| Île Haute                                       | 164     |
| Île Inner front range light                     | 1542.3  |
| Île Inner rear range light                      | 1542.4  |
| Île Joncas                                      | 1576    |
| Île La Poterie                                  | 2083.8  |
| Île La Poterie light buoy C48                   | 2084.7  |
| Île Lamy light buoy C33                         | 2071    |
| Île Marie light buoy M84                        | 2325.2  |
| Île Marie light buoy M88                        | 2327.5  |
| Île Mermettes                                   | 1539.13 |
| Île Mistanogue                                  | 1539.5  |
| Île Paul-Nadeau                                 | 1539.4  |
| Île Paul-Nadeau front range light               | 1539.41 |
| Île Paul-Nadeau rear range light                | 1539.42 |
| Île Plate                                       | 1412    |
| Île Plate                                       | 1543    |
| Île Richelieu                                   | 2001.8  |
| Île Robin East front range light                | 1542.45 |
| Île Robin East rear range light                 | 1542.46 |
| Île Robin front range light                     | 1542.1  |
| Île Robin rear range light                      | 1542.2  |
| Île Ronde                                       | 1823.77 |
| Île Rouge                                       | 1770    |
| Île Saint-Laurent light buoy M118               | 2333    |
| Île Saint-Louis                                 | 1790    |
| Île Saint-Ours bifurcation light buoy ISO       | 2280    |
| Île Saint-Ours light buoy M13                   | 2280.7  |
| Île Saint-Ours light buoy M16                   | 2281    |
| Île Saint-Ours light buoy M17                   | 2281.5  |
| Île Saint-Ours light buoy M20                   | 2285    |
| Île Saint-Ours South Light                      | 2286.7  |
| Île Saint-Patrice light buoy M151               | 2349    |
| Île Sainte-Hélène light buoy M195               | 2381    |
| Île Sainte-Hélène light buoy M199               | 2383    |
| Île Sainte-Hélène North Cardinal light buoy ISH | 2377.8  |
| Île Sainte-Marie                                | 1562    |
| Île Sainte-Thérèse Downstream                   | 2335.1  |
| Île Sainte-Thérèse Downstream front range light | 2335    |
| Île Sainte-Thérèse Downstream rear range light  | 2336    |
| Île Sainte-Thérèse light buoy M130              | 2337.3  |
| Île Sainte-Thérèse light buoy M132              | 2337.7  |
| Île Sainte-Thérèse light buoy M138              | 2338.5  |
| Île Sainte-Thérèse light buoy M140              | 2339.4  |
| Île Ste-Thérèse                                 | 2330.1  |
| Île Ste-Thérèse Upper                           | 2346.1  |
| Île Ste-Thérèse Upper                           | 2347.1  |
| Île Ste-Thérèse Upper front range light         | 2346    |
| Île Ste-Thérèse Upper rear range light          | 2347    |
| Île Tickle front range light                    | 1539.6  |
| Île Tickle rear range light                     | 1539.7  |
| Île Verte                                       | 1761    |
| Île Verte East Wharf                            | 1762    |
| Île à Firmin                                    | 1596    |
| Île à la Baleine                                | 1539    |
| Île à la Pierre light buoy MV6                  | 2309    |
| Île à la Pierre light buoy S126                 | 2174    |
| Îles aux Perroquets                             | 1608    |
| Îles Triples                                    | 1564    |
| Îlet aux Alouettes light buoy S7                | 1778    |
| Îlet aux Alouettes North (V-AIS)                | 1778.3  |
| Îlet Mayrand light buoy Q83                     | 2012    |
| Îlet Vert light buoy M124                       | 2334    |
| Îlets Percés light buoy S111                    | 2164    |
| Îlets Percés light buoy S114                    | 2165    |
| Îlot de la Baronnie light buoy MT66             | 2365.1  |

| I                                   | NO.    |
|-------------------------------------|--------|
| Îlot de la Baronnie light buoy MT68 | 2365.3 |

| J                                   | NO.     |
|-------------------------------------|---------|
| Jack Shoal light and bell buoy VU4  | 886     |
| Jameson Island light buoy SJB       | 73.75   |
| Jameson Island West                 | 57.25   |
| Janvrin Island front range light    | 704     |
| Janvrin Island rear range light     | 704.1   |
| Jeddore Harbour light buoy YT7      | 572.3   |
| Jeddore Harbour light buoy YT9      | 572.6   |
| Jeddore Rock                        | 570     |
| Jerome Point                        | 734     |
| Jerseyman Island                    | 707     |
| Jerseyman Shoal light buoy CM2      | 704.861 |
| Jig Rock light buoy S51             | 354     |
| Joe's Point light and bell buoy S10 | 57.8    |
| Joe's Point light buoy XA8          | 18.2    |
| Johns Cove light buoy Y5            | 260.5   |
| Johns Island Ledge light buoy ND4   | 303     |
| Jollimore Reef light buoy UD3       | 920.6   |
| Judique Shoals light buoy VN2       | 882.5   |
| Judique South Wharf                 | 882     |

| K                                         | NO.     |
|-------------------------------------------|---------|
| Kaulback Island front range light         | 453     |
| Kaulback Island rear range light          | 454     |
| Kegaska                                   | 1573.3  |
| Kegaska, John Guy barge                   | 1573.1  |
| Kelly Shoals light buoy Q35               | 839     |
| Kellys Cove Wharf                         | 804.6   |
| Ketch Harbour light buoy HE19             | 511     |
| Ketepec light buoy JK1                    | 116.3   |
| Kidston Island                            | 815     |
| Kidston Island West End                   | 815.1   |
| Kings Head light buoy SA6                 | 896.6   |
| Kouchibouguac Gully Inner light buoy XY21 | 1159    |
| Kouchibouguac Gully light buoy XY2        | 1157    |
| Kouchibouguac Gully light buoy XY9        | 1158.5  |
| Kouchibouguac Gully light buoy XY17       | 1158.6  |
| Kouchibouguac light buoy XY4              | 1157.33 |
| Kouchibouguacis River light buoy XX9      | 1154.1  |
| Kouchibouguacis River light buoy XX19     | 1154.2  |
| Kouchibouguacis River light buoy XX37     | 1154.6  |
| Kouchibouguacis River light buoy XX39     | 1154.8  |
| Kouchibouguacis River light buoy XX41     | 1154.85 |
| Kouchibouguacis River light buoy XX42     | 1154.9  |
| Kouchibouguacis River light buoy XX43     | 1154.95 |
| Krout Point                               | 431.5   |
| Kégaska front range light                 | 1572    |
| Kégaska rear range light                  | 1573    |

| L                                 | NO.     |
|-----------------------------------|---------|
| L'Archevêque light buoy NH        | 741     |
| L'Archevêque light buoy NH3       | 741.01  |
| L'Archevêque light buoy NH4       | 741.03  |
| L'Archevêque light buoy NH10      | 741.05  |
| La Belle Rivière light buoy PRIV  | 1823.57 |
| La Bosse à Charlie light buoy C10 | 1531.5  |
| La Grande Pointe                  | 1584.8  |
| La Grande Île light buoy M143     | 2343    |
| La Have light and bell buoy TA    | 425     |
| La Martre                         | 1657    |
| La Passe light buoy YM11          | 1508.5  |
| La Perle light buoy Y16           | 1512    |
| La Pérade front range light       | 2027    |
| La Pérade rear range light        | 2028    |
| Lac Saint-Pierre light buoy S51   | 2133    |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| L                                                | NO.     |
|--------------------------------------------------|---------|
| Lac Saint-Pierre light buoy S63                  | 2137    |
| Lac St-Pierre light buoy S86                     | 2147    |
| Laceys Rocks (Cahil Rock) front range light      | 694.4   |
| Laceys Rocks (Cahil Rock) rear range light       | 694.5   |
| LaHave Bank ODAS light buoy 44150                | 326.5   |
| Lamèque Breakwater Light                         | 1301    |
| Lamèque Wharf Light                              | 1296.1  |
| Lano B Anchorage light buoy                      | 2277    |
| Lanoraie light buoy M3                           | 2273.6  |
| Lanoraie light buoy M4                           | 2273.7  |
| Lanoraie light buoy M8                           | 2278.7  |
| Larry's River Northeast Breakwater               | 647.2   |
| Larrys River light buoy TH10                     | 646.9   |
| Larry's River light buoy TK1                     | 645.6   |
| Launching Point light buoy NY2                   | 951.5   |
| Launching Pond Breakwater                        | 951     |
| Launching Pond South Breakwater                  | 951.2   |
| Laurier Rock light buoy KK61                     | 371     |
| Laurier Rock light buoy KK64                     | 371.02  |
| Lavaltrie front range light                      | 2292    |
| Lavaltrie rear range light                       | 2293    |
| Lawlor Island light buoy HP3                     | 546.5   |
| Lawlor Island light buoy HP11                    | 547.2   |
| Lawlor Island Sector                             | 547     |
| Le Banc de Sable light buoy K107                 | 1904    |
| Le Banc de Sable light buoy K108                 | 1905    |
| Le Banc de Sable light buoy S110                 | 2163    |
| Le Gros Cacouna light buoy HC1                   | 1824.23 |
| Le Gros Cacouna light buoy HC2                   | 1824.33 |
| Le Gros Cacouna light buoy HC3                   | 1824.24 |
| Le Gros Méchins                                  | 1698    |
| Le Long Pèlerin                                  | 1832    |
| Le Pilier de l'Île Blanche light buoy K59        | 1823.8  |
| Leavitts light buoy SE8                          | 72.1    |
| Lebel bifurcation light buoy                     | 2308.4  |
| Leclercville (Sainte-Emmélie)                    | 2016.1  |
| Leclercville (Sainte-Emmélie) front range light  | 2015    |
| Leclercville (Sainte-Emmélie) rear range light   | 2016    |
| Ledge Harbour light buoy AA3                     | 296.3   |
| Leggett Shoal front range light                  | 1209.7  |
| Leggett Shoal light buoy M55                     | 1211    |
| Leggett Shoal rear range light                   | 1209.8  |
| Leggett Shoal West light buoy M56                | 1212    |
| Leonardville                                     | 46      |
| Leonardville Breakwater                          | 47.5    |
| Leonardville Harbour Entrance light buoy UT2     | 45      |
| Leonardville Wharf                               | 47      |
| Lepreau Ledges light and bell buoy K3            | 88      |
| Les Becquets                                     | 2041    |
| Les Escoumins Wharf                              | 1753    |
| Les Méchins East Light                           | 1697    |
| Les Trois Soeurs light buoy K29                  | 2390.4  |
| Les Trois Soeurs light buoy K33                  | 2390.5  |
| Letete Harbour                                   | 79.8    |
| Letete Inner light buoy SQ3                      | 70.25   |
| Letete light buoy SQ                             | 70      |
| Letete Outer light buoy SQ2                      | 70.15   |
| Letete Passage Fog signal                        | 71      |
| Lichfield Shoal light and whistle buoy H7        | 519     |
| Lighthouse Bank light and bell buoy H12          | 524     |
| Lighthouse Beach                                 | 906.4   |
| Lighthouse Beach light buoy SJ7                  | 901.5   |
| Lighthouse Point                                 | 83      |
| Lime Rock light buoy Q15                         | 807     |
| Lingan front range light                         | 774.6   |
| Lingan Harbour light buoy KQ2                    | 774.4   |
| Lingan Harbour light buoy KQ7                    | 774.5   |
| Lingan rear range light                          | 774.7   |
| Liscomb Island                                   | 615     |
| Liscomb light and whistle buoy VP                | 613     |
| Liscomb Shoal light and bell buoy VP5            | 614     |
| Little Bras d'Or Inner Sector                    | 794.4   |
| Little Bras d'Or Entrance light and bell buoy U1 | 790     |
| Little Bras d'Or Entrance light buoy U9          | 791.5   |

| L                                                  | NO.     |
|----------------------------------------------------|---------|
| Little Bras d'Or front range light                 | 792     |
| Little Bras d'Or rear range light                  | 793     |
| Little Cape Breakwater                             | 1100    |
| Little Cape Outer Breakwater                       | 1099.5  |
| Little Dover Harbour Fairway light and bell buoy P | 664.1   |
| Little Dover Run light buoy PP7                    | 664.03  |
| Little Dover Run light buoy PP11                   | 664.032 |
| Little Dover Run light buoy PP15                   | 664.034 |
| Little Dover Run light buoy PP22                   | 664.035 |
| Little Dover Run light buoy PP25                   | 664.037 |
| Little Dover Run light buoy PP26                   | 664.038 |
| Little Dover Run light buoy PP29                   | 664.039 |
| Little Fish Island light buoy MC70                 | 454.55  |
| Little Green Island                                | 323.6   |
| Little Harbour (Cherry Cove) light buoy TU53       | 417.81  |
| Little Harbour (Cherry Cove) light buoy TU54       | 419     |
| Little Harbour Cherry Cove light buoy TU           | 418     |
| Little Harbour East Cardinal light buoy KC         | 386     |
| Little Harbour Head light buoy YS9                 | 579     |
| Little Harbour light buoy KC53                     | 384.5   |
| Little Harbour Wharf                               | 384     |
| Little Harbour Wharf                               | 737     |
| Little Hope Island East Cardinal light buoy UEF    | 394.01  |
| Little Hope Shoal light buoy UV52                  | 391     |
| Little Judique Harbour Breakwater                  | 881.1   |
| Little Judique Harbour Wharf Sector                | 881.3   |
| Little Letete Passage                              | 57.3    |
| Little Letete Passage light buoy SQ4               | 75.32   |
| Little Liscomb light and bell buoy VM3             | 619     |
| Little Lorraine (Lorembec)                         | 761     |
| Little Narrows front range light                   | 829.5   |
| Little Narrows Gypsum light buoy LN4               | 823.2   |
| Little Narrows Gypsum light buoy LN3               | 823.1   |
| Little Narrows Gypsum light buoy LN5               | 823.3   |
| Little Narrows Gypsum light buoy LN6               | 823.4   |
| Little Narrows Gypsum light buoy LN7               | 823.5   |
| Little Narrows Gypsum light buoy LN8               | 823.6   |
| Little Narrows Gypsum light buoy LN9               | 823.7   |
| Little Narrows light buoy A29                      | 829.3   |
| Little Narrows rear range light                    | 829.6   |
| Little River                                       | 230     |
| Little River Harbour                               | 279     |
| Little River Harbour East                          | 279.5   |
| Little River Harbour light buoy NS17/1             | 274.14  |
| Little River Inner Breakwater                      | 845.9   |
| Little Shoal light buoy Q5                         | 801.5   |
| Little Tancook Island Wharf Outer                  | 461     |
| Liverpool Harbour light buoy UM58                  | 410.5   |
| Liverpool Harbour light buoy UM59                  | 411     |
| Liverpool Harbour light buoy UM60                  | 411.5   |
| Liverpool Harbour light buoy UM64                  | 412.3   |
| Livingstone Cove                                   | 892.5   |
| LNG BD1 Jetty Light                                | 147.171 |
| LNG BD4 Jetty Light                                | 147.173 |
| LNG Black Rock light                               | 147.22  |
| LNG Cautionary light buoy                          | 147.21  |
| LNG East Initial (000) Sector                      | 147.13  |
| LNG East Secondary (310) Sector                    | 147.12  |
| LNG East Turn Point Sector Light                   | 147.16  |
| LNG MD1 Jetty Light                                | 147.17  |
| LNG MD6 Jetty Light                                | 147.174 |
| LNG West Initial (060) Sector                      | 147.1   |
| LNG West Secondary (088) Sector                    | 147.14  |
| LNG West Turn Point Sector Light                   | 147.15  |
| Lobster Claw light buoy HE13                       | 506.6   |
| Lobster Rock light buoy T9                         | 286     |
| Lockeport                                          | 370     |
| Lockeport Breakwater                               | 375     |
| Lockeport Inner Harbour light buoy KK72            | 372.03  |
| Lockeport North                                    | 380     |
| Lockeport West Cardinal light buoy KEA             | 383.5   |
| Lockwood Rock light and whistle buoy V24           | 609     |
| Long Cove East Cardinal light and bell buoy UC     | 414.5   |
| Long Eddy Point                                    | 34      |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| L                                                 | NO.    |
|---------------------------------------------------|--------|
| Long Ledge light and bell buoy XK4                | 10.4   |
| Long Point                                        | 25     |
| Long Rock Light and Fog Signal                    | 349    |
| Long Shoal light buoy E57                         | 437    |
| Longue-Pointe light buoy M175                     | 2365.4 |
| Longueuil B Anchorage light buoy LGLB             | 2368   |
| Longueuil light buoy M187                         | 2369.5 |
| Longueuil light buoy M189                         | 2377   |
| Longueuil light buoy MT79                         | 2370   |
| Longueuil light buoy MT81                         | 2371   |
| Longueuil light buoy MT85                         | 2374   |
| Lords Cove                                        | 53.5   |
| Lorneville                                        | 99     |
| Lorneville Approach light and bell buoy JA1       | 98     |
| Lotbinière front range light                      | 2006   |
| Lotbinière rear range light                       | 2007   |
| Louisbourg                                        | 756    |
| Louisbourg front range light                      | 757    |
| Louisbourg light and bell buoy JT1                | 755    |
| Louisbourg light and whistle buoy JT              | 754    |
| Louisbourg rear range light                       | 758    |
| Louiseville                                       | 2148   |
| Louiseville light buoy S77                        | 2139.5 |
| Louiseville light buoy S80                        | 2141   |
| Louiseville light buoy S81                        | 2142   |
| Lourdes-de-Blanc-Sablon light and bell buoy SABLO | 1528.5 |
| Lourdes-de-Blanc-Sablon light buoy CY9            | 1528.6 |
| Lourdes-de-Blanc-Sablon light buoy CY10           | 1528.7 |
| Low Point                                         | 775    |
| Lower Argyle Breakwater                           | 295.5  |
| Lower Bayside light buoy S12                      | 57.9   |
| Lower Cove Cautionary light buoy JD               | 100.2  |
| Lower East Pubnico                                | 300.5  |
| Lower Jemseg                                      | 136    |
| Lower Jordan Bay Fairway light buoy KS            | 366.1  |
| Lower Jordan Bay Inner light buoy KS58            | 366.04 |
| Lower Jordan Bay Inner light buoy KS59            | 366.03 |
| Lower Jordan Bay light buoy KS53                  | 366.35 |
| Lower Jordan Bay light buoy KS54                  | 366.05 |
| Lower Jordan Bay light buoy KS55                  | 366.06 |
| Lower Jordan Bay light buoy KS61                  | 366.8  |
| Lower Jordan Bay Outer light buoy KS56            | 366.02 |
| Lower Jordan Bay Outer light buoy KS57            | 366.01 |
| Lower Jordan Bay Wharf                            | 367    |
| Lower L'Ardoise light and whistle buoy NM         | 736    |
| Lower L'Ardoise light buoy NN5                    | 737.05 |
| Lower Montague Wharf                              | 957    |
| Lower Neguac Breakwater Light                     | 1229.2 |
| Lower Newcastle front range light                 | 1209.5 |
| Lower Newcastle rear range light                  | 1209.6 |
| Lower Portage Island light buoy MJ6               | 1234   |
| Lower Prospect                                    | 496.5  |
| Lower Sandy Point                                 | 359    |
| Lower Sandy Point South Breakwater Light          | 360.8  |
| Lower South Cove Entrance light buoy EM55         | 437.5  |
| Lower Wedgeport                                   | 292    |
| Lower Wedgeport light buoy TC3                    | 291    |
| Lower Woods Harbour                               | 313    |
| Lunenburg Bay light buoy EF                       | 435.5  |
| Lunenburg bifurcation light and bell buoy EDA     | 442    |
| Lunenburg Harbour light buoy E77                  | 441    |
| Lunenburg Harbour Marine Railway light buoy E66   | 439.8  |
| Lunenburg Harbour Outer light buoy E64            | 439    |
| Lurcher Northeast Shoal light buoy N9             | 251.5  |
| Lurcher Shoal bifurcation light buoy NM           | 251    |
| Lynch Shoal light and bell buoy MA57              | 455    |
| L'Île-d'Entrée                                    | 1510.6 |
| L'Anse-à-Brillant front range light               | 1414   |
| L'Anse-à-Brillant light buoy BR2                  | 1413.1 |
| L'Anse-à-Brillant rear range light                | 1415   |
| L'Archevêque light buoy NH8                       | 741.04 |

| M                                            | NO.     |
|----------------------------------------------|---------|
| Miscou Channel light buoy EA5                | 1269.2  |
| Mabou Harbour                                | 876     |
| Mabou Harbour light buoy VJ                  | 874.51  |
| Mabou Harbour light buoy VJ1                 | 874.52  |
| Mabou Harbour light buoy VJ2                 | 874.53  |
| Mabou Harbour light buoy VJ3                 | 874.55  |
| Mabou Harbour light buoy VJ4                 | 874.6   |
| Mabou Harbour light buoy VJ8                 | 874.61  |
| Mabou Harbour light buoy VJ9                 | 874.62  |
| Macdonald Reef light buoy SJ2                | 900.8   |
| MacDonald Rock light buoy XU4                | 593.6   |
| Maces Bay light and bell buoy KJ1            | 87      |
| MacFarlane Point front range light           | 810.7   |
| Macfarlane Point light buoy UH17             | 923.7   |
| MacFarlane Point rear range light            | 810.8   |
| Machias Seal Island                          | 6       |
| Machons Point light buoy NM15                | 969     |
| MacIvers Bank East light buoy A17            | 822     |
| MacIvers Bank light buoy A19                 | 823     |
| MacIvers Point front range light             | 820     |
| MacIvers Point light buoy A11                | 817     |
| MacIvers Point light buoy A14                | 818.5   |
| MacIvers Point light buoy A16                | 819     |
| MacIvers Point rear range light              | 821     |
| MacIvers Point West light buoy A13           | 818     |
| MacKenzie Point                              | 811     |
| Macks Ledge light buoy SJ2                   | 74.2    |
| MacPhee Shoal light buoy NJ3                 | 951.7   |
| MacRae Point light buoy Q20                  | 811.1   |
| MacRae Point Shoal bifurcation light buoy QA | 812     |
| Macs Island light and bell buoy S9           | 68      |
| Mad Dick Rock light and bell buoy JJ6        | 765     |
| Mad Moll Reef light buoy YA4                 | 590.02  |
| Magog light buoy K20                         | 2390    |
| Magog light buoy K21                         | 2390.2  |
| Mahone Harbour light buoy M72                | 452.5   |
| Main-à-Dieu                                  | 766     |
| Main-à-Dieu Harbour                          | 765.1   |
| Main-à-Dieu light buoy JJ10                  | 764.4   |
| Maisonnette Ledge light buoy EN              | 1322.5  |
| Mal-Bay                                      | 1410    |
| Malagash Point light buoy UE6                | 920.9   |
| Malagash Wharf                               | 921.1   |
| Malloch Beach Wharf                          | 39      |
| Maloney Shoal light buoy YA3                 | 590.01  |
| Malpeque Harbour Fairway light buoy JP       | 1065.05 |
| Malpeque Harbour light buoy JP1              | 1065.1  |
| Malpeque Harbour light buoy JP4              | 1065.3  |
| Malpeque West cautionary light buoy JPA      | 1065.2  |
| Man of War Point front range light           | 809.7   |
| Man of War Point rear range light            | 809.8   |
| Man of War Rock light and bell buoy PK7      | 670     |
| Marache Point                                | 708     |
| Marchand Ledge light buoy CJ18               | 720     |
| Margaree Harbour East Breakwater             | 873.2   |
| Margaree Harbour front range light           | 872     |
| Margaree Harbour light buoy VH8              | 873.1   |
| Margaree Harbour light buoy VH9              | 873.22  |
| Margaree Harbour light buoy VH11             | 873.23  |
| Margaree Harbour light buoy VH12             | 873.3   |
| Margaree Harbour rear range light            | 873     |
| Margaree Harbour West Breakwater             | 873.21  |
| Margaree Island (Sea Wolf Island)            | 874     |
| Margaretsville                               | 195     |
| Marie Joseph (Thrumcap Island)               | 612     |
| Marina Baie St-Paul front range light        | 1857.2  |
| Marina Baie St-Paul rear range light         | 1857.21 |
| Marina Baie-Comeau Entrance, East breakwater | 1716.4  |
| Marina Baie-Comeau Entrance, West breakwater | 1716.2  |
| Marina Baie-Comeau, East breakwater center   | 1716.6  |
| Marina Chaudière Entrance light buoy QC4     | 1962.7  |
| Marina de la Chaudière light buoy QC2        | 1962.3  |
| Marina de la Chaudière light buoy QC3        | 1962.5  |
| Marina de la Chaudière Wharf A Light         | 1962.4  |



List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| M                                               | NO.     |
|-------------------------------------------------|---------|
| Marina de la Chaudière Wharf A Light            | 1962.6  |
| Marina de la Chaudière Wharf B Light            | 1962.1  |
| Marina de la Chaudière Wharf B Light            | 1962.2  |
| Marina de la Chaudière Wharf D Light            | 1962.8  |
| Marina de la Chaudière Wharf D Light            | 1962.9  |
| Marina de Tadoussac Hazard light buoy PRIV      | 1782.5  |
| Marina Vauquelin light buoy VAUQU               | 1973.5  |
| Mars Rock light buoy H9                         | 523     |
| Mars Rock North light buoy H11                  | 523.1   |
| Marsh Point light buoy VE5                      | 210.3   |
| Marsh Point light buoy YT11                     | 573     |
| Martins Point light buoy MS56                   | 454.2   |
| Maskinongé Curve                                | 2153.3  |
| Matane fairway light buoy MATAN                 | 1702    |
| Matane Railway Ferry Wharf                      | 1705.5  |
| Matane Sector                                   | 1703.5  |
| Matthews Ledge                                  | 80      |
| Maugher Beach                                   | 527     |
| Maugher Beach light buoy H14                    | 526     |
| McColgan Point                                  | 119     |
| McColgan Point South Cardinal light buoy JN     | 119.5   |
| McCreadyville light buoy U12                    | 794.2   |
| McEacherns Point Wharf                          | 1238.7  |
| McPhee Island light buoy E3                     | 835.8   |
| Medway Harbour (West Berlin) light buoy UJ54    | 416.51  |
| Medway Harbour (West Berlin) light buoy UJ55    | 416.515 |
| Medway Harbour (West Berlin) light buoy UJ56    | 416.52  |
| Medway Harbour (West Berlin) light buoy UJ58    | 416.53  |
| Medway Harbour (West Berlin) light buoy UJ59    | 416.54  |
| Medway Harbour (West Berlin) light buoy UJ61    | 416.55  |
| Medway Harbour light buoy UE51                  | 416.4   |
| Medway Head                                     | 415     |
| Medway South Cardinal light and whistle buoy UA | 414     |
| Merigomish Harbour Approach light buoy SA2      | 896.5   |
| Merigomish Harbour light buoy SA14              | 896.8   |
| Meteghan Breakwater                             | 239.5   |
| Meteghan Inner light buoy HC4                   | 239.4   |
| Meteghan light buoy HC2                         | 239     |
| Meteghan Outer light buoy HC3                   | 239.3   |
| Meteghan River                                  | 238     |
| Michaud Ledges light and whistle buoy N18       | 738     |
| Middle Bay Sector                               | 1531.2  |
| Middle Caraquet East Wharf                      | 1314.1  |
| Middle Caraquet front range light               | 1313.2  |
| Middle Caraquet rear range light                | 1313.3  |
| Middle Caraquet Wharf                           | 1314    |
| Middle Ground light buoy TX1                    | 636.2   |
| Middle Ground South Cardinal light buoy HKC     | 526.5   |
| Middle Ground West Cardinal light buoy HKD      | 526.7   |
| Middle Island light buoy M61                    | 1215    |
| Middle Ledge light and whistle buoy M52         | 447     |
| Middle Melford front range light                | 690.3   |
| Middle Melford rear range light                 | 690.4   |
| Middle Patch light buoy M                       | 449.4   |
| Middle Rock East Cardinal light buoy US         | 397.5   |
| Middle Rock light buoy MU53                     | 454.63  |
| Middle Rock light buoy S52                      | 360.1   |
| Miguasha-Ouest                                  | 1361    |
| Mikes Island Ledge light buoy TE10              | 294.56  |
| Mill Cove Wharf Light                           | 478.4   |
| Millbank Channel West light buoy M59            | 1214    |
| Millbank front range light                      | 1212.5  |
| Millbank light buoy M57                         | 1213    |
| Millbank rear range light                       | 1212.6  |
| Millerand West Breakwater                       | 1499.35 |
| Miminegash East Cardinal light buoy DPB         | 1032.35 |
| Miminegash East Cardinal light buoy DPC         | 1032.55 |
| Miminegash fairway light buoy DP                | 1032.05 |
| Miminegash light buoy DP3                       | 1032.1  |
| Miminegash light buoy DP6                       | 1032.2  |
| Miminegash North Breakwater Light               | 1033.5  |
| Miminegash South Cardinal light buoy DPA        | 1032.45 |
| Minas Basin                                     | 191     |
| Mine Seleine front range light                  | 1486    |

| M                                                     | NO.      |
|-------------------------------------------------------|----------|
| Mine Seleine rear range light                         | 1486.1   |
| Mingan East Entrance light buoy CM28                  | 1603     |
| Miramichi Bar light buoy M2                           | 1170     |
| Miramichi Bar light buoy M14                          | 1173.5   |
| Miramichi Bar light buoy M15                          | 1173.71  |
| Miramichi Bar light buoy M15/1                        | 1173.72  |
| Miramichi Bar light buoy M17                          | 1179     |
| Miramichi Bar light buoy M19                          | 1180.5   |
| Miramichi Outer Bar light buoy M4                     | 1171     |
| Miscou Channel Entrance Fairway light buoy EA         | 1267     |
| Miscou Channel light buoy EA2                         | 1286.1   |
| Miscou Channel light buoy EA3                         | 1268.1   |
| Miscou Channel light buoy EA4                         | 1268.2   |
| Miscou Channel light buoy EA6                         | 1269.4   |
| Miscou Channel light buoy EA7                         | 1270     |
| Miscou Channel light buoy EA8                         | 1270.2   |
| Miscou Channel light buoy EA9                         | 1271     |
| Miscou Channel light buoy EA16                        | 1272     |
| Miscou Channel light buoy EA17                        | 1272.11  |
| Miscou Channel light buoy TK45                        | 1273.01  |
| Miscou Flat West Cardinal light buoy EAE              | 1266     |
| Miscou Harbour light buoy TK16                        | 1262.751 |
| Miscou Harbour light buoy TK17                        | 1272.141 |
| Miscou Harbour light buoy TK22                        | 1272.76  |
| Miscou Harbour light buoy TK25                        | 1264.77  |
| Miscou Harbour light buoy TK26                        | 1264.88  |
| Miscou Harbour light buoy TK36                        | 1264.261 |
| Miscou Harbour light buoy TK41                        | 1264.271 |
| Miscou Harbour light buoy TK42                        | 1272.272 |
| Miscou Harbour light buoy TK46                        | 1273.41  |
| Miscou Island                                         | 1264.7   |
| Miscou Island Bridge Pier light buoy MIS1             | 1264.2   |
| Miscou Island Bridge Pier light buoy MIS2             | 1264.3   |
| Miscou Island Bridge Pier light buoy MIS3             | 1264.4   |
| Miscou Island Bridge Pier light buoy MIS4             | 1264.5   |
| Miscou Island West Cardinal light and whistle buoy EB | 1265     |
| Miscou Wharf                                          | 1274.2   |
| Miscouche Shoal light buoy DE                         | 1018.3   |
| Miscouche Shoal light buoy DE1                        | 1018.4   |
| Mohawk Island East light buoy S5                      | 70.6     |
| Mohawk Ledge North Cardinal light buoy SAA            | 70.5     |
| Monk Head North Cardinal light buoy VR                | 887.73   |
| Mont Louis ODAS light buoy MLS 45138                  | 1654     |
| Mont-Louis Cautionary light buoy WML                  | 1651.5   |
| Mont-Louis Sector Light                               | 1652.5   |
| Montague River light buoy NH22                        | 957.3    |
| Montague River light buoy NH23                        | 957.4    |
| Montague River light buoy NH27                        | 957.41   |
| Montague River light buoy NH30                        | 957.5    |
| Montague River light buoy NH38                        | 957.7    |
| Montague River light buoy NH43                        | 957.8    |
| Montague River light buoy NH45                        | 957.9    |
| Montmagny                                             | 1890     |
| Montmagny information light buoy MTGNY                | 1890.6   |
| Montréal East Anchorage light buoy MEB                | 2354.5   |
| Montréal East light buoy M161                         | 2354     |
| Montréal light buoy M166                              | 2356     |
| Moody Point front range light                         | 1198.8   |
| Moody Point rear range light                          | 1198.9   |
| Moose Harbour light buoy UB1                          | 408.1    |
| Moose Point                                           | 408.2    |
| Moque Head                                            | 765.4    |
| Morgan Ledge                                          | 73       |
| Morris Point light buoy HE17                          | 503.11   |
| Morrisons Cove front range light                      | 825      |
| Morrisons Cove rear range light                       | 826      |
| Moshers Island                                        | 423      |
| Mouillage Batiscan light buoy D68                     | 2046     |
| Mouse Island light buoy CJ5                           | 716      |
| Mouse Island light buoy CJ6                           | 716.1    |
| Mouton Harbour                                        | 629.8    |
| Mouton Harbour Inner Channel light buoy VC4           | 626.4    |
| Mouton Harbour Inner Channel light buoy VC5           | 626.6    |
| Mouton Harbour Inner Channel light buoy VC7           | 626.7    |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| M                                                 | NO.    |
|---------------------------------------------------|--------|
| Mouton Harbour Outer Channel light buoy VC1       | 626.1  |
| Mouton Harbour Outer Channel light buoy VC2       | 626.2  |
| Mouton Harbour Outer Channel light buoy VC3       | 626.3  |
| Mouton Harbour Outer front range light            | 629.5  |
| Mouton Harbour Outer rear range light             | 629.6  |
| Mouton Harbour Wharf Light                        | 629.9  |
| Mouton Head light buoy US51                       | 394.5  |
| Murder Island light buoy NSH                      | 275    |
| Murdock Shoal light buoy SJ6                      | 901.6  |
| Murphy Pond                                       | 876.8  |
| Murphy Pond Breakwater Light                      | 876.9  |
| Murphy Pond light buoy VX1                        | 876.3  |
| Murray Harbour Entrance light buoy NM3            | 963    |
| Murray Harbour front range light                  | 964    |
| Murray Harbour light buoy NM                      | 961    |
| Murray Harbour light buoy NM6                     | 963.5  |
| Murray Harbour light buoy NM7                     | 963.6  |
| Murray Harbour light buoy NM12                    | 966.6  |
| Murray Harbour light buoy NM14                    | 968.1  |
| Murray Harbour light buoy NM16                    | 968.3  |
| Murray Harbour rear range light                   | 965    |
| Murray Harbour Village front range light          | 969.5  |
| Murray Harbour Village rear range light           | 969.6  |
| Musquash Head                                     | 97     |
| Musquodoboit (Flat Rock) light buoy YV15          | 566.08 |
| Musquodoboit (Francis Nose Is) light buoy YV21    | 566.12 |
| Musquodoboit (French Pt) lighted red spar YV18    | 566.11 |
| Musquodoboit Harbour green lighted spar buoy YV11 | 566.04 |
| Musquodoboit Harbour Light                        | 568    |
| Musquodoboit Harbour light buoy YV10              | 566.03 |
| Musquodoboit Harbour light buoy YV12              | 566.05 |
| Musquodoboit Harbour light buoy YV13              | 566.06 |
| Musquodoboit Ledge light and bell buoy YV3        | 566.5  |
| Musquodoboit light buoy YV7                       | 566.02 |
| Mussel Shoal light buoy XU18                      | 596.04 |

| N                                                | NO.     |
|--------------------------------------------------|---------|
| Nag Rock bifurcation light buoy JTA              | 756.5   |
| Nag Rock light buoy JU4                          | 758.5   |
| Naufrage Harbour Bridge                          | 1041.1  |
| Naufrage Harbour East Breakwater Light           | 1040.2  |
| Naufrage Harbour Fairway light buoy JC           | 1040.05 |
| Naufrage West Breakwater                         | 1040.5  |
| Navy Bar light and bell buoy SX3                 | 66      |
| Navy Island Cautionary light buoy HYC            | 560.6   |
| Navy Island light buoy J19                       | 102.19  |
| Navy West Cautionary light and whistle buoy HNWC | 515     |
| Necum Point light buoy VV12                      | 610     |
| Neguac Wharf                                     | 1229    |
| Neil Harbour                                     | 851     |
| Neil Harbour light and bell buoy KD              | 850     |
| Neils Harbour Breakwater Light                   | 850.6   |
| Neil's Harbour light buoy KD1                    | 850.1   |
| Net Rock Ledges light and bell buoy XV6          | 32      |
| Neverfail Shoal light and bell buoy H8           | 518     |
| Neverfail Shoal light buoy YA5                   | 590.03  |
| Neverfail Shoal North light buoy HN7             | 519.5   |
| New Harbour                                      | 467     |
| New Harbour Cove                                 | 644     |
| New Harbour light and bell buoy MA               | 466     |
| New Haven Breakwater light buoy KC1              | 851.3   |
| New Haven light and whistle buoy KC              | 852     |
| New Ireland Ledge light buoy SJ4                 | 75.43   |
| New London                                       | 1060.01 |
| New London Entrance light buoy JM3               | 1060.12 |
| New London Fairway light buoy JM                 | 1058    |
| New London Harbour Entrance light buoy JM2       | 1060.11 |
| New London light buoy JM6                        | 1060.45 |
| New London light buoy JM11                       | 1060.15 |
| New London light buoy JN3                        | 1060.57 |
| New Mills West Breakwater                        | 1340.8  |
| Newcastle Creek                                  | 141.4   |

| N                                                     | NO.      |
|-------------------------------------------------------|----------|
| Newcastle North light buoy M71                        | 1222     |
| Newcastle North light buoy M73                        | 1223     |
| Newcastle Reach light buoy M67                        | 1217.5   |
| Newcastle Wharf light buoy M75                        | 1224     |
| Newellton East Breakwater Light                       | 317.1    |
| Newellton Reef light buoy C8                          | 319      |
| Newellton West Breakwater Light                       | 318.5    |
| Nick Shoal light buoy HE16                            | 503.1    |
| Nicolet Sector                                        | 2119.5   |
| Niger Reef light buoy SY4                             | 63       |
| Nine Mile Creek Wharf                                 | 1006     |
| Nixonmate Shoal light and whistle buoy VH2            | 625      |
| North Cape                                            | 1036     |
| North Cape Reef North Cardinal light and bell buoy DS | 1037     |
| North East Harbour light buoy SP59                    | 351.04   |
| North Fourchu light buoy NC24                         | 747.3    |
| North Harbour Gully light buoy TE46                   | 1242     |
| North Harbour Gully light buoy TE48                   | 1242.2   |
| North Head                                            | 30.8     |
| North Lake Harbour Fairway light buoy JA              | 1038.5   |
| North Lake Harbour front range light                  | 1039     |
| North Lake Harbour rear range light                   | 1039.1   |
| North Lake Harbour West                               | 1039.5   |
| North Miramichi Bar light buoy M18                    | 1179.5   |
| North Richibucto Beach Breakwater light buoy Q22      | 1136     |
| North Richibucto Beach Inner front range light        | 1142     |
| North Richibucto Beach Inner rear range light         | 1143     |
| North Richibucto Beach light buoy Q25                 | 1144     |
| North Richibucto Dune light buoy Q24                  | 1136.1   |
| North Rock Light                                      | 5.8      |
| North Rock light buoy SA                              | 52.55    |
| North Rustico Fairway light buoy JK                   | 1054     |
| North Rustico Harbour                                 | 1056     |
| North Rustico Inner Breakwater                        | 1057     |
| North Rustico Landing Wharf                           | 1057.5   |
| North Rustico light buoy JK3                          | 1054.1   |
| North Rustico light buoy JK4                          | 1054.11  |
| North Rustico light buoy JK6                          | 1054.24  |
| North Rustico light buoy JK8                          | 1054.51  |
| North Rustico light buoy JK10                         | 1054.511 |
| North Sydney                                          | 780      |
| North Tracadie Approach light buoy TE4                | 1240.5   |
| North Tracadie Fairway light buoy JH                  | 1047.51  |
| North Tracadie Gully light buoy TE38                  | 1241.8   |
| North Tracadie Harbour Entrance light buoy TE12       | 1241     |
| North Tracadie Harbour light buoy TE15                | 1241.2   |
| North Tracadie light buoy TE25                        | 1241.4   |
| North Tracadie Wharf                                  | 1244.9   |
| Northeast Arm light buoy XX1                          | 596.01   |
| Northeast Middle Ground light buoy H17                | 527.5    |
| Northeast Shoal light and bell buoy DA51              | 473      |
| Northern End Ledge                                    | 315.5    |
| Northern End Woods Harbour Breakwater Light           | 315.4    |
| Northport Fairway light buoy UP                       | 940.3    |
| Northport front range light                           | 1081     |
| Northport rear range light                            | 1082     |
| Northwest Arm light buoy HQD                          | 532.5    |
| Northwest Cove light buoy DP54                        | 477.4    |
| Northwest Cove Wharf                                  | 481      |
| Northwest Ledge light buoy M4                         | 220      |
| Norway Reach light buoy SJ19                          | 905.6    |
| Norway Reach light buoy SJ27/3                        | 909      |

| O                                | NO.    |
|----------------------------------|--------|
| Oak Channel front range light    | 1200   |
| Oak Channel light buoy M39       | 1202   |
| Oak Channel light buoy M44       | 1203.1 |
| Oak Channel rear range light     | 1201   |
| Oak Channel South light buoy M40 | 1203   |
| Oak Island Bar light buoy UH2    | 921.4  |
| Oak Point                        | 125    |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| O                                                         | NO.    |
|-----------------------------------------------------------|--------|
| Oak Point front range light                               | 1202.5 |
| Oak Point light buoy S16                                  | 58.6   |
| Oak Point rear range light                                | 1202.6 |
| Oak Point Wharf                                           | 126    |
| ODAS light buoy IML-4                                     | 1707.9 |
| ODAS light buoy IML-6                                     | 1037.6 |
| ODAS light buoy IML-7                                     | 1656   |
| Old Battery Point light buoy C13                          | 999.2  |
| Old Cow Reef bifurcation light buoy SAC                   | 357.5  |
| Old Harry Head light buoy Y8                              | 1481   |
| Old Harry scientific light buoy IML-10                    | 1477.5 |
| Old Man light buoy T1                                     | 287.5  |
| Old Proprietor light and whistle buoy X1                  | 9      |
| Old Proprietor Shoal East Cardinal light and bell buoy XK | 9.5    |
| Old Witch Shoal                                           | 2389   |
| Old Woman South Cardinal light buoy TT                    | 285.5  |
| Orpheus Rock light and bell buoy NQ1                      | 723    |
| Osborne Harbour                                           | 373.5  |
| Ouetique Island                                           | 731    |
| Outer Farm Ledge light buoy KE52                          | 382.01 |
| Outer Island                                              | 307    |
| Outer Island North light buoy D2                          | 305    |
| Outer Island South light buoy C                           | 306    |
| Outer Middle Ground bifurcation light buoy HAC            | 525    |
| Outer Middle Ground West Cardinal light buoy HKB          | 524.3  |
| Outer Rock South Cardinal light buoy JJ                   | 340.01 |
| Owls Head                                                 | 583    |
| Owls Head Harbour light and bell buoy YP2                 | 582    |
| Ox Eye Rock light buoy NA2                                | 326    |
| Ox Head Ledges light buoy XK7                             | 19     |

| P                                                    | NO.     |
|------------------------------------------------------|---------|
| Paddle Shoal light buoy DA2                          | 837     |
| Paddy Head Island Light                              | 482     |
| Pagan Point light buoy Q38                           | 1150    |
| Page Point East light buoy UK32                      | 938.5   |
| Page Point North light buoy UK30                     | 938     |
| Palmer Point light buoy UH12                         | 923.3   |
| Panmure Head                                         | 953     |
| Parc nautique de St-Jean-Port-Joli front range light | 1875.5  |
| Parc nautique de St-Jean-Port-Joli rear range light  | 1875.7  |
| Parc nautique Lévy Floating Breakwater               | 1959.5  |
| Parc nautique Lévy Information light buoy            | 1959.8  |
| Parc nautique Lévy North Breakwater                  | 1959.6  |
| Parc nautique Lévy South Breakwater                  | 1959.7  |
| Park Point front range light                         | 692     |
| Park Point rear range light                          | 693     |
| Parker Island light buoy SJ1                         | 73.25   |
| Parker Island light buoy SJA                         | 73.5    |
| Parkers Cove                                         | 199     |
| Parrsboro                                            | 172     |
| Parrsboro Wharf                                      | 173     |
| Partridge Island                                     | 100     |
| Partridge Island Bar light buoy J9                   | 102     |
| Partridge Island light and bell buoy J1              | 101     |
| Partridge Island light buoy J3                       | 101.3   |
| Partridge Island light buoy J5                       | 101.35  |
| Partridge Island light buoy J7                       | 101.4   |
| Pas Reef light buoy PJ6                              | 670.5   |
| Paspébiac Breakwater                                 | 1373.3  |
| Paspébiac light buoy AP2                             | 1373    |
| Paspébiac Wharf                                      | 1374    |
| Passage Saint-Augustin                               | 1539.95 |
| Passe de l'Île aux Lièvres Fairway light buoy ILIEV  | 1830    |
| Pea Point                                            | 81      |
| Peakes Quay Marina                                   | 995.1   |
| Pearl Island                                         | 471     |
| Pearl Rock                                           | 282.5   |
| Peases Island                                        | 283     |
| Peases Island Ledge light buoy NS4                   | 283.2   |
| Peggy's Cove Wharf                                   | 486     |

| P                                              | NO.     |
|------------------------------------------------|---------|
| Peggy's Point                                  | 487     |
| Pennant Harbour bifurcation light buoy AAA     | 501.4   |
| Pennant Harbour light buoy AA51                | 501.6   |
| Pennant Harbour light buoy AA52                | 501.7   |
| Pennant Harbour light buoy AA53                | 501.5   |
| Pennant Harbour light buoy AA54                | 501.3   |
| Pennant Harbour light buoy AA55                | 501.2   |
| Pennant Point light and bell buoy AA50         | 502     |
| Pennel Shoal light buoy HS2                    | 508.2   |
| Penny Point light buoy NM13                    | 968     |
| Penouille light buoy HD8                       | 1420    |
| Percé                                          | 1409    |
| Peter Island                                   | 227     |
| Peter Island North                             | 227.5   |
| Petit-de-Grat Breakwater                       | 721     |
| Petit-de-Grat Harbour light buoy CJ9           | 717     |
| Petit-de-Grat Inner front range light          | 718     |
| Petit-de-Grat Inner rear range light           | 719     |
| Petit-de-Grat light and bell buoy CJ1          | 711     |
| Petit-de-Grat light and whistle buoy CJ        | 710     |
| Petit-de-Grat Light Buoy NR10                  | 712.09  |
| Petit-de-Grat Outer front range light          | 713     |
| Petit-de-Grat Outer rear range light           | 714     |
| Petit-Rocher                                   | 1339    |
| Petit-Rocher Breakwater Light                  | 1339.2  |
| Petit-Rocher light buoy ES2                    | 1339.5  |
| Petite Anse light and bell buoy NS1            | 724     |
| Petite batture Champlain light buoy C4         | 2055    |
| Petite Natashquan front range light            | 1578    |
| Petite Natashquan rear range light             | 1579    |
| Petite Traverse                                | 2289.1  |
| Petite Traverse                                | 2288.1  |
| Petite Traverse front range light              | 2288    |
| Petite Traverse rear range light               | 2289    |
| Petite Île au Marteau                          | 1585    |
| Petite Île Beemer                              | 1823.76 |
| Petite-Tourelle                                | 1682.4  |
| Petite-Tourelle front range light              | 1682.6  |
| Petite-Tourelle rear range light               | 1682.7  |
| Petpeswick light buoy HH8                      | 565.04  |
| Petpeswick light buoy HH9                      | 565.05  |
| Phare de Pointe-Carleton                       | 1514.2  |
| Philipsburg light buoy                         | 2271.8  |
| Picard Reef light buoy CM1                     | 704.86  |
| Pictou Harbour front range light               | 903     |
| Pictou Harbour light buoy SJ4                  | 901     |
| Pictou Harbour light buoy SJ5                  | 901.1   |
| Pictou Harbour light buoy SJ11                 | 905     |
| Pictou Harbour light buoy SJ12                 | 905.2   |
| Pictou Harbour rear range light                | 904     |
| Pictou Island (East End)                       | 899.5   |
| Pictou Island (West End)                       | 897     |
| Pictou Island Breakwater                       | 898     |
| Pictou Island East Breakwater                  | 898.5   |
| Pictou Island East East Cardinal light buoy SP | 900.2   |
| Pictou Island North Cardinal light buoy SPN    | 896.95  |
| Pictou Island South                            | 899     |
| Pictou Landing East                            | 905.4   |
| Pictou Landing light buoy SJ15                 | 905.3   |
| Pictou Landing West                            | 905.5   |
| Pictou light buoy SJ                           | 900.5   |
| Pictou Marina                                  | 906.6   |
| Pier 1                                         | 114     |
| Pier 12                                        | 113.3   |
| Pierre Laporte Bridge Centre-West              | 1963.5  |
| Pigeon Hill Wharf                              | 1262.9  |
| Pilier de Pierre                               | 1876    |
| Pinette Harbour light buoy NV4                 | 980.5   |
| Pink Rock light buoy PK2                       | 667.015 |
| Pinkneys Point                                 | 278     |
| Pinkneys Point Fog Signal                      | 278.2   |
| Pinkneys Point light buoy NS17                 | 277     |
| Piscatiqui Island                              | 678     |
| Piscatiqui Island light buoy PC5               | 680.5   |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| P                                                 | NO.     |
|---------------------------------------------------|---------|
| Pleasant Bay Breakwater                           | 860.6   |
| Pleasant Bay front range light                    | 861     |
| Pleasant Bay rear range light                     | 861.1   |
| Pleasant Bay Southwest Breakwater                 | 860.9   |
| Pleasant Shoal light buoy H19                     | 529     |
| Point Aconi                                       | 796     |
| Point Aconi Fairway light and whistle buoy U      | 789.5   |
| Point Edward Main Jetty North                     | 785.7   |
| Point Edward Main Jetty South                     | 785.8   |
| Point Escuminac                                   | 1163    |
| Point Escuminac light buoy X31                    | 1162    |
| Point Lepreau                                     | 90      |
| Point Sapin Western Breakwater light              | 1162.3  |
| Point Tupper                                      | 696     |
| Point Tupper light buoy C26                       | 695     |
| Pointe Argenteay front range light                | 1910.5  |
| Pointe Argenteay light buoy K116                  | 1910    |
| Pointe Argenteay rear range light                 | 1910.6  |
| Pointe au Corbeau                                 | 1660    |
| Pointe Aubin light buoy Q27                       | 1970.5  |
| Pointe aux Basques light buoy D4                  | 1662.3  |
| Pointe aux Crêpes                                 | 1788    |
| Pointe aux Esquimaux front range light            | 1590    |
| Pointe aux Esquimaux rear range light             | 1591    |
| Pointe aux Morts light and bell buoy CM16         | 1598.5  |
| Pointe aux Morts light buoy CM17                  | 1598    |
| Pointe aux Ormes light buoy C70                   | 2108    |
| Pointe aux Pins                                   | 1891.2  |
| Pointe aux Pins, Saguenay                         | 1799.5  |
| Pointe aux Prêtres light buoy V6                  | 1934    |
| Pointe aux Sables light buoy Q54                  | 1990    |
| Pointe aux Sables light buoy S2                   | 2110    |
| Pointe aux Trembles (Neuville)                    | 1974    |
| Pointe aux Trembles Anchorage light buoy PATE     | 2349.4  |
| Pointe aux Trembles light buoy Q32                | 1973    |
| Pointe aux Trembles light buoy Q34                | 1974.5  |
| Pointe aux Trembles South Cardinal light buoy PAT | 2348.1  |
| Pointe Cartier light buoy E440                    | 2258.31 |
| Pointe Cartier light buoy E443                    | 2258.1  |
| Pointe Cartier light buoy E445                    | 2258.35 |
| Pointe Cartier light buoy E448                    | 2258.4  |
| Pointe Claveau                                    | 1791    |
| Pointe de Beaubassin light buoy AB1               | 1370    |
| Pointe de Bécancour light buoy C34                | 2072    |
| Pointe de Forgeron light buoy QA11                | 1149.3  |
| Pointe de Kégaska                                 | 1574    |
| Pointe de Kégaska light and bell buoy CK1         | 1574.3  |
| Pointe de l'Islet                                 | 1783    |
| Pointe de La Durantaye West light buoy K143       | 1923.4  |
| Pointe de la Martinière front range light         | 1925.6  |
| Pointe De La Martinière light buoy K155           | 1925.8  |
| Pointe de la Martinière rear range light          | 1925.7  |
| Pointe de la Prairie                              | 1851    |
| Pointe de la Prairie light buoy K65               | 1857    |
| Pointe de la Rivière du Loup                      | 1826    |
| Pointe de Lévy light buoy K165                    | 1931.5  |
| Pointe de l'Est East Cardinal light buoy YY       | 1480    |
| Pointe de Maisonnnette                            | 1324    |
| Pointe de Manicouagan                             | 1719    |
| Pointe de Newport                                 | 1389    |
| Pointe de Newport front range light               | 1390    |
| Pointe de Newport rear range light                | 1391    |
| Pointe de Petite-Lamèque front range light        | 1277    |
| Pointe de Petite-Lamèque rear range light         | 1278    |
| Pointe de Rivière du Loup west light              | 1826.5  |
| Pointe des Chenaux light buoy C49                 | 2085    |
| Pointe des Grondines front range light            | 2023    |
| Pointe des Grondines rear range light             | 2024    |
| Pointe des Ormes light buoy C71                   | 2109    |
| Pointe des Ormes light buoy C72                   | 2109.1  |
| Pointe Deschailons light buoy D29                 | 2029    |
| Pointe du Chalet des Phares light buoy Q37        | 1978    |
| Pointe du Chalet des Phares light buoy Q38        | 1979    |
| Pointe du Débarquement light buoy K91             | 1893.5  |

| P                                             | NO.     |
|-----------------------------------------------|---------|
| Pointe du Nord-Est                            | 1539.2  |
| Pointe du Nord-Est front range light          | 1539.16 |
| Pointe du Nord-Est rear range light           | 1539.17 |
| Pointe du Petit Lac front range light         | 1567    |
| Pointe du Petit Lac rear range light          | 1568    |
| Pointe du Sud-Ouest                           | 1515    |
| Pointe Langlois                               | 2013    |
| Pointe Mackenzie front range light            | 1565    |
| Pointe Mackenzie rear range light             | 1566    |
| Pointe Milne front range light                | 1563.7  |
| Pointe Milne rear range light                 | 1563.8  |
| Pointe Mitis (Petit Mitis)                    | 1707    |
| Pointe Noire light buoy D15                   | 1670.4  |
| Pointe Noire light buoy D20                   | 1673    |
| Pointe Noire Ore Terminal West                | 1672    |
| Pointe Noire Railway Ferry Wharf              | 1672.3  |
| Pointe Noire, Saguenay                        | 1779.1  |
| Pointe Noire, Saguenay front range light      | 1779    |
| Pointe Noire, Saguenay rear range light       | 1780    |
| Pointe Ouest                                  | 1523    |
| Pointe Platon light buoy Q61                  | 1993    |
| Pointe Platon light buoy Q63                  | 1994    |
| Pointe Rocheuse (Forestville)                 | 1738    |
| Pointe Rouge                                  | 1795    |
| Pointe Saint-Jean light buoy K136             | 1917.2  |
| Pointe Saint-Nicolas                          | 1966    |
| Pointe Saint-Nicolas light buoy Q19           | 1967    |
| Pointe Saint-Pancrace                         | 1709    |
| Pointe Saint-Pierre front range light         | 1946    |
| Pointe Saint-Pierre rear range light          | 1947    |
| Pointe Samson light buoy H131                 | 1922.5  |
| Pointe Sapin Outer Breakwater                 | 1159.5  |
| Pointe à Basile                               | 1964.1  |
| Pointe à Basile front range light             | 1964    |
| Pointe à Basile rear range light              | 1965    |
| Pointe à Bernache front range light           | 1286.3  |
| Pointe à Bernache rear range light            | 1286.4  |
| Pointe à Bigot                                | 2066.3  |
| Pointe à Bigot light buoy C20                 | 2065    |
| Pointe à Bigot light buoy C21                 | 2066    |
| Pointe à Blaye light buoy K132                | 1917    |
| Pointe à Blaye light buoy K135                | 1917.3  |
| Pointe à Boisvert light buoy K48              | 1747    |
| Pointe à la Chasse                            | 1675    |
| Pointe à la Citrouille                        | 2053    |
| Pointe à la Citrouille light buoy C2          | 2054    |
| Pointe à la Citrouille light buoy D87         | 2052    |
| Pointe à la Citrouille light buoy D88         | 2052.5  |
| Pointe à la Citrouille light buoy D90         | 2053.5  |
| Pointe à la Marmite light buoy D11            | 1661    |
| Pointe à Marcelle front range light           | 1283    |
| Pointe à Marcelle rear range light            | 1283.1  |
| Pointe à Michel light buoy K32                | 1726    |
| Pointe à Puiseaux                             | 1962    |
| Pointe-au-Pic                                 | 1844    |
| Pointe-au-Pic Breakwater                      | 1843.7  |
| Pointe-au-Pic light and bell buoy K64         | 1843    |
| Pointe-au-Pic South Cardinal light buoy KPP   | 1843.5  |
| Pointe-aux-Loups North Breakwater             | 1491.5  |
| Pointe-aux-Trembles Anchorage light buoy PATB | 2349.1  |
| Pointe-aux-Trembles Anchorage light buoy PATC | 2349.2  |
| Pointe-aux-Trembles Anchorage light buoy PATD | 2349.3  |
| Pointe-aux-Trembles Anchorage light buoy PATG | 2350.5  |
| Pointe-aux-Trembles light buoy M156           | 2349.5  |
| Pointe-Basse                                  | 1495.5  |
| Pointe-du-Chêne Breakwater                    | 1111.1  |
| Pointe-du-Chêne light buoy XP3                | 1109.81 |
| Pointe-du-Chêne North Breakwater Light        | 1111.01 |
| Pointe-du-Chêne Wharf                         | 1110.5  |
| Pointe-du-Lac                                 | 2125.1  |
| Pointe-du-Lac Alignment light buoy S26        | 2129    |
| Pointe-du-Lac Alignment light buoy S32        | 2130    |
| Pointe-du-Lac Alignment light buoy S44        | 2132    |
| Pointe-du-Lac curve light buoy S16            | 2122.8  |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| P                                                       | NO.      |
|---------------------------------------------------------|----------|
| Pointe-du-Lac curve light buoy S22                      | 2127     |
| Pointe-du-Lac front range light                         | 2125     |
| Pointe-du-Lac light buoy S21                            | 2124     |
| Pointe-du-Lac light buoy S25                            | 2128     |
| Pointe-du-Lac light buoy S27                            | 2129.3   |
| Pointe-du-Lac Range light buoy S31                      | 2129.6   |
| Pointe-du-Lac range light buoy S43                      | 2131.7   |
| Pointe-du-Lac rear range light                          | 2126     |
| Pointe-Noire Wharf front range light                    | 1671.2   |
| Pointe-Noire Wharf rear range light                     | 1671.3   |
| Pointe-Noire, Anse-du-Portage Ste-Marguerite Sector     | 1672.1   |
| Pointe-Platon                                           | 1993.7   |
| Pointe-Sapin                                            | 1161.2   |
| Pointe-Sapin Sector Light                               | 1159.6   |
| Pointe-Verte                                            | 1340     |
| Pointe-Verte Breakwater                                 | 1339.8   |
| Pointe-Verte light buoy ET2                             | 1340.05  |
| Pokemouche Gully light buoy TH2                         | 1246.5   |
| Pokemouche Gully light buoy TH10                        | 1246.71  |
| Pokemouche Gully light buoy TH11                        | 1246.72  |
| Pokemouche Gully light buoy TH15                        | 1246.77  |
| Pokemouche Gully Wharf                                  | 1246.8   |
| Pollock Shoal light and bell buoy TC52                  | 433      |
| Pomeroy Ledge                                           | 74.35    |
| Pompey Ledge                                            | 51       |
| Pomquet Island                                          | 888      |
| Pont Beloeil                                            | 2245     |
| Pont de l'Île-d'Orléans light buoy V31                  | 1948     |
| Pont de l'Île-d'Orléans light buoy V34                  | 1950.4   |
| Pont de l'Île-d'Orléans light buoy V35                  | 1950.5   |
| Pont de l'Île-d'Orléans light buoy V36                  | 1951     |
| Pont de Québec                                          | 1963     |
| Pont de Québec North                                    | 1963.4   |
| Pont de Québec North                                    | 1963.41  |
| Pont de Québec South                                    | 1963.42  |
| Pont de Québec South                                    | 1963.43  |
| Pont Havre-aux-Maisons, port                            | 1494.915 |
| Pont Havre-aux-Maisons, starboard                       | 1494.918 |
| Pont Jacques-Cartier Bridge East Light                  | 2379.6   |
| Pont Jacques-Cartier Bridge North Light                 | 2379.4   |
| Pont Jacques-Cartier Bridge South Light                 | 2379.3   |
| Pont Laviolette Centre                                  | 2105.4   |
| Pont Laviolette light buoy C65                          | 2104.6   |
| Pont Laviolette light buoy C67                          | 2106     |
| Pont Laviolette North                                   | 2105.2   |
| Pont Laviolette South                                   | 2105.6   |
| Pont Laviolette, North Racon                            | 2105.72  |
| Pont Laviolette, South Racon                            | 2105.73  |
| Pont Pierre-Laporte                                     | 1963.1   |
| Pont-rail de Cantic (Lacolle)                           | 2268     |
| Pont-rail de Cantic (Lacolle)                           | 2268.5   |
| Pont-tunnel Louis-Hippolyte-La Fontaine light buoy M171 | 2365     |
| Poor Point light buoy D1                                | 836.1    |
| Popes Harbour                                           | 589      |
| Popes Harbour light and bell buoy YE2                   | 588      |
| Pork Ledge Light                                        | 323.91   |
| Port Bickerton                                          | 629      |
| Port Bickerton East wharf Light                         | 631.2    |
| Port Bickerton light and bell buoy V                    | 632      |
| Port Borden Breakwater                                  | 1015     |
| Port Borden Pier                                        | 1017.5   |
| Port Daniel light buoy AD2                              | 1381     |
| Port Daniel light buoy AD4                              | 1380     |
| Port Daniel West                                        | 1379     |
| Port de Bécancour                                       | 2068.3   |
| Port de Bécancour, East Limit front range light         | 2068.1   |
| Port de Bécancour, East Limit rear range light          | 2068.2   |
| Port de Gros-Cacouna                                    | 1824.4   |
| Port de Gros-Cacouna North                              | 1824.3   |
| Port de Matane East Breakwater                          | 1705.4   |
| Port de Matane Pile 1                                   | 1705.55  |
| Port de Matane West Breakwater                          | 1705.6   |
| Port de Rimouski light and bell buoy H41                | 1731     |

| P                                                                    | NO.     |
|----------------------------------------------------------------------|---------|
| Port de Rimouski light buoy HT2                                      | 1732    |
| Port de Rimouski light buoy HT3                                      | 1732.2  |
| Port de Rimouski light buoy HT10                                     | 1732.4  |
| Port de Rimouski light buoy HT11                                     | 1732.3  |
| Port de Sorel East light buoy SN22                                   | 2182.4  |
| Port de Sorel light buoy SN26                                        | 2182.5  |
| Port de Sorel light buoy SN28                                        | 2182.8  |
| Port de Sorel Middle light buoy SN24                                 | 2182.6  |
| Port Felix light and bell buoy TA7                                   | 656     |
| Port Hebert                                                          | 388     |
| Port Hebert light buoy UX                                            | 387     |
| Port Hebert light buoy UX56                                          | 387.04  |
| Port Hood Causeway North light buoy VK17                             | 880.7   |
| Port Hood Causeway North light buoy VK18                             | 880.8   |
| Port Hood Causeway South light buoy VK15                             | 880.5   |
| Port Hood Causeway South light buoy VK16                             | 880.6   |
| Port Hood Fairway light buoy VX                                      | 876.5   |
| Port Hood Island                                                     | 877     |
| Port La Tour                                                         | 344     |
| Port La Tour Inner light buoy JN53                                   | 342     |
| Port La Tour light buoy JA                                           | 347     |
| Port La Tour light buoy JJ56                                         | 340.03  |
| Port La Tour light buoy JJ57                                         | 340.04  |
| Port La Tour light buoy JN                                           | 340     |
| Port La Tour light buoy JN51                                         | 346.01  |
| Port Latour Harbour                                                  | 345     |
| Port Lorne breakwater Light                                          | 197.3   |
| Port Maitland light buoy NU                                          | 246     |
| Port Maitland West Breakwater light                                  | 250.1   |
| Port Maitland Wharf Light                                            | 247     |
| Port Malcolm front range light                                       | 689.7   |
| Port Malcolm rear range light                                        | 689.8   |
| Port Medway light buoy UA51                                          | 413     |
| Port Menier light buoy PM9                                           | 1517    |
| Port Menier light buoy PM11                                          | 1518    |
| Port Morien                                                          | 768     |
| Port Morien light buoy JA6                                           | 768.5   |
| Port Mouton                                                          | 396     |
| Port Mouton Breakwater Light                                         | 401.5   |
| Port Mouton Channel light buoy UN66                                  | 400.5   |
| Port Mouton Inner                                                    | 399.5   |
| Port Mouton light buoy UN                                            | 395     |
| Port Mouton light buoy UN74                                          | 400.7   |
| Port Mouton light buoy UN80                                          | 401     |
| Port Saint-François                                                  | 2113.1  |
| Port Sainte-Hélène bifurcation light buoy PSH                        | 2378.5  |
| Port Sainte-Hélène light buoy M192                                   | 2379    |
| Port Shoal light buoy KP8                                            | 845.4   |
| Port Wade Light Buoy VE1                                             | 209.1   |
| Port-Alfred front range light                                        | 1799.2  |
| Port-Alfred rear range light                                         | 1799.3  |
| Port-Cartier Entrance East                                           | 1681    |
| Port-Cartier Entrance West                                           | 1682    |
| Port-Cartier fairway light and bell buoy PTCAR                       | 1680    |
| Port-Cartier front range light                                       | 1678    |
| Port-Cartier rear range light                                        | 1679    |
| Port-Daniel-Est                                                      | 1379.5  |
| Port-Joli Shoals light buoy H93                                      | 1874    |
| Port-Menier fairway light and bell buoy MENIER                       | 1516    |
| Port-Saint-François                                                  | 2111    |
| Port-Saint-François light buoy C77                                   | 2109.6  |
| Portage Gully light buoy MH2                                         | 1236.6  |
| Portage Gully light buoy MH3                                         | 1236.5  |
| Portage Gully light buoy MH6                                         | 1236.3  |
| Portage Gully light buoy MH6.2                                       | 1236.1  |
| Portage Gully light buoy MH11                                        | 1236    |
| Portage Gully light buoy MH26                                        | 1235.9  |
| Portage Gully light buoy MJ2                                         | 1234.4  |
| Portage Gully, North Side Channel Entrance bifurcation light buoy MJ | 1235    |
| Portage Island Cautionary light buoy MHC                             | 1179.1  |
| Portage Island Channel Fairway light buoy ME                         | 1173.91 |
| Portage Island Channel light buoy ME3                                | 1174.5  |
| Portage Island Channel light buoy ME4                                | 1174    |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| P                                          | NO.     |
|--------------------------------------------|---------|
| Portage Island Channel light buoy ME8      | 1175    |
| Porter Island West light and bell buoy YS6 | 578     |
| Portneuf                                   | 1999    |
| Portneuf front range light                 | 1997    |
| Portneuf light buoy Q65                    | 1999.5  |
| Portneuf light buoy Q66                    | 2000    |
| Portneuf marina, Breakwater                | 1998.51 |
| Portneuf rear range light                  | 1998    |
| Portnova light and whistle buoy J10        | 763     |
| Portsmouth Point light buoy VK7            | 879.5   |
| Poste-Saint-Martin front range light       | 1801    |
| Poste-Saint-Martin light buoy S30          | 1800.5  |
| Poste-Saint-Martin light buoy S32          | 1802.4  |
| Poste-Saint-Martin light buoy S34          | 1802.6  |
| Poste-Saint-Martin light buoy S36          | 1803    |
| Poste-Saint-Martin light buoy S37          | 1803.5  |
| Poste-Saint-Martin light buoy S38          | 1804    |
| Poste-Saint-Martin light buoy S39          | 1804.3  |
| Poste-Saint-Martin light buoy S40          | 1804.5  |
| Poste-Saint-Martin rear range light        | 1802    |
| Poulier du Calvaire light buoy D24         | 2022    |
| Poulier du Calvaire light buoy D25         | 2022.5  |
| Poulier du Calvaire light buoy M129        | 2337    |
| Poulier Dubord light buoy C13              | 2057    |
| Poulier Dubord light buoy C15              | 2058    |
| Poulier Dubord light buoy C17              | 2059    |
| Poulier Grandmont light buoy C3            | 2054.1  |
| Poulier Paget light buoy Q57               | 1992    |
| Poulier Turcotte light buoy C7             | 2056    |
| Poulier Villeneuve light buoy D36          | 2033    |
| Poulier à Gagnon light buoy M177           | 2365.9  |
| Powell Docking Basin #2 front range light  | 1799.11 |
| Powell Docking Basin #2 front range light  | 1799.13 |
| Powell Docking Basin #2 rear range light   | 1799.12 |
| Powell Docking Basin #2 rear range light   | 1799.14 |
| Prangle Point light and bell buoy XP3      | 28      |
| Premier Shoal light buoy CL4               | 696.5   |
| Presqu'île de Penouille front range light  | 1419.6  |
| Presqu'île de Penouille rear range light   | 1419.7  |
| Price Monument Sector                      | 1822    |
| Prim Point                                 | 201     |
| Prim Point                                 | 983     |
| Prim Reefs light buoy C2                   | 984     |
| Privateer Rock light buoy Y12              | 262     |
| Prospect light and bell buoy AM62          | 494     |
| Prospect Point Wharf Light                 | 311     |
| Prospect Wharf                             | 492     |
| Pubnico Harbour                            | 299     |
| Pubnico Ledges light buoy P5               | 300     |
| Pubnico light buoy P1                      | 302.5   |
| Pugwash Bar North light buoy UK11          | 929.5   |
| Pugwash Channel 1st Turn light buoy UK16   | 933     |
| Pugwash Channel light buoy UK13            | 930     |
| Pugwash Channel light buoy UK18            | 934     |
| Pugwash Channel light buoy UK19            | 937     |
| Pugwash Channel light buoy UK25            | 937.5   |
| Pugwash Harbour Entrance light buoy UK3    | 925.4   |
| Pugwash Harbour light buoy UK2             | 925.2   |
| Pugwash Harbour light buoy UK28            | 937.8   |
| Pugwash light buoy UK8                     | 929.2   |
| Pugwash Reef West Cardinal light buoy UN   | 925.6   |
| Pugwash Road light buoy UK7                | 929     |
| Pugwash Road Turning light buoy UK9        | 929.3   |
| Pumpkin Ledge light buoy A6                | 297.6   |
| Purcells Cove light buoy HQ1               | 532     |
| Purdys Point light buoy J38                | 122.1   |
| Pyches Rock East Cardinal light buoy YS    | 580.3   |
| Péribonka                                  | 1823.73 |
| Péribonka West Breakwater                  | 1823.71 |

| Q                                                 | NO. |
|---------------------------------------------------|-----|
| Quaco Ledge North Cardinal light and bell buoy KW | 149 |

| Q                                                   | NO.     |
|-----------------------------------------------------|---------|
| Quaco light and bell buoy K15                       | 151     |
| Quai Bellevue light buoy MT3                        | 2365.53 |
| Quai de L'Anse-à-la-Cabane East Breakwater          | 1499.3  |
| Quai de Pointe Noire (La Relance) front range light | 1672.4  |
| Quai de Pointe Noire (La Relance) rear range light  | 1672.5  |
| Quai Jacques-Cartier light buoy M201                | 2384    |
| Quai Maltais light buoy S53                         | 1820    |
| Quaker Island                                       | 456     |
| Quebec Yacht Club East                              | 1960.3  |
| Queensport                                          | 683     |
| Québec bifurcation light buoy QUEB                  | 1954    |
| Québec North Limit Anchorage                        | 1958    |
| Québec Rayonier front range light                   | 1676    |
| Québec Rayonier light buoy KA12                     | 1677.6  |
| Québec Rayonier light buoy KA13                     | 1677.4  |
| Québec Rayonier rear range light                    | 1676.1  |
| Québec Yacht Club front range light                 | 1960.4  |
| Québec Yacht Club light buoy                        | 1960.8  |
| Québec Yacht Club rear range light                  | 1960.5  |
| Québec Yacht Club West                              | 1960.6  |

| R                                                  | NO.     |
|----------------------------------------------------|---------|
| Ram Rock light buoy YA7                            | 590.05  |
| Rapides Richelieu light buoy Q67                   | 2001    |
| Rapides Richelieu light buoy Q68                   | 2001.1  |
| Red Head light buoy XA7                            | 17.5    |
| Red Head Wharf                                     | 1046.5  |
| Red Rock light buoy AM3                            | 118     |
| Reddish Point Breakwater                           | 1383    |
| Redmond Cove light buoy DV52                       | 480.1   |
| Reef Point light and whistle buoy MD55             | 464     |
| Reynolds Island light buoy NM30                    | 969.8   |
| Richardson Wharf light buoy UP7                    | 52.25   |
| Richardsonville Light                              | 51.1    |
| Richibucto Cape                                    | 1128    |
| Richibucto Cape Breakwater                         | 1129    |
| Richibucto Floating Dock Light                     | 1141    |
| Richibucto Gully Channel light buoy Q18            | 1135    |
| Richibucto Gully Entrance light buoy Q3            | 1132    |
| Richibucto Gully Inner light buoy Q11              | 1134    |
| Richibucto Gully Outer light buoy Q10              | 1133.6  |
| Richibucto Harbour light buoy Q28                  | 1144.5  |
| Richibucto Harbour light buoy Q34                  | 1147.5  |
| Richibucto Harbour light buoy QA2                  | 1148    |
| Richibucto Harbour Northwest Branch light buoy QA6 | 1148.4  |
| Richibucto Harbour Northwest Branch light buoy QA7 | 1148.5  |
| Richibucto Harbour Outer light buoy Q32            | 1147    |
| Richibucto light and bell buoy Q                   | 1131    |
| Richibucto light buoy Q5                           | 1133.1  |
| Richibucto Northwest Branch light buoy QA8         | 1149    |
| Richibucto Northwest Branch light buoy QA13        | 1149.6  |
| Richibucto River light buoy Q39                    | 1150.1  |
| Richibucto River light buoy Q42                    | 1150.11 |
| Richibucto Town front range light                  | 1151    |
| Richibucto Town rear range light                   | 1152    |
| Richibucto Wharf Light                             | 1152.5  |
| Rimouski                                           | 1733    |
| Rimouski Harbour front range light                 | 1734    |
| Rimouski Harbour rear range light                  | 1735    |
| Ringdove Shoal light and bell buoy DA58            | 480.2   |
| River Bourgeois                                    | 732     |
| Rivière au Renard                                  | 1629    |
| Rivière Batiscan light buoy D62                    | 2043.6  |
| Rivière Caribou light buoy S50                     | 1813.8  |
| Rivière du Caribou front range light               | 1808    |
| Rivière du Caribou rear range light                | 1809    |
| Rivière du Moulin curve light buoy S61             | 1820.7  |
| Rivière du Moulin light buoy S71                   | 1823.3  |
| Rivière Laffeur light buoy K140                    | 1923.2  |
| Rivière Madeleine light buoy RM1                   | 1650    |
| Rivière Manicouagan light and bell buoy KD14       | 1717    |
| Rivière Matane - East Breakwater                   | 1704    |

| R                                                      | NO.      |
|--------------------------------------------------------|----------|
| Rivière Matane - West Breakwater                       | 1703     |
| Rivière Nétagamiou                                     | 1561.5   |
| Rivière Nétagamiou Upstream light                      | 1561.6   |
| Rivière Richelieu light buoy E223                      | 2243     |
| Rivière Richelieu light buoy E224                      | 2244.5   |
| Rivière Richelieu light buoy E225                      | 2246     |
| Rivière Saint-Charles light buoy K168                  | 1953     |
| Rivière Saint-Charles light buoy KP2                   | 1953.5   |
| Rivière Saint-Paul                                     | 1538     |
| Rivière Valin front range light                        | 1805     |
| Rivière Valin light buoy S42                           | 1804.7   |
| Rivière Valin light buoy S46                           | 1810     |
| Rivière Valin rear range light                         | 1806     |
| Rivière à la loutre light buoy S44                     | 1806.5   |
| Rivière-au-Tonnerre                                    | 1614.5   |
| Rivière-au-Tonnerre front range light                  | 1615     |
| Rivière-au-Tonnerre light and bell fairway buoy RAT    | 1614.7   |
| Rivière-au-Tonnerre rear range light                   | 1616     |
| Rivière-du-Moulin Lower front range light              | 1814     |
| Rivière-du-Moulin Lower rear range light               | 1815     |
| Rivière-du-Moulin Upper front range light              | 1817     |
| Rivière-du-Moulin Upper rear range light               | 1818     |
| Roaring Bull                                           | 79       |
| Roaring Bull light buoy Y2                             | 268      |
| Robertson Point                                        | 137      |
| Roberval                                               | 1823.612 |
| Roberval                                               | 1823.611 |
| Roberval Breakwater                                    | 1823.61  |
| Roberval, breakwater                                   | 1823.613 |
| Robichaud light buoy XK2                               | 1102.3   |
| Robichaud light buoy XK6                               | 1102.5   |
| Robichaud Spit light buoy M36                          | 1198.6   |
| Robichaud Wharf                                        | 1103     |
| Robichaud Wharf Breakwater                             | 1103.5   |
| Robinson Ball light buoy D1                            | 304.1    |
| Roche à Veillon light buoy H98                         | 1878.3   |
| Rocher Alcide North Cardinal light buoy ROALC          | 1751     |
| Rocher aux Oiseaux                                     | 1478     |
| Rocher Cairntorr light buoy C64                        | 1563.5   |
| Rocher Clinch light buoy CU2                           | 1539.48  |
| Rocher de la Baleine North Cardinal light buoy BAL     | 1891.25  |
| Rocher Demers light buoy H58                           | 1825.5   |
| Rocher du Lac Charles light buoy CT11                  | 1547.5   |
| Rocher South Sphinx light buoy CN2                     | 1575.8   |
| Rocher Wye light buoy H121                             | 1891.6   |
| Rochers au Cormoran                                    | 1563     |
| Rochers du Saguenay light buoy K54                     | 1774.3   |
| Rochers Maranda light buoy K156                        | 1926     |
| Rock Island                                            | 663.2    |
| Rocky Point light buoy CH3                             | 1005.03  |
| Rollo Bay light buoy NC1                               | 948.05   |
| Rose Shoal South Cardinal light buoy TY                | 633.01   |
| Rosebank Point Centre light buoy C14                   | 999.5    |
| Rosebank Point Outer light buoy C12                    | 999      |
| Rothsay light buoy AP1                                 | 118.3    |
| Round Reef light buoy J16                              | 102.16   |
| Rouses Point                                           | 752.6    |
| Route de Champlain                                     | 2063.1   |
| Route de Champlain                                     | 2064.1   |
| Route de Champlain front range light                   | 2063     |
| Route de Champlain rear range light                    | 2064     |
| Route de Contrecoeur front range light                 | 2290     |
| Route de Contrecoeur light buoy M32                    | 2294.2   |
| Route de Contrecoeur rear range light                  | 2291     |
| Route de l'Île Saint-Ours downstream front range light | 2278.5   |
| Route de l'Île Saint-Ours downstream rear range light  | 2278.6   |
| Route de l'Île Saint-Ours upstream front range light   | 2282     |
| Route de l'Île Saint-Ours upstream rear range light    | 2283     |
| Route de la Pointe-aux-Ormes front range light         | 2092     |
| Route de la Pointe-aux-Ormes rear range light          | 2093     |
| Route de Lottinville front range light                 | 2067     |
| Route de Lottinville rear range light                  | 2068     |
| Route de l'Anse-des-Grondines front range light        | 2025     |
| Route de l'Anse-des-Grondines rear range light         | 2026     |

| R                                                       | NO.     |
|---------------------------------------------------------|---------|
| Route de l'Île des Barques front range light            | 2168    |
| Route de l'Île des Barques rear range light             | 2169    |
| Route de l'Île du Moine front range light               | 2180    |
| Route de l'Île du Moine rear range light                | 2181    |
| Route de l'Île Dupas front range light                  | 2272.3  |
| Route de l'Île Dupas rear range light                   | 2272.4  |
| Route de Port-Saint-François front range light          | 2112    |
| Route de Port-Saint-François rear range light           | 2113    |
| Route de l'Île Saint-Ours light buoy M9                 | 2279    |
| Route du Cap Charles front range light                  | 2019    |
| Route du Cap Charles rear range light                   | 2020    |
| Route Louiseville Downstream                            | 2143.1  |
| Route Louiseville Downstream                            | 2143.51 |
| Route Louiseville Downstream front range light          | 2143    |
| Route Louiseville Downstream rear range light           | 2143.5  |
| Route Louiseville Upstream                              | 2144.1  |
| Route Louiseville Upstream                              | 2145.1  |
| Route Louiseville Upstream front range light            | 2144    |
| Route Louiseville Upstream rear range light             | 2145    |
| Route Maisonneuve-Longue-Pointe front range light       | 2363    |
| Route Maisonneuve-Longue-Pointe rear range light        | 2364    |
| Route Saint-Antoine front range light                   | 1975    |
| Route Saint-Antoine rear range light                    | 1976    |
| Route Sainte-Anne-de-Sorel front range light            | 2177    |
| Route Sainte-Anne-de-Sorel rear range light             | 2178    |
| Route Île Saint-Ours                                    | 2283.1  |
| Rowans Point light buoy JE2                             | 114.5   |
| Royalty Point light buoy JP9                            | 1065.6  |
| Rude Shoal light and bell buoy VH5                      | 623.5   |
| Russell Point West Cardinal light buoy JTB              | 759     |
| Rustico Harbour light buoy JK7                          | 1054.3  |
| Rustico Harbour light buoy JK13                         | 1054.9  |
| Rustico Harbour Northern Breakwater                     | 1055    |
| Rustico light buoy JK9                                  | 1054.4  |
| Rustico light buoy JK12                                 | 1054.6  |
| Ryders Reef light buoy C1                               | 320.01  |
| Récif Alright light buoy Y12                            | 1487    |
| Récif Bar light and bell buoy S5                        | 1776    |
| Récif de l'Île Madame South Cardinal light buoy DAME    | 1922    |
| Récif de Percé light buoy AA1                           | 1408    |
| Récif du Basque light and bell buoy D6                  | 1663    |
| Récif du Basque North light buoy D7                     | 1662.5  |
| Récif du Nord-Ouest, Île du Bic light and bell buoy H47 | 1749    |
| Récifs de Longue Pointe light buoy K96                  | 1894    |

| S                                           | NO.      |
|---------------------------------------------|----------|
| Sable Point light buoy NM6/2                | 964.1    |
| Sable Point light buoy NM8                  | 966      |
| Saguenay River Entrance light buoy S3       | 1774.5   |
| Saint John Harbour front range light        | 100.5    |
| Saint John Harbour light and whistle buoy J | 145      |
| Saint John Harbour light buoy J12           | 102.3    |
| Saint John Harbour ODAS light buoy          | 98.8     |
| Saint John Harbour rear range light         | 100.6    |
| Saint John Pier Hazard Light                | 113.1    |
| Saint Marys River light and bell buoy VK    | 621      |
| Saint Peters Bay light buoy NQ12            | 733      |
| Saint-Augustin                              | 1542.01  |
| Saint-Augustin light buoy CUS2              | 1540     |
| Saint-Augustin light buoy CUS3              | 1541     |
| Saint-Augustin light buoy CUS4              | 1542     |
| Saint-Augustin light buoy CUS5              | 1542.05  |
| Saint-Augustin light buoy CUS7              | 1542.051 |
| Saint-Augustin light buoy CUS9              | 1542.052 |
| Saint-Augustin light buoy CUS10             | 1542.053 |
| Saint-Augustin light buoy CUS11             | 1542.054 |
| Saint-Augustin light buoy CUS13             | 1542.055 |
| Saint-Augustin light buoy CUS14             | 1542.056 |
| Saint-Augustin light buoy CUS15             | 1542.057 |
| Saint-Augustin light buoy CUS17             | 1542.058 |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| S                                                          | NO.      |
|------------------------------------------------------------|----------|
| Saint-Edouard-de-Kent                                      | 1126     |
| Saint-François                                             | 1913     |
| Saint-Jean Upstream Light                                  | 2255.8   |
| Saint-Jean-d'Orléans                                       | 1923     |
| Saint-Jean-Port-Joli                                       | 1875     |
| Saint-Jean-Port-Joli                                       | 1875.8   |
| Saint-Jean-Port-Joli                                       | 1875.9   |
| Saint-Jean-sur-Richelieu, Marina Le Nautique               | 2256.5   |
| Saint-Laurent-de-l'Île-d'Orléans                           | 1924     |
| Saint-Michel front range light                             | 1918     |
| Saint-Michel rear range light                              | 1919     |
| Saint-Michel-de-Bellechasse dumping ground light buoy PRIV | 1923.23  |
| Saint-Michel-de-Bellechasse dumping ground light buoy PRIV | 1923.24  |
| Saint-Michel-de-Bellechasse dumping ground light buoy PRIV | 1923.22  |
| Saint-Michel-de-Bellechasse dumping ground light buoy PRIV | 1923.21  |
| Saint-Michel-de-la-Durantaye light buoy K141               | 1923.3   |
| Saint-Ours Dam Cautionary light buoy                       | 2204.8   |
| Saint-Ours Information light buoy PC1                      | 2200     |
| Saint-Ours Lock Cautionary light buoy DAN-AV               | 2204.65  |
| Saint-Ours Lock Cautionary light buoy DAN-C                | 2204.62  |
| Saint-Ours Lock Cautionary light buoy DAN-E                | 2204.63  |
| Saint-Ours Lock Cautionary light buoy DAN-W                | 2204.64  |
| Saint-Ours Lock Cautionary light buoy DAN-Z                | 2204.58  |
| Saint-Ours Lock Upstream light buoy E87                    | 2208     |
| Saint-Ours Lock Upstream light buoy E88                    | 2207     |
| Saint-Ours Tower (V-AIS)                                   | 2289.3   |
| Saint-Prime                                                | 1823.65  |
| Saint-Prime                                                | 1823.631 |
| Saint-Romuald d'Etchemin light buoy Q11                    | 1961.2   |
| Saint-Siméon                                               | 1835     |
| Saint-Siméon light buoy K60                                | 1834.5   |
| Saint-Edouard-de-Kent light buoy XW1                       | 1126.1   |
| Saint-Edouard-de-Kent light buoy XW2                       | 1126.2   |
| Sainte-Angèle-de-Laval light buoy C53                      | 2094     |
| Sainte-Anne de Beupré Sector                               | 1936.1   |
| Sainte-Anne-de-Sorel                                       | 2177.1   |
| Sainte-Anne-de-Sorel light buoy S141                       | 2181.2   |
| Sainte-Anne-des-Monts                                      | 1683     |
| Sainte-Anne-des-Monts harbour, North Breakwater            | 1683.1   |
| Sainte-Anne-des-Monts Harbour, South Breakwater            | 1683.2   |
| Sainte-Croix                                               | 1988     |
| Sainte-Croix                                               | 1986.1   |
| Sainte-Croix front range light                             | 1985     |
| Sainte-Croix rear range light                              | 1986     |
| Sainte-Croix Tower (V-AIS)                                 | 1989.3   |
| Sainte-Croix-Est                                           | 1981     |
| Sainte-Croix-Est light buoy Q40                            | 1980     |
| Sainte-Croix-Est light buoy Q41                            | 1982     |
| Sainte-Croix-Est light buoy Q42                            | 1982.5   |
| Sainte-Marie-sur-Mer                                       | 1262.3   |
| Sainte-Marie-sur-Mer Breakwater                            | 1262     |
| Sainte-Marthe-du-Cap light buoy C43                        | 2079     |
| Sainte-Pétronille (Beaulieu)                               | 1927     |
| Sainte-Pétronille light buoy K160                          | 1929     |
| Sainte-Thérèse de Gaspé North Breakwater                   | 1401.3   |
| Sainte-Thérèse-de-Gaspé                                    | 1401.5   |
| Sainte-Thérèse-de-Gaspé South Breakwater                   | 1401.4   |
| Salt Rock light buoy C10                                   | 318.01   |
| Sambro                                                     | 507      |
| Sambro Harbour                                             | 505      |
| Sambro Harbour light and whistle buoy HS                   | 508      |
| Sambro Harbour light buoy HS20                             | 505.81   |
| Sambro Harbour light buoy HS22                             | 505.82   |
| Sambro Harbour light buoy HS24                             | 505.83   |
| Sambro Island West light buoy HS4                          | 508.4    |
| Sambro light buoy HE7                                      | 503.03   |
| Sambro light buoy HE10                                     | 503.05   |
| Sambro light buoy HS19                                     | 505.8    |
| Sambro Red Spar light buoy HE6                             | 503.52   |
| Sam's Islet Light                                          | 22.5     |

| S                                           | NO.     |
|---------------------------------------------|---------|
| Sand Bar Ledge light buoy XN2               | 20      |
| Sand Point                                  | 121     |
| Sand Point light buoy S14                   | 58.5    |
| Sandford light buoy NT2                     | 252     |
| Sandford Sector                             | 253     |
| Sandwich Point front range light            | 523.4   |
| Sandwich Point rear range light             | 523.5   |
| Sandy Hook Channel light buoy YM4           | 1507.6  |
| Sandy Hook Channel light buoy YM7           | 1507.5  |
| Sandy Hook Channel light buoy YM9           | 1507.7  |
| Sandy Hook Channel light buoy YM12          | 1508    |
| Sandy Hook Channel South light buoy YM1     | 1507    |
| Sandy Point                                 | 363     |
| Sandy Point Inner light buoy S56            | 360.02  |
| Sandy Point light buoy S54                  | 362.8   |
| Sapin Ledge light buoy X25                  | 1161.5  |
| Saul Island light buoy AM64                 | 494.01  |
| Saulnierville Breakwater                    | 237.5   |
| Saulnierville light buoy HE                 | 237     |
| Sault-au-Cochon                             | 1893    |
| Sault-au-Cochon light buoy K87              | 1892.6  |
| Savoy Landing                               | 1292    |
| Scatarie Island                             | 767     |
| Schafners Point                             | 210     |
| Schooner Passage light buoy NS11            | 276     |
| Schooner Passage Rock light buoy NSE        | 274.22  |
| Scientific light buoy IML-11                | 1512.9  |
| Scientific light buoy IML-12                | 1500.5  |
| Scientific light buoy IML-13                | 1523.5  |
| Scientific light buoy IML-14                | 1512.6  |
| Scientific light buoy IML-15                | 1512.4  |
| Scotts Island light buoy Q43                | 841.5   |
| Sculpin Shoal light and bell buoy E52       | 436     |
| Seacow Head                                 | 1018    |
| Seacow Pond North                           | 1036.1  |
| Seacow Pond South Breakwater Light          | 1084.7  |
| Seal Cove Outer Breakwater                  | 16.8    |
| Seal Island                                 | 289     |
| Seal Ledge light and bell buoy VT5          | 611     |
| Seal Ledge light and whistle buoy MA54      | 475     |
| Seal Point (Howards Cove) Wharf             | 1031    |
| Seal Point light and bell buoy TS52         | 419.5   |
| Seal Reefs light buoy Q12                   | 805.8   |
| Seal Reefs light buoy Q14                   | 806     |
| Seaview Point light buoy H39                | 557     |
| Seely Head light and bell buoy K1           | 86      |
| Sept-Îles East                              | 1667    |
| Sept-Îles Marina Entrance West Breakwater   | 1666.3  |
| Sept-Îles Marina West Breakwater            | 1666.5  |
| Sept-Îles Oil Tanker Wharf                  | 1666    |
| Sept-Îles, Havre de pêche                   | 1666.1  |
| Sept-Îles, Iron Ore front range light       | 1664    |
| Sept-Îles, Iron Ore front range light No. 2 | 1663.7  |
| Sept-Îles, Iron Ore rear range light        | 1665    |
| Sept-Îles, Iron Ore rear range light No. 2  | 1663.71 |
| Sept-Îles, Pointe Noire                     | 1672.7  |
| Sept-Îles, Pointe Noire                     | 1672.9  |
| Sept-Îles, Terminal des croisières          | 1666.07 |
| Shag Bay Breakers light buoy AT50           | 491     |
| Shag Harbour East Turn light buoy NF23      | 306.023 |
| Shag Harbour Entrance Light                 | 306.003 |
| Shag Harbour Ledges                         | 308.5   |
| Shag Harbour West Turn light buoy NF16      | 306.016 |
| Shag Harbour Wharf                          | 309     |
| Shag Rock light buoy HS2/2                  | 508.22  |
| Sharams Point light buoy NM24               | 969.7   |
| Shediak Bay light buoy XN34                 | 1111.2  |
| Shediak Bay light buoy XN37                 | 1111.41 |
| Shediak Bay light buoy XN41                 | 1111.45 |
| Shediak Bay light buoy XN42                 | 1111.46 |
| Shediak Bay light buoy XN46                 | 1111.48 |
| Shediak Bay Yacht Club Breakwater           | 1111.5  |
| Shediak Harbour light buoy XN19             | 1109.2  |
| Shediak Harbour light buoy XN20             | 1109.4  |



List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| S                                                         | NO.      |
|-----------------------------------------------------------|----------|
| Shediac Harbour light buoy XN21                           | 1109.6   |
| Shediac Harbour light buoy XN22                           | 1109.8   |
| Shediac Harbour light buoy XN24                           | 1109.82  |
| Shediac light buoy XN                                     | 1105     |
| Shediac light buoy XN2                                    | 1105.1   |
| Shediac light buoy XN3                                    | 1105.2   |
| Shediac light buoy XN4                                    | 1105.3   |
| Shediac light buoy XN5                                    | 1105.4   |
| Shediac light buoy XN6                                    | 1105.5   |
| Shediac light buoy XN12                                   | 1106     |
| Shediac light buoy XN18                                   | 1109     |
| Shediac light buoy XN30                                   | 1109.83  |
| Sheep Ledge light and bell buoy MC59                      | 454.7    |
| Sheet Harbour Passage light and bell buoy XP7             | 597      |
| Sheet Rock                                                | 594      |
| Shelburne light buoy S                                    | 357      |
| Sheldrake                                                 | 1617     |
| Sheldrake Channel East light buoy M46                     | 1206     |
| Sheldrake Channel West light buoy M51                     | 1209     |
| Shingle Point light buoy SN60                             | 352.5    |
| Shingle Point light buoy UX53                             | 387.01   |
| Shingle Point light buoy UX55                             | 387.5    |
| Ship Harbour                                              | 585      |
| Ship Harbour light and whistle buoy YM1                   | 584      |
| Ship Harbour light buoy YM12                              | 586.03   |
| Ship Harbour light buoy YM14                              | 586.04   |
| Ship Harbour light buoy YM17                              | 586.07   |
| Shippagan Wharf                                           | 1291.5   |
| Shippegan Channel light buoy EG5                          | 1282     |
| Shippegan Channel light buoy EG8                          | 1282.5   |
| Shippegan Channel light buoy EG11                         | 1284     |
| Shippegan Channel light buoy EG12                         | 1285.5   |
| Shippegan Channel light buoy EG14                         | 1286     |
| Shippegan Channel light buoy EG17                         | 1286.6   |
| Shippegan Channel light buoy EG18                         | 1286.8   |
| Shippegan Channel light buoy EG21                         | 1289     |
| Shippegan Channel light buoy EG24                         | 1290     |
| Shippegan Channel light buoy EG25                         | 1291     |
| Shippegan Fairway light buoy TJ                           | 1248     |
| Shippegan Flat East light buoy EC1                        | 1273.1   |
| Shippegan Flat light buoy EC4                             | 1273.15  |
| Shippegan Gully Breakwater                                | 1250.5   |
| Shippegan Gully Cautionary light buoy TJA                 | 1250.7   |
| Shippegan Gully light buoy TJ3                            | 1248.101 |
| Shippegan Gully light buoy TJ4                            | 1248.11  |
| Shippegan Gully light buoy TJ5                            | 1248.12  |
| Shippegan Gully light buoy TJ6                            | 1248.13  |
| Shippegan Gully light buoy TJ6/2                          | 1248.132 |
| Shippegan Gully light buoy TJ7                            | 1248.133 |
| Shippegan Gully light buoy TJ8                            | 1248.151 |
| Shippegan Gully light buoy TJ9                            | 1248.51  |
| Shippegan Gully light buoy TJ10                           | 1248.511 |
| Shippegan Gully light buoy TJ11                           | 1251.51  |
| Shippegan Gully light buoy TJ12                           | 1249.1   |
| Shippegan Gully light buoy TJ14                           | 1248.71  |
| Shippegan Gully light buoy TJ20                           | 1253     |
| Shippegan Gully light buoy TJ22                           | 1253.1   |
| Shippegan Gully light buoy TJ26                           | 1257.3   |
| Shippegan Gully light buoy TJ27                           | 1257.5   |
| Shippegan Gully light buoy TJ29                           | 1257.7   |
| Shippegan Gully light buoy TJ31                           | 1258.1   |
| Shippegan Gully light buoy TJ32                           | 1258.12  |
| Shippegan Gully light buoy TJ35                           | 1258.125 |
| Shippegan Gully light buoy TJ36                           | 1260     |
| Shippegan Gully light buoy TJ40                           | 1261     |
| Shippegan Gully light buoy TJ51                           | 1261.5   |
| Shippegan Gully light buoy TJ55                           | 1261.55  |
| Shippegan Gully light buoy TJ60                           | 1261.6   |
| Shippegan Harbour West Entrance front range light         | 1287     |
| Shippegan Harbour West Entrance rear range light          | 1288     |
| Shippegan Island West Wharf                               | 1273.5   |
| Shippegan North Channel light and whistle fairway buoy EG | 1276.2   |
| Shippegan Sound light buoy EJ3                            | 1293     |

| S                                                 | NO.     |
|---------------------------------------------------|---------|
| Ships Stern                                       | 261     |
| Shipwreck Point                                   | 1042    |
| Shoal Cove light buoy MK53                        | 457.2   |
| Shoal Point light and bell buoy TP1               | 642     |
| Shut-in Island light and bell buoy HX             | 563     |
| Simard Curve light buoy S60                       | 1820.6  |
| Simard front range light                          | 1811    |
| Simard rear range light                           | 1812    |
| Simpson Head light buoy SH10                      | 55      |
| Sissiboo Outer light buoy HJ1                     | 232.1   |
| Sisters light and bell buoy HD3                   | 509     |
| Skinner's Cove Wharf Light                        | 920.1   |
| Skinner's Pond                                    | 1035    |
| Skinner's Pond North Breakwater                   | 1035.5  |
| Slaughenwhite Ledge light buoy DY52               | 479     |
| Slaughenwhite Ledge light buoy DY54               | 479.01  |
| Sluice Point Wharf Light                          | 294.55  |
| Smith Point light buoy VK13                       | 880.2   |
| Smith Point South Cardinal light buoy VM          | 882.3   |
| Smithson Rock light and bell buoy HE2             | 503     |
| Snipe Reef                                        | 293.2   |
| Snipe Reef bifurcation light buoy TA              | 293.55  |
| Soldiers Ledge North Cardinal light buoy NSB      | 274.4   |
| Soldiers Ledge South Cardinal light buoy NSA      | 274.2   |
| Sollows Rock East light buoy Y17                  | 264     |
| Solomons Island light buoy D5                     | 311.5   |
| Sorel Basin Cautionary light buoy SOREL           | 2185.1  |
| Sorel Marina Downstream front range light         | 2182.2  |
| Sorel Marina Downstream rear range light          | 2182.3  |
| Sorel Marina Upstream front range light           | 2183.3  |
| Sorel Marina Upstream rear range light            | 2183.4  |
| Souris East                                       | 947     |
| Souris East Breakwater                            | 948     |
| Souris Harbour light and whistle buoy NA          | 946     |
| South Bar Ruins light buoy SS1                    | 787.2   |
| South Bar South Cardinal light buoy SS            | 787.21  |
| South Bay Ingonish light buoy KM                  | 848     |
| South Cardinal light buoy FORT                    | 2261.6  |
| South Easter South Cardinal light buoy TU         | 634.4   |
| South Gooseberry Shoal bifurcation light buoy MCA | 454.65  |
| South Richibucto Beach Inner front range light    | 1145    |
| South Richibucto Beach Inner rear range light     | 1146    |
| South Tracadie                                    | 1239    |
| South Tracadie bifurcation light buoy TD          | 1239.5  |
| South Tracadie Entrance light buoy TC6            | 1238.9  |
| South Tracadie Entrance light buoy TC12           | 1239.1  |
| South Tracadie light buoy TC                      | 1238.8  |
| South Tracadie light buoy TC14                    | 1239.2  |
| South Tracadie light buoy TC19                    | 1239.3  |
| South Tracadie light buoy TC22                    | 1239.4  |
| South Tracadie light buoy TC24                    | 1239.44 |
| South Tracadie light buoy TD4                     | 1239.6  |
| South Tracadie light buoy TD5                     | 1239.65 |
| South Tracadie light buoy TD8                     | 1239.7  |
| Southeast Middle Ground light buoy H15            | 525.2   |
| Southwest Bull light and bell buoy PU1            | 658     |
| Southwest Grand Banks ODAS light buoy 44138       | 664.8   |
| Southwest Head                                    | 11      |
| Southwest Ledge (Brier Island) light buoy M2      | 225     |
| Southwest Ledge light buoy M60                    | 449.5   |
| Southwest River light buoy JM20                   | 1060.4  |
| Southwest River light buoy JM25                   | 1060.5  |
| Southwest River light buoy JMA                    | 1060.3  |
| Southwest River light buoy JN                     | 1060.2  |
| Southwest River light buoy JN1                    | 1060.55 |
| Southwest River light buoy JN4                    | 1060.6  |
| Southwest River Outer light buoy JM7              | 1060.1  |
| Southwest River Shoal light buoy JM9              | 1060.22 |
| Southwest Rock light buoy KK57                    | 369.04  |
| Southwest Wolf Island                             | 36      |
| Spectacle Islands West                            | 396.4   |
| Spectacle Ledge light buoy UN55                   | 402     |
| Spectacle Shoal light buoy NSC                    | 288     |
| Spit Shoal light buoy M15/3                       | 1173.8  |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| S                                           | NO.      |
|---------------------------------------------|----------|
| Spit Shoal light buoy M16                   | 1173.81  |
| Spithead East Cardinal light buoy CJB       | 983.5    |
| Spithead light buoy C5                      | 990      |
| Spithead light buoy VK9                     | 880      |
| Split Rock light and whistle buoy TS2       | 639.5    |
| Spruce Island light buoy H48                | 562.3    |
| Spruce Point light buoy S18                 | 58.7     |
| Spry Bay light and bell buoy YA2            | 590      |
| Spry Bay light buoy YA6                     | 590.04   |
| St-Laurent light buoy K145                  | 1923.7   |
| St-Ours Lock Cautionary light buoy DAN-X    | 2204.6   |
| St-Ours Lock Cautionary light buoy DAN-Y    | 2204.59  |
| St-Ours Lock Cautionary light buoy DANAM    | 2204.61  |
| St-Prime                                    | 1823.63  |
| St-Roch Shoals light buoy H89               | 1873     |
| St. Andrews (North Point)                   | 64       |
| St. Andrews Bank front range light          | 1208.8   |
| St. Andrews Bank rear range light           | 1208.9   |
| St. Andrews Biological Station, wharf light | 62.5     |
| St. Andrews Point light buoy NH10           | 954      |
| St. Andrews West Channel                    | 62       |
| St. Blaise light buoy E429                  | 2258.2   |
| St. Esprit Island                           | 743      |
| St. Esprit light buoy N16                   | 742      |
| St. Godefroi                                | 1376     |
| St. Godefroi light buoy AG1                 | 1377     |
| St. Godefroi light buoy AG2                 | 1378     |
| St. Lawrence Bay                            | 858      |
| St. Lawrence Bay light and whistle buoy VV  | 859      |
| St. Lawrence Bay Southwest Breakwater       | 858.3    |
| St. Martins                                 | 152      |
| St. Peters Bay light buoy JD13              | 1046.1   |
| St. Peters Bay light buoy JD18              | 1046.2   |
| St. Peters Bay light buoy JD21              | 1046.3   |
| St. Peters Harbour fairway light buoy JD    | 1043.1   |
| St. Peters Harbour light buoy JD5           | 1044.1   |
| St. Peters Harbour light buoy JD6           | 1044.2   |
| St. Peters Harbour light buoy JD8           | 1044.3   |
| St. Peters Harbour light buoy JD9           | 1044.4   |
| St. Peters Harbour light buoy JD9.5         | 1046.04  |
| St. Peters Harbour light buoy JD10          | 1044.5   |
| St. Peters Harbour light buoy JD11          | 1046.045 |
| St. Peters Harbour light buoy JD11.5        | 1046.05  |
| St. Peters Harbour light buoy JD12          | 1046.06  |
| St. Peters Harbour light buoy JD15          | 1046.11  |
| St. Peters Harbour light buoy JD16          | 1046.15  |
| St. Peters Harbour light buoy JD21.5        | 1046.35  |
| St. Peters Harbour light buoy JD23          | 1046.4   |
| St. Peters Island light buoy C1             | 983.4    |
| St. Thomas-de-Kent                          | 1119.5   |
| Stanley Bridge Channel light buoy JN15      | 1060.8   |
| Stanley Bridge Channel light buoy JN17      | 1060.9   |
| Stapleton Rock West Cardinal light buoy AAB | 499.9    |
| Starling Rock                               | 677      |
| Ste-Anne-de-Sorel light buoy S139           | 2181.1   |
| Ste-Famille front range light               | 1941     |
| Ste-Famille rear range light                | 1942     |
| Steven Point front range light              | 931      |
| Steven Point rear range light               | 932      |
| Stoke Point front range light               | 1314.2   |
| Stoke Point rear range light                | 1314.3   |
| Stonehaven                                  | 1328     |
| Stonehaven Breakwater                       | 1328.5   |
| Stonehouse Point light buoy SJ38            | 909.5    |
| Stoney Island light buoy JQ                 | 330      |
| Stoney Island light buoy JQ52               | 331.44   |
| Stoney Island Outer Breakwater              | 331.2    |
| Stony Shoal light buoy A4                   | 815.3    |
| Strait Crossing light and whistle buoy XB   | 1017.75  |
| Strait Crossing light and whistle buoy XF   | 1017.7   |
| Strait Crossing light buoy XB2              | 1017.71  |
| Strait Crossing light buoy XB3              | 1017.72  |
| Strait Crossing light buoy XB4              | 1017.73  |
| Strait Crossing light buoy XB5              | 1017.74  |

| S                                          | NO.     |
|--------------------------------------------|---------|
| Strap Tub South Cardinal light buoy KSA    | 357.8   |
| Stuart Town Breakwater                     | 56      |
| Summerside front range light               | 1021    |
| Summerside Harbour light buoy DE3          | 1018.5  |
| Summerside Harbour light buoy DE4          | 1018.6  |
| Summerside Harbour light buoy DE6          | 1019    |
| Summerside Harbour light buoy DE7          | 1019.1  |
| Summerside Harbour light buoy DE8          | 1020.1  |
| Summerside Harbour light buoy DE10         | 1020.2  |
| Summerside Harbour light buoy DE11         | 1020.3  |
| Summerside Harbour light buoy DE12         | 1020.35 |
| Summerside Harbour light buoy DE14         | 1020.4  |
| Summerside Harbour light buoy DE16         | 1020.7  |
| Summerside Harbour light buoy DE18         | 1020.8  |
| Summerside Harbour Wharf Light             | 1020    |
| Summerside Marina                          | 1022.5  |
| Summerside Outer front range light         | 1018.1  |
| Summerside Outer rear range light          | 1018.2  |
| Summerside rear range light                | 1022    |
| Surette's Island Breakwater                | 294.6   |
| Swallowtail                                | 33      |
| Swift Point                                | 116     |
| Swims Point                                | 323.5   |
| Sydney Bar                                 | 778     |
| Sydney Cautionary light buoy SSA           | 786.1   |
| Sydney front range light                   | 782     |
| Sydney Harbour East Cardinal light buoy SE | 789.16  |
| Sydney Harbour light buoy S4               | 789.2   |
| Sydney Harbour light buoy S6               | 789.3   |
| Sydney Harbour light buoy S8               | 789.6   |
| Sydney Harbour light buoy S10              | 789.8   |
| Sydney Harbour light buoy S11              | 789.9   |
| Sydney Harbour light buoy S13              | 789.11  |
| Sydney Harbour light buoy S14              | 789.12  |
| Sydney Harbour light buoy S16              | 789.14  |
| Sydney Harbour South Arm light buoy S23    | 788     |
| Sydney Harbour West Cardinal light buoy SW | 789.15  |
| Sydney Northwest Bar light buoy SD2        | 778.5   |
| Sydney rear range light                    | 783     |
| Sydney South Arm front range light         | 784     |
| Sydney South Arm rear range light          | 785     |
| Sylvin Ledge light buoy T7                 | 286.5   |

| T                                               | NO.     |
|-------------------------------------------------|---------|
| Tabusintac Bay light buoy TA34                  | 1238.5  |
| Tabusintac Bay light buoy TA37                  | 1238.6  |
| Tabusintac Bay light buoy TA39                  | 1238.65 |
| Tabusintac Bay light buoy TA41                  | 1238.66 |
| Tabusintac Gully light and bell buoy TA2        | 1238    |
| Tabusintac Gully light buoy TA23                | 1238.4  |
| Tabusintac Gully light buoy TA47                | 1240.22 |
| Tabusintac light buoy TA1                       | 1237.99 |
| Tabusintac light buoy TA2/2                     | 1238.05 |
| Tabusintac light buoy TA5                       | 1239.12 |
| Tabusintac light buoy TA6                       | 1238.13 |
| Tabusintac light buoy TA10                      | 1238.17 |
| Tabusintac light buoy TA13                      | 1238.21 |
| Tabusintac light buoy TA15                      | 1238.23 |
| Tabusintac light buoy TA16                      | 1238.24 |
| Tabusintac light buoy TA19                      | 1238.27 |
| Tabusintac light buoy TA20                      | 1238.28 |
| Tabusintac light buoy TA21                      | 1238.29 |
| Tabusintac light buoy TA22/2                    | 1238.31 |
| Tabusintac light buoy TA22/4                    | 1238.32 |
| Tabusintac light buoy TA26/2                    | 1238.45 |
| Tabusintac South Gully Approach light buoy TA4  | 1238.1  |
| Tabusintac South Gully Approach light buoy TA9  | 1238.16 |
| Tabusintac South Gully Approach light buoy TA12 | 1238.2  |
| Tabusintac South Gully light buoy TA18          | 1238.26 |
| Tabusintac South Gully light buoy TA22          | 1238.3  |
| Tangler Harbour light and whistle buoy YJ       | 587     |
| Tanner Pass light and whistle buoy EA51         | 445     |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index

| T                                                 | NO.     |
|---------------------------------------------------|---------|
| Tennant Point light buoy AD56                     | 498.2   |
| Terence Bay                                       | 498     |
| Terence Bay light and bell buoy AD                | 497     |
| Terence Bay Wharf                                 | 499     |
| Terminal des croisières                           | 1666.05 |
| The Bluff East Cardinal light buoy XVB            | 1119.1  |
| The Dune East Cardinal light buoy XVA             | 1119.2  |
| The Falls                                         | 315.2   |
| The Lump light buoy M3                            | 1170.7  |
| The Lump light buoy M5                            | 1172    |
| The Lump light buoy M6                            | 1172.5  |
| The Lump light buoy M7                            | 1172.51 |
| The Lump light buoy M8                            | 1172.6  |
| The Nubble North Cardinal light buoy SNC          | 350.5   |
| The Point Breakwater                              | 849.4   |
| The Raquette light buoy V2                        | 205     |
| The Salvages                                      | 348     |
| The Sisters South Cardinal light and bell buoy KB | 148     |
| The Sluice East                                   | 282     |
| The Sluice West                                   | 281     |
| The Swashway light buoy M10                       | 1173    |
| The Swashway light buoy M12                       | 1173.01 |
| The Willows light buoy M37                        | 1199    |
| Thorn Shoal light and bell buoy YT5               | 572     |
| Three Fathom Harbour light buoy HX7               | 563.04  |
| Three Fathom Harbour light buoy HX8               | 563.05  |
| Three Top Island                                  | 657     |
| Thrumcap light and bell buoy HN6                  | 520     |
| Thrumcap Rock light buoy HE3                      | 503.5   |
| Thrumcap Spit light buoy NH12                     | 956.2   |
| Tidnish River Entrance light buoy XA2             | 1085    |
| Tignish Inner light buoy JX5                      | 1084.52 |
| Tignish Inner light buoy JX7                      | 1084.53 |
| Tignish Inner light buoy JX9                      | 1084.54 |
| Tinker Shoal light and bell buoy XK3              | 10      |
| Tiverton                                          | 217     |
| Tom Cod light buoy TT2                            | 635.5   |
| Toney River East                                  | 919.1   |
| Toney River light buoy SU1                        | 919.6   |
| Toney River Wharf                                 | 919.7   |
| Tongue Shoal                                      | 67      |
| Torbay French Rock light buoy TH2                 | 646.2   |
| Torbay Ledges light buoy TH3                      | 646.3   |
| Torbay Ledges light buoy TH4                      | 646.4   |
| Torbay light and bell buoy TH                     | 646.1   |
| Tormentine Reefs light and bell buoy X5           | 1089    |
| Tours Hydro Upstream light buoy K154              | 1925.52 |
| Town of Port-Cartier East Light                   | 1677.2  |
| Town of Port-Cartier West Light                   | 1677    |
| Tracadie Gully light buoy TE49                    | 1242.4  |
| Tracadie light buoy TE34                          | 1241.6  |
| Tracy light buoy M1                               | 2273    |
| Tracy light buoy M2                               | 2273.5  |
| Traverse Cap-Santé front range light              | 1995    |
| Traverse Cap-Santé light buoy Q53                 | 1989.6  |
| Traverse Cap-Santé light buoy Q55                 | 1990.6  |
| Traverse Cap-Santé rear range light               | 1996    |
| Traverse de Batiscan Curve light buoy D53         | 2038.6  |
| Traverse de Batiscan Curve light buoy D54         | 2039    |
| Traverse de Batiscan Curve light buoy D56         | 2039.5  |
| Traverse de Batiscan front range light            | 2042    |
| Traverse de Batiscan rear range light             | 2043    |
| Traverse de Bécancour Upstream front range light  | 2075    |
| Traverse de Bécancour Upstream light buoy C36     | 2076.8  |
| Traverse de Bécancour Upstream light buoy C41     | 2078    |
| Traverse de Bécancour Upstream rear range light   | 2076    |
| Traverse de Contrecoeur front range light         | 2312    |
| Traverse de Contrecoeur light buoy M49            | 2313.05 |
| Traverse de Contrecoeur light buoy M51            | 2313.1  |
| Traverse de Contrecoeur rear range light          | 2313    |
| Traverse de l'Île aux Vaches                      | 2345.1  |
| Traverse de l'Île aux Vaches front range light    | 2344    |
| Traverse de l'Île aux Vaches rear range light     | 2345    |
| Traverse de Longue-Pointe front range light       | 2366    |

| T                                                                 | NO.     |
|-------------------------------------------------------------------|---------|
| Traverse de Longue-Pointe rear range light                        | 2367    |
| Traverse de Nicolet front range light                             | 2117    |
| Traverse de Nicolet rear range light                              | 2118    |
| Traverse de Saint-Antoine front range light                       | 1976.1  |
| Traverse de Saint-Antoine rear range light                        | 1977    |
| Traverse de Saint-Roch light buoy H68                             | 1867    |
| Traverse de Saint-Roch light buoy H72                             | 1869    |
| Traverse de Saint-Roch light buoy H79                             | 1870    |
| Traverse de Saint-Roch light buoy H83                             | 1871    |
| Traverse de Varennes front range light                            | 2340    |
| Traverse de Varennes rear range light                             | 2341    |
| Traverse du Nord (Downstream Quai Saint-François) light buoy K119 | 1911    |
| Traverse du Nord (Downstream Quai Saint-François) light buoy K120 | 1912    |
| Traverse du Nord (Pointe Dauphine) light buoy K127                | 1914    |
| Traverse du Nord (Pointe Dauphine) light buoy K128                | 1915    |
| Traverse du Nord (Pointe à Blaye) light buoy K131                 | 1916    |
| Traverse du Nord (Upstream Quai Saint-François) light buoy K123   | 1913.4  |
| Traverse du Nord (Upstream Quai Saint-François) light buoy K124   | 1912.5  |
| Traverse Nicolet light buoy S12                                   | 2121    |
| Traverse Nord light buoy K111                                     | 1906    |
| Traverse Nord light buoy K115                                     | 1909    |
| Traverse Verchères front range light                              | 2317    |
| Traverse Verchères rear range light                               | 2318    |
| Trinity Ledge bifurcation light buoy NP                           | 245     |
| Trois-Pistoles front range light                                  | 1756    |
| Trois-Pistoles light buoy HR2                                     | 1756.2  |
| Trois-Pistoles light buoy HR3                                     | 1756.14 |
| Trois-Pistoles rear range light                                   | 1756.1  |
| Trois-Rivières Harbour light buoy C52                             | 2093.3  |
| Trois-Rivières Harbour light buoy C61                             | 2099    |
| Trois-Rivières Harbour light buoy C63                             | 2104.2  |
| Tryon Shoals light and bell buoy N14                              | 1014    |
| Tuffin Island light and bell buoy XA4                             | 606.5   |
| Tuffin Island light buoy XA6                                      | 606.3   |
| Tusket River                                                      | 294     |
| Tusket Wedge                                                      | 294.3   |
| Two Hour Rock                                                     | 57.2    |
| Tétreaultville light buoy M163                                    | 2355    |
| Tétreaultville light buoy M165                                    | 2355.5  |
| Tétreaultville light buoy M167                                    | 2358    |
| Tête-à-la-Baleine                                                 | 1554.3  |
| Tête-à-la-Baleine Centre front range light                        | 1555    |
| Tête-à-la-Baleine Centre rear range light                         | 1556    |
| Tête-à-la-Baleine front range light                               | 1557    |
| Tête-à-la-Baleine Inner front range light                         | 1553    |
| Tête-à-la-Baleine Inner rear range light                          | 1554    |
| Tête-à-la-Baleine rear range light                                | 1558    |

| U                             | NO.    |
|-------------------------------|--------|
| Upper Port La Tour            | 343    |
| Upstream Curve light buoy S67 | 2138   |
| Upstream Curve light buoy S68 | 2138.2 |

| V                                      | NO.     |
|----------------------------------------|---------|
| Val Comeau Cautionary Light            | 1239.85 |
| Val-Comeau Wharf                       | 1239.8  |
| Varennes light buoy M123               | 2333.5  |
| Varennes light buoy M133               | 2338    |
| Varennes light buoy M139               | 2339.2  |
| Verchères light buoy M87               | 2327.4  |
| Verchères Village front range light    | 2319    |
| Verchères Village rear range light     | 2320    |
| Victoria Beach light buoy J41          | 122.4   |
| Victoria Harbour Fairway light buoy NX | 1009.11 |
| Victoria Harbour light buoy NX5        | 1009.13 |
| Victoria Harbour light buoy NX9        | 1009.17 |

| V                                  | NO.      |
|------------------------------------|----------|
| Victoria Harbour light buoy NX11   | 1011.1   |
| Victoria Harbour light buoy NX12   | 1009.2   |
| Victoria Harbour light buoy NX17   | 1011.14  |
| Victoria Harbour light buoy NX17/3 | 1011.145 |
| Victoria Harbour light buoy NX18   | 1011.15  |
| Victoria Harbour light buoy NX18/2 | 1011.155 |
| Victoria Harbour light buoy NX19   | 1011.175 |
| Victoria Harbour light buoy NX19/5 | 1011.18  |
| Victoria Harbour light buoy NX20   | 1011.19  |
| Victoria Harbour light buoy NX21   | 1011.21  |
| Victoria Harbour light buoy NX22   | 1011.22  |
| Victoria Harbour Wharf light       | 1008.2   |
| Voglers Cove West Direction        | 416.5    |

| W                                         | NO.     |
|-------------------------------------------|---------|
| Wallace Harbour light buoy UH             | 921.3   |
| Wallace Harbour light buoy UH16           | 923.5   |
| Wallace Harbour Sector                    | 924     |
| Wallace Ledge light and bell buoy XA2     | 7.5     |
| Wallace Wharf                             | 925.1   |
| Walsh Point Fog Signal                    | 662.5   |
| Warren Cove front range light             | 996     |
| Warren Cove rear range light              | 997     |
| Watt Point light buoy XU14                | 596     |
| Webber Shoal light buoy TH7               | 646.7   |
| Wellesley Rock light buoy H46             | 562     |
| Wesses Ledge light buoy JS70              | 333.5   |
| West Arichat Wharf                        | 706     |
| West Bay of Fundy ODAS light buoy 4400490 | 28.5    |
| West Berlin light buoy UJ                 | 412.2   |
| West Berlin light buoy UJ57               | 416.525 |
| West Dover Light                          | 488     |
| West Dublin light buoy TS65               | 424.1   |
| West Dublin light buoy TS70               | 424.7   |
| West Green Harbour Outer light buoy KP56  | 368.02  |
| West Head Breakwater                      | 319.5   |
| West Head Breakwater East                 | 319.4   |
| West Head light and bell buoy MD53        | 468     |
| West Head, Cape Sable Island              | 320     |
| West Ironbound Island                     | 432     |
| West Ironbound light and bell buoy T52    | 432.2   |
| West Point                                | 1029    |
| West Point light and whistle buoy D8      | 1030    |
| West Point light buoy DM1                 | 1027.7  |
| West Point light buoy DM2                 | 1027.8  |
| West Point Wharf                          | 1028.2  |
| West Quaco                                | 150     |
| West River light buoy CH4                 | 1005.04 |
| West River light buoy CH5                 | 1005.05 |
| West River light buoy CH8                 | 1005.08 |
| West River light buoy CH9                 | 1005.09 |
| West River light buoy CH12                | 1005.12 |
| West River light buoy CH13                | 1005.13 |
| West River light buoy CH16                | 1005.16 |
| West Rocks Dequen                         | 1674    |
| Western Bar Island South light buoy TA3   | 293.6   |
| Western Head                              | 405     |
| Western Head light and bell buoy KT1      | 96      |
| Western Shore Breakwater                  | 454.5   |
| Western Shore Inner                       | 454.51  |
| Westhaver Island                          | 451     |
| Westhaver Island light buoy M67           | 450.8   |
| Westport                                  | 228     |
| Wheeler Bar light buoy NH3                | 953.5   |
| White Head Island                         | 659     |
| White Head Ledge light buoy XM3           | 21      |
| White Horse Islet                         | 15      |
| White Island light and bell buoy VV1      | 608     |
| White Island light buoy AY53              | 489.5   |
| White Knoll Ledge light buoy JS55         | 329     |
| White Point Breakwater                    | 853.1   |

| W                                                           | NO.     |
|-------------------------------------------------------------|---------|
| White Point Ledges South Cardinal light and whistle buoy PQ | 661.2   |
| White Point light and whistle buoy KB1                      | 852.6   |
| White Point Rock light buoy UQ52                            | 404     |
| White Rock light buoy XU10                                  | 595     |
| Whitehaven Harbour light buoy PU15                          | 656.6   |
| Whitehead Harbour                                           | 24      |
| Whitehead Island                                            | 295     |
| Whycocomagh                                                 | 831     |
| Willow Cove Entrance light buoy UT52                        | 396.1   |
| Willow Cove Entrance light buoy UT53                        | 396.2   |
| Willow Cove Entrance light buoy UT54                        | 396.3   |
| Willow Cove light buoy UT                                   | 398     |
| Wilson Island North light buoy TE2                          | 294.551 |
| Wilsons Beach Wharf                                         | 43      |
| Wobamkek Beach light buoy US57                              | 396.5   |
| Wood Islands                                                | 976     |
| Wood Islands Harbour East Breakwater                        | 975.1   |
| Wood Islands Harbour Entrance light buoy NS2                | 972.5   |
| Wood Islands Harbour West Breakwater                        | 975     |
| Woods Harbour                                               | 312     |
| Wright Bank light buoy M64                                  | 1216    |
| Wright Bank light buoy M66                                  | 1216.5  |
| Wright Bank light buoy M68                                  | 1217    |
| Wright Bank West light buoy M69                             | 1220    |
| Wrights Cove light buoy HY2                                 | 561     |
| Wrights Point light buoy H42                                | 559     |

| Y                                     | NO.     |
|---------------------------------------|---------|
| Yamachiche                            | 2137.21 |
| Yamachiche Bend                       | 2134.8  |
| Yamachiche front range light          | 2137.2  |
| Yamachiche light buoy S54             | 2134    |
| Yamachiche light buoy S58             | 2135    |
| Yamachiche light buoy S62             | 2136    |
| Yamachiche rear range light           | 2137.3  |
| Yarmouth Main Channel light buoy Y24  | 265     |
| Yarmouth South Channel light buoy Y26 | 266     |
| Young Wharf                           | 1319    |
| Young Wharf West                      | 1319.1  |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| #       | NO.    |
|---------|--------|
| 44137   | 664.7  |
| 44139   | 664.5  |
| 44150   | 326.5  |
| 4400488 | 709.55 |
| 4400489 | 687.35 |
| 4400490 | 28.5   |

| A     | NO.    |
|-------|--------|
| A2    | 813.5  |
| A3    | 814    |
| A4    | 815.3  |
| A6    | 297.6  |
| A9    | 816    |
| A11   | 817    |
| A13   | 818    |
| A14   | 818.5  |
| A16   | 819    |
| A17   | 822    |
| A19   | 823    |
| A22   | 828    |
| A25   | 829    |
| A27   | 829.1  |
| A28   | 829.2  |
| A29   | 829.3  |
| AA1   | 1408   |
| AA3   | 296.3  |
| AA50  | 502    |
| AA51  | 501.6  |
| AA52  | 501.7  |
| AA53  | 501.5  |
| AA54  | 501.3  |
| AA55  | 501.2  |
| AA57  | 501.1  |
| AAA   | 501.4  |
| AAB   | 499.9  |
| AB1   | 1370   |
| AC1   | 296.2  |
| AD    | 497    |
| AD2   | 1381   |
| AD4   | 1380   |
| AD56  | 498.2  |
| AF1   | 1404   |
| AG1   | 1377   |
| AG2   | 1378   |
| AIGLO | 2311   |
| AM2   | 116.5  |
| AM3   | 118    |
| AM52  | 496    |
| AM62  | 494    |
| AM64  | 494.01 |
| AN1   | 1388.2 |
| AN3   | 1388.4 |
| AN4   | 1388.5 |
| AP1   | 118.3  |
| AP2   | 1373   |
| AT    | 490    |
| AT50  | 491    |
| AT60  | 488.5  |
| AY53  | 489.5  |

| B     | NO.     |
|-------|---------|
| BAIE1 | 2271.9  |
| BAIE2 | 2271.91 |
| BAIE3 | 2271.92 |
| BAL   | 1891.25 |
| BASQE | 1662    |
| BASQO | 1663.5  |
| BEAUJ | 1879.5  |
| BMING | 1607.3  |
| BR2   | 1413.1  |

| B   | NO.    |
|-----|--------|
| BRA | 1528.8 |

| C   | NO.    |
|-----|--------|
| C   | 306    |
| C1  | 320.01 |
| C1  | 983.4  |
| C2  | 686.7  |
| C2  | 321    |
| C2  | 2054   |
| C2  | 984    |
| C3  | 2054.1 |
| C4  | 989    |
| C4  | 2055   |
| C5  | 319.3  |
| C5  | 990    |
| C7  | 993.5  |
| C7  | 687.2  |
| C7  | 2056   |
| C8  | 998    |
| C8  | 687.3  |
| C8  | 319    |
| C9  | 317    |
| C9  | 998.5  |
| C10 | 687.4  |
| C10 | 1531.5 |
| C10 | 318.01 |
| C11 | 687.5  |
| C12 | 1531.7 |
| C12 | 999    |
| C13 | 687.7  |
| C13 | 999.2  |
| C13 | 2057   |
| C14 | 2057.5 |
| C14 | 687.8  |
| C14 | 999.5  |
| C15 | 1001   |
| C15 | 2058   |
| C16 | 688    |
| C17 | 688.1  |
| C17 | 2059   |
| C18 | 2060   |
| C18 | 1003   |
| C18 | 688.2  |
| C19 | 2061   |
| C20 | 688.4  |
| C20 | 2065   |
| C21 | 688.5  |
| C21 | 2066   |
| C23 | 2069   |
| C26 | 695    |
| C27 | 2069.7 |
| C28 | 2069.8 |
| C28 | 699    |
| C30 | 2070   |
| C33 | 2071   |
| C34 | 2072   |
| C36 | 2076.8 |
| C39 | 2077   |
| C41 | 2078   |
| C43 | 2079   |
| C45 | 2082   |
| C46 | 2081.5 |
| C47 | 2083   |
| C48 | 2084.7 |
| C49 | 2085   |
| C52 | 2093.3 |
| C53 | 2094   |
| C61 | 2099   |
| C63 | 2104.2 |
| C64 | 1563.5 |
| C65 | 2104.6 |
| C67 | 2106   |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| C     | NO.      |
|-------|----------|
| C70   | 2108     |
| C71   | 2109     |
| C72   | 2109.1   |
| C77   | 2109.6   |
| C80   | 1582     |
| C84   | 1584.5   |
| CA    | 1561.67  |
| CA1   | 322.1    |
| CA2   | 322      |
| CA5   | 323.07   |
| CALR  | 1752     |
| CB    | 1561.68  |
| CB2   | 1529     |
| CB3   | 1485.45  |
| CB5   | 1485.49  |
| CB6   | 1485.495 |
| CB7   | 1485.51  |
| CB8   | 1485.52  |
| CB9   | 1485.53  |
| CB12  | 1485.56  |
| CB13  | 1485.57  |
| CB16  | 1485.6   |
| CB17  | 1485.61  |
| CB18  | 1485.62  |
| CB19  | 1485.63  |
| CB20  | 1485.64  |
| CB21  | 1485.65  |
| CB22  | 1485.66  |
| CB23  | 1485.67  |
| CB24  | 1486.51  |
| CB25  | 1486.52  |
| CB26  | 1486.53  |
| CB27  | 1486.54  |
| CB28  | 1486.55  |
| CB29  | 1486.56  |
| CB30  | 1486.57  |
| CB31  | 1486.58  |
| CB32  | 1486.59  |
| CBJ   | 1886.5   |
| CC    | 1561.69  |
| CC3   | 322.07   |
| CF    | 686.5    |
| CGB   | 686.8    |
| CH3   | 1005.03  |
| CH4   | 709      |
| CH4   | 1005.04  |
| CH5   | 1005.05  |
| CH8   | 1005.08  |
| CH9   | 1005.09  |
| CH12  | 1005.12  |
| CH13  | 1005.13  |
| CH16  | 1005.16  |
| CJ    | 710      |
| CJ1   | 711      |
| CJ2   | 712      |
| CJ5   | 1568.5   |
| CJ5   | 716      |
| CJ6   | 716.1    |
| CJ9   | 717      |
| CJ18  | 720      |
| CJB   | 983.5    |
| CK1   | 1574.3   |
| CK2   | 704.85   |
| CK8   | 704.855  |
| CL1   | 1641.3   |
| CL3   | 1641.7   |
| CL4   | 696.5    |
| CLORI | 1641     |
| CM1   | 704.86   |
| CM2   | 704.861  |
| CM5   | 704.864  |
| CM5   | 1586     |
| CM10  | 1594     |
| CM12  | 1595     |

| C     | NO.      |
|-------|----------|
| CM16  | 1598.5   |
| CM17  | 1598     |
| CM28  | 1603     |
| CN2   | 704.9    |
| CN2   | 1575.8   |
| CN5   | 704.93   |
| CN6   | 704.94   |
| CN8   | 1576.2   |
| CQ2   | 683.1    |
| CQ5   | 684.02   |
| CS1   | 687.1    |
| CS2   | 1561.7   |
| CS4   | 1561.74  |
| CS6   | 1561.76  |
| CT7   | 1545.5   |
| CT11  | 1547.5   |
| CU2   | 1539.48  |
| CU27  | 1539.9   |
| CU35  | 1542.48  |
| CUS2  | 1540     |
| CUS3  | 1541     |
| CUS4  | 1542     |
| CUS5  | 1542.05  |
| CUS7  | 1542.051 |
| CUS9  | 1542.052 |
| CUS10 | 1542.053 |
| CUS11 | 1542.054 |
| CUS13 | 1542.055 |
| CUS14 | 1542.056 |
| CUS15 | 1542.057 |
| CUS17 | 1542.058 |
| CV1   | 669      |
| CX2   | 1531.8   |
| CX4   | 1531.9   |
| CY    | 689.1    |
| CY9   | 1528.6   |
| CY10  | 1528.7   |

| D   | NO.    |
|-----|--------|
| D   | 304    |
| D1  | 836.1  |
| D1  | 304.1  |
| D2  | 305    |
| D3  | 305.5  |
| D4  | 2014   |
| D4  | 1662.3 |
| D5  | 311.5  |
| D6  | 311.6  |
| D6  | 1663   |
| D7  | 1662.5 |
| D8  | 1030   |
| D9  | 2017   |
| D11 | 1661   |
| D12 | 2017.5 |
| D15 | 2018   |
| D15 | 1670.4 |
| D18 | 2018.5 |
| D20 | 1673   |
| D22 | 2021   |
| D23 | 2020.5 |
| D24 | 2022   |
| D25 | 2022.5 |
| D29 | 2029   |
| D30 | 2029.5 |
| D31 | 2030   |
| D32 | 2031   |
| D35 | 2032   |
| D36 | 2033   |
| D37 | 2034   |
| D38 | 2035   |
| D40 | 2036   |
| D41 | 2037   |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| D     | NO.      |
|-------|----------|
| D42   | 2037.5   |
| D49   | 2038     |
| D52   | 2038.4   |
| D53   | 2038.6   |
| D54   | 2039     |
| D56   | 2039.5   |
| D59   | 2040     |
| D60   | 2040.5   |
| D62   | 2043.6   |
| D63   | 2044     |
| D67   | 2045     |
| D68   | 2046     |
| D71   | 2047     |
| D74   | 2047.5   |
| D82   | 2048     |
| D83   | 2049.4   |
| D87   | 2052     |
| D88   | 2052.5   |
| D90   | 2053.5   |
| DA2   | 837      |
| DA51  | 473      |
| DA53  | 474      |
| DA56  | 484      |
| DA58  | 480.2    |
| DAME  | 1922     |
| DANAM | 2204.61  |
| DANAV | 2204.65  |
| DANC  | 2204.62  |
| DANE  | 2204.63  |
| DANW  | 2204.64  |
| DANX  | 2204.6   |
| DANY  | 2204.59  |
| DANZ  | 2204.58  |
| DE    | 1018.3   |
| DE1   | 1018.4   |
| DE3   | 1018.5   |
| DE4   | 1018.6   |
| DE6   | 1019     |
| DE7   | 1019.1   |
| DE8   | 1020.1   |
| DE10  | 1020.2   |
| DE11  | 1020.3   |
| DE12  | 1020.35  |
| DE14  | 1020.4   |
| DE16  | 1020.7   |
| DE18  | 1020.8   |
| DF    | 476      |
| DG2   | 1024.5   |
| DH    | 1023     |
| DH2   | 1023.1   |
| DH5   | 1023.7   |
| DH6   | 1023.2   |
| DH8   | 1023.3   |
| DH9   | 1023.4   |
| DH10  | 1023.5   |
| DH16  | 1023.52  |
| DJ    | 1027.45  |
| DJ15  | 1027.425 |
| DJ16  | 1027.42  |
| DJ30  | 1027.43  |
| DM1   | 1027.7   |
| DM2   | 1027.8   |
| DN2   | 1027.6   |
| DOUA1 | 2397.2   |
| DOUA2 | 2397.4   |
| DOUA3 | 2397.7   |
| DOUAN | 2271.6   |
| DP    | 1032.05  |
| DP3   | 1032.1   |
| DP6   | 1032.2   |
| DP51  | 477.2    |
| DP54  | 477.4    |
| DPA   | 1032.45  |
| DPB   | 1032.35  |

| D    | NO.     |
|------|---------|
| DPC  | 1032.55 |
| DS   | 1037    |
| DV52 | 480.1   |
| DY52 | 479     |
| DY54 | 479.01  |

| E     | NO.     |
|-------|---------|
| E     | 271     |
| E3    | 271.3   |
| E3    | 835.8   |
| E8    | 271.8   |
| E9    | 271.9   |
| E11   | 272.11  |
| E13/5 | 272.135 |
| E18   | 272.18  |
| E45   | 2197    |
| E50   | 434     |
| E52   | 436     |
| E57   | 437     |
| E64   | 439     |
| E66   | 439.8   |
| E75   | 139.75  |
| E77   | 441     |
| E86   | 141.3   |
| E87   | 2208    |
| E88   | 2207    |
| E223  | 2243    |
| E224  | 2244.5  |
| E225  | 2246    |
| E257  | 2254    |
| E429  | 2258.2  |
| E433  | 2257.3  |
| E440  | 2258.31 |
| E443  | 2258.1  |
| E445  | 2258.35 |
| E448  | 2258.4  |
| E544  | 2270.2  |
| E549  | 2270.5  |
| E558  | 2271.7  |
| EA    | 137.7   |
| EA    | 1267    |
| EA1   | 272.23  |
| EA2   | 1286.1  |
| EA3   | 1268.1  |
| EA4   | 1268.2  |
| EA5   | 1269.2  |
| EA6   | 1269.4  |
| EA7   | 1270    |
| EA8   | 1270.2  |
| EA9   | 1271    |
| EA16  | 1272    |
| EA17  | 2258.91 |
| EA17  | 1272.11 |
| EA19  | 2258.92 |
| EA22  | 2258.93 |
| EA23  | 2258.94 |
| EA51  | 445     |
| EAB   | 139     |
| EAE   | 1266    |
| EB    | 1265    |
| EC1   | 1273.1  |
| EC4   | 1273.15 |
| EDA   | 442     |
| EF    | 435.5   |
| EG    | 1276.2  |
| EG5   | 1282    |
| EG8   | 1282.5  |
| EG11  | 1284    |
| EG12  | 1285.5  |
| EG14  | 1286    |
| EG17  | 1286.6  |
| EG18  | 1286.8  |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| E    | NO.      |
|------|----------|
| EG21 | 1289     |
| EG24 | 1290     |
| EG25 | 1291     |
| EJ3  | 1293     |
| EJ5  | 1295.3   |
| EJ7  | 1295.4   |
| EJ10 | 1298     |
| EJ11 | 1299     |
| EJ14 | 1300     |
| EM2  | 1306.3   |
| EM3  | 1306.5   |
| EM4  | 1306.2   |
| EM5  | 1306.6   |
| EM7  | 1307     |
| EM8  | 1308     |
| EM10 | 1308.5   |
| EM12 | 1310.5   |
| EM17 | 1311.5   |
| EM18 | 1312     |
| EM20 | 1313     |
| EM23 | 1317     |
| EM25 | 1315     |
| EM28 | 1318     |
| EM31 | 1318.2   |
| EM34 | 1318.6   |
| EM42 | 1320     |
| EM55 | 437.5    |
| EN   | 1322.5   |
| EN1  | 138      |
| EN3  | 1320.5   |
| EN4  | 1320.51  |
| EN5  | 1320.61  |
| EN6  | 1320.6   |
| EN7  | 1320.611 |
| EN8  | 1320.62  |
| EN9  | 1321.5   |
| EN10 | 1321.6   |
| ENA  | 1322.2   |
| EP   | 1330.45  |
| EP15 | 1330.55  |
| EP25 | 1330.6   |
| EP28 | 1330.7   |
| EP29 | 1330.8   |
| EP33 | 1332.35  |
| EP50 | 1335.55  |
| EP65 | 1336.8   |
| ES2  | 1339.5   |
| ET2  | 1340.05  |
| EX2  | 1362     |
| EX3  | 1362.1   |
| EX4  | 1343.2   |
| EX6  | 1343.3   |
| EX8  | 1343.4   |
| EX9  | 1345.6   |

| F    | NO.    |
|------|--------|
| FORT | 2261.6 |

| H   | NO.     |
|-----|---------|
| H1  | 512.5   |
| H1  | 1494.98 |
| H2  | 1494.97 |
| H3  | 1494.96 |
| H4  | 516     |
| H6  | 517     |
| H7  | 519     |
| H8  | 518     |
| H9  | 523     |
| H11 | 523.1   |
| H12 | 524     |

| H     | NO.     |
|-------|---------|
| H14   | 526     |
| H15   | 525.2   |
| H17   | 527.5   |
| H19   | 529     |
| H22   | 535     |
| H39   | 557     |
| H41   | 1731    |
| H42   | 559     |
| H45   | 561.5   |
| H46   | 562     |
| H47   | 1749    |
| H48   | 562.3   |
| H52   | 1769    |
| H56   | 1825    |
| H58   | 1825.5  |
| H63   | 1831    |
| H68   | 1867    |
| H72   | 1869    |
| H79   | 1870    |
| H83   | 1871    |
| H89   | 1873    |
| H93   | 1874    |
| H98   | 1878.3  |
| H121  | 1891.6  |
| H131  | 1922.5  |
| HA    | 510     |
| HA1   | 1685.1  |
| HA1   | 224     |
| HA2   | 1685.2  |
| HA2   | 226     |
| HA2   | 504.01  |
| HA4   | 222     |
| HAC   | 525     |
| HB    | 509.5   |
| HC    | 514     |
| HC1   | 1824.23 |
| HC2   | 1824.33 |
| HC2   | 239     |
| HC3   | 1824.24 |
| HC3   | 239.3   |
| HC4   | 239.4   |
| HD3   | 509     |
| HD5   | 512     |
| HD8   | 1420    |
| HD9   | 1419.8  |
| HE    | 237     |
| HE2   | 503     |
| HE3   | 503.5   |
| HE6   | 503.52  |
| HE7   | 503.03  |
| HE10  | 503.05  |
| HE13  | 506.6   |
| HE16  | 503.1   |
| HE17  | 503.11  |
| HE19  | 511     |
| HFMOR | 1841    |
| HH2   | 565     |
| HH8   | 565.04  |
| HH9   | 565.05  |
| HJ1   | 232.1   |
| HJ2   | 564     |
| HJ2/2 | 564.22  |
| HJ4   | 564.03  |
| HK    | 517.5   |
| HK3   | 234.3   |
| HK17  | 526.6   |
| HKB   | 524.3   |
| HKC   | 526.5   |
| HKD   | 526.7   |
| HM1   | 521     |
| HM2   | 1890.5  |
| HM4   | 1890.48 |
| HM4   | 521.3   |
| HM5   | 1890.47 |



List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| H     | NO.     |
|-------|---------|
| HM6   | 1890.46 |
| HM8   | 1890.45 |
| HM10  | 1890.44 |
| HM11  | 1890.43 |
| HM13  | 1890.42 |
| HN6   | 520     |
| HN7   | 519.5   |
| HNWC  | 515     |
| HP    | 546     |
| HP2/2 | 544     |
| HP3   | 546.5   |
| HP8   | 1891.4  |
| HP11  | 547.2   |
| HP13  | 549     |
| HP15  | 550     |
| HP16  | 551     |
| HP17  | 552     |
| HP21  | 534     |
| HP22  | 533     |
| HQ1   | 532     |
| HQ2   | 531     |
| HQD   | 532.5   |
| HR2   | 505.1   |
| HR2   | 1756.2  |
| HR3   | 1756.14 |
| HR4   | 505.2   |
| HR5   | 505.3   |
| HS    | 508     |
| HS2   | 508.2   |
| HS2/2 | 508.22  |
| HS4   | 508.4   |
| HS4/2 | 508.42  |
| HS6   | 504     |
| HS12  | 504.5   |
| HS13  | 504.7   |
| HS19  | 505.8   |
| HS20  | 505.81  |
| HS22  | 505.82  |
| HS24  | 505.83  |
| HSA   | 504.02  |
| HSE   | 508.44  |
| HT2   | 536     |
| HT2   | 1732    |
| HT3   | 1732.2  |
| HT10  | 1732.4  |
| HT11  | 1732.3  |
| HU1   | 540.1   |
| HV1   | 1763    |
| HV2   | 1763.1  |
| HV3   | 1763.15 |
| HV4   | 1763.2  |
| HV5   | 1763.25 |
| HV6   | 1763.3  |
| HV7   | 1763.35 |
| HV8   | 1763.4  |
| HV9   | 1763.45 |
| HV10  | 1763.5  |
| HV12  | 1763.6  |
| HX    | 563     |
| HX2   | 563.2   |
| HX7   | 563.04  |
| HX8   | 563.05  |
| HY2   | 561     |
| HY6   | 560     |
| HYC   | 560.6   |

| I      | NO.    |
|--------|--------|
| ILIEV  | 1830   |
| IML-4  | 1707.9 |
| IML-6  | 1037.6 |
| IML-7  | 1656   |
| IML-10 | 1477.5 |

| I      | NO.    |
|--------|--------|
| IML-11 | 1512.9 |
| IML-12 | 1500.5 |
| IML-13 | 1523.5 |
| IML-14 | 1512.6 |
| IML-15 | 1512.4 |
| IML-16 | 1500.3 |
| IML-17 | 1500.1 |
| ISH    | 2377.8 |
| ISO    | 2280   |

| J      | NO.      |
|--------|----------|
| J      | 338      |
| J      | 145      |
| J1     | 101      |
| J3     | 101.3    |
| J5     | 101.35   |
| J7     | 101.4    |
| J9     | 102      |
| J10    | 763      |
| J12    | 751      |
| J12    | 102.3    |
| J14    | 112      |
| J16    | 102.16   |
| J18    | 102.18   |
| J19    | 102.19   |
| J25    | 120.5    |
| J37    | 122.2    |
| J38    | 122.1    |
| J41    | 122.4    |
| J48    | 124.5    |
| JA     | 1038.5   |
| JA     | 347      |
| JA1    | 98       |
| JA2    | 769      |
| JA6    | 768.5    |
| JA56   | 346      |
| JB     | 145.4    |
| JC     | 111      |
| JC     | 1040.05  |
| JC4    | 103      |
| JC5    | 105      |
| JC8    | 105.8    |
| JC9    | 106      |
| JC10   | 106.1    |
| JC15   | 108      |
| JC16   | 108.16   |
| JC20   | 110      |
| JD     | 100.2    |
| JD     | 1043.1   |
| JD5    | 1044.1   |
| JD6    | 1044.2   |
| JD8    | 1044.3   |
| JD9    | 1044.4   |
| JD9.5  | 1046.04  |
| JD10   | 1044.5   |
| JD11   | 1046.045 |
| JD11.5 | 1046.05  |
| JD12   | 1046.06  |
| JD13   | 1046.1   |
| JD15   | 1046.11  |
| JD16   | 1046.15  |
| JD18   | 1046.2   |
| JD21   | 1046.3   |
| JD21.5 | 1046.35  |
| JD23   | 1046.4   |
| JE     | 1046.81  |
| JE2    | 114.5    |
| JE6    | 1047.01  |
| JE7    | 1047.15  |
| JE7/1  | 1047.011 |
| JE8    | 1047.02  |
| JE8/2  | 1047.021 |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| J    | NO.      |
|------|----------|
| JE9  | 1047.028 |
| JE10 | 1047.03  |
| JE12 | 1047.04  |
| JE14 | 1047.051 |
| JE15 | 1047.1   |
| JE16 | 1047.2   |
| JE17 | 1047.06  |
| JH   | 1047.51  |
| JH1  | 1049.11  |
| JH2  | 1049.121 |
| JH3  | 1049.131 |
| JH4  | 1049.14  |
| JH5  | 1049.09  |
| JH6  | 1049.1   |
| JH7  | 1049.15  |
| JH8  | 1049.16  |
| JH9  | 1049.2   |
| JH10 | 1049.21  |
| JH11 | 1049.211 |
| JH12 | 1049.22  |
| JH16 | 1049.4   |
| JH19 | 1049.24  |
| JH21 | 1049.6   |
| JH22 | 1049.26  |
| JH26 | 1049.27  |
| JH29 | 1049.275 |
| JH30 | 1049.28  |
| JJ   | 1050.05  |
| JJ   | 340.01   |
| JJ2  | 765.7    |
| JJ3  | 764      |
| JJ3  | 1050.1   |
| JJ4  | 1050.12  |
| JJ5  | 1050.13  |
| JJ6  | 1050.2   |
| JJ6  | 765      |
| JJ7  | 1050.3   |
| JJ8  | 1050.5   |
| JJ9  | 1050.9   |
| JJ10 | 1050.91  |
| JJ10 | 764.4    |
| JJ11 | 764.5    |
| JJ51 | 339      |
| JJ56 | 340.03   |
| JJ57 | 340.04   |
| JK   | 1054     |
| JK1  | 116.3    |
| JK3  | 1054.1   |
| JK4  | 1054.11  |
| JK6  | 1054.24  |
| JK7  | 1054.3   |
| JK8  | 1054.51  |
| JK9  | 1054.4   |
| JK10 | 1054.511 |
| JK12 | 1054.6   |
| JK13 | 1054.9   |
| JM   | 1058     |
| JM2  | 762      |
| JM2  | 1060.11  |
| JM3  | 1060.12  |
| JM6  | 1060.45  |
| JM7  | 1060.1   |
| JM9  | 1060.22  |
| JM11 | 1060.15  |
| JM20 | 1060.4   |
| JM25 | 1060.5   |
| JMA  | 1060.3   |
| JN   | 119.5    |
| JN   | 340      |
| JN   | 1060.2   |
| JN1  | 1060.55  |
| JN3  | 1060.57  |
| JN4  | 1060.6   |
| JN15 | 1060.8   |

| J    | NO.      |
|------|----------|
| JN17 | 1060.9   |
| JN51 | 346.01   |
| JN53 | 342      |
| JP   | 123      |
| JP   | 1065.05  |
| JP1  | 1065.1   |
| JP4  | 1065.3   |
| JP9  | 1065.6   |
| JPA  | 1065.2   |
| JQ   | 330      |
| JQ52 | 331.44   |
| JS   | 1071.35  |
| JS2  | 1071.39  |
| JS3  | 1071.41  |
| JS4  | 1071.42  |
| JS5  | 1071.45  |
| JS7  | 1071.5   |
| JS8  | 1071.52  |
| JS12 | 1071.89  |
| JS13 | 1071.9   |
| JS14 | 1071.95  |
| JS21 | 1071.96  |
| JS22 | 1071.961 |
| JS23 | 1071.962 |
| JS24 | 1071.963 |
| JS27 | 1071.977 |
| JS32 | 1071.98  |
| JS33 | 1071.99  |
| JS39 | 1072.1   |
| JS40 | 1072.59  |
| JS42 | 1072.4   |
| JS43 | 1072.5   |
| JS44 | 1072.6   |
| JS53 | 328      |
| JS55 | 329      |
| JS56 | 337      |
| JS59 | 331      |
| JS61 | 331.6    |
| JS70 | 333.5    |
| JS76 | 334      |
| JT   | 754      |
| JT1  | 755      |
| JT4  | 1071.1   |
| JT11 | 760      |
| JTA  | 756.5    |
| JTB  | 759      |
| JU3  | 1069.5   |
| JU4  | 758.5    |
| JU5  | 1069.65  |
| JU6  | 1069.66  |
| JU7  | 1069.7   |
| JU8  | 1069.8   |
| JU9  | 1069.9   |
| JU50 | 329.6    |
| JV   | 1075.05  |
| JV4  | 1075.2   |
| JV5  | 1075.3   |
| JV6  | 1075.33  |
| JV7  | 1075.34  |
| JV8  | 1075.32  |
| JV9  | 1075.4   |
| JV10 | 1075.5   |
| JV12 | 1075.7   |
| JV15 | 1075.6   |
| JV17 | 1075.805 |
| JX3  | 752      |
| JX5  | 1084.52  |
| JX7  | 1084.53  |
| JX9  | 1084.54  |
| JX10 | 752.7    |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| K    | NO.     |
|------|---------|
| K1   | 86      |
| K3   | 88      |
| K4   | 846     |
| K14  | 1692    |
| K15  | 151     |
| K19  | 156     |
| K20  | 2390    |
| K21  | 2390.2  |
| K29  | 2390.4  |
| K30  | 1718    |
| K32  | 1726    |
| K33  | 2390.5  |
| K38  | 1736    |
| K48  | 1747    |
| K51  | 1766.8  |
| K54  | 1774.3  |
| K55  | 1768    |
| K56  | 1772    |
| K58  | 1771    |
| K59  | 1823.8  |
| K60  | 1834.5  |
| K64  | 1843    |
| K65  | 1857    |
| K82  | 1892.1  |
| K83  | 1892.2  |
| K87  | 1892.6  |
| K91  | 1893.5  |
| K92  | 1893.6  |
| K95  | 1895    |
| K96  | 1894    |
| K99  | 1895.8  |
| K100 | 1895.9  |
| K101 | 1895.91 |
| K103 | 1896    |
| K104 | 1897    |
| K107 | 1904    |
| K108 | 1905    |
| K111 | 1906    |
| K112 | 1908    |
| K115 | 1909    |
| K116 | 1910    |
| K119 | 1911    |
| K120 | 1912    |
| K123 | 1913.4  |
| K124 | 1912.5  |
| K127 | 1914    |
| K128 | 1915    |
| K131 | 1916    |
| K132 | 1917    |
| K135 | 1917.3  |
| K136 | 1917.2  |
| K140 | 1923.2  |
| K141 | 1923.3  |
| K143 | 1923.4  |
| K145 | 1923.7  |
| K147 | 1925    |
| K149 | 1925.4  |
| K154 | 1925.52 |
| K155 | 1925.8  |
| K156 | 1926    |
| K159 | 1928    |
| K160 | 1929    |
| K163 | 1930    |
| K164 | 1929.3  |
| K165 | 1931.5  |
| K168 | 1953    |
| KA   | 81.2    |
| KA   | 856     |
| KA2  | 78      |
| KA6  | 857.2   |
| KA9  | 857.3   |
| KA12 | 1677.6  |
| KA13 | 1677.4  |
| KA51 | 386.01  |

| K    | NO.    |
|------|--------|
| KB   | 148    |
| KB1  | 852.6  |
| KC   | 386    |
| KC   | 852    |
| KC1  | 1716.5 |
| KC1  | 851.3  |
| KC3  | 1716.8 |
| KC53 | 384.5  |
| KD   | 850    |
| KD1  | 850.1  |
| KD6  | 1713.5 |
| KD7  | 1715.5 |
| KD14 | 1717   |
| KE   | 383.1  |
| KE2  | 1736.8 |
| KE3  | 1736.5 |
| KE4  | 1736.6 |
| KE52 | 382.01 |
| KEA  | 82     |
| KEA  | 383.5  |
| KF   | 848.5  |
| KH   | 849    |
| KH2  | 849.3  |
| KJ1  | 87     |
| KJ2  | 1757   |
| KJ4  | 1757.1 |
| KK51 | 369    |
| KK57 | 369.04 |
| KK61 | 371    |
| KK64 | 371.02 |
| KK69 | 372    |
| KK72 | 372.03 |
| KM   | 848    |
| KM3  | 848.6  |
| KM4  | 848.7  |
| KM6  | 847.3  |
| KN   | 845.5  |
| KN   | 91     |
| KP   | 368    |
| KP2  | 845.1  |
| KP2  | 1953.5 |
| KP7  | 845.3  |
| KP8  | 845.4  |
| KP56 | 368.02 |
| KPA  | 367.7  |
| KPP  | 1843.5 |
| KQ2  | 774.4  |
| KQ7  | 774.5  |
| KS   | 94     |
| KS   | 366.1  |
| KS1  | 92.1   |
| KS53 | 366.35 |
| KS54 | 366.05 |
| KS55 | 366.06 |
| KS56 | 366.02 |
| KS57 | 366.01 |
| KS58 | 366.04 |
| KS59 | 366.03 |
| KS61 | 366.8  |
| KSA  | 357.8  |
| KT1  | 96     |
| KV   | 771    |
| KV1  | 771.5  |
| KV2  | 771.01 |
| KV5  | 771.04 |
| KV6  | 771.05 |
| KW   | 149    |
| KX   | 155.5  |

| L     | NO.    |
|-------|--------|
| LAC   | 2123.5 |
| LANOB | 2277   |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| L     | NO.    |
|-------|--------|
| LEBEL | 2308.4 |
| LGLB  | 2368   |
| LIMD  | 1929.2 |
| LIMF  | 1929.1 |
| LN3   | 823.1  |
| LN4   | 823.2  |
| LN5   | 823.3  |
| LN6   | 823.4  |
| LN7   | 823.5  |
| LN8   | 823.6  |
| LN9   | 823.7  |

| M     | NO.     |
|-------|---------|
| M     | 449.4   |
| M1    | 2273    |
| M2    | 1170    |
| M2    | 225     |
| M2    | 2273.5  |
| M3    | 2273.6  |
| M3    | 1170.7  |
| M4    | 2273.7  |
| M4    | 1171    |
| M4    | 220     |
| M5    | 1172    |
| M6    | 1172.5  |
| M7    | 1172.51 |
| M8    | 2278.7  |
| M8    | 1172.6  |
| M9    | 2279    |
| M10   | 1173    |
| M11   | 2280.5  |
| M12   | 1173.01 |
| M13   | 2280.7  |
| M14   | 1173.5  |
| M15   | 1173.71 |
| M15/1 | 1173.72 |
| M15/3 | 1173.8  |
| M16   | 2281    |
| M16   | 1173.81 |
| M17   | 2281.5  |
| M17   | 1179    |
| M18   | 1179.5  |
| M19   | 2284    |
| M19   | 1180.5  |
| M20   | 2285    |
| M21   | 1181    |
| M21/3 | 1181.5  |
| M22   | 1182    |
| M22/2 | 1182.5  |
| M23   | 2286.5  |
| M24   | 1184.5  |
| M26   | 2287    |
| M26   | 1186    |
| M28   | 1188    |
| M29   | 2293.5  |
| M30   | 1189.2  |
| M31   | 1195    |
| M32   | 2294.2  |
| M33   | 2294.4  |
| M33   | 1195.5  |
| M34   | 1198    |
| M35   | 1198.3  |
| M36   | 1198.6  |
| M37   | 1199    |
| M38   | 2294.6  |
| M39   | 1202    |
| M40   | 1203    |
| M41   | 2294.8  |
| M44   | 1203.1  |
| M45   | 2295    |
| M46   | 2295.2  |
| M46   | 1206    |

| M    | NO.     |
|------|---------|
| M49  | 2313.05 |
| M51  | 1209    |
| M51  | 2313.1  |
| M52  | 2314    |
| M52  | 447     |
| M53  | 1210    |
| M54  | 448     |
| M54  | 2320.5  |
| M55  | 448.5   |
| M55  | 1211    |
| M56  | 1212    |
| M57  | 2321    |
| M57  | 1213    |
| M59  | 1214    |
| M60  | 449.5   |
| M61  | 450     |
| M61  | 1215    |
| M62  | 1215.2  |
| M64  | 1216    |
| M66  | 1216.5  |
| M67  | 1217.5  |
| M67  | 450.8   |
| M68  | 1217    |
| M69  | 1220    |
| M71  | 1222    |
| M72  | 452.5   |
| M73  | 1223    |
| M75  | 1224    |
| M76  | 2322    |
| M77  | 2323    |
| M78  | 2323.5  |
| M79  | 2324    |
| M82  | 2325    |
| M84  | 2325.2  |
| M87  | 2327.4  |
| M88  | 2327.5  |
| M89  | 2328    |
| M103 | 2329    |
| M104 | 2329.2  |
| M116 | 2331.5  |
| M117 | 2332    |
| M118 | 2333    |
| M119 | 2333.3  |
| M122 | 2333.4  |
| M123 | 2333.5  |
| M124 | 2334    |
| M129 | 2337    |
| M130 | 2337.3  |
| M132 | 2337.7  |
| M133 | 2338    |
| M138 | 2338.5  |
| M139 | 2339.2  |
| M140 | 2339.4  |
| M143 | 2343    |
| M144 | 2343.2  |
| M151 | 2349    |
| M156 | 2349.5  |
| M157 | 2352    |
| M161 | 2354    |
| M163 | 2355    |
| M165 | 2355.5  |
| M166 | 2356    |
| M167 | 2358    |
| M171 | 2365    |
| M175 | 2365.4  |
| M177 | 2365.9  |
| M187 | 2369.5  |
| M189 | 2377    |
| M191 | 2378    |
| M192 | 2379    |
| M195 | 2381    |
| M199 | 2383    |
| M201 | 2384    |
| MA   | 213     |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| M         | NO.     |
|-----------|---------|
| MA        | 466     |
| MA54      | 475     |
| MA55      | 457     |
| MA57      | 455     |
| MATAN     | 1702    |
| MB1       | 1552.5  |
| MC52      | 470     |
| MC55      | 452.7   |
| MC59      | 454.7   |
| MC66      | 454.6   |
| MC70      | 454.55  |
| MCA       | 454.65  |
| MD53      | 468     |
| MD55      | 464     |
| ME        | 449.25  |
| ME        | 1173.91 |
| ME3       | 1174.5  |
| ME4       | 1174    |
| ME8       | 1175    |
| MEB       | 2354.5  |
| MENIER    | 1516    |
| MH2       | 1236.6  |
| MH3       | 1236.5  |
| MH6       | 1236.3  |
| MH6.2     | 1236.1  |
| MH11      | 1236    |
| MH26      | 1235.9  |
| MH31      | 1232    |
| MHC       | 1179.1  |
| MIS 1     | 1264.2  |
| MIS 2     | 1264.3  |
| MIS 3     | 1264.4  |
| MIS 4     | 1264.5  |
| MJ        | 1235    |
| MJ2       | 1234.4  |
| MJ6       | 1234    |
| MK        | 1233    |
| MK52      | 459     |
| MK53      | 457.2   |
| MK58      | 457.4   |
| MLS 45138 | 1654    |
| MM        | 165     |
| MN25      | 1169.1  |
| MN28      | 1169.2  |
| MN51      | 460     |
| MP1       | 2272.6  |
| MP22      | 1190    |
| MQ2       | 1194    |
| MQ27      | 2313.5  |
| MQ32      | 2313.4  |
| MS1       | 1192    |
| MS9       | 2296.2  |
| MS9       | 1193    |
| MS20      | 2297    |
| MS29      | 2298    |
| MS39      | 2299.6  |
| MS43      | 2301.6  |
| MS56      | 454.2   |
| MS57      | 454.4   |
| MT1       | 2365.51 |
| MT3       | 2365.53 |
| MT31      | 2365.65 |
| MT40      | 2365.69 |
| MT59      | 2365.73 |
| MT60      | 2365.75 |
| MT66      | 2365.1  |
| MT68      | 2365.3  |
| MT69      | 2365.83 |
| MT79      | 2370    |
| MT81      | 2371    |
| MT85      | 2374    |
| MTGNY     | 1890.6  |
| MU53      | 454.63  |
| MU57      | 454.62  |

| M    | NO.    |
|------|--------|
| MV6  | 2309   |
| MV28 | 2311.2 |

| N     | NO.     |
|-------|---------|
| N     | 325     |
| N2    | 307.02  |
| N6    | 110     |
| N8    | 977     |
| N9    | 251.5   |
| N14   | 745     |
| N14   | 1014    |
| N16   | 742     |
| N18   | 738     |
| NA2   | 326     |
| NA4   | 326.02  |
| NAC   | 324     |
| NC1   | 948.05  |
| NC2   | 746     |
| NC3   | 746.1   |
| NC4   | 746.2   |
| NC5   | 948.09  |
| NC6   | 948.1   |
| NC8   | 948.2   |
| NC9   | 948.22  |
| NC24  | 747.3   |
| ND    | 294.7   |
| ND4   | 303     |
| NDN   | 942     |
| NE    | 948.5   |
| NE2   | 948.6   |
| NE2   | 285.2   |
| NE5   | 950.1   |
| NE7   | 950.12  |
| NE9   | 950.15  |
| NE10  | 950.2   |
| NEWPO | 1388    |
| NF    | 306.002 |
| NF16  | 306.016 |
| NF23  | 306.023 |
| NH    | 952.5   |
| NH    | 741     |
| NH3   | 741.01  |
| NH3   | 953.5   |
| NH4   | 953.4   |
| NH4   | 741.03  |
| NH8   | 741.04  |
| NH9   | 953.7   |
| NH10  | 741.05  |
| NH10  | 954     |
| NH12  | 956.2   |
| NH14  | 956.15  |
| NH15  | 956.3   |
| NH18  | 956.4   |
| NH22  | 957.3   |
| NH23  | 957.4   |
| NH27  | 957.41  |
| NH30  | 957.5   |
| NH38  | 957.7   |
| NH43  | 957.8   |
| NH45  | 957.9   |
| NHA   | 739     |
| NJ2   | 951.6   |
| NJ3   | 951.7   |
| NJ7   | 951.75  |
| NJ14  | 951.8   |
| NJ15  | 951.85  |
| NJ18  | 951.9   |
| NJ23  | 951.91  |
| NJ25  | 951.95  |
| NJ30  | 952     |
| NK    | 290.2   |
| NM    | 736     |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| N      | NO.      |
|--------|----------|
| NM     | 251      |
| NM     | 961      |
| NM3    | 963      |
| NM6    | 963.5    |
| NM6/2  | 964.1    |
| NM7    | 963.6    |
| NM8    | 966      |
| NM11   | 966.5    |
| NM12   | 966.6    |
| NM13   | 968      |
| NM14   | 968.1    |
| NM15   | 969      |
| NM16   | 968.3    |
| NM24   | 969.7    |
| NM30   | 969.8    |
| NM33   | 969.9    |
| NN     | 970.4    |
| NN5    | 737.05   |
| NOIX   | 2258.72  |
| NP     | 958.5    |
| NP     | 245      |
| NP2    | 735      |
| NQ1    | 256      |
| NQ1    | 723      |
| NQ3    | 727      |
| NQ12   | 733      |
| NR10   | 712.09   |
| NS1    | 724      |
| NS2    | 972.5    |
| NS4    | 283.2    |
| NS8    | 274.8    |
| NS9    | 274.9    |
| NS11   | 276      |
| NS17   | 277      |
| NS17/1 | 274.14   |
| NSA    | 274.2    |
| NSB    | 274.4    |
| NSC    | 288      |
| NSE    | 274.22   |
| NSH    | 275      |
| NT1    | 728.5    |
| NT2    | 252      |
| NT12   | 730.5    |
| NU     | 246      |
| NV     | 242      |
| NV4    | 980.5    |
| NX     | 1009.11  |
| NX4    | 1009.12  |
| NX5    | 1009.13  |
| NX9    | 1009.17  |
| NX11   | 1011.1   |
| NX12   | 1009.2   |
| NX17   | 1011.14  |
| NX17/3 | 1011.145 |
| NX18   | 1011.15  |
| NX18/2 | 1011.155 |
| NX19   | 1011.175 |
| NX19/5 | 1011.18  |
| NX20   | 1011.19  |
| NX21   | 1011.21  |
| NX22   | 1011.22  |
| NY2    | 951.5    |

| P    | NO.    |
|------|--------|
| P    | 664.1  |
| P1   | 302.5  |
| P5   | 300    |
| PAT  | 2348.1 |
| PATB | 2349.1 |
| PATC | 2349.2 |
| PATD | 2349.3 |
| PATE | 2349.4 |

| P     | NO.     |
|-------|---------|
| PATG  | 2350.5  |
| PB    | 301.5   |
| PC    | 682     |
| PC1   | 2200    |
| PC2   | 681     |
| PC2   | 2205    |
| PC5   | 680.5   |
| PC6   | 680.2   |
| PC14  | 675.1   |
| PJ2   | 669.5   |
| PJ3   | 669.8   |
| PJ6   | 670.5   |
| PJ12  | 671     |
| PK    | 666.8   |
| PK2   | 667.015 |
| PK7   | 670     |
| PM9   | 1517    |
| PM11  | 1518    |
| PNF   | 2182.52 |
| PP7   | 664.03  |
| PP11  | 664.032 |
| PP15  | 664.034 |
| PP22  | 664.035 |
| PP25  | 664.037 |
| PP26  | 664.038 |
| PP29  | 664.039 |
| PQ    | 661.2   |
| PQ4   | 662     |
| PQ6   | 662.2   |
| PQ11  | 662.9   |
| PQ12  | 662.91  |
| PQ15  | 662.94  |
| PRIV  | 1375.5  |
| PRIV  | 1375.6  |
| PRIV  | 1375.7  |
| PRIV  | 1375.8  |
| PRIV  | 2190    |
| PRIV  | 836.02  |
| PRIV  | 836.03  |
| PRIV  | 1757.2  |
| PRIV  | 1757.3  |
| PRIV  | 1418.6  |
| PRIV  | 1418.7  |
| PRIV  | 1418.8  |
| PRIV  | 1418.1  |
| PRIV  | 1418.2  |
| PRIV  | 1418.3  |
| PRIV  | 2263    |
| PRIV  | 1823.57 |
| PRIV  | 1782.5  |
| PRIV  | 1959.8  |
| PRIV  | 1960.8  |
| PRIV  | 1923.23 |
| PRIV  | 1923.24 |
| PRIV  | 1923.22 |
| PRIV  | 1923.21 |
| PSH   | 2378.5  |
| PTCAR | 1680    |
| PU1   | 658     |
| PU5   | 657.5   |
| PU15  | 656.6   |

| Q  | NO.    |
|----|--------|
| Q  | 1131   |
| Q1 | 797    |
| Q2 | 797.5  |
| Q3 | 798    |
| Q3 | 1132   |
| Q4 | 1959   |
| Q4 | 801    |
| Q5 | 801.5  |
| Q5 | 1133.1 |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| Q    | NO.     |
|------|---------|
| Q6   | 1960    |
| Q6   | 802     |
| Q7   | 1961    |
| Q7   | 802.1   |
| Q8   | 802.2   |
| Q10  | 804.8   |
| Q10  | 1133.6  |
| Q11  | 805     |
| Q11  | 1134    |
| Q11  | 1961.2  |
| Q12  | 805.8   |
| Q14  | 806     |
| Q15  | 807     |
| Q16  | 1966.5  |
| Q18  | 1966.8  |
| Q18  | 1135    |
| Q19  | 1967    |
| Q20  | 1968    |
| Q20  | 811.1   |
| Q21  | 811.2   |
| Q22  | 1969    |
| Q22  | 1136    |
| Q23  | 1970    |
| Q24  | 1136.1  |
| Q25  | 1144    |
| Q27  | 1970.5  |
| Q28  | 1144.5  |
| Q31  | 1972    |
| Q32  | 1973    |
| Q32  | 1147    |
| Q34  | 1974.5  |
| Q34  | 1147.5  |
| Q35  | 839     |
| Q37  | 1978    |
| Q38  | 1150    |
| Q38  | 1979    |
| Q39  | 1150.1  |
| Q40  | 1980    |
| Q41  | 1982    |
| Q42  | 1150.11 |
| Q42  | 1982.5  |
| Q43  | 841.5   |
| Q46  | 1983    |
| Q48  | 1984    |
| Q50  | 1987    |
| Q51  | 1989    |
| Q53  | 1989.6  |
| Q54  | 1990    |
| Q55  | 1990.6  |
| Q57  | 1992    |
| Q61  | 1993    |
| Q63  | 1994    |
| Q65  | 1999.5  |
| Q66  | 2000    |
| Q67  | 2001    |
| Q68  | 2001.1  |
| Q70  | 2004    |
| Q73  | 2004.5  |
| Q74  | 2005    |
| Q76  | 2008.1  |
| Q77  | 2008    |
| Q83  | 2012    |
| Q84  | 2012.1  |
| QA   | 812     |
| QA2  | 1148    |
| QA6  | 1148.4  |
| QA7  | 1148.5  |
| QA8  | 1149    |
| QA11 | 1149.3  |
| QA13 | 1149.6  |
| QC2  | 1962.3  |
| QC3  | 1962.5  |
| QC4  | 1962.7  |
| QUEB | 1954    |

| Q   | NO.    |
|-----|--------|
| QX1 | 1129.1 |

| R     | NO.    |
|-------|--------|
| RAT   | 1614.7 |
| RM1   | 1650   |
| ROALC | 1751   |

| S   | NO.    |
|-----|--------|
| S   | 77.5   |
| S   | 357    |
| S2  | 789    |
| S2  | 2110   |
| S3  | 75     |
| S3  | 2114.5 |
| S3  | 1774.5 |
| S4  | 1775   |
| S4  | 2114   |
| S4  | 789.2  |
| S5  | 70.6   |
| S5  | 1776   |
| S6  | 2118.5 |
| S6  | 789.3  |
| S7  | 1778   |
| S8  | 1777   |
| S8  | 2119   |
| S8  | 789.6  |
| S9  | 68     |
| S10 | 2120.5 |
| S10 | 57.8   |
| S10 | 789.8  |
| S11 | 789.9  |
| S12 | 57.9   |
| S12 | 2121   |
| S13 | 2122   |
| S13 | 789.11 |
| S14 | 58.5   |
| S14 | 789.12 |
| S16 | 58.6   |
| S16 | 2122.8 |
| S16 | 789.14 |
| S17 | 2123   |
| S18 | 785.5  |
| S18 | 58.7   |
| S19 | 786    |
| S20 | 787    |
| S21 | 2124   |
| S22 | 2127   |
| S23 | 788    |
| S25 | 2128   |
| S26 | 2129   |
| S27 | 2129.3 |
| S30 | 1800.5 |
| S31 | 2129.6 |
| S32 | 2130   |
| S32 | 1802.4 |
| S34 | 1802.6 |
| S36 | 1803   |
| S37 | 1803.5 |
| S38 | 1804   |
| S39 | 1804.3 |
| S40 | 1804.5 |
| S42 | 1804.7 |
| S43 | 2131.7 |
| S44 | 2132   |
| S44 | 1806.5 |
| S46 | 1810   |
| S47 | 1813   |
| S50 | 1813.8 |
| S51 | 354    |
| S51 | 2133   |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| S     | NO.     |
|-------|---------|
| S52   | 360.1   |
| S53   | 1820    |
| S54   | 362.8   |
| S54   | 2134    |
| S56   | 1820.2  |
| S56   | 360.02  |
| S58   | 2135    |
| S59   | 1820.5  |
| S60   | 1820.6  |
| S61   | 1820.7  |
| S62   | 2136    |
| S63   | 1820.9  |
| S63   | 2137    |
| S65   | 1821.1  |
| S67   | 1821.3  |
| S67   | 2138    |
| S68   | 2138.2  |
| S71   | 1823.3  |
| S77   | 2139.5  |
| S80   | 2141    |
| S81   | 2142    |
| S82   | 2142.2  |
| S86   | 2147    |
| S87   | 2146    |
| S97   | 2151    |
| S98   | 2151.5  |
| S100  | 2152    |
| S102  | 2153.5  |
| S103  | 2154    |
| S107  | 2154.2  |
| S110  | 2163    |
| S111  | 2164    |
| S113  | 2164.1  |
| S114  | 2165    |
| S116  | 2167.1  |
| S117  | 2170    |
| S120  | 2172    |
| S123  | 2173    |
| S126  | 2174    |
| S129  | 2174.7  |
| S130  | 2174.8  |
| S136  | 2179    |
| S139  | 2181.1  |
| S140  | 2181.15 |
| S141  | 2181.2  |
| S146  | 2182    |
| S150  | 2272.5  |
| S154  | 2272.8  |
| S158  | 2273.1  |
| SA    | 52.55   |
| SA2   | 896.5   |
| SA6   | 896.6   |
| SA8   | 777.02  |
| SA14  | 896.8   |
| SA51  | 360.01  |
| SAA   | 70.5    |
| SABLO | 1528.5  |
| SAC   | 357.5   |
| SD2   | 778.5   |
| SD52  | 360.11  |
| SE    | 789.16  |
| SE2   | 72.5    |
| SE8   | 72.1    |
| SH9   | 1799    |
| SH10  | 55      |
| SJ    | 900.5   |
| SJ1   | 73.25   |
| SJ2   | 900.8   |
| SJ2   | 74.2    |
| SJ4   | 75.43   |
| SJ4   | 901     |
| SJ5   | 901.1   |
| SJ6   | 901.6   |
| SJ7   | 901.5   |

| S      | NO.     |
|--------|---------|
| SJ11   | 905     |
| SJ12   | 905.2   |
| SJ15   | 905.3   |
| SJ19   | 905.6   |
| SJ27/3 | 909     |
| SJ38   | 909.5   |
| SJA    | 73.5    |
| SJB    | 73.75   |
| SJD    | 905.55  |
| SN     | 353     |
| SN2    | 2171    |
| SN11   | 2174.4  |
| SN12   | 2174.3  |
| SN22   | 2182.4  |
| SN24   | 2182.6  |
| SN26   | 2182.5  |
| SN28   | 2182.8  |
| SN51   | 350     |
| SN52   | 350.02  |
| SN60   | 352.5   |
| SNC    | 350.5   |
| SOREL  | 2185.1  |
| SP     | 900.2   |
| SP2    | 919     |
| SP54   | 351     |
| SP56   | 351.02  |
| SP59   | 351.04  |
| SPN    | 896.95  |
| SQ     | 70      |
| SQ2    | 912.5   |
| SQ2    | 70.15   |
| SQ3    | 70.25   |
| SQ4    | 75.32   |
| SS     | 787.21  |
| SS1    | 913     |
| SS1    | 787.2   |
| SS2    | 913.2   |
| SS3    | 913.4   |
| SS6    | 913.6   |
| SS7    | 914     |
| SS8    | 915     |
| SS10   | 915.4   |
| SS11   | 916     |
| SS12   | 916.2   |
| SS15   | 917     |
| SS16   | 916.4   |
| SSA    | 786.1   |
| STAUG  | 1539.15 |
| SU1    | 919.6   |
| SW     | 789.15  |
| SX3    | 66      |
| SY4    | 63      |

| T     | NO.     |
|-------|---------|
| T     | 420.5   |
| T1    | 287.5   |
| T3    | 285     |
| T7    | 286.5   |
| T9    | 286     |
| T51   | 422     |
| T52   | 432.2   |
| T54/2 | 426.5   |
| T56   | 427     |
| T59   | 429     |
| T60   | 429.2   |
| T63   | 430     |
| TA    | 425     |
| TA    | 293.55  |
| TA1   | 1237.99 |
| TA2   | 1238    |
| TA2/2 | 1238.05 |
| TA3   | 293.6   |



List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| T      | NO.      |
|--------|----------|
| TA4    | 655      |
| TA4    | 1238.1   |
| TA5    | 293.7    |
| TA5    | 1239.12  |
| TA6    | 1238.13  |
| TA7    | 656      |
| TA9    | 1238.16  |
| TA10   | 1238.17  |
| TA12   | 1238.2   |
| TA13   | 1238.21  |
| TA15   | 1238.23  |
| TA16   | 1238.24  |
| TA18   | 1238.26  |
| TA19   | 1238.27  |
| TA20   | 1238.28  |
| TA21   | 1238.29  |
| TA22   | 1238.3   |
| TA22/2 | 1238.31  |
| TA22/4 | 1238.32  |
| TA23   | 1238.4   |
| TA26/2 | 1238.45  |
| TA34   | 1238.5   |
| TA37   | 1238.6   |
| TA39   | 1238.65  |
| TA41   | 1238.66  |
| TA47   | 1240.22  |
| TC     | 1238.8   |
| TC3    | 291      |
| TC6    | 1238.9   |
| TC12   | 1239.1   |
| TC14   | 1239.2   |
| TC19   | 1239.3   |
| TC22   | 1239.4   |
| TC24   | 1239.44  |
| TC52   | 433      |
| TD     | 426.25   |
| TD     | 1239.5   |
| TD4    | 1239.6   |
| TD5    | 1239.65  |
| TD8    | 1239.7   |
| TE2    | 294.551  |
| TE4    | 1240.5   |
| TE10   | 294.56   |
| TE12   | 1241     |
| TE15   | 1241.2   |
| TE25   | 1241.4   |
| TE34   | 1241.6   |
| TE38   | 1241.8   |
| TE46   | 1242     |
| TE48   | 1242.2   |
| TE49   | 1242.4   |
| TH     | 646.1    |
| TH2    | 1246.5   |
| TH2    | 646.2    |
| TH3    | 646.3    |
| TH4    | 646.4    |
| TH7    | 646.7    |
| TH10   | 646.9    |
| TH10   | 1246.71  |
| TH11   | 1246.72  |
| TH15   | 1246.77  |
| TH27   | 1246.76  |
| TH46   | 1246.75  |
| TJ     | 1248     |
| TJ3    | 1248.101 |
| TJ4    | 1248.11  |
| TJ5    | 1248.12  |
| TJ6    | 1248.13  |
| TJ6/2  | 1248.132 |
| TJ7    | 1248.133 |
| TJ8    | 1248.151 |
| TJ9    | 1248.51  |
| TJ10   | 1248.511 |
| TJ11   | 1251.51  |

| T     | NO.      |
|-------|----------|
| TJ12  | 1249.1   |
| TJ14  | 1248.71  |
| TJ20  | 1253     |
| TJ22  | 1253.1   |
| TJ26  | 1257.3   |
| TJ27  | 1257.5   |
| TJ29  | 1257.7   |
| TJ31  | 1258.1   |
| TJ32  | 1258.12  |
| TJ35  | 1258.125 |
| TJ36  | 1260     |
| TJ40  | 1261     |
| TJ51  | 1261.5   |
| TJ55  | 1261.55  |
| TJ60  | 1261.6   |
| TJA   | 1250.7   |
| TK1   | 645.6    |
| TK2   | 1262.5   |
| TK3   | 1262.6   |
| TK4   | 1262.11  |
| TK5   | 1262.12  |
| TK6   | 1262.121 |
| TK7   | 1262.131 |
| TK8   | 1262.14  |
| TK9   | 1262.15  |
| TK10  | 1262.16  |
| TK11  | 1262.17  |
| TK12  | 1262.18  |
| TK15  | 1262.75  |
| TK16  | 1262.751 |
| TK17  | 1272.141 |
| TK22  | 1272.76  |
| TK25  | 1264.77  |
| TK26  | 1264.88  |
| TK36  | 1264.261 |
| TK41  | 1264.271 |
| TK42  | 1272.272 |
| TK45  | 1273.01  |
| TK46  | 1273.41  |
| TN    | 648.1    |
| TP1   | 642      |
| TP2   | 643      |
| TQ2   | 639.7    |
| TRACY | 2272.2   |
| TS2   | 639.5    |
| TS6   | 640      |
| TS51  | 420      |
| TS52  | 419.5    |
| TS56  | 421.2    |
| TS61  | 421.5    |
| TS64  | 423.8    |
| TS65  | 424.1    |
| TS70  | 424.7    |
| TT    | 635      |
| TT    | 285.5    |
| TT2   | 635.5    |
| TT4   | 636      |
| TT7   | 636.04   |
| TT10  | 636.1    |
| TU    | 418      |
| TU    | 634.4    |
| TU53  | 417.81   |
| TU54  | 419      |
| TX1   | 636.2    |
| TY    | 633.01   |
| TY5   | 633.02   |

| U  | NO.   |
|----|-------|
| U  | 789.5 |
| U1 | 790   |
| U4 | 791   |
| U9 | 791.5 |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| U     | NO.     |
|-------|---------|
| U12   | 794.2   |
| UA    | 414     |
| UA2   | 920.5   |
| UA51  | 413     |
| UA64  | 415.3   |
| UAA   | 416.3   |
| UB1   | 408.1   |
| UC    | 414.5   |
| UD3   | 920.6   |
| UD4   | 920.7   |
| UD4/2 | 920.8   |
| UE6   | 920.9   |
| UE51  | 416.4   |
| UEF   | 394.01  |
| UH    | 921.3   |
| UH2   | 43.5    |
| UH2   | 921.4   |
| UH3   | 921.5   |
| UH5   | 921.6   |
| UH12  | 923.3   |
| UH16  | 923.5   |
| UH17  | 923.7   |
| UJ    | 412.2   |
| UJ52  | 412.5   |
| UJ54  | 416.51  |
| UJ55  | 416.515 |
| UJ56  | 416.52  |
| UJ57  | 416.525 |
| UJ58  | 416.53  |
| UJ59  | 416.54  |
| UJ61  | 416.55  |
| UK2   | 925.2   |
| UK3   | 925.4   |
| UK7   | 929     |
| UK8   | 929.2   |
| UK9   | 929.3   |
| UK11  | 929.5   |
| UK13  | 930     |
| UK16  | 933     |
| UK18  | 934     |
| UK19  | 937     |
| UK25  | 937.5   |
| UK28  | 937.8   |
| UK30  | 938     |
| UK32  | 938.5   |
| UM52  | 408.5   |
| UM53  | 410     |
| UM58  | 410.5   |
| UM59  | 411     |
| UM60  | 411.5   |
| UM64  | 412.3   |
| UN    | 395     |
| UN    | 925.6   |
| UN54  | 403.4   |
| UN55  | 402     |
| UN59  | 400     |
| UN66  | 400.5   |
| UN74  | 400.7   |
| UN80  | 401     |
| UP    | 940.3   |
| UP2   | 51.5    |
| UP7   | 52.25   |
| UQ52  | 404     |
| US    | 397.5   |
| US51  | 394.5   |
| US57  | 396.5   |
| UT    | 398     |
| UT2   | 45      |
| UT52  | 396.1   |
| UT53  | 396.2   |
| UT54  | 396.3   |
| UV52  | 391     |
| UX    | 387     |
| UX53  | 387.01  |

| U    | NO.    |
|------|--------|
| UX55 | 387.5  |
| UX56 | 387.04 |

| V     | NO.    |
|-------|--------|
| V     | 632    |
| V1    | 204    |
| V1    | 626.9  |
| V2    | 205    |
| V3    | 627.5  |
| V4    | 628.1  |
| V6    | 628.5  |
| V6    | 1934   |
| V8    | 1935   |
| V13   | 1936   |
| V19   | 1944   |
| V22   | 1945   |
| V24   | 609    |
| V31   | 1948   |
| V34   | 1950.4 |
| V35   | 1950.5 |
| V36   | 1951   |
| VAUQU | 1973.5 |
| VC1   | 626.1  |
| VC2   | 626.2  |
| VC3   | 626.3  |
| VC4   | 626.4  |
| VC5   | 626.6  |
| VC7   | 626.7  |
| VCC   | 627.1  |
| VD2   | 863.1  |
| VD4   | 864    |
| VD8   | 866.1  |
| VD9   | 866.2  |
| VD10  | 866.3  |
| VD13  | 866.4  |
| VD14  | 866.6  |
| VD15  | 866.5  |
| VE1   | 209.1  |
| VE3   | 209.3  |
| VE4   | 209.8  |
| VE5   | 210.3  |
| VH2   | 625    |
| VH5   | 623.5  |
| VH8   | 873.1  |
| VH9   | 873.22 |
| VH11  | 873.23 |
| VH12  | 873.3  |
| VJ    | 874.51 |
| VJ1   | 874.52 |
| VJ2   | 874.53 |
| VJ3   | 874.55 |
| VJ4   | 874.6  |
| VJ8   | 874.61 |
| VJ9   | 874.62 |
| VK    | 621    |
| VK3   | 621.5  |
| VK7   | 879.5  |
| VK9   | 880    |
| VK11  | 622    |
| VK12  | 880.1  |
| VK13  | 880.2  |
| VK15  | 880.5  |
| VK16  | 880.6  |
| VK17  | 880.7  |
| VK18  | 880.8  |
| VL1   | 874.31 |
| VM    | 882.3  |
| VM3   | 882.1  |
| VM3   | 619    |
| VM4   | 882.2  |
| VN2   | 882.5  |
| VP    | 887.1  |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| V    | NO.    |
|------|--------|
| VP   | 613    |
| VP2  | 887.2  |
| VP5  | 887.5  |
| VP5  | 614    |
| VP13 | 887.7  |
| VQ   | 883.4  |
| VQ4  | 883.5  |
| VQ5  | 883.6  |
| VQ8  | 883.9  |
| VR   | 887.73 |
| VR2  | 887.75 |
| VR4  | 887.8  |
| VR8  | 887.82 |
| VS   | 889.5  |
| VT2  | 883.2  |
| VT5  | 611    |
| VU2  | 891.5  |
| VU4  | 886    |
| VV   | 859    |
| VV1  | 608    |
| VV8  | 610.5  |
| VV12 | 610    |
| VX   | 876.5  |
| VX1  | 876.3  |

| W   | NO.    |
|-----|--------|
| WML | 1651.5 |

| X    | NO.     |
|------|---------|
| X1   | 9       |
| X5   | 1089    |
| X25  | 1161.5  |
| X26  | 593     |
| X31  | 1162    |
| XA1  | 7       |
| XA2  | 607     |
| XA2  | 1085    |
| XA2  | 7.5     |
| XA3  | 7.7     |
| XA3  | 606.7   |
| XA4  | 606.5   |
| XA6  | 606.3   |
| XA7  | 17.5    |
| XA8  | 18.2    |
| XB   | 1017.75 |
| XB2  | 1017.71 |
| XB3  | 1017.72 |
| XB4  | 1017.73 |
| XB5  | 1017.74 |
| XD4  | 1095.1  |
| XD5  | 1096    |
| XF   | 1017.7  |
| XH1  | 605     |
| XJ2  | 16      |
| XJ4  | 1102.1  |
| XJ5  | 1102.11 |
| XJ6  | 1102.12 |
| XJ7  | 1102.13 |
| XK   | 9.5     |
| XK1  | 600     |
| XK2  | 1102.3  |
| XK3  | 601     |
| XK3  | 10      |
| XK4  | 10.4    |
| XK6  | 1102.5  |
| XK7  | 19      |
| XK11 | 19.3    |
| XKA  | 26      |
| XM3  | 21      |
| XN   | 1105    |

| X    | NO.     |
|------|---------|
| XN2  | 20      |
| XN2  | 1105.1  |
| XN3  | 1105.2  |
| XN4  | 1105.3  |
| XN5  | 1105.4  |
| XN6  | 1105.5  |
| XN12 | 1106    |
| XN18 | 1109    |
| XN19 | 1109.2  |
| XN20 | 1109.4  |
| XN21 | 1109.6  |
| XN22 | 1109.8  |
| XN24 | 1109.82 |
| XN30 | 1109.83 |
| XN34 | 1111.2  |
| XN37 | 1111.41 |
| XN41 | 1111.45 |
| XN42 | 1111.46 |
| XN46 | 1111.48 |
| XP3  | 1109.81 |
| XP3  | 28      |
| XP4  | 28.6    |
| XP7  | 597     |
| XR1  | 1127.3  |
| XR2  | 1127.4  |
| XT   | 1113.01 |
| XT4  | 1113.04 |
| XT14 | 1113.14 |
| XT17 | 1113.17 |
| XT22 | 1113.22 |
| XT48 | 1113.48 |
| XU2  | 1119    |
| XU4  | 593.6   |
| XU10 | 595     |
| XU14 | 596     |
| XU18 | 596.04  |
| XV4  | 1119.64 |
| XV6  | 1119.65 |
| XV6  | 32      |
| XV10 | 1119.3  |
| XV15 | 1125.19 |
| XV16 | 1125.17 |
| XV19 | 1125.21 |
| XV20 | 1125.18 |
| XV23 | 1125.23 |
| XV26 | 1125.24 |
| XV29 | 1125.25 |
| XV32 | 1125.26 |
| XV36 | 1125.27 |
| XV37 | 1125.28 |
| XV41 | 1125.29 |
| XV44 | 1125.31 |
| XV51 | 1125.3  |
| XVA  | 1119.2  |
| XVB  | 1119.1  |
| XW1  | 1126.1  |
| XW2  | 1126.2  |
| XX   | 1152.8  |
| XX1  | 596.01  |
| XX4  | 1154    |
| XX9  | 1154.1  |
| XX14 | 1154.4  |
| XX19 | 1154.2  |
| XX31 | 1154.45 |
| XX36 | 1154.5  |
| XX37 | 1154.6  |
| XX39 | 1154.8  |
| XX41 | 1154.85 |
| XX42 | 1154.9  |
| XX43 | 1154.95 |
| XY2  | 1157    |
| XY4  | 1157.33 |
| XY9  | 1158.5  |
| XY17 | 1158.6  |

List of Lights, Buoys and Fog Signals – Atlantic Coast  
Index of Light Buoy by Designators

| X    | NO.  |
|------|------|
| XY21 | 1159 |

| Y    | NO.     |
|------|---------|
| Y2   | 268     |
| Y3   | 259     |
| Y4   | 267     |
| Y5   | 260.5   |
| Y8   | 1481    |
| Y12  | 262     |
| Y12  | 1487    |
| Y16  | 1512    |
| Y17  | 264     |
| Y24  | 265     |
| Y26  | 266     |
| YA2  | 590     |
| YA3  | 590.01  |
| YA4  | 590.02  |
| YA5  | 590.03  |
| YA6  | 590.04  |
| YA7  | 590.05  |
| YA8  | 590.06  |
| YC4  | 1482.1  |
| YC5  | 1482.2  |
| YC9  | 1482.3  |
| YC10 | 1482.4  |
| YC11 | 1482.5  |
| YC12 | 1482.55 |
| YC14 | 1482.6  |
| YC15 | 1482.7  |
| YD4  | 1496.4  |
| YE2  | 1494    |
| YE2  | 588     |
| YE4  | 1494.2  |
| YE5  | 588.03  |
| YE6  | 1494.4  |
| YE7  | 1494.45 |
| YE8  | 1494.7  |
| YE9  | 1494.6  |
| YE10 | 1494.81 |
| YE12 | 1494.91 |
| YE14 | 1494.92 |
| YG2  | 1481.1  |
| YGR  | 1481.2  |
| YJ   | 587     |
| YK1  | 1501    |
| YK5  | 1502.2  |
| YK11 | 1502.7  |
| YK12 | 1503    |
| YK22 | 1504    |
| YM   | 586     |
| YM1  | 1507    |
| YM1  | 584     |
| YM4  | 1507.6  |
| YM7  | 1507.5  |
| YM8  | 586.01  |
| YM9  | 1507.7  |
| YM11 | 1508.5  |
| YM12 | 1508    |
| YM12 | 586.03  |
| YM14 | 586.04  |
| YM17 | 586.07  |
| YP2  | 582     |
| YS   | 580.3   |
| YS3  | 1489.1  |
| YS4  | 1489.2  |
| YS5  | 1489.3  |
| YS6  | 578     |
| YS9  | 1489.5  |
| YS9  | 579     |
| YS10 | 1489.6  |
| YT2  | 577     |
| YT3  | 570.5   |

| Y    | NO.    |
|------|--------|
| YT5  | 572    |
| YT7  | 572.3  |
| YT8  | 576    |
| YT9  | 572.6  |
| YT11 | 573    |
| YV3  | 566.5  |
| YV7  | 566.02 |
| YV10 | 566.03 |
| YV11 | 566.04 |
| YV12 | 566.05 |
| YV13 | 566.06 |
| YV15 | 566.08 |
| YV18 | 566.11 |
| YV21 | 566.12 |
| YY   | 1480   |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No. | Name | Latitude N.<br>Longitude W. | Morse Code<br>Identifier | Radar Bands | Period of Service |
|-----|------|-----------------------------|--------------------------|-------------|-------------------|
|-----|------|-----------------------------|--------------------------|-------------|-------------------|

**ANNEX – RADAR BEACONS (RACONS)****BAY OF FUNDY, N.B. - WEST**

|   |             |                           |                     |             |             |
|---|-------------|---------------------------|---------------------|-------------|-------------|
| 8 | Gannet Rock | 44 30 37.1<br>066 46 52.9 | <b>G</b><br>(- - .) | X & S Bands | Year round. |
|---|-------------|---------------------------|---------------------|-------------|-------------|

**BAY OF FUNDY, N.B. - EAST**

|     |                                             |                           |                   |        |             |
|-----|---------------------------------------------|---------------------------|-------------------|--------|-------------|
| 145 | Saint John Harbour light and whistle buoy J | 45 12 55.3<br>066 02 36.9 | <b>N</b><br>(- .) | X Band | Year round. |
|-----|---------------------------------------------|---------------------------|-------------------|--------|-------------|

**BAY OF FUNDY, N.S.**

|     |                                         |                           |                     |        |             |
|-----|-----------------------------------------|---------------------------|---------------------|--------|-------------|
| 251 | Lurcher Shoal bifurcation light buoy NM | 43 48 57.2<br>066 29 58.0 | <b>K</b><br>(- . -) | X Band | Year round. |
|-----|-----------------------------------------|---------------------------|---------------------|--------|-------------|

|     |             |                           |                       |        |             |
|-----|-------------|---------------------------|-----------------------|--------|-------------|
| 260 | Cape Forchu | 43 47 38.8<br>066 09 19.3 | <b>B</b><br>(- . . .) | X Band | Year round. |
|-----|-------------|---------------------------|-----------------------|--------|-------------|

**NOVA SCOTIA, SOUTHEAST COAST**

|     |            |                           |                       |        |             |
|-----|------------|---------------------------|-----------------------|--------|-------------|
| 327 | Cape Sable | 43 23 24.0<br>065 37 16.9 | <b>C</b><br>(- . - .) | X Band | Year round. |
|-----|------------|---------------------------|-----------------------|--------|-------------|

|     |               |                           |                       |        |             |
|-----|---------------|---------------------------|-----------------------|--------|-------------|
| 513 | Chebucto Head | 44 30 26.6<br>063 31 21.8 | <b>Z</b><br>(- - . .) | X Band | Year round. |
|-----|---------------|---------------------------|-----------------------|--------|-------------|

|     |                                  |                           |                   |        |             |
|-----|----------------------------------|---------------------------|-------------------|--------|-------------|
| 517 | Bear Cove light and bell buoy H6 | 44 32 36.3<br>063 31 19.6 | <b>N</b><br>(- .) | X Band | Year round. |
|-----|----------------------------------|---------------------------|-------------------|--------|-------------|

|     |                   |                           |                       |        |             |
|-----|-------------------|---------------------------|-----------------------|--------|-------------|
| 668 | Cranberry Islands | 45 19 29.6<br>060 55 38.2 | <b>B</b><br>(- . . .) | X Band | Year round. |
|-----|-------------------|---------------------------|-----------------------|--------|-------------|

**NORTHUMBERLAND STRAIT - EAST**

|     |                                         |                           |                     |             |           |
|-----|-----------------------------------------|---------------------------|---------------------|-------------|-----------|
| 913 | Caribou Harbour light and bell buoy SS1 | 45 45 07.9<br>062 39 44.0 | <b>G</b><br>(- - .) | X & S Bands | Seasonal. |
|-----|-----------------------------------------|---------------------------|---------------------|-------------|-----------|

**PRINCE EDWARD ISLAND**

|         |                      |                           |                       |             |             |
|---------|----------------------|---------------------------|-----------------------|-------------|-------------|
| 1017.78 | Confederation Bridge | 46 12 33.8<br>063 45 13.1 | <b>B</b><br>(- . . .) | X & S Bands | Year round. |
|---------|----------------------|---------------------------|-----------------------|-------------|-------------|

|         |                     |                           |                 |             |             |
|---------|---------------------|---------------------------|-----------------|-------------|-------------|
| 1017.79 | Confederaton Bridge | 46 12 39.9<br>063 45 05.5 | <b>T</b><br>(-) | X & S Bands | Year round. |
|---------|---------------------|---------------------------|-----------------|-------------|-------------|

**GASPÉ - CHALEUR BAY**

|        |               |                           |                     |             |             |
|--------|---------------|---------------------------|---------------------|-------------|-------------|
| 1264.7 | Miscou Island | 48 00 33.7<br>064 29 34.7 | <b>K</b><br>(- . -) | X & S Bands | Year round. |
|--------|---------------|---------------------------|---------------------|-------------|-------------|

|        |                                                           |                           |                     |        |           |
|--------|-----------------------------------------------------------|---------------------------|---------------------|--------|-----------|
| 1276.2 | Shippegan North Channel light and whistle fairway buoy EG | 47 53 14.2<br>064 45 47.6 | <b>G</b><br>(- - .) | X Band | Seasonal. |
|--------|-----------------------------------------------------------|---------------------------|---------------------|--------|-----------|

|        |                                          |                           |                     |             |             |
|--------|------------------------------------------|---------------------------|---------------------|-------------|-------------|
| 1419.7 | Presqu'île de Penouille rear range light | 48 51 11.8<br>064 25 36.3 | <b>G</b><br>(- - .) | X & S Bands | Year round. |
|--------|------------------------------------------|---------------------------|---------------------|-------------|-------------|

**GULF OF ST. LAWRENCE**

|      |                                             |                           |                     |             |           |
|------|---------------------------------------------|---------------------------|---------------------|-------------|-----------|
| 1480 | Pointe de l'Est East Cardinal light buoy YY | 47 36 45.2<br>061 19 39.4 | <b>G</b><br>(- - .) | X & S Bands | Seasonal. |
|------|---------------------------------------------|---------------------------|---------------------|-------------|-----------|

|         |               |                           |                   |             |             |
|---------|---------------|---------------------------|-------------------|-------------|-------------|
| 1539.13 | Île Mermettes | 51 19 20.7<br>057 50 31.3 | <b>M</b><br>(- -) | X & S Bands | Year round. |
|---------|---------------|---------------------------|-------------------|-------------|-------------|

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| No. | Name | Latitude N.<br>Longitude W. | Morse Code<br>Identifier | Radar Bands | Period of Service |
|-----|------|-----------------------------|--------------------------|-------------|-------------------|
|-----|------|-----------------------------|--------------------------|-------------|-------------------|

**ANNEX – RADAR BEACONS (RACONS)**

|        |                    |                           |                   |             |             |
|--------|--------------------|---------------------------|-------------------|-------------|-------------|
| 1539.2 | Pointe du Nord-Est | 51 10 37.6<br>058 25 39.3 | <b>N</b><br>(- .) | X & S Bands | Year round. |
|--------|--------------------|---------------------------|-------------------|-------------|-------------|

**ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP**

|      |                                    |                           |                     |             |             |
|------|------------------------------------|---------------------------|---------------------|-------------|-------------|
| 1719 | Pointe de Manicouagan              | 49 06 04.4<br>068 11 37.8 | <b>X</b><br>(- . .) | X & S Bands | Year round. |
| 1734 | Rimouski Harbour front range light | 48 28 06.0<br>068 31 06.1 | <b>N</b><br>(- .)   | X & S Bands | Year round. |
| 1754 | Anse aux Basques                   | 48 19 07.5<br>069 24 46.5 | <b>K</b><br>(- . .) | X & S Bands | Year round. |

**ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL**

|         |                                               |                           |                       |             |             |
|---------|-----------------------------------------------|---------------------------|-----------------------|-------------|-------------|
| 1899    | Banc du Cap Brûlé Downstream rear range light | 47 05 22.7<br>070 42 38.9 | <b>K</b><br>(- . .)   | X & S Bands | Year round. |
| 1923    | Saint-Jean-d'Orléans                          | 46 54 56.5<br>070 53 47.0 | <b>G</b><br>(- . .)   | X & S Bands | Year round. |
| 1974    | Pointe aux Trembles (Neuville)                | 46 41 47.4<br>071 34 22.5 | <b>G</b><br>(- . .)   | X & S Bands | Year round. |
| 2001.8  | Île Richelieu                                 | 46 38 33.5<br>071 54 35.2 | <b>M</b><br>(- .)     | X & S Bands | Year round. |
| 2050    | Gentilly front range light                    | 46 25 48.0<br>072 15 46.9 | <b>K</b><br>(- . .)   | X & S Bands | Year round. |
| 2105.72 | Pont Laviolette, North Racon                  | 46 18 29.1<br>072 33 45.9 | <b>T</b><br>(-)       | X & S Bands | Year round. |
| 2105.73 | Pont Laviolette, South Racon                  | 46 18 24.4<br>072 33 37.7 | <b>H</b><br>(. . . .) | X & S Bands | Year round. |
| 2119.5  | Nicolet Sector                                | 46 15 27.1<br>072 39 03.5 | <b>G</b><br>(- . .)   | X & S Bands | Year round. |
| 2137.2  | Yamachiche front range light                  | 46 12 18.7<br>072 49 49.1 | <b>M</b><br>(- .)     | X & S Bands | Year round. |
| 2143.5  | Route Louiseville Downstream rear range light | 46 11 00.4<br>072 55 38.2 | <b>N</b><br>(- .)     | X & S Bands | Year round. |
| 2167    | Île aux Raisins rear range light              | 46 05 52.6<br>072 57 58.4 | <b>K</b><br>(- . .)   | X Band      | Year round. |
| 6963.2  | Pont de Québec, North Racon                   | 46 44 47.4<br>071 17 19.1 | <b>T</b><br>(-)       | X & S Bands | Year round. |
| 6963.3  | Pont de Québec, South Racon                   | 46 44 40.3<br>071 17 14.9 | <b>B</b><br>(- . . .) | X & S Bands | Year round. |

**ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL**

|        |                            |                           |                   |             |             |
|--------|----------------------------|---------------------------|-------------------|-------------|-------------|
| 2286.7 | Île Saint-Ours South Light | 45 54 20.5<br>073 13 31.5 | <b>M</b><br>(- .) | X & S Bands | Year round. |
| 2293   | Lavaltrie rear range light | 45 52 43.1<br>073 16 02.6 | <b>N</b><br>(- .) | X & S Bands | Year round. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| LL No. | AIS Broadcast Name | Latitude N.<br>Longitude W. | Type of<br>AIS AtoN | AtoN Type<br>(ITU) | Remarks |
|--------|--------------------|-----------------------------|---------------------|--------------------|---------|
|--------|--------------------|-----------------------------|---------------------|--------------------|---------|

**ANNEX – AIS AIDS TO NAVIGATION****BAY OF FUNDY, N.B. - WEST**

|       |                    |                           |           |                     |                                |
|-------|--------------------|---------------------------|-----------|---------------------|--------------------------------|
| 100.5 | SJ HBR FRONT RANGE | 45 16 22.3<br>066 04 07.6 | Synthetic | Leading light front | MMSI: 993161085<br>Year round. |
| 100.6 | SJ HBR REAR RANGE  | 45 16 35.3<br>066 04 16.7 | Synthetic | Leading light rear  | MMSI: 993161086<br>Year round. |

**NOVA SCOTIA, SOUTHEAST COAST**

|     |    |                           |          |                     |                                |
|-----|----|---------------------------|----------|---------------------|--------------------------------|
| 517 | H6 | 44 32 36.3<br>063 31 19.6 | Physical | Starboard hand mark | MMSI: 993161063<br>Year round. |
|-----|----|---------------------------|----------|---------------------|--------------------------------|

**GASPÉ - CHALEUR BAY**

|      |                             |                           |           |                        |                              |
|------|-----------------------------|---------------------------|-----------|------------------------|------------------------------|
| 1287 | SHIPPAGAN W ENT FR<br>RANGE | 47 44 50.2<br>064 42 08.3 | Synthetic | Leading light front    | MMSI: 993161099<br>Seasonal. |
| 1292 | SAVOY LANDING               | 47 44 56.9<br>064 41 29.3 | Synthetic | Light, without sectors | MMSI: 993161098<br>Seasonal. |

**SAGUENAY RIVER**

|        |                     |                           |           |                        |                                |
|--------|---------------------|---------------------------|-----------|------------------------|--------------------------------|
| 1773   | HAUT-FOND PRINCE    | 48 06 29.6<br>069 36 51.7 | Synthetic | Light, without sectors | MMSI: 993161059<br>Year round. |
| 1778.3 | NORD ILET ALOUETTES | 48 06 28.8<br>069 41 02.8 | Virtual   | Reference point        | MMSI: 993166031<br>Year round. |

**ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL**

|        |                      |                           |           |                            |                                |
|--------|----------------------|---------------------------|-----------|----------------------------|--------------------------------|
| 1849.5 | QUAI CAP ST JOSEPH   | 47 26 54.1<br>070 21 52.7 | Synthetic | Light, without sectors     | MMSI: 993161078<br>Year round. |
| 1851   | POINTE DE LA PRAIRIE | 47 24 33.8<br>070 25 51.2 | Synthetic | Light, without sectors     | MMSI: 993161077<br>Year round. |
| 1900   | BANC BRULE AMONT FA  | 47 05 22.5<br>070 42 38.9 | Synthetic | Leading light front        | MMSI: 993161075<br>Year round. |
| 1901   | BANC BRULE AMONT FP  | 47 05 50.0<br>070 42 12.4 | Synthetic | Leading light rear         | MMSI: 993161076<br>Year round. |
| 1989.3 | TOUR SAINTE-CROIX    | 46 37 15.3<br>071 43 36.2 | Virtual   | Reference point            | MMSI: 993166022<br>Year round. |
| 2028.5 | DESCHAILLONS WHARF   | 46 33 39.8<br>072 06 22.2 | Physical  | Light, without sectors     | MMSI: 993161061<br>Year round. |
| 2119.5 | NICOLET              | 46 15 27.1<br>072 39 03.5 | Synthetic | Fixed structures off-shore | MMSI: 993161034<br>Year round. |
| 2138.3 | ILE B                | 46 11 51.6<br>072 50 55.7 | Virtual   | Reference point            | MMSI: 993166026<br>Year round. |
| 2138.4 | ILE C                | 46 11 43.8<br>072 51 26.3 | Virtual   | Reference point            | MMSI: 993166027<br>Year round. |
| 2138.5 | ILE D                | 46 11 33.3<br>072 52 07.7 | Virtual   | Reference point            | MMSI: 993166028<br>Year round. |
| 2138.6 | ILE E                | 46 11 24.4<br>072 52 42.3 | Virtual   | Reference point            | MMSI: 993166029<br>Year round. |

## List of Lights, Buoys and Fog Signals – Atlantic Coast

| LL No. | AIS Broadcast Name | Latitude N.<br>Longitude W. | Type of<br>AIS AtoN | AtoN Type<br>(ITU) | Remarks |
|--------|--------------------|-----------------------------|---------------------|--------------------|---------|
|--------|--------------------|-----------------------------|---------------------|--------------------|---------|

**ANNEX – AIS AIDS TO NAVIGATION**

|        |                     |                           |           |                     |                                |
|--------|---------------------|---------------------------|-----------|---------------------|--------------------------------|
| 2138.7 | ILE F               | 46 11 14.3<br>072 53 22.4 | Virtual   | Reference point     | MMSI: 993166030<br>Year round. |
| 2143   | LOUISEVILLE AVAL FA | 46 11 10.6<br>072 54 58.2 | Synthetic | Leading light front | MMSI: 993161073<br>Year round. |
| 2143.5 | LOUISEVILLE AVAL FP | 46 11 00.4<br>072 55 38.2 | Synthetic | Leading light rear  | MMSI: 993161074<br>Year round. |
| 2181   | ILE DU MOINE FP     | 46 04 00.4<br>073 01 07.1 | Synthetic | Leading light rear  | MMSI: 993161068<br>Year round. |

**ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL**

|        |                    |                           |           |                    |                                |
|--------|--------------------|---------------------------|-----------|--------------------|--------------------------------|
| 2278.6 | ST-OURS AVAL FP    | 45 58 14.5<br>073 12 39.5 | Synthetic | Leading light rear | MMSI: 993161067<br>Year round. |
| 2289   | PETITE TRAVERSE FP | 45 54 51.8<br>073 12 12.0 | Synthetic | Leading light rear | MMSI: 993161069<br>Year round. |
| 2289.3 | TOUR SAINT-OURS    | 45 54 51.4<br>073 11 24.3 | Virtual   | Reference point    | MMSI: 993166023<br>Year round. |