

1882

DFO - Library / MPO - Bibliothèque



12021993

# **Preliminary Analysis of British Columbia Commercial Landing Statistics for 1979 to 1984 Inclusive: A Multispecies Approach**

D. Noakes and G. S. Jamieson

Department of Fisheries and Oceans  
Fisheries Research Branch  
Pacific Biological Station  
Nanaimo, British Columbia V9R 5K6

May 1986

**Canadian Manuscript Report of  
Fisheries and Aquatic Sciences  
No. 1882**

SH  
223  
FSS  
#1882  
c.1



Fisheries  
and Oceans

Pêches  
et Océans

Canada

## **Canadian Manuscript Report of Fisheries and Aquatic Sciences**

Manuscript reports contain scientific and technical information that contributes to existing knowledge but which deals with national or regional problems. Distribution is restricted to institutions or individuals located in particular regions of Canada. However, no restriction is placed on subject matter, and the series reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Manuscript reports may be cited as full publications. The correct citation appears above the abstract of each report. Each report is abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Numbers 1-900 in this series were issued as Manuscript Reports (Biological Series) of the Biological Board of Canada, and subsequent to 1937 when the name of the Board was changed by Act of Parliament, as Manuscript Reports (Biological Series) of the Fisheries Research Board of Canada. Numbers 901-1425 were issued as Manuscript Reports of the Fisheries Research Board of Canada. Numbers 1426-1550 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Manuscript Reports. The current series name was changed with report number 1551.

Manuscript reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

## **Rapport manuscrit canadien des sciences halieutiques et aquatiques**

Les rapports manuscrits contiennent des renseignements scientifiques et techniques qui constituent une contribution aux connaissances actuelles, mais qui traitent de problèmes nationaux ou régionaux. La distribution en est limitée aux organismes et aux personnes de régions particulières du Canada. Il n'y a aucune restriction quant au sujet; de fait, la série reflète la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports manuscrits peuvent être cités comme des publications complètes. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports manuscrits sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 900 de cette série ont été publiés à titre de manuscrits (série biologique) de l'Office de biologie du Canada, et après le changement de la désignation de cet organisme par décret du Parlement, en 1937, ont été classés comme manuscrits (série biologique) de l'Office des recherches sur les pêcheries du Canada. Les numéros 901 à 1425 ont été publiés à titre de rapports manuscrits de l'Office des recherches sur les pêcheries du Canada. Les numéros 1426 à 1550 sont parus à titre de rapports manuscrits du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 1551.

Les rapports manuscrits sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Manuscript Report of  
Fisheries and Aquatic Sciences No. 1882

May 1986

PRELIMINARY ANALYSIS OF BRITISH COLUMBIA  
COMMERCIAL LANDING STATISTICS FOR 1979 TO  
1984 INCLUSIVE: A MULTISPECIES APPROACH

by

D. Noakes and G. S. Jamieson

Department of Fisheries and Oceans  
Fisheries Research Branch  
Pacific Biological Station  
Nanaimo, British Columbia V9R 5K6

(c)Minister of Supply and Services Canada 1986

Cat. No. Fs 97-4/ 1882E

ISSN 0706-6473

Correct citation for this publication:

Noakes, D. and G. S. Jamieson. Preliminary analysis of British Columbia commercial landing statistics for 1979 to 1984 inclusive: a multispecies approach. Can. MS Rep. Fish. Aquat. Sci. 1882 : 191 p.

TABLE OF CONTENTS

|                           | Page |
|---------------------------|------|
| ABSTRACT . . . . .        | iv   |
| INTRODUCTION . . . . .    | 1    |
| METHODS . . . . .         | 2    |
| RESULTS . . . . .         | 3    |
| SUMMARY REMARKS . . . . . | 5    |
| ACKNOWLEDGMENTS . . . . . | 6    |
| REFERENCES . . . . .      | 6    |
| TABLES . . . . .          | 8    |
| FIGURES . . . . .         | 189  |

## ABSTRACT

Noakes, D. and G. S. Jamieson. Preliminary analysis of British Columbia commercial landing statistics for 1979 to 1984 inclusive: a multispecies approach. Can. MS Rep. Fish. Aquat. Sci. 1882: 191 p.

Historical sales slip data are used to document temporal changes in fleets of fishing vessels exploiting various commercial marine fish species. There was a decline in the total number of fishing vessels participating in the industry and a gradual shift from generalists to specialists. Except for the salmon fleet, there was a significant annual turnover rate in vessels harvesting the various species. Landed values for groundfish and shellfish species have increased since 1979 while the landed value of salmon, herring and halibut have remained at or below the 1979 reference year level. The purpose of this report is to document the existence and nature of multispecies fishing by fishermen exploiting different species, and to outline the rationale for addressing multispecies exploitation.

## RESUME

Noakes, D. and G. S. Jamieson. Preliminary analysis of British Columbia commercial landing statistics for 1979 to 1984 inclusive: a multispecies approach. Can. MS Rep. Fish. Aquat. Sci. 1882: 191 p.

On se sert des statistiques antérieures concernant les fiches de vente pour donner des détails sur les changements dans le temps des flottilles de bateaux de pêche qui exploitent diverses espèces commerciales de poissons marins. Il y a eu une baisse du nombre total de bateaux de pêche qui participent à cette industrie et un changement graduel de la polyvalence à la spécialisation. Sauf pour la flottille de pêche du saumon, le taux de roulement annuel en ce qui concerne les bateaux qui pêchent les diverses espèces a été important. La valeur au débarquement des espèces de poisson de fond et de mollusques/crustacés a augmenté depuis 1979 alors que la valeur au débarquement du saumon, du hareng et du flétan est demeuré au niveau de l'année de référence 1979 ou était inférieure à ce niveau. Le présent rapport a pour but d'établir l'existence et la nature de la pêche polyvalente pratiquée par des pêcheurs qui exploitent des espèces différentes et d'exposer la raison d'être pour laquelle on aborde la question de l'exploitation de plusieurs espèces.

## INTRODUCTION

The Canadian west coast commercial fishing fleet consists of two subfleets, specialists and generalists. Specialists focus their energy and resources into harvesting a single species. Generalists participate in a number of different fisheries in an effort to capitalize on temporary increases in resource abundance, increased price of specific marine species or species group or changes in regulations (McKelvey 1983). Changes in one or more of these factors often result in temporal shifts in the composition of the two subfleets.

Traditionally and in the foreseeable future, salmon has been, and will be, the dominant commercial and noncommercial species harvested. Accordingly, significant resources have been allocated to study the dynamics of both the various stocks and the fleets exploiting them (Hilborn and Ledbetter 1979, 1985; Wong 1983; Beacham and Bernard 1984). There has not, however, been a comprehensive study of the composition and behaviour of the combined, all-species west coast fishing fleet. This report documents the existence and nature of the multispecies fishery in British Columbia.

The prime objective of regional management is to manage, conserve and or enhance fish stocks to derive the greatest possible benefit from the renewable resource (Anon. 1984b). Managers attempt to achieve biological, economic and social goals by perturbing the natural system, recognizing that the outcome will be influenced by unknown and uncontrollable environmental conditions. Control signals may be in the form of catch quotas, gear restrictions, season or area closures, size limits, and biotic or abiotic factors that may involve any number of oceanographic or economic variables. Often, either consciously or unconsciously, managers assume their actions will only significantly impact a particular species or fishery. Because fishermen can readily exploit different species combinations within a year or between years, the effectiveness of current management techniques is questionable.

Clearly, the fishery with the strongest control signal at a specific time will have the greatest impact on exploitation strategy. An example was the surge in importance of herring in the late 1970's arising from the development of the new and very valuable roe fishery. A more balanced management approach would be to develop exploitation strategies for all species simultaneously which achieve mutually recognized and supported goals for the fishing industry. A methodology which establishes the consequences of multispecies fishing effects thus appears both logical and desirable for optimal management and exploitation of west coast fisheries.

Proposing such a change in fisheries management is obviously much easier than implementing a workable system. Several authors have discussed the difficulties and complexities involved in adopting a multispecies approach to fisheries management (e.g. Anon. 1977 1980; Larkin 1977; Mercer 1982). For many species, basic biological information is lacking and stock characteristics have yet to be identified and quantified. The identification and characterization of various fleets have also not been defined.

Presumably, each fisherman attempts to maximize his/her income subject to specified constraints. Typical constraints may involve license restrictions, physical vessel characteristics and the attainment of a certain quality of life. Two strategies available to the fisherman are to become either a generalist or specialist. Particular circumstances may influence an individual to switch strategies within or between seasons. Although not presented in this report, a goal of the overall study is to determine if certain common features can be identified for individuals prone to switching.

The results of such a multispecies study may have significant management implications. If potential switchers can be identified, then the expected level of participation in a fishery and the distribution of catch and income can be estimated, provided reasonable forecasts of abundance are available. Effort can fluctuate even in limited entry fisheries if a higher rate of return can be attained by switching to an alternate unlimited fishery. Fluctuating effort levels, or the ripple effect, produced in minor fisheries by changes in availability in major species fisheries might be assessed and implications of such impacts evaluated. In short, understanding the process could lead to development of a more stable overall system.

There are obviously many factors which determine why individuals fish certain species. These are beyond the scope of this report and will be considered elsewhere. The primary purpose of this report is to simply document the existence of the various fleets and their involvement in the different fisheries.

## METHODS

Several marine fishes and invertebrates have been landed commercially in British Columbia for about a hundred years (Ketchen et al. 1983). Landings were reported during that time but representative catch statistics are only readily available since the early 1950's (Anon. 1951-84). Currently, records are kept for nearly a hundred different species landed from thirty main statistical districts. The landings statistics employed in this study were acquired from the departmental data base being maintained by Block Brothers Limited, Vancouver, and are for the years 1979-1984 inclusive.

The sales slip data employed in this study are not always of sufficient quality to embark on detailed study of all fisheries. There are, for some fisheries at least, other data bases better suited for such detailed study. However, the sales slip data are useful for examining the general behaviour of the various fleets participating in the overall industry.

In order to make analyses of these data tractable, some simplifying assumptions have been employed. Firstly, the thirty statistical districts have been combined to form eight somewhat larger areas (Fig. 1). Secondly, several species have been grouped together to reflect the major species landed

commercially in British Columbia (Table 1). For instance, no distinction is made between a fisherman that lands coho salmon and another fisherman that lands chinook salmon. These two individuals are simply considered salmon fishermen for the purpose of this study. These categories were utilized by Jamieson (1985) in his study of Dungeness crab (Cancer magister) fisheries in British Columbia.

Different gear types are also not considered explicitly in this paper although the authors recognize that gear and license limitations are likely to play a significant role in determining who fishes which species. Some vessels cannot fish certain species because of physical constraints. Different gear types may also be employed to harvest the same species in different areas. This would preclude comparisons between areas but presumably temporal trends for a given area could be investigated if harvesting strategies remain constant within a given area. Individuals are somewhat less restricted in choice of species to fish since they can always fish any species provided sufficient capital is available for new vessels, equipment and licenses.

## RESULTS

Tables 2 through 109 inclusive outline fishing activities of the various "fleets" for both the eight areas and the entire province during the period 1979-84. Even-numbered tables report the number of species landed by various "species fleets". For example, Table 2 indicates that there were a total of 615 vessels reporting salmon landings from the Queen Charlotte Islands (QCI) in 1979. Of these vessels, 299 reported landing salmon only, 190 reported landing salmon and one other species, 79 landed salmon and two other species and 47 reported landing salmon and at least three other species. Vessel activity for the other species listed may be interpreted in a similar fashion.

Odd numbered tables provide a slightly finer breakdown of fishing activity. The matrices presented in the odd number tables are symmetric with the diagonal entries representing the total number of vessels landing species "I". For instance, 615 vessels reported landing salmon from the QCI in 1979 as shown in Table 3. These included 44 vessels that reported landing at least salmon and herring, 6 vessels that reported landing at least salmon and crab and 250 vessels that reported landing at least salmon and lingcod. In all, there are more than 131,000 different combinations of landings given the 17 species listed in Table 1. Since it is impossible to list the number of vessels landing all different combinations, the simple approach of presenting "landed at least both species I and II" has been adopted in this report.

The lack of herring spawn on kelp data for the period 1981 to 1984 does not indicate a collapse of the fishery but rather a procedural change in recording spawn-on-kelp landings in the sales slip data base. Prior to 1981, spawn-on-kelp landings were recorded under the CFV number of the

individual/company holding the spawn-on-kelp permit. Landings from the individual permit holders were totalled for 1981-84 and only these totals are recorded on sales slips. It is therefore impossible to determine the contribution of individual permit holders using only the sale slip information.

General trends in number of vessels for the different fishing fleets during 1979-84 are summarized in Tables 110 and 111. The minimum and maximum number of vessels reported in Table 110 represent the minimum and maximum numbers observed annually during 1979-84. In most cases, the minimum values occurred in 1983 or 1984 and the maximum values in 1979. The crab fleet is the only fleet to expand since 1979 (316 to 387 vessels). The shrimp fleet has remained relatively constant at about 160 vessels. The salmon fleet has decreased by some 530 vessels to 4,252 but because of its overall size, the percentage decrease is relatively small compared to declines in the other fleets. There has also been a general decline in total number of vessels reporting landings and a downward trend in the proportion of generalists participating in the industry as illustrated in Table 111.

Tables 112 to 126 document the size and dynamics of species fleets in British Columbia. Salmon, for instance, has a large and dedicated fleet. During the time frame covered by this study, 5429 different vessels reported landing salmon (Table 124). Of these, 3541 vessels or 65 % of the vessels landed salmon in all six years and are categorized as dedicated vessels. Most vessels (65 %) that landed salmon in only one of the six years have also not landed any other species in the other five years. The "dedicated fleet" accounted for 81-84% of the total landed weight of salmon during 1979-84.

This observation for the salmon fishery may not be surprising. However, these results are the exception rather than the rule. For example, of 991 vessels landing crab, only 64, or 6%, landed crab in all six years. There is about a 50% turn over in vessels each year although the total number of vessels participating each year has remained relatively constant. The dedicated crab fleet only accounts for 40-50% of the landed weight of crabs compared to the 80+% reported by salmon fishermen. Lingcod has a moderate (23%) dedicated fleet, but this is because many fishermen report landing both salmon and lingcod. In other words, there may only be a large lingcod fleet because salmon fishermen have a small lingcod bycatch.

The transitory nature of the offshore trawl fleet has been documented by Westrheim and Foucher (1985) and it would appear from this report that this behaviour may be characteristic of many of the fleets on the west coast. However, it is important to recognize that at least some of this switching may be attributed to procedures employed in data collection and to the nature of the particular fishery under consideration. For instances, since smaller vessels are cheaper to replace than larger boats, individuals with small vessels are more likely to purchase a new more efficient boat after a successful fishing season. The financial success of the roe herring fishery in the late 1970s may have resulted in a general upgrading of the west coast fishing fleet. The same may be true in many of the shellfish fisheries because of the high prices paid for their product. Since landings are

recorded by CFV number and not by individual, it is possible that at least some individuals have participated in a particular fishery much longer than is indicated by the sales slip information. If they recently bought new boats, then their landings would be recorded under the new CFV number and would not be included in the dedicated fleet.

Tables 127 to 180 provide a break down of earnings derived from various species for different fishing groups. To maintain confidentiality, income is not reported when only one or two vessels landed a particular species in a specific area and year. These tables are read across and are not symmetric. For instance, Table 127 indicates that salmon fishermen in the Queen Charlotte Islands had a combined total income of \$28 million from landing all species. These fishermen earned \$15.6 million from landing salmon, \$8.9 million from herring and \$1.2 million from halibut. The ratio between total income for species "I" fishermen, (ie. the total earnings of the species "I" fleet) to income earned from landing species "I" is an indication of the relative importance of that fishery in that area. Lingcod fishermen, for instance, had a total income of \$18.8 million. However, only \$75,000 was from landing lingcod. What this indicates is that salmon and halibut fishermen land lingcod as a by-catch or are targeting on lingcod only occasionally.

Change in landed value of the various species groups since 1979 is also presented (Figure 2) (Anon. 1951-1984, 1979-1984a). Landed values for salmon have remained fairly close to their 1979 levels while groundfish and shellfish landings have increased by 65 and 90% respectively. Herring value has declined sharply but this was primarily due to inflated prices paid for herring during 1979, the reference year for this comparison. In actual fact, the landed value of herring in 1984 is close to its historical mean. The landed value of halibut has also shown a marked decrease since 1979.

#### SUMMARY REMARKS

Temporal trends in the various fishing fleets have been documented using historical sales slip data. The analyses indicate that there has been a gradual decrease in the total number of vessels since 1979 and a small increase in the ratio of specialists to generalists. There also appears to be significant exchange of vessels participating in all fisheries except salmon.

The dynamics of all potential British Columbian fishing fleets have not been examined in detail. The data presented in the tables allows readers to study temporal trends associated with the fishery or fisheries with which they are particularly interested and/or familiar. The information presented in this report is meant to complement, not replace, detailed information undoubtedly available in many fisheries.

The multispecies aspect of the British Columbia fishing industry has not previously been examined in its entirety. This report demonstrates the existence, magnitude and complexity of the problem. With dwindling resources and complex allocation problems, it would appear to be an opportune time to expand studies related to a more holistic approach of fisheries management.

#### ACKNOWLEDGEMENTS

The authors wish to thank Fred Wong, DFO Vancouver, for supplying the 1982 and 1983 sales slip data. The authors also appreciate the technical assistance provided by the computing staff at the Pacific Biological Station. Several individuals in the Department of Fisheries and Oceans, Planning and Economics Branch and Drs. Colin Clark and Gordon Munroe also provided valuable advice during the course of this study. J. Boutillier, B. Leaman, L. Richards and J. Westrheim reviewed earlier drafts of this report.

#### REFERENCES

- Anon. 1951-1984. British Columbia Catch Statistics. Department of Fisheries and Oceans, Canada.
- Anon. 1977. Fisheries management project, Vol. 1,2 and 3. Dalhousie University, Halifax, Nova Scotia.
- Anon. 1980. Report of the ACMRR working party on the scientific basis of determining management measures. FAO Fisheries Report No. 236, Rome, pp. 149.
- Anon. 1979-1984a. Fisheries Production Statistics of British Columbia, Province of British Columbia, Ministry of Environment, Fisheries Research, Victoria, Canada.
- Anon. 1984b. Commercial Fishing Guide, Pacific Region, Department of Fisheries and Oceans, Vancouver, B.C.: 111p.
- Beacham, T. D. and B. V. Bernard. 1984. The distribution of British Columbia salmon in relation to size of the commercial fishing fleet, 1967-1981. VI Summary. Can. Tech. Rep. Fish. Aquat. Sci. No. 1311: pp 71.
- Hilborn, R. and M. Ledbetter. 1979. Analysis of the British Columbia salmon purse-seine fleet: dynamics of movement. J. Fish. Res. Board Can. 36: 384-391.

- Hilborn, R. and M. Ledbetter. 1985. Determination of catching power in the British Columbia salmon purse seine fleet. Can. J. Fish. Aquat. Sci. 42: 51-56.
- Jamieson, G. S. 1985. The Dungeness crab (Cancer magister) fisheries of British Columbia. Alaska Sea Grant Report No. 85-3, Alaska University, Proceedings of the Symposium on Dungeness Crab Biology and Management, Lowell Wakefield Symposia Series 1985: 37-60.
- Ketchen, K. S., N. Bourne, and T. H. Butler. 1983. History and present status of fisheries for marine fishes and invertebrates in the Strait of Georgia, British Columbia. Can. J. Fish. Aquat. Sci. 40: 1095-1119.
- Larkin, P. A. 1977. An epitaph for the concept of maximum sustained yield. Trans. Amer. Fish. Soc. 106: 1-11.
- McKelvey, R. 1983. The fishery in a fluctuating environment: coexistence of specialists and generalists fishing vessels in a multispecies fleet. J. Envir. Econ. Management, 10: 287-309.
- Mercer, M. C. [ed.] 1982. Multispecies approach to fisheries management advice. Can. Spec. Publ. Fish. Aquat. Sci. 59: 169p.
- Westrheim, S. J. and R. P. Foucher. 1985. Relative fishing power for Canadian trawlers landing Pacific cod (Gadus macrocephalus) and important shelf cohabitants for major offshore areas of western Canada, 1960-81. Can. J. Fish. Aquat. Sci. 42: 1614-1626.
- Wong, F. Y. C. 1983. Historical salmon commercial catch data system of the fisheries research branch, department of fisheries and oceans, Pacific region. Can. Tech. Rep. Fish. Aquat. Sci. No. 1156: pp 94.

Table 1. Definitions of geographical and species groupings used in this paper.

A. Geography

| Designated names        | Area code | Statistical districts |
|-------------------------|-----------|-----------------------|
| Queen Charlotte Islands | (QCI)     | 1, 2                  |
| Chatham Sound           | (CS)      | 3, 4, 5               |
| Central Coast           | (CC)      | 6-10, 30              |
| Johnstone Strait        | (JS)      | 11-13                 |
| Georgia Strait          | (GS)      | 14-18                 |
| Victoria                | (V)       | 19-20                 |
| West Vancouver Island   | (WVI)     | 21-27                 |
| Fraser River            | (FR)      | 28, 29                |

B. Species (listed in order of landed value)

| Species code | Species                                                                                                                                                                                                                                                                        |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Salmon       | all salmonids ( <u>Oncorhynchus</u> and <u>Salmo</u> )                                                                                                                                                                                                                         |
| Herring      | <u>Clupea harengus pallasii</u>                                                                                                                                                                                                                                                |
| Halibut      | <u>Hippoglossus stenolepis</u>                                                                                                                                                                                                                                                 |
| Sablefish    | <u>Anoplopoma fimbria</u>                                                                                                                                                                                                                                                      |
| Rockfish     | all rockfish ( <u>Sebastes</u> ) species                                                                                                                                                                                                                                       |
| Crab         | <u>Cancer magister</u> with possible minor landings of <u>Cancer productus</u> , <u>Lithodes aequispina</u> and <u>Paralithodes camtschatica</u>                                                                                                                               |
| Prawn        | <u>Pandalus platyceros</u>                                                                                                                                                                                                                                                     |
| Geoduck      | <u>Panope abrupta</u>                                                                                                                                                                                                                                                          |
| Lingcod      | <u>Ophiodon elongatus</u>                                                                                                                                                                                                                                                      |
| Soles        | <u>Eopsetta jordani</u> , <u>Isopsetta isolepis</u> , <u>Microstomus pacificus</u> , <u>Parophrys vetulus</u> , <u>Glyptocephalus zachirus</u> , <u>Lepidopsetta bilineata</u> , <u>Lyopsetta exilis</u> , <u>Hippoglossoides elassodon</u> , and <u>Platichthys stellatus</u> |
| Pacific cod  | <u>Gadus macrocephalus</u>                                                                                                                                                                                                                                                     |
| Shrimp       | family <u>Pandalidae</u> except <u>Pandalus platyceros</u>                                                                                                                                                                                                                     |
| Abalone      | <u>Haliotis kamtschatkana</u>                                                                                                                                                                                                                                                  |
| Dogfish      | <u>Squalus acanthias</u>                                                                                                                                                                                                                                                       |
| Other        | any other species landed commercially                                                                                                                                                                                                                                          |

Table 2. Distribution of specialists and generalists for the Queen Charlotte Islands 1979. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1979 = 1290

| Species "I"                   | N   |     |     |     | Total |
|-------------------------------|-----|-----|-----|-----|-------|
|                               | 1   | 2   | 3   | 4+  |       |
| Salmon                        | 299 | 190 | 79  | 47  | 615   |
| Herring                       | 433 | 38  | 8   | 14  | 493   |
| Halibut                       | 44  | 34  | 60  | 65  | 203   |
| Sablefish                     | 5   | 14  | 17  | 69  | 105   |
| Herring SP.ON.K. <sup>a</sup> | 0   | 4   | 3   | 2   | 9     |
| Rockfish                      | 2   | 11  | 72  | 111 | 196   |
| Geoduck                       | 0   | 0   | 0   | 0   | 0     |
| Crab                          | 11  | 6   | 1   | 3   | 21    |
| Lingcod                       | 1   | 151 | 106 | 116 | 374   |
| Shrimp                        | 3   | 0   | 2   | 0   | 5     |
| Prawns                        | 1   | 1   | 2   | 0   | 4     |
| Pacific cod                   | 1   | 4   | 22  | 59  | 86    |
| Soles                         | 1   | 2   | 3   | 32  | 38    |
| Intertidal clam               | 1   | 0   | 0   | 1   | 2     |
| Abalone                       | 4   | 0   | 0   | 1   | 5     |
| Dogfish                       | 0   | 0   | 0   | 7   | 7     |
| Other species                 | 5   | 5   | 9   | 49  | 68    |

---

<sup>a</sup>Herring spawn-on-kelp

Table 3. Combination of species landed by the various fleets for the Queen Charlotte Islands. Number of vessels landing at least species 'I' and species 'III'.

Summary Statistics for 1979

| Species "I" |                  | Species "II" |     |     |     |   |     |   |    |     |   |   |    |    |   |   |   |    |
|-------------|------------------|--------------|-----|-----|-----|---|-----|---|----|-----|---|---|----|----|---|---|---|----|
|             |                  | A            | B   | C   | D   | E | F   | G | H  | I   | J | K | L  | M  | N | O | P | Q  |
| A           | Salmon           | 615          | 44  | 44  | 16  | 8 | 86  | 0 | 6  | 250 | 0 | 0 | 42 | 4  | 0 | 0 | 1 | 15 |
| B           | Herring          | 44           | 493 | 9   | 7   | 5 | 11  | 0 | 2  | 11  | 0 | 0 | 12 | 9  | 0 | 0 | 1 | 11 |
| C           | Halibut          | 44           | 9   | 203 | 76  | 1 | 97  | 0 | 1  | 121 | 0 | 0 | 14 | 2  | 0 | 1 | 0 | 15 |
| D           | Sablefish        | 16           | 7   | 76  | 105 | 1 | 69  | 0 | 2  | 74  | 0 | 0 | 30 | 19 | 0 | 1 | 7 | 30 |
| E           | Herring Sp.On.K. | 8            | 5   | 1   | 1   | 9 | 2   | 0 | 1  | 2   | 0 | 0 | 1  | 0  | 0 | 0 | 0 | 0  |
| F           | Rockfish         | 86           | 11  | 97  | 69  | 2 | 196 | 0 | 2  | 172 | 1 | 2 | 53 | 30 | 0 | 1 | 6 | 47 |
| G           | Geoduck          | 0            | 0   | 0   | 0   | 0 | 0   | 0 | 0  | 0   | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| H           | Crab             | 6            | 2   | 1   | 2   | 1 | 2   | 0 | 21 | 3   | 0 | 0 | 1  | 0  | 1 | 0 | 0 | 3  |
| I           | Lingcod          | 250          | 11  | 121 | 74  | 2 | 172 | 0 | 3  | 374 | 1 | 1 | 76 | 32 | 1 | 1 | 6 | 50 |
| J           | Shrimp           | 0            | 0   | 0   | 0   | 0 | 1   | 0 | 0  | 1   | 5 | 2 | 0  | 0  | 0 | 0 | 0 | 0  |
| K           | Prawns           | 0            | 0   | 0   | 0   | 0 | 2   | 0 | 0  | 1   | 2 | 4 | 0  | 0  | 0 | 0 | 0 | 0  |
| L           | Pacific cod      | 42           | 12  | 14  | 30  | 1 | 53  | 0 | 1  | 76  | 0 | 0 | 86 | 34 | 0 | 0 | 7 | 35 |
| M           | Soles            | 4            | 9   | 2   | 19  | 0 | 30  | 0 | 0  | 32  | 0 | 0 | 34 | 38 | 0 | 0 | 6 | 33 |
| N           | Intertidal clam  | 0            | 0   | 0   | 0   | 0 | 0   | 0 | 1  | 1   | 0 | 0 | 0  | 0  | 2 | 0 | 0 | 1  |
| O           | Abalone          | 0            | 0   | 1   | 1   | 0 | 1   | 0 | 0  | 1   | 0 | 0 | 0  | 0  | 0 | 5 | 0 | 0  |
| P           | Dogfish          | 1            | 1   | 0   | 7   | 0 | 6   | 0 | 0  | 6   | 0 | 0 | 7  | 6  | 0 | 0 | 7 | 6  |
| Q           | Other species    | 15           | 11  | 15  | 30  | 0 | 47  | 0 | 3  | 50  | 0 | 0 | 35 | 33 | 1 | 0 | 6 | 68 |

Table 4. Distribution of specialists and generalists for Chatham Sound 1979.  
Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1979 = 1756

| Species "I"     | N    |     |    |    | Total |
|-----------------|------|-----|----|----|-------|
|                 | 1    | 2   | 3  | 4+ |       |
| Salmon          | 1019 | 125 | 31 | 29 | 1204  |
| Herring         | 428  | 25  | 0  | 11 | 464   |
| Halibut         | 4    | 19  | 23 | 30 | 76    |
| Sablefish       | 0    | 2   | 5  | 39 | 46    |
| Herring SP.ON.K | 0    | 6   | 1  | 1  | 8     |
| Rockfish        | 1    | 16  | 22 | 68 | 107   |
| Geoduck         | 0    | 0   | 0  | 0  | 0     |
| Crab            | 10   | 10  | 3  | 7  | 30    |
| Lingcod         | 0    | 38  | 32 | 72 | 142   |
| Shrimp          | 6    | 23  | 4  | 8  | 41    |
| Prawns          | 3    | 1   | 3  | 1  | 8     |
| Pacific cod     | 1    | 2   | 7  | 49 | 59    |
| Soles           | 0    | 0   | 2  | 39 | 41    |
| Intertidal clam | 2    | 12  | 3  | 3  | 20    |
| Abalone         | 10   | 2   | 0  | 0  | 12    |
| Dogfish         | 1    | 4   | 0  | 14 | 19    |
| Other species   | 4    | 1   | 2  | 40 | 47    |

Table 5. Combination of species landed by the various fleets for Chatham Sound 1979. Number of vessels landing at least species '1' and species '11'.

Summary Statistics for 1979

| Species "1"        | Species "11" |     |    |    |   |     |   |    |     |    |   |    |    |    |    |    |    |
|--------------------|--------------|-----|----|----|---|-----|---|----|-----|----|---|----|----|----|----|----|----|
|                    | A            | B   | C  | D  | E | F   | G | H  | I   | J  | K | L  | M  | N  | O  | P  | Q  |
| A Salmon           | 1204         | 28  | 43 | 7  | 8 | 38  | 0 | 12 | 79  | 31 | 4 | 20 | 5  | 15 | 1  | 2  | 6  |
| B Herring          | 28           | 464 | 1  | 5  | 1 | 8   | 0 | 2  | 8   | 1  | 0 | 8  | 8  | 1  | 0  | 4  | 9  |
| C Halibut          | 43           | 1   | 76 | 20 | 2 | 39  | 0 | 5  | 46  | 3  | 0 | 7  | 1  | 4  | 0  | 1  | 2  |
| D Sablefish        | 7            | 5   | 20 | 46 | 1 | 38  | 0 | 5  | 38  | 1  | 0 | 25 | 22 | 3  | 0  | 11 | 23 |
| E Herring Sp.On.K. | 8            | 1   | 2  | 1  | 8 | 0   | 0 | 1  | 1   | 1  | 0 | 0  | 0  | 1  | 0  | 0  | 0  |
| F Rockfish         | 38           | 8   | 39 | 38 | 0 | 107 | 0 | 5  | 85  | 5  | 1 | 44 | 39 | 1  | 0  | 13 | 39 |
| G Geoduck          | 0            | 0   | 0  | 0  | 0 | 0   | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0  | 0  | 0  | 0  |
| H Crab             | 12           | 2   | 5  | 5  | 1 | 5   | 0 | 30 | 8   | 3  | 0 | 2  | 0  | 3  | 0  | 1  | 2  |
| I Lingcod          | 79           | 8   | 48 | 38 | 1 | 85  | 0 | 8  | 142 | 9  | 1 | 49 | 36 | 4  | 0  | 13 | 37 |
| J Shrimp           | 31           | 1   | 3  | 1  | 1 | 5   | 0 | 3  | 9   | 41 | 4 | 3  | 2  | 2  | 0  | 1  | 1  |
| K Prawns           | 4            | 0   | 0  | 0  | 0 | 1   | 0 | 0  | 1   | 4  | 8 | 0  | 1  | 0  | 1  | 0  | 0  |
| L Pacific cod      | 20           | 8   | 7  | 25 | 0 | 44  | 0 | 2  | 49  | 3  | 0 | 59 | 38 | 0  | 0  | 12 | 37 |
| M Soles            | 5            | 8   | 1  | 22 | 0 | 39  | 0 | 0  | 36  | 2  | 1 | 38 | 41 | 0  | 0  | 12 | 39 |
| N Intertidal clam  | 15           | 1   | 4  | 3  | 1 | 1   | 0 | 3  | 4   | 2  | 0 | 0  | 0  | 20 | 0  | 0  | 0  |
| O Abalone          | 1            | 0   | 0  | 0  | 0 | 0   | 0 | 0  | 0   | 0  | 1 | 0  | 0  | 0  | 12 | 0  | 0  |
| P Dogfish          | 2            | 4   | 1  | 11 | 0 | 13  | 0 | 1  | 13  | 1  | 0 | 12 | 12 | 0  | 0  | 19 | 13 |
| Q Other species    | 6            | 9   | 2  | 23 | 0 | 39  | 0 | 2  | 37  | 1  | 0 | 37 | 39 | 0  | 0  | 13 | 47 |

Table 6. Distribution of specialists and generalists for the Central Coast 1979. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1979 = 1777

| Species "I"     | N    |     |     |    | Total |
|-----------------|------|-----|-----|----|-------|
|                 | 1    | 2   | 3   | 4+ |       |
| Salmon          | 1301 | 164 | 112 | 23 | 1600  |
| Herring         | 0    | 1   | 0   | 0  | 1     |
| Halibut         | 31   | 15  | 26  | 29 | 101   |
| Sablefish       | 6    | 4   | 5   | 33 | 48    |
| Herring SP.ON.K | 0    | 0   | 0   | 1  | 1     |
| Rockfish        | 7    | 17  | 120 | 61 | 205   |
| Geoduck         | 0    | 0   | 0   | 0  | 0     |
| Crab            | 4    | 4   | 2   | 0  | 10    |
| Lingcod         | 1    | 147 | 131 | 61 | 340   |
| Shrimp          | 0    | 0   | 1   | 0  | 1     |
| Prawns          | 17   | 7   | 3   | 0  | 27    |
| Pacific cod     | 0    | 0   | 3   | 30 | 33    |
| Soles           | 0    | 1   | 2   | 27 | 30    |
| Intertidal clam | 1    | 0   | 1   | 1  | 3     |
| Abalone         | 9    | 2   | 1   | 1  | 13    |
| Dogfish         | 0    | 0   | 1   | 4  | 5     |
| Other species   | 13   | 8   | 9   | 37 | 67    |

Table 7. Combination of species landed by the various fleets for Central Coast 1979. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1979

| Species "I"        |      |   |     |    |   |     |   | Species "II" |     |   |    |    |    |   |    |   |    |
|--------------------|------|---|-----|----|---|-----|---|--------------|-----|---|----|----|----|---|----|---|----|
|                    | A    | B | C   | D  | E | F   | G | H            | I   | J | K  | L  | M  | N | O  | P | Q  |
| A Salmon           | 1600 | 1 | 36  | 6  | 1 | 129 | 0 | 1            | 269 | 0 | 0  | 2  | 1  | 0 | 0  | 0 | 19 |
| B Herring          | 1    | 1 | 0   | 0  | 0 | 0   | 0 | 0            | 0   | 0 | 0  | 0  | 0  | 0 | 0  | 0 | 0  |
| C Halibut          | 36   | 0 | 101 | 18 | 0 | 42  | 0 | 0            | 57  | 0 | 0  | 2  | 2  | 0 | 1  | 0 | 9  |
| D Sablefish        | 6    | 0 | 18  | 48 | 0 | 36  | 0 | 0            | 34  | 0 | 0  | 19 | 17 | 0 | 1  | 3 | 21 |
| E Herring Sp.On.K. | 1    | 0 | 0   | 0  | 1 | 1   | 0 | 0            | 1   | 0 | 0  | 0  | 0  | 0 | 0  | 0 | 0  |
| F Rockfish         | 129  | 0 | 42  | 36 | 1 | 205 | 0 | 1            | 177 | 0 | 3  | 31 | 28 | 2 | 2  | 5 | 39 |
| G Geoduck          | 0    | 0 | 0   | 0  | 0 | 0   | 0 | 0            | 0   | 0 | 0  | 0  | 0  | 0 | 0  | 0 | 0  |
| H Crab             | 1    | 0 | 0   | 0  | 0 | 1   | 0 | 10           | 0   | 1 | 5  | 0  | 0  | 0 | 0  | 0 | 0  |
| I Lingcod          | 269  | 0 | 57  | 34 | 1 | 177 | 0 | 0            | 340 | 0 | 0  | 30 | 26 | 2 | 2  | 4 | 44 |
| J Shrimp           | 0    | 0 | 0   | 0  | 0 | 0   | 0 | 1            | 0   | 1 | 1  | 0  | 0  | 0 | 0  | 0 | 0  |
| K Prawns           | 0    | 0 | 0   | 0  | 0 | 3   | 0 | 5            | 0   | 1 | 27 | 0  | 0  | 0 | 2  | 0 | 2  |
| L Pacific cod      | 2    | 0 | 2   | 19 | 0 | 31  | 0 | 0            | 30  | 0 | 0  | 33 | 28 | 0 | 0  | 3 | 25 |
| M Soles            | 1    | 0 | 2   | 17 | 0 | 28  | 0 | 0            | 26  | 0 | 0  | 28 | 30 | 0 | 0  | 3 | 25 |
| N Intertidal clam  | 0    | 0 | 0   | 0  | 0 | 2   | 0 | 0            | 2   | 0 | 0  | 0  | 0  | 3 | 0  | 1 | 1  |
| O Abalone          | 0    | 0 | 1   | 1  | 0 | 2   | 0 | 0            | 2   | 0 | 2  | 0  | 0  | 0 | 13 | 0 | 1  |
| P Dogfish          | 0    | 0 | 0   | 3  | 0 | 5   | 0 | 0            | 4   | 0 | 0  | 3  | 3  | 1 | 0  | 5 | 3  |
| Q Other species    | 19   | 0 | 9   | 21 | 0 | 39  | 0 | 0            | 44  | 0 | 2  | 25 | 25 | 1 | 1  | 3 | 67 |

Table 8. Distribution of specialists and generalists for the Johnstone Strait 1979. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1979 = 2013

| Species "I"     | N    |     |     |     | Total |
|-----------------|------|-----|-----|-----|-------|
|                 | 1    | 2   | 3   | 4+  |       |
| Salmon          | 1107 | 189 | 252 | 77  | 1625  |
| Herring         | 27   | 12  | 12  | 48  | 99    |
| Halibut         | 1    | 5   | 13  | 50  | 69    |
| Sablefish       | 5    | 8   | 4   | 41  | 58    |
| Herring SP.ON.K | 1    | 1   | 0   | 0   | 2     |
| Rockfish        | 16   | 126 | 289 | 137 | 568   |
| Geoduck         | 16   | 3   | 0   | 1   | 20    |
| Crab            | 18   | 11  | 2   | 5   | 36    |
| Lingcod         | 18   | 197 | 289 | 134 | 638   |
| Shrimp          | 1    | 4   | 2   | 1   | 8     |
| Prawns          | 25   | 20  | 5   | 19  | 69    |
| Pacific cod     | 1    | 3   | 28  | 66  | 98    |
| Soles           | 0    | 2   | 5   | 30  | 37    |
| Intertidal clam | 14   | 4   | 8   | 8   | 34    |
| Abalone         | 2    | 3   | 1   | 0   | 6     |
| Dogfish         | 10   | 6   | 4   | 13  | 33    |
| Other species   | 2    | 8   | 4   | 40  | 54    |

Table 9. Combination of species landed by the various fleets for Johnstone Strait 1979. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1979

| Species "I"        | Species "II" |    |    |    |   |     |    |    |     |   |    |    |    |    |   |    |    |
|--------------------|--------------|----|----|----|---|-----|----|----|-----|---|----|----|----|----|---|----|----|
|                    | A            | B  | C  | D  | E | F   | G  | H  | I   | J | K  | L  | M  | N  | O | P  | Q  |
| A Salmon           | 1625         | 37 | 31 | 15 | 0 | 357 | 1  | 1  | 447 | 3 | 19 | 34 | 2  | 5  | 0 | 6  | 4  |
| B Herring          | 37           | 99 | 49 | 17 | 0 | 50  | 1  | 0  | 51  | 0 | 2  | 4  | 1  | 1  | 1 | 2  | 5  |
| C Halibut          | 31           | 49 | 69 | 19 | 0 | 53  | 1  | 0  | 55  | 0 | 3  | 2  | 0  | 1  | 0 | 3  | 7  |
| D Sablefish        | 15           | 17 | 19 | 58 | 1 | 46  | 0  | 1  | 40  | 0 | 2  | 20 | 19 | 0  | 0 | 6  | 22 |
| E Herring Sp.On.K. | 0            | 0  | 0  | 1  | 2 | 0   | 0  | 0  | 0   | 0 | 0  | 0  | 0  | 0  | 0 | 0  | 0  |
| F Rockfish         | 357          | 50 | 53 | 46 | 0 | 568 | 1  | 8  | 469 | 2 | 26 | 90 | 36 | 15 | 1 | 20 | 43 |
| G Geoduck          | 1            | 1  | 1  | 0  | 0 | 1   | 20 | 1  | 1   | 0 | 0  | 0  | 0  | 3  | 0 | 0  | 0  |
| H Crab             | 1            | 0  | 0  | 1  | 0 | 8   | 1  | 36 | 6   | 0 | 7  | 2  | 2  | 2  | 0 | 0  | 4  |
| I Lingcod          | 447          | 51 | 55 | 40 | 0 | 469 | 1  | 6  | 638 | 1 | 23 | 86 | 29 | 13 | 0 | 14 | 40 |
| J Shrimp           | 3            | 0  | 0  | 0  | 0 | 2   | 0  | 0  | 1   | 8 | 6  | 0  | 0  | 0  | 0 | 0  | 0  |
| K Prawns           | 19           | 2  | 3  | 2  | 0 | 26  | 0  | 7  | 23  | 6 | 69 | 2  | 0  | 0  | 1 | 1  | 4  |
| L Pacific cod      | 34           | 4  | 2  | 20 | 0 | 90  | 0  | 2  | 86  | 0 | 2  | 98 | 31 | 4  | 0 | 7  | 31 |
| M Soles            | 2            | 1  | 0  | 19 | 0 | 36  | 0  | 2  | 29  | 0 | 0  | 31 | 37 | 1  | 0 | 5  | 27 |
| N Intertidal clam  | 5            | 1  | 1  | 0  | 0 | 15  | 3  | 2  | 13  | 0 | 0  | 4  | 1  | 34 | 1 | 0  | 4  |
| O Abalone          | 0            | 1  | 0  | 0  | 0 | 1   | 0  | 0  | 0   | 0 | 1  | 0  | 0  | 1  | 6 | 0  | 1  |
| P Dogfish          | 6            | 2  | 3  | 6  | 0 | 20  | 0  | 0  | 14  | 0 | 1  | 7  | 5  | 0  | 0 | 33 | 7  |
| Q Other species    | 4            | 5  | 7  | 22 | 0 | 43  | 0  | 4  | 40  | 0 | 4  | 31 | 27 | 4  | 1 | 7  | 54 |

Table 10. Distribution of specialists and generalists for the Georgia Strait 1979. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1979 = 2509

| Species "I"     | N   |     |     |     | Total |
|-----------------|-----|-----|-----|-----|-------|
|                 | 1   | 2   | 3   | 4+  |       |
| Salmon          | 627 | 243 | 194 | 64  | 1128  |
| Herring         | 786 | 23  | 5   | 11  | 825   |
| Halibut         | 0   | 0   | 0   | 0   | 0     |
| Sablefish       | 3   | 1   | 3   | 29  | 36    |
| Herring SP.ON.K | 1   | 2   | 1   | 0   | 4     |
| Rockfish        | 23  | 231 | 245 | 154 | 653   |
| Geoduck         | 18  | 11  | 13  | 4   | 46    |
| Crab            | 28  | 23  | 9   | 37  | 97    |
| Lingcod         | 13  | 126 | 215 | 116 | 470   |
| Shrimp          | 14  | 15  | 4   | 10  | 43    |
| Prawns          | 46  | 41  | 19  | 29  | 135   |
| Pacific cod     | 0   | 7   | 23  | 95  | 125   |
| Soles           | 0   | 2   | 5   | 48  | 55    |
| Intertidal clam | 12  | 14  | 13  | 12  | 51    |
| Abalone         | 0   | 0   | 0   | 0   | 0     |
| Dogfish         | 77  | 64  | 48  | 100 | 289   |
| Other species   | 15  | 19  | 28  | 80  | 142   |

Table 11. Combination of species landed by the various fleets for the Georgia Strait 1979. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1979

| Species "I"        | Species "II" |     |   |    |   |     |    |    |     |    |     |     |    |    |   |     |     |
|--------------------|--------------|-----|---|----|---|-----|----|----|-----|----|-----|-----|----|----|---|-----|-----|
|                    | A            | B   | C | D  | E | F   | G  | H  | I   | J  | K   | L   | M  | N  | O | P   | Q   |
| A Salmon           | 1128         | 17  | 0 | 9  | 1 | 381 | 2  | 11 | 284 | 15 | 27  | 33  | 11 | 7  | 0 | 58  | 23  |
| B Herring          | 17           | 825 | 0 | 1  | 2 | 11  | 2  | 5  | 6   | 2  | 4   | 7   | 7  | 3  | 0 | 12  | 9   |
| C Halibut          | 0            | 0   | 0 | 0  | 0 | 0   | 0  | 0  | 0   | 0  | 0   | 0   | 0  | 0  | 0 | 0   | 0   |
| D Sablefish        | 9            | 1   | 0 | 36 | 0 | 29  | 0  | 10 | 17  | 0  | 4   | 25  | 13 | 0  | 0 | 25  | 21  |
| E Herring Sp.On.K. | 1            | 2   | 0 | 0  | 4 | 0   | 0  | 0  | 1   | 0  | 0   | 0   | 0  | 0  | 0 | 0   | 0   |
| F Rockfish         | 381          | 11  | 0 | 29 | 0 | 653 | 8  | 42 | 373 | 9  | 41  | 111 | 47 | 14 | 0 | 171 | 92  |
| G Geoduck          | 2            | 2   | 0 | 0  | 0 | 8   | 46 | 1  | 6   | 1  | 3   | 2   | 0  | 18 | 0 | 5   | 13  |
| H Crab             | 11           | 5   | 0 | 10 | 0 | 42  | 1  | 97 | 37  | 6  | 17  | 22  | 16 | 6  | 0 | 19  | 24  |
| I Lingcod          | 284          | 6   | 0 | 17 | 1 | 373 | 6  | 37 | 470 | 8  | 37  | 71  | 29 | 15 | 0 | 82  | 61  |
| J Shrimp           | 15           | 2   | 0 | 0  | 0 | 9   | 1  | 6  | 8   | 43 | 16  | 2   | 2  | 2  | 0 | 3   | 2   |
| K Prawns           | 27           | 4   | 0 | 4  | 0 | 41  | 3  | 17 | 37  | 16 | 135 | 9   | 2  | 8  | 0 | 23  | 11  |
| L Pacific cod      | 33           | 7   | 0 | 25 | 0 | 111 | 2  | 22 | 71  | 2  | 9   | 125 | 49 | 1  | 0 | 72  | 62  |
| M Soles            | 11           | 7   | 0 | 13 | 0 | 47  | 0  | 16 | 29  | 2  | 2   | 49  | 55 | 0  | 0 | 34  | 41  |
| N Intertidal clam  | 7            | 3   | 0 | 0  | 0 | 14  | 18 | 6  | 15  | 2  | 8   | 1   | 0  | 51 | 0 | 4   | 10  |
| O Abalone          | 0            | 0   | 0 | 0  | 0 | 0   | 0  | 0  | 0   | 0  | 0   | 0   | 0  | 0  | 0 | 0   | 0   |
| P Dogfish          | 58           | 12  | 0 | 25 | 0 | 171 | 5  | 19 | 82  | 3  | 23  | 72  | 34 | 4  | 0 | 289 | 69  |
| Q Other species    | 23           | 9   | 0 | 21 | 0 | 92  | 13 | 24 | 61  | 2  | 11  | 62  | 41 | 10 | 0 | 69  | 142 |

Table 12. Distribution of specialists and generalists for Victoria 1979.  
Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1979 = 675

| Species "I"     | N   |    |    |    | Total |
|-----------------|-----|----|----|----|-------|
|                 | 1   | 2  | 3  | 4+ |       |
| Salmon          | 500 | 10 | 2  | 12 | 524   |
| Herring         | 0   | 0  | 0  | 1  | 1     |
| Halibut         | 0   | 0  | 3  | 0  | 3     |
| Sablefish       | 0   | 0  | 0  | 22 | 22    |
| Herring SP.ON.K | 0   | 0  | 0  | 0  | 0     |
| Rockfish        | 3   | 21 | 14 | 36 | 74    |
| Geoduck         | 7   | 1  | 1  | 1  | 10    |
| Crab            | 21  | 9  | 8  | 2  | 40    |
| Lingcod         | 13  | 22 | 14 | 32 | 81    |
| Shrimp          | 2   | 2  | 3  | 0  | 7     |
| Prawns          | 1   | 3  | 1  | 0  | 5     |
| Pacific cod     | 4   | 2  | 4  | 39 | 49    |
| Soles           | 0   | 3  | 2  | 32 | 37    |
| Intertidal clam | 2   | 0  | 0  | 0  | 2     |
| Abalone         | 2   | 1  | 0  | 0  | 3     |
| Dogfish         | 13  | 4  | 2  | 28 | 47    |
| Other species   | 7   | 4  | 3  | 38 | 52    |

Table 13. Combination of species landed by the various fleets for Victoria 1979. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1979

| Species "I" |                 | Species "II" |   |   |    |   |    |    |    |    |   |   |    |    |   |   |    |    |
|-------------|-----------------|--------------|---|---|----|---|----|----|----|----|---|---|----|----|---|---|----|----|
|             |                 | A            | B | C | D  | E | F  | G  | H  | I  | J | K | L  | M  | N | O | P  | Q  |
| A           | Salmon          | 524          | 0 | 0 | 5  | 0 | 15 | 1  | 1  | 16 | 0 | 0 | 11 | 10 | 0 | 0 | 8  | 12 |
| B           | Herring         | 0            | 1 | 0 | 1  | 0 | 1  | 0  | 0  | 1  | 0 | 0 | 1  | 1  | 0 | 0 | 1  | 1  |
| C           | Halibut         | 0            | 0 | 3 | 0  | 0 | 2  | 0  | 1  | 2  | 1 | 0 | 0  | 0  | 0 | 0 | 0  | 0  |
| D           | Sablefish       | 5            | 1 | 0 | 22 | 0 | 21 | 1  | 2  | 18 | 0 | 0 | 22 | 19 | 0 | 0 | 18 | 21 |
| E           | Herring Sp.On.K | 0            | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0 | 0  | 0  | 0 | 0 | 0  | 0  |
| F           | Rockfish        | 15           | 1 | 2 | 21 | 0 | 74 | 1  | 9  | 56 | 1 | 1 | 38 | 32 | 0 | 0 | 28 | 34 |
| G           | Geoduck         | 1            | 0 | 0 | 1  | 0 | 1  | 10 | 2  | 1  | 0 | 0 | 1  | 0  | 0 | 0 | 0  | 3  |
| H           | Crab            | 1            | 0 | 1 | 2  | 0 | 9  | 2  | 40 | 11 | 2 | 2 | 2  | 1  | 0 | 0 | 1  | 4  |
| I           | Lingcod         | 16           | 1 | 2 | 18 | 0 | 56 | 1  | 11 | 81 | 3 | 1 | 33 | 28 | 0 | 0 | 22 | 31 |
| J           | Shrimp          | 0            | 0 | 1 | 0  | 0 | 1  | 0  | 2  | 3  | 7 | 1 | 0  | 0  | 0 | 0 | 0  | 0  |
| K           | Prawns          | 0            | 0 | 0 | 0  | 0 | 1  | 0  | 2  | 1  | 1 | 5 | 0  | 0  | 0 | 0 | 0  | 0  |
| L           | Pacific cod     | 11           | 1 | 0 | 22 | 0 | 38 | 1  | 2  | 33 | 0 | 0 | 49 | 34 | 0 | 0 | 29 | 39 |
| M           | Soles           | 10           | 1 | 0 | 19 | 0 | 32 | 0  | 1  | 28 | 0 | 0 | 34 | 37 | 0 | 0 | 21 | 34 |
| N           | Intertidal clam | 0            | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0 | 0  | 0  | 2 | 0 | 0  | 0  |
| O           | Abalone         | 0            | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0 | 0  | 0  | 0 | 3 | 0  | 1  |
| P           | Dogfish         | 8            | 1 | 0 | 18 | 0 | 28 | 0  | 1  | 22 | 0 | 0 | 29 | 21 | 0 | 0 | 47 | 27 |
| Q           | Other species   | 12           | 1 | 0 | 21 | 0 | 34 | 3  | 4  | 31 | 0 | 0 | 39 | 34 | 0 | 1 | 27 | 52 |

Table 14. Distribution of specialists and generalists for West Vancouver Island 1979. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1979 = 3096

| Species "I"     | N   |     |     |     | Total |
|-----------------|-----|-----|-----|-----|-------|
|                 | 1   | 2   | 3   | 4+  |       |
| Salmon          | 669 | 604 | 666 | 121 | 2060  |
| Herring         | 810 | 62  | 5   | 17  | 894   |
| Halibut         | 1   | 1   | 12  | 27  | 41    |
| Sablefish       | 7   | 8   | 13  | 59  | 87    |
| Herring SP.ON.K | 0   | 0   | 0   | 0   | 0     |
| Rockfish        | 3   | 67  | 640 | 168 | 878   |
| Geoduck         | 18  | 4   | 2   | 4   | 28    |
| Crab            | 20  | 10  | 6   | 8   | 44    |
| Lingcod         | 12  | 514 | 684 | 174 | 1384  |
| Shrimp          | 3   | 1   | 2   | 8   | 14    |
| Prawns          | 22  | 6   | 11  | 10  | 49    |
| Pacific cod     | 0   | 1   | 10  | 87  | 98    |
| Soles           | 0   | 0   | 6   | 48  | 54    |
| Intertidal clam | 4   | 2   | 3   | 8   | 17    |
| Abalone         | 2   | 0   | 0   | 0   | 2     |
| Dogfish         | 0   | 9   | 3   | 20  | 32    |
| Other species   | 4   | 13  | 25  | 69  | 111   |

Table 15. Combination of species landed by the various fleets for West Vancouver Island 1979. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1979

| Species "I"       |      | Species "II" |    |    |   |     |    |    |      |    |    |    |    |    |   |    |     |
|-------------------|------|--------------|----|----|---|-----|----|----|------|----|----|----|----|----|---|----|-----|
|                   | A    | B            | C  | D  | E | F   | G  | H  | I    | J  | K  | L  | M  | N  | O | P  | Q   |
| A Salmon          | 2060 | 63           | 30 | 34 | 0 | 774 | 4  | 8  | 1268 | 4  | 18 | 49 | 6  | 10 | 0 | 11 | 56  |
| B Herring         | 63   | 894          | 2  | 9  | 0 | 20  | 2  | 5  | 20   | 0  | 1  | 8  | 6  | 1  | 0 | 6  | 9   |
| C Halibut         | 30   | 2            | 41 | 8  | 0 | 30  | 0  | 0  | 38   | 0  | 0  | 2  | 0  | 0  | 0 | 1  | 4   |
| D Sablefish       | 34   | 9            | 8  | 87 | 0 | 62  | 0  | 2  | 70   | 4  | 2  | 35 | 31 | 0  | 0 | 13 | 35  |
| E Herring Sp.On.K | 0    | 0            | 0  | 0  | 0 | 0   | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0  | 0 | 0  | 0   |
| F Rockfish        | 774  | 20           | 30 | 62 | 0 | 878 | 5  | 10 | 829  | 7  | 11 | 86 | 49 | 8  | 0 | 23 | 69  |
| G Geoduck         | 4    | 2            | 0  | 0  | 0 | 5   | 28 | 3  | 6    | 0  | 1  | 0  | 0  | 2  | 0 | 0  | 0   |
| H Crab            | 8    | 5            | 0  | 2  | 0 | 10  | 3  | 44 | 12   | 2  | 6  | 1  | 0  | 0  | 0 | 0  | 4   |
| I Lingcod         | 1268 | 20           | 38 | 70 | 0 | 829 | 6  | 12 | 1384 | 8  | 16 | 96 | 52 | 11 | 0 | 22 | 88  |
| J Shrimp          | 4    | 0            | 0  | 4  | 0 | 7   | 0  | 2  | 8    | 14 | 7  | 6  | 5  | 0  | 0 | 0  | 4   |
| K Prawns          | 18   | 1            | 0  | 2  | 0 | 11  | 1  | 6  | 16   | 7  | 49 | 3  | 1  | 0  | 0 | 0  | 3   |
| L Pacific cod     | 49   | 8            | 2  | 35 | 0 | 86  | 0  | 1  | 96   | 6  | 3  | 98 | 49 | 0  | 0 | 18 | 46  |
| M Soles           | 6    | 6            | 0  | 31 | 0 | 49  | 0  | 0  | 52   | 5  | 1  | 49 | 54 | 0  | 0 | 18 | 43  |
| N Intertidal clam | 10   | 1            | 0  | 0  | 0 | 8   | 2  | 0  | 11   | 0  | 0  | 0  | 0  | 17 | 0 | 0  | 0   |
| O Abalone         | 0    | 0            | 0  | 0  | 0 | 0   | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0  | 2 | 0  | 0   |
| P Dogfish         | 11   | 6            | 1  | 13 | 0 | 23  | 0  | 0  | 22   | 0  | 0  | 18 | 18 | 0  | 0 | 32 | 18  |
| Q Other species   | 56   | 9            | 4  | 35 | 0 | 69  | 0  | 4  | 88   | 4  | 3  | 46 | 43 | 0  | 0 | 18 | 111 |

Table 16. Distribution of specialists and generalists for the Fraser River 1979. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1979 = 1627

| Species "I"     | N   |     |    |    | Total |
|-----------------|-----|-----|----|----|-------|
|                 | 1   | 2   | 3  | 4+ |       |
| Salmon          | 970 | 399 | 24 | 6  | 1399  |
| Herring         | 0   | 0   | 0  | 0  | 0     |
| Halibut         | 0   | 0   | 0  | 0  | 0     |
| Sablefish       | 0   | 0   | 1  | 0  | 1     |
| Herring SP.ON.K | 0   | 0   | 0  | 0  | 0     |
| Rockfish        | 3   | 25  | 11 | 11 | 50    |
| Geoduck         | 0   | 0   | 0  | 0  | 0     |
| Crab            | 71  | 26  | 10 | 1  | 108   |
| Lingcod         | 0   | 6   | 5  | 5  | 16    |
| Shrimp          | 7   | 27  | 19 | 6  | 59    |
| Prawns          | 37  | 31  | 13 | 6  | 87    |
| Pacific cod     | 0   | 0   | 1  | 7  | 8     |
| Soles           | 2   | 5   | 0  | 8  | 15    |
| Intertidal clam | 1   | 0   | 0  | 0  | 1     |
| Abalone         | 0   | 0   | 0  | 0  | 0     |
| Dogfish         | 27  | 15  | 5  | 6  | 53    |
| Other species   | 24  | 340 | 13 | 9  | 386   |

Table 17. Combination of species landed by the various fleets for Fraser River 1979. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1979

| Species "I" |                 | Species "II" |   |   |   |   |    |   |     |    |    |    |   |    |   |   |    |     |
|-------------|-----------------|--------------|---|---|---|---|----|---|-----|----|----|----|---|----|---|---|----|-----|
|             |                 | A            | B | C | D | E | F  | G | H   | I  | J  | K  | L | M  | N | O | P  | Q   |
| A           | Salmon          | 1399         | 0 | 0 | 0 | 0 | 18 | 0 | 14  | 8  | 41 | 23 | 1 | 6  | 0 | 0 | 5  | 351 |
| B           | Herring         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| C           | Halibut         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| D           | Sablefish       | 0            | 0 | 0 | 1 | 0 | 1  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 1  | 0   |
| E           | Herring Sp.On.K | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| F           | Rockfish        | 18           | 0 | 0 | 1 | 0 | 50 | 0 | 5   | 10 | 8  | 7  | 7 | 9  | 0 | 0 | 17 | 7   |
| G           | Geoduck         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| H           | Crab            | 14           | 0 | 0 | 0 | 0 | 5  | 0 | 108 | 2  | 1  | 17 | 0 | 0  | 0 | 0 | 2  | 8   |
| I           | Lingcod         | 8            | 0 | 0 | 0 | 0 | 10 | 0 | 2   | 16 | 3  | 1  | 3 | 2  | 0 | 0 | 2  | 2   |
| J           | Shrimp          | 41           | 0 | 0 | 0 | 0 | 8  | 0 | 1   | 3  | 59 | 19 | 2 | 3  | 0 | 0 | 2  | 10  |
| K           | Prawns          | 23           | 0 | 0 | 0 | 0 | 7  | 0 | 17  | 1  | 19 | 87 | 2 | 2  | 0 | 0 | 4  | 6   |
| L           | Pacific cod     | 1            | 0 | 0 | 0 | 0 | 7  | 0 | 0   | 3  | 2  | 2  | 8 | 5  | 0 | 0 | 5  | 4   |
| M           | Soles           | 6            | 0 | 0 | 0 | 0 | 9  | 0 | 0   | 2  | 3  | 2  | 5 | 15 | 0 | 0 | 4  | 6   |
| N           | Intertidal clam | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 1 | 0 | 0  | 0   |
| O           | Abalone         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| P           | Dogfish         | 5            | 0 | 0 | 1 | 0 | 17 | 0 | 2   | 2  | 2  | 4  | 5 | 4  | 0 | 0 | 53 | 7   |
| Q           | Other species   | 351          | 0 | 0 | 0 | 0 | 7  | 0 | 8   | 2  | 10 | 6  | 4 | 6  | 0 | 0 | 7  | 386 |

Table 18. Distribution of specialists and generalists for the B.C. Totals - All areas 1979. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1979 = 6949

| Species "I"     | N    |      |      |     | Total |
|-----------------|------|------|------|-----|-------|
|                 | 1    | 2    | 3    | 4+  |       |
| Salmon          | 1787 | 1357 | 1130 | 508 | 4782  |
| Herring         | 1152 | 220  | 53   | 148 | 1573  |
| Halibut         | 14   | 47   | 68   | 238 | 367   |
| Sablefish       | 5    | 17   | 28   | 236 | 286   |
| Herring SP.ON.K | 0    | 13   | 6    | 3   | 22    |
| Rockfish        | 16   | 228  | 1058 | 716 | 2018  |
| Geoduck         | 27   | 16   | 18   | 13  | 74    |
| Crab            | 93   | 83   | 50   | 90  | 316   |
| Lingcod         | 31   | 735  | 1140 | 713 | 2619  |
| Shrimp          | 9    | 39   | 46   | 62  | 156   |
| Prawns          | 60   | 70   | 67   | 121 | 318   |
| Pacific cod     | 2    | 5    | 59   | 310 | 376   |
| Soles           | 0    | 1    | 8    | 134 | 143   |
| Intertidal clam | 5    | 44   | 30   | 38  | 117   |
| Abalone         | 5    | 8    | 6    | 6   | 25    |
| Dogfish         | 21   | 53   | 52   | 250 | 376   |
| Other species   | 20   | 332  | 84   | 303 | 739   |

Table 19. Combination of species landed by the various fleets for the B.C. Total - All areas 1979. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1979

| Species "I" |                 | Species "II" |      |     |     |    |      |    |     |      |     |     |     |     |     |    |     |     |
|-------------|-----------------|--------------|------|-----|-----|----|------|----|-----|------|-----|-----|-----|-----|-----|----|-----|-----|
|             |                 | A            | B    | C   | D   | E  | F    | G  | H   | I    | J   | K   | L   | M   | N   | O  | P   | Q   |
| A           | Salmon          | 4782         | 293  | 214 | 115 | 19 | 1483 | 7  | 63  | 2103 | 114 | 123 | 205 | 50  | 47  | 5  | 172 | 520 |
| B           | Herring         | 298          | 1573 | 103 | 76  | 8  | 163  | 8  | 24  | 158  | 7   | 20  | 55  | 39  | 10  | 3  | 63  | 79  |
| C           | Halibut         | 214          | 103  | 367 | 126 | 3  | 232  | 4  | 20  | 267  | 19  | 26  | 43  | 8   | 7   | 5  | 73  | 80  |
| D           | Sablefish       | 115          | 76   | 126 | 286 | 3  | 229  | 2  | 25  | 232  | 12  | 18  | 123 | 85  | 5   | 3  | 112 | 146 |
| E           | Herring Sp.On.K | 19           | 8    | 3   | 3   | 22 | 3    | 1  | 1   | 4    | 1   | 1   | 1   | 0   | 1   | 0  | 0   | 1   |
| F           | Rockfish        | 1483         | 163  | 232 | 229 | 3  | 2018 | 16 | 105 | 1775 | 54  | 127 | 329 | 138 | 46  | 8  | 281 | 307 |
| G           | Geoduck         | 7            | 8    | 4   | 2   | 1  | 16   | 74 | 5   | 16   | 1   | 7   | 3   | 0   | 22  | 2  | 5   | 16  |
| H           | Crab            | 63           | 24   | 20  | 25  | 1  | 105  | 5  | 316 | 108  | 15  | 63  | 40  | 21  | 14  | 0  | 34  | 53  |
| I           | Lingcod         | 2103         | 158  | 267 | 232 | 4  | 1775 | 16 | 108 | 2619 | 68  | 143 | 334 | 123 | 49  | 10 | 239 | 308 |
| J           | Shrimp          | 114          | 7    | 19  | 12  | 1  | 54   | 1  | 15  | 68   | 156 | 56  | 16  | 12  | 3   | 0  | 11  | 18  |
| K           | Prawns          | 123          | 20   | 28  | 18  | 1  | 127  | 7  | 63  | 143  | 56  | 318 | 26  | 9   | 12  | 3  | 38  | 34  |
| L           | Pacific cod     | 205          | 55   | 43  | 123 | 1  | 329  | 3  | 40  | 334  | 16  | 26  | 376 | 128 | 9   | 0  | 133 | 163 |
| M           | Soles           | 50           | 39   | 8   | 85  | 0  | 138  | 0  | 21  | 123  | 12  | 9   | 128 | 143 | 2   | 0  | 76  | 117 |
| N           | Intertidal clam | 47           | 10   | 7   | 5   | 1  | 46   | 22 | 14  | 49   | 3   | 12  | 9   | 2   | 117 | 2  | 8   | 20  |
| O           | Abalone         | 5            | 3    | 5   | 3   | 0  | 8    | 2  | 0   | 10   | 0   | 3   | 0   | 0   | 2   | 25 | 2   | 3   |
| P           | Dogfish         | 172          | 63   | 73  | 112 | 0  | 281  | 5  | 34  | 239  | 11  | 38  | 133 | 76  | 8   | 2  | 376 | 149 |
| Q           | Other species   | 520          | 79   | 80  | 146 | 1  | 307  | 16 | 53  | 308  | 18  | 34  | 163 | 117 | 20  | 3  | 149 | 739 |

Table 20. Distribution of specialists and generalists for the Queen Charlotte Islands 1980. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1980 = 1425

| Species "I"     | N   |     |     |     | Total |
|-----------------|-----|-----|-----|-----|-------|
|                 | 1   | 2   | 3   | 4+  |       |
| Salmon          | 651 | 268 | 87  | 61  | 1067  |
| Herring         | 135 | 14  | 3   | 3   | 155   |
| Halibut         | 55  | 56  | 54  | 47  | 212   |
| Sablefish       | 8   | 9   | 8   | 48  | 73    |
| Herring SP.ON.K | 0   | 4   | 3   | 1   | 8     |
| Rockfish        | 2   | 20  | 73  | 105 | 200   |
| Geoduck         | 3   | 0   | 0   | 0   | 3     |
| Crab            | 7   | 7   | 1   | 6   | 21    |
| Lingcod         | 6   | 224 | 105 | 111 | 446   |
| Shrimp          | 4   | 2   | 2   | 1   | 9     |
| Prawns          | 1   | 2   | 3   | 1   | 7     |
| Pacific cod     | 1   | 4   | 26  | 75  | 106   |
| Soles           | 0   | 0   | 5   | 30  | 35    |
| Intertidal clam | 1   | 0   | 0   | 1   | 2     |
| Abalone         | 1   | 0   | 1   | 0   | 2     |
| Dogfish         | 1   | 0   | 0   | 18  | 19    |
| Other species   | 2   | 4   | 7   | 37  | 50    |

Table 21. Combination of species landed by the various fleets for the Queen Charlotte Islands 1980. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1980

| Species "I" |                 | Species "II" |     |     |    |   |     |   |    |     |   |   |     |    |   |   |    |    |
|-------------|-----------------|--------------|-----|-----|----|---|-----|---|----|-----|---|---|-----|----|---|---|----|----|
|             |                 | A            | B   | C   | D  | E | F   | G | H  | I   | J | K | L   | M  | N | O | P  | Q  |
| A           | Salmon          | 1067         | 16  | 73  | 14 | 7 | 105 | 0 | 6  | 342 | 1 | 1 | 69  | 5  | 0 | 1 | 1  | 12 |
| B           | Herring         | 16           | 155 | 3   | 2  | 5 | 3   | 0 | 1  | 4   | 0 | 0 | 2   | 0  | 0 | 0 | 1  | 1  |
| C           | Halibut         | 73           | 3   | 212 | 43 | 1 | 83  | 0 | 3  | 102 | 0 | 1 | 12  | 1  | 0 | 0 | 4  | 10 |
| D           | Sablefish       | 14           | 2   | 43  | 73 | 0 | 50  | 0 | 2  | 51  | 0 | 1 | 25  | 16 | 0 | 0 | 14 | 18 |
| E           | Herring Sp.On.K | 7            | 5   | 1   | 0  | 8 | 1   | 0 | 1  | 1   | 0 | 0 | 1   | 0  | 0 | 0 | 0  | 1  |
| F           | Rockfish        | 105          | 3   | 83  | 50 | 1 | 200 | 0 | 4  | 171 | 2 | 2 | 70  | 27 | 1 | 0 | 17 | 33 |
| G           | Geoduck         | 0            | 0   | 0   | 0  | 0 | 0   | 3 | 0  | 0   | 0 | 0 | 0   | 0  | 0 | 0 | 0  | 0  |
| H           | Crab            | 6            | 1   | 3   | 2  | 1 | 4   | 0 | 21 | 6   | 2 | 2 | 1   | 0  | 1 | 0 | 0  | 3  |
| I           | Lingcod         | 342          | 4   | 102 | 51 | 1 | 171 | 0 | 6  | 446 | 1 | 2 | 93  | 27 | 1 | 1 | 17 | 35 |
| J           | Shrimp          | 1            | 0   | 0   | 0  | 0 | 2   | 0 | 2  | 1   | 9 | 3 | 0   | 0  | 0 | 0 | 0  | 0  |
| K           | Prawns          | 1            | 0   | 1   | 1  | 0 | 2   | 0 | 2  | 2   | 3 | 7 | 0   | 0  | 0 | 0 | 0  | 0  |
| L           | Pacific cod     | 69           | 2   | 12  | 25 | 1 | 70  | 0 | 1  | 93  | 0 | 0 | 106 | 34 | 0 | 0 | 17 | 36 |
| M           | Soles           | 5            | 0   | 1   | 16 | 0 | 27  | 0 | 0  | 27  | 0 | 0 | 34  | 35 | 0 | 0 | 15 | 35 |
| N           | Intertidal clam | 0            | 0   | 0   | 0  | 0 | 1   | 0 | 1  | 1   | 0 | 0 | 0   | 0  | 2 | 0 | 0  | 0  |
| O           | Abalone         | 1            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 1   | 0 | 0 | 0   | 0  | 0 | 2 | 0  | 0  |
| P           | Dogfish         | 1            | 1   | 4   | 14 | 0 | 17  | 0 | 0  | 17  | 0 | 0 | 17  | 15 | 0 | 0 | 19 | 16 |
| Q           | Other species   | 12           | 1   | 10  | 18 | 1 | 33  | 0 | 3  | 35  | 0 | 0 | 36  | 35 | 0 | 0 | 16 | 50 |

Table 22. Distribution of specialists and generalists for Catham Sound 1980.  
Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1980 = 1652

| Species "I"     | N    |     |    |    | Total |
|-----------------|------|-----|----|----|-------|
|                 | 1    | 2   | 3  | 4+ |       |
| Salmon          | 1130 | 125 | 29 | 27 | 1311  |
| Herring         | 215  | 28  | 1  | 10 | 254   |
| Halibut         | 10   | 24  | 23 | 20 | 77    |
| Sablefish       | 2    | 2   | 2  | 30 | 36    |
| Herring SP.ON.K | 2    | 6   | 0  | 0  | 8     |
| Rockfish        | 2    | 14  | 18 | 59 | 93    |
| Geoduck         | 1    | 0   | 0  | 0  | 1     |
| Crab            | 13   | 7   | 3  | 8  | 31    |
| Lingcod         | 1    | 40  | 32 | 65 | 138   |
| Shrimp          | 2    | 8   | 9  | 5  | 24    |
| Prawns          | 3    | 5   | 5  | 2  | 15    |
| Pacific cod     | 0    | 5   | 3  | 48 | 56    |
| Soles           | 0    | 0   | 0  | 36 | 36    |
| Intertidal clam | 2    | 20  | 5  | 4  | 31    |
| Abalone         | 4    | 1   | 1  | 0  | 6     |
| Dogfish         | 1    | 0   | 1  | 21 | 23    |
| Other species   | 2    | 5   | 6  | 49 | 62    |

Table 23. Combination of species landed by the various fleets for Chatham Sound 1980. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1980

| Species "I"       | Species "II" |     |    |    |   |    |   |    |     |    |    |    |    |    |   |    |    |
|-------------------|--------------|-----|----|----|---|----|---|----|-----|----|----|----|----|----|---|----|----|
|                   | A            | B   | C  | D  | E | F  | G | H  | I   | J  | K  | L  | M  | N  | O | P  | Q  |
| A Salmon          | 1311         | 29  | 41 | 6  | 5 | 34 | 0 | 7  | 78  | 18 | 4  | 21 | 5  | 24 | 0 | 5  | 16 |
| B Herring         | 29           | 254 | 1  | 6  | 0 | 8  | 0 | 2  | 8   | 0  | 0  | 7  | 7  | 0  | 0 | 6  | 11 |
| C Halibut         | 41           | 1   | 77 | 8  | 0 | 27 | 0 | 5  | 40  | 2  | 0  | 5  | 0  | 6  | 1 | 2  | 8  |
| D Sablefish       | 6            | 6   | 8  | 36 | 0 | 30 | 0 | 2  | 30  | 0  | 0  | 27 | 22 | 0  | 0 | 15 | 23 |
| E Herring Sp.On.K | 5            | 0   | 0  | 0  | 8 | 0  | 0 | 0  | 0   | 0  | 0  | 0  | 0  | 1  | 0 | 0  | 0  |
| F Rockfish        | 34           | 8   | 27 | 30 | 0 | 93 | 0 | 3  | 74  | 4  | 2  | 44 | 32 | 3  | 0 | 21 | 39 |
| G Geoduck         | 0            | 0   | 0  | 0  | 0 | 0  | 1 | 0  | 0   | 0  | 0  | 0  | 0  | 0  | 0 | 0  | 0  |
| H Crab            | 7            | 2   | 5  | 2  | 0 | 3  | 0 | 31 | 7   | 1  | 4  | 1  | 0  | 2  | 0 | 0  | 8  |
| I Lingcod         | 78           | 8   | 40 | 30 | 0 | 74 | 0 | 7  | 138 | 7  | 3  | 47 | 33 | 6  | 1 | 20 | 44 |
| J Shrimp          | 18           | 0   | 2  | 0  | 0 | 4  | 0 | 1  | 7   | 24 | 7  | 1  | 0  | 0  | 0 | 0  | 4  |
| K Prawns          | 4            | 0   | 0  | 0  | 0 | 2  | 0 | 4  | 3   | 7  | 15 | 0  | 0  | 0  | 0 | 0  | 2  |
| L Pacific cod     | 21           | 7   | 5  | 27 | 0 | 44 | 0 | 1  | 47  | 1  | 0  | 56 | 36 | 0  | 0 | 19 | 38 |
| M Soles           | 5            | 7   | 0  | 22 | 0 | 32 | 0 | 0  | 33  | 0  | 0  | 36 | 36 | 0  | 0 | 17 | 36 |
| N Intertidal clam | 24           | 0   | 6  | 0  | 1 | 3  | 0 | 2  | 6   | 0  | 0  | 0  | 0  | 31 | 0 | 0  | 1  |
| O Abalone         | 0            | 0   | 1  | 0  | 0 | 0  | 0 | 0  | 1   | 0  | 0  | 0  | 0  | 0  | 6 | 0  | 1  |
| P Dogfish         | 5            | 6   | 2  | 15 | 0 | 21 | 0 | 0  | 20  | 0  | 0  | 19 | 17 | 0  | 0 | 23 | 22 |
| Q Other species   | 16           | 11  | 8  | 23 | 0 | 39 | 0 | 8  | 44  | 4  | 2  | 38 | 36 | 1  | 1 | 22 | 62 |

Table 24. Distribution of specialists and generalists for the Central Coast 1980. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1980 = 2223

| Species "I"     | N    |     |     |    | Total |
|-----------------|------|-----|-----|----|-------|
|                 | 1    | 2   | 3   | 4+ |       |
| Salmon          | 1574 | 181 | 114 | 15 | 1884  |
| Herring         | 176  | 8   | 4   | 2  | 190   |
| Halibut         | 28   | 18  | 27  | 17 | 90    |
| Sablefish       | 4    | 1   | 3   | 28 | 36    |
| Herring SP.ON.K | 0    | 1   | 1   | 0  | 2     |
| Rockfish        | 5    | 26  | 113 | 50 | 194   |
| Geoduck         | 3    | 1   | 0   | 0  | 4     |
| Crab            | 2    | 4   | 6   | 3  | 15    |
| Lingcod         | 4    | 149 | 122 | 46 | 321   |
| Shrimp          | 1    | 2   | 1   | 3  | 7     |
| Prawns          | 10   | 13  | 7   | 4  | 34    |
| Pacific cod     | 0    | 1   | 3   | 27 | 31    |
| Soles           | 0    | 0   | 2   | 27 | 29    |
| Intertidal clam | 2    | 1   | 0   | 0  | 3     |
| Abalone         | 13   | 2   | 1   | 0  | 16    |
| Dogfish         | 1    | 0   | 1   | 12 | 14    |
| Other species   | 5    | 8   | 6   | 30 | 49    |

Table 25. Combination of species landed by the various fleets for Central Coast 1980. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1980

| Species "I" |                 | Species "II" |     |    |    |   |     |   |    |     |   |    |    |    |   |    |    |    |
|-------------|-----------------|--------------|-----|----|----|---|-----|---|----|-----|---|----|----|----|---|----|----|----|
|             |                 | A            | B   | C  | D  | E | F   | G | H  | I   | J | K  | L  | M  | N | O  | P  | Q  |
| A           | Salmon          | 1884         | 11  | 41 | 3  | 2 | 129 | 0 | 0  | 263 | 0 | 2  | 2  | 0  | 1 | 1  | 0  | 5  |
| B           | Herring         | 11           | 190 | 2  | 1  | 1 | 2   | 0 | 2  | 2   | 0 | 2  | 1  | 0  | 0 | 0  | 0  | 0  |
| C           | Halibut         | 41           | 2   | 90 | 7  | 0 | 31  | 0 | 1  | 42  | 0 | 2  | 2  | 0  | 0 | 0  | 0  | 3  |
| D           | Sablefish       | 3            | 1   | 7  | 36 | 0 | 31  | 0 | 0  | 26  | 0 | 0  | 21 | 22 | 0 | 0  | 11 | 25 |
| E           | Herring Sp.0n.K | 2            | 1   | 0  | 0  | 2 | 0   | 0 | 0  | 0   | 0 | 0  | 0  | 0  | 0 | 0  | 0  | 0  |
| F           | Rockfish        | 129          | 2   | 31 | 31 | 0 | 194 | 0 | 4  | 158 | 3 | 5  | 29 | 27 | 0 | 1  | 13 | 33 |
| G           | Geoduck         | 0            | 0   | 0  | 0  | 0 | 0   | 4 | 0  | 0   | 0 | 0  | 0  | 0  | 0 | 1  | 0  | 0  |
| H           | Crab            | 0            | 2   | 1  | 0  | 0 | 4   | 0 | 15 | 3   | 3 | 12 | 0  | 0  | 0 | 0  | 0  | 1  |
| I           | Lingcod         | 263          | 2   | 42 | 26 | 0 | 158 | 0 | 3  | 321 | 2 | 6  | 27 | 25 | 0 | 0  | 11 | 28 |
| J           | Shrimp          | 0            | 0   | 0  | 0  | 0 | 3   | 0 | 3  | 2   | 7 | 6  | 0  | 0  | 0 | 0  | 0  | 0  |
| K           | Prawns          | 2            | 2   | 2  | 0  | 0 | 5   | 0 | 12 | 6   | 6 | 34 | 0  | 0  | 0 | 0  | 0  | 5  |
| L           | Pacific cod     | 2            | 1   | 2  | 21 | 0 | 29  | 0 | 0  | 27  | 0 | 0  | 31 | 25 | 0 | 0  | 12 | 26 |
| M           | Soles           | 0            | 0   | 0  | 22 | 0 | 27  | 0 | 0  | 25  | 0 | 0  | 25 | 29 | 0 | 0  | 12 | 29 |
| N           | Intertidal clam | 1            | 0   | 0  | 0  | 0 | 0   | 0 | 0  | 0   | 0 | 0  | 0  | 0  | 3 | 0  | 0  | 0  |
| O           | Abalone         | 1            | 0   | 0  | 0  | 0 | 1   | 1 | 0  | 0   | 0 | 0  | 0  | 0  | 0 | 16 | 0  | 1  |
| P           | Dogfish         | 0            | 0   | 0  | 11 | 0 | 13  | 0 | 0  | 11  | 0 | 0  | 12 | 12 | 0 | 0  | 14 | 13 |
| Q           | Other species   | 5            | 0   | 3  | 25 | 0 | 33  | 0 | 1  | 28  | 0 | 5  | 26 | 29 | 0 | 1  | 13 | 49 |

Table 26. Distribution of specialists and generalists for the Johnstone Strait 1980. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1980 = 2346

| Species "I"     | N    |     |     |     | Total |
|-----------------|------|-----|-----|-----|-------|
|                 | 1    | 2   | 3   | 4+  |       |
| Salmon          | 1548 | 210 | 214 | 56  | 2028  |
| Herring         | 8    | 8   | 3   | 4   | 23    |
| Halibut         | 11   | 13  | 17  | 26  | 67    |
| Sablefish       | 6    | 2   | 2   | 15  | 25    |
| Herring SP.ON.K | 1    | 0   | 1   | 0   | 2     |
| Rockfish        | 25   | 120 | 247 | 105 | 497   |
| Geoduck         | 11   | 3   | 0   | 0   | 14    |
| Crab            | 12   | 6   | 6   | 8   | 32    |
| Lingcod         | 14   | 176 | 241 | 97  | 528   |
| Shrimp          | 1    | 2   | 1   | 0   | 4     |
| Prawns          | 22   | 11  | 7   | 7   | 47    |
| Pacific cod     | 0    | 3   | 15  | 63  | 81    |
| Soles           | 0    | 1   | 1   | 30  | 32    |
| Intertidal clam | 15   | 10  | 8   | 9   | 42    |
| Abalone         | 4    | 1   | 0   | 1   | 6     |
| Dogfish         | 5    | 3   | 1   | 15  | 24    |
| Other species   | 6    | 11  | 13  | 51  | 81    |

Table 27. Combination of species landed by the various fleets for Johnstone Strait 1980. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1980

| Species "I"       | Species "II" |    |    |    |   |     |    |    |     |   |    |    |    |    |   |    |    |
|-------------------|--------------|----|----|----|---|-----|----|----|-----|---|----|----|----|----|---|----|----|
|                   | A            | B  | C  | D  | E | F   | G  | H  | I   | J | K  | L  | M  | N  | O | P  | Q  |
| A Salmon          | 2028         | 8  | 35 | 5  | 0 | 323 | 0  | 2  | 383 | 1 | 5  | 32 | 7  | 6  | 0 | 3  | 16 |
| B Herring         | 8            | 23 | 0  | 1  | 1 | 6   | 0  | 0  | 5   | 0 | 1  | 3  | 3  | 2  | 0 | 0  | 3  |
| C Halibut         | 35           | 0  | 67 | 5  | 0 | 41  | 0  | 0  | 39  | 0 | 0  | 3  | 0  | 1  | 1 | 0  | 2  |
| D Sablefish       | 5            | 1  | 5  | 25 | 0 | 17  | 0  | 2  | 14  | 0 | 2  | 11 | 7  | 0  | 0 | 4  | 10 |
| E Herring Sp.On.K | 0            | 1  | 0  | 0  | 2 | 0   | 0  | 0  | 0   | 0 | 1  | 0  | 0  | 0  | 0 | 0  | 0  |
| F Rockfish        | 323          | 6  | 41 | 17 | 0 | 497 | 0  | 13 | 377 | 0 | 13 | 75 | 27 | 16 | 1 | 17 | 56 |
| G Geoduck         | 0            | 0  | 0  | 0  | 0 | 0   | 14 | 0  | 0   | 0 | 0  | 0  | 0  | 3  | 0 | 0  | 0  |
| H Crab            | 2            | 0  | 0  | 2  | 0 | 13  | 0  | 32 | 6   | 0 | 12 | 1  | 0  | 2  | 0 | 1  | 5  |
| I Lingcod         | 383          | 5  | 39 | 14 | 0 | 377 | 0  | 6  | 528 | 0 | 7  | 65 | 27 | 14 | 1 | 12 | 52 |
| J Shrimp          | 1            | 0  | 0  | 0  | 0 | 0   | 0  | 0  | 0   | 4 | 2  | 0  | 0  | 0  | 0 | 0  | 1  |
| K Prawns          | 5            | 1  | 0  | 2  | 1 | 13  | 0  | 12 | 7   | 2 | 47 | 1  | 0  | 0  | 0 | 0  | 6  |
| L Pacific cod     | 32           | 3  | 3  | 11 | 0 | 75  | 0  | 1  | 65  | 0 | 1  | 81 | 29 | 4  | 0 | 12 | 38 |
| M Soles           | 7            | 3  | 0  | 7  | 0 | 27  | 0  | 0  | 27  | 0 | 0  | 29 | 32 | 0  | 0 | 9  | 32 |
| N Intertidal clam | 6            | 2  | 1  | 0  | 0 | 16  | 3  | 2  | 14  | 0 | 0  | 4  | 0  | 42 | 0 | 0  | 5  |
| O Abalone         | 0            | 0  | 1  | 0  | 0 | 1   | 0  | 0  | 1   | 0 | 0  | 0  | 0  | 0  | 6 | 0  | 1  |
| P Dogfish         | 3            | 0  | 0  | 4  | 0 | 17  | 0  | 1  | 12  | 0 | 0  | 12 | 9  | 0  | 0 | 24 | 16 |
| Q Other species   | 16           | 3  | 2  | 10 | 0 | 56  | 0  | 5  | 52  | 1 | 6  | 38 | 32 | 5  | 1 | 16 | 81 |

Table 28. Distribution of specialists and generalists for the Georgia Strait 1980. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1980 = 2068

| Species "I"     | N   |     |     |     | Total |
|-----------------|-----|-----|-----|-----|-------|
|                 | 1   | 2   | 3   | 4+  |       |
| Salmon          | 790 | 253 | 122 | 40  | 1205  |
| Herring         | 353 | 61  | 7   | 9   | 430   |
| Halibut         | 0   | 0   | 1   | 0   | 1     |
| Sablefish       | 1   | 0   | 3   | 25  | 29    |
| Herring SP.ON.K | 0   | 1   | 2   | 0   | 3     |
| Rockfish        | 24  | 212 | 156 | 116 | 508   |
| Geoduck         | 13  | 14  | 9   | 5   | 41    |
| Crab            | 24  | 25  | 24  | 39  | 112   |
| Lingcod         | 17  | 112 | 125 | 77  | 331   |
| Shrimp          | 8   | 22  | 10  | 13  | 53    |
| Prawns          | 46  | 44  | 25  | 24  | 139   |
| Pacific cod     | 3   | 8   | 20  | 92  | 123   |
| Soles           | 0   | 1   | 3   | 54  | 58    |
| Intertidal clam | 22  | 20  | 18  | 15  | 75    |
| Abalone         | 0   | 0   | 0   | 1   | 1     |
| Dogfish         | 25  | 22  | 22  | 53  | 122   |
| Other species   | 14  | 21  | 23  | 80  | 138   |

Table 29. Combination of species landed by the various fleets for Georgia Strait 1980. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1980

| Species "I"       |      | Species "II" |   |    |   |     |    |     |     |    |     |     |    |    |   |     |     |
|-------------------|------|--------------|---|----|---|-----|----|-----|-----|----|-----|-----|----|----|---|-----|-----|
|                   | A    | B            | C | D  | E | F   | G  | H   | I   | J  | K   | L   | M  | N  | O | P   | Q   |
| A Salmon          | 1205 | 59           | 0 | 3  | 1 | 275 | 3  | 15  | 166 | 10 | 21  | 37  | 10 | 10 | 0 | 19  | 21  |
| B Herring         | 59   | 430          | 0 | 2  | 3 | 11  | 2  | 5   | 7   | 0  | 3   | 6   | 3  | 3  | 0 | 4   | 10  |
| C Halibut         | 0    | 0            | 1 | 0  | 0 | 1   | 0  | 0   | 1   | 0  | 0   | 0   | 0  | 0  | 0 | 0   | 0   |
| D Sablefish       | 3    | 2            | 0 | 29 | 0 | 24  | 0  | 6   | 11  | 2  | 3   | 24  | 12 | 1  | 0 | 22  | 17  |
| E Herring Sp.On.K | 1    | 3            | 0 | 0  | 3 | 1   | 0  | 0   | 0   | 0  | 0   | 0   | 0  | 0  | 0 | 0   | 0   |
| F Rockfish        | 275  | 11           | 1 | 24 | 1 | 508 | 2  | 56  | 256 | 14 | 38  | 99  | 47 | 21 | 0 | 67  | 77  |
| G Geoduck         | 3    | 2            | 0 | 0  | 0 | 2   | 41 | 3   | 3   | 0  | 2   | 1   | 0  | 23 | 1 | 0   | 12  |
| H Crab            | 15   | 5            | 0 | 6  | 0 | 56  | 3  | 112 | 42  | 9  | 26  | 26  | 15 | 11 | 0 | 10  | 24  |
| I Lingcod         | 166  | 7            | 1 | 11 | 0 | 256 | 3  | 42  | 331 | 9  | 27  | 54  | 28 | 12 | 0 | 28  | 38  |
| J Shrimp          | 10   | 0            | 0 | 2  | 0 | 14  | 0  | 9   | 9   | 53 | 36  | 5   | 6  | 0  | 0 | 3   | 9   |
| K Prawns          | 21   | 3            | 0 | 3  | 0 | 38  | 2  | 26  | 27  | 36 | 139 | 7   | 5  | 5  | 0 | 5   | 16  |
| L Pacific cod     | 37   | 6            | 0 | 24 | 0 | 99  | 1  | 26  | 54  | 5  | 7   | 123 | 50 | 3  | 0 | 52  | 67  |
| M Soles           | 10   | 3            | 0 | 12 | 0 | 47  | 0  | 15  | 28  | 6  | 5   | 50  | 58 | 1  | 0 | 28  | 57  |
| N Intertidal clam | 10   | 3            | 0 | 1  | 0 | 21  | 23 | 11  | 12  | 0  | 5   | 3   | 1  | 75 | 1 | 7   | 17  |
| O Abalone         | 0    | 0            | 0 | 0  | 0 | 0   | 1  | 0   | 0   | 0  | 0   | 0   | 0  | 1  | 1 | 0   | 1   |
| P Dogfish         | 19   | 4            | 0 | 22 | 0 | 67  | 0  | 10  | 28  | 3  | 5   | 52  | 28 | 7  | 0 | 122 | 51  |
| Q Other species   | 21   | 10           | 0 | 17 | 0 | 77  | 12 | 24  | 38  | 9  | 16  | 67  | 57 | 17 | 1 | 51  | 138 |

Table 30. Distribution of specialists and generalists for Victoria 1980.  
Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1980 = 634

| Species "I"     | N   |    |    |    | Total |
|-----------------|-----|----|----|----|-------|
|                 | 1   | 2  | 3  | 4+ |       |
| Salmon          | 435 | 7  | 4  | 10 | 456   |
| Herring         | 1   | 1  | 0  | 2  | 4     |
| Halibut         | 0   | 1  | 2  | 1  | 4     |
| Sablefish       | 0   | 0  | 0  | 18 | 18    |
| Herring SP.ON.K | 0   | 0  | 0  | 0  | 0     |
| Rockfish        | 0   | 22 | 15 | 44 | 81    |
| Geoduck         | 7   | 1  | 1  | 1  | 10    |
| Crab            | 31  | 13 | 9  | 11 | 64    |
| Lingcod         | 4   | 27 | 8  | 37 | 76    |
| Shrimp          | 3   | 2  | 6  | 7  | 18    |
| Prawns          | 1   | 2  | 6  | 6  | 15    |
| Pacific cod     | 1   | 2  | 8  | 45 | 56    |
| Soles           | 0   | 1  | 2  | 42 | 45    |
| Intertidal clam | 0   | 2  | 2  | 1  | 5     |
| Abalone         | 3   | 1  | 0  | 1  | 5     |
| Dogfish         | 8   | 8  | 6  | 22 | 44    |
| Other species   | 10  | 8  | 6  | 50 | 74    |

Table 31. Combination of species landed by the various fleets for Victoria 1980. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1980

| Species "I" |                 | Species "II" |   |   |    |   |    |    |    |    |    |    |    |    |   |   |    |    |
|-------------|-----------------|--------------|---|---|----|---|----|----|----|----|----|----|----|----|---|---|----|----|
|             |                 | A            | B | C | D  | E | F  | G  | H  | I  | J  | K  | L  | M  | N | O | P  | Q  |
| A           | Salmon          | 456          | 2 | 1 | 1  | 0 | 8  | 1  | 3  | 7  | 1  | 1  | 6  | 7  | 1 | 1 | 6  | 11 |
| B           | Herring         | 2            | 4 | 0 | 1  | 0 | 1  | 0  | 1  | 0  | 0  | 0  | 1  | 1  | 0 | 1 | 0  | 1  |
| C           | Halibut         | 1            | 0 | 4 | 1  | 0 | 2  | 0  | 0  | 3  | 0  | 0  | 1  | 0  | 0 | 0 | 1  | 1  |
| D           | Sablefish       | 1            | 1 | 1 | 18 | 0 | 15 | 0  | 0  | 15 | 1  | 0  | 18 | 15 | 0 | 0 | 10 | 18 |
| E           | Herring Sp.On.K | 0            | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 | 0 | 0  | 0  |
| F           | Rockfish        | 8            | 1 | 2 | 15 | 0 | 81 | 0  | 11 | 58 | 6  | 6  | 43 | 36 | 0 | 0 | 25 | 42 |
| G           | Geoduck         | 1            | 0 | 0 | 0  | 0 | 0  | 10 | 2  | 0  | 0  | 1  | 0  | 0  | 2 | 0 | 1  | 1  |
| H           | Crab            | 3            | 1 | 0 | 0  | 0 | 11 | 2  | 64 | 13 | 10 | 10 | 4  | 2  | 3 | 1 | 2  | 9  |
| I           | Lingcod         | 7            | 0 | 3 | 15 | 0 | 58 | 0  | 13 | 76 | 4  | 3  | 34 | 28 | 0 | 0 | 17 | 32 |
| J           | Shrimp          | 1            | 0 | 0 | 1  | 0 | 6  | 0  | 10 | 4  | 18 | 10 | 1  | 0  | 2 | 0 | 0  | 4  |
| K           | Prawns          | 1            | 0 | 0 | 0  | 0 | 6  | 1  | 10 | 3  | 10 | 15 | 0  | 0  | 0 | 0 | 0  | 3  |
| L           | Pacific cod     | 6            | 1 | 1 | 18 | 0 | 43 | 0  | 4  | 34 | 1  | 0  | 56 | 42 | 0 | 0 | 26 | 47 |
| M           | Soles           | 7            | 1 | 0 | 15 | 0 | 36 | 0  | 2  | 28 | 0  | 0  | 42 | 45 | 0 | 0 | 20 | 44 |
| N           | Intertidal clam | 1            | 0 | 0 | 0  | 0 | 0  | 2  | 3  | 0  | 2  | 0  | 0  | 0  | 5 | 0 | 1  | 2  |
| O           | Abalone         | 1            | 1 | 0 | 0  | 0 | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0 | 5 | 0  | 1  |
| P           | Dogfish         | 6            | 0 | 1 | 10 | 0 | 25 | 1  | 2  | 17 | 0  | 0  | 26 | 20 | 1 | 0 | 44 | 26 |
| Q           | Other species   | 11           | 1 | 1 | 18 | 0 | 42 | 1  | 9  | 32 | 4  | 3  | 47 | 44 | 2 | 1 | 26 | 74 |

Table 32. Distribution of specialists and generalists for West Vancouver Island 1980. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1980 = 2844

| Species "I"     | N    |     |     |     | Total |
|-----------------|------|-----|-----|-----|-------|
|                 | 1    | 2   | 3   | 4+  |       |
| Salmon          | 1079 | 604 | 517 | 140 | 2340  |
| Herring         | 273  | 24  | 4   | 3   | 304   |
| Halibut         | 2    | 5   | 15  | 40  | 62    |
| Sablefish       | 11   | 5   | 9   | 57  | 82    |
| Herring SP.ON.K | 0    | 0   | 0   | 0   | 0     |
| Rockfish        | 7    | 51  | 481 | 172 | 711   |
| Geoduck         | 32   | 6   | 1   | 1   | 40    |
| Crab            | 18   | 14  | 2   | 5   | 39    |
| Lingcod         | 6    | 550 | 529 | 185 | 1270  |
| Shrimp          | 0    | 2   | 5   | 14  | 21    |
| Prawns          | 11   | 10  | 6   | 13  | 40    |
| Pacific cod     | 0    | 0   | 8   | 75  | 83    |
| Soles           | 0    | 0   | 6   | 55  | 61    |
| Intertidal clam | 3    | 7   | 2   | 1   | 13    |
| Abalone         | 0    | 0   | 0   | 0   | 0     |
| Dogfish         | 1    | 1   | 2   | 37  | 41    |
| Other species   | 17   | 23  | 51  | 119 | 210   |

Table 33. Combination of species landed by the various fleets for West Vancouver Island. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1980

| Species "I" |                 | Species "II" |     |    |    |   |     |    |    |      |    |    |    |    |    |   |    |     |
|-------------|-----------------|--------------|-----|----|----|---|-----|----|----|------|----|----|----|----|----|---|----|-----|
|             |                 | A            | B   | C  | D  | E | F   | G  | H  | I    | J  | K  | L  | M  | N  | O | P  | Q   |
| A           | Salmon          | 2340         | 25  | 43 | 38 | 0 | 618 | 1  | 9  | 1176 | 12 | 19 | 41 | 18 | 1  | 0 | 9  | 128 |
| B           | Herring         | 25           | 304 | 0  | 1  | 0 | 5   | 1  | 2  | 9    | 0  | 0  | 1  | 1  | 1  | 0 | 1  | 1   |
| C           | Halibut         | 43           | 0   | 62 | 11 | 0 | 45  | 0  | 0  | 51   | 0  | 1  | 1  | 3  | 0  | 0 | 3  | 14  |
| D           | Sablefish       | 38           | 1   | 11 | 82 | 0 | 58  | 1  | 1  | 63   | 4  | 1  | 31 | 28 | 0  | 0 | 21 | 38  |
| E           | Herring Sp.On.K | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0  | 0 | 0  | 0   |
| F           | Rockfish        | 618          | 5   | 45 | 58 | 0 | 711 | 2  | 6  | 666  | 12 | 10 | 69 | 52 | 3  | 0 | 35 | 115 |
| G           | Geoduck         | 1            | 1   | 0  | 1  | 0 | 2   | 40 | 1  | 1    | 0  | 0  | 0  | 0  | 7  | 0 | 0  | 0   |
| H           | Crab            | 9            | 2   | 0  | 1  | 0 | 6   | 1  | 39 | 7    | 0  | 7  | 0  | 0  | 0  | 0 | 0  | 7   |
| I           | Lingcod         | 1176         | 9   | 51 | 63 | 0 | 666 | 1  | 7  | 1270 | 14 | 12 | 78 | 56 | 2  | 0 | 36 | 161 |
| J           | Shrimp          | 12           | 0   | 0  | 4  | 0 | 12  | 0  | 0  | 14   | 21 | 14 | 7  | 7  | 0  | 0 | 5  | 9   |
| K           | Prawns          | 19           | 0   | 1  | 1  | 0 | 10  | 0  | 7  | 12   | 14 | 40 | 1  | 1  | 0  | 0 | 1  | 6   |
| L           | Pacific cod     | 41           | 1   | 1  | 31 | 0 | 69  | 0  | 0  | 78   | 7  | 1  | 83 | 53 | 0  | 0 | 35 | 58  |
| M           | Soles           | 18           | 1   | 3  | 28 | 0 | 52  | 0  | 0  | 56   | 7  | 1  | 53 | 61 | 0  | 0 | 35 | 61  |
| N           | Intertidal clam | 1            | 1   | 0  | 0  | 0 | 3   | 7  | 0  | 2    | 0  | 0  | 0  | 0  | 13 | 0 | 0  | 0   |
| O           | Abalone         | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0  | 0 | 0  | 0   |
| P           | Dogfish         | 9            | 1   | 3  | 21 | 0 | 35  | 0  | 0  | 36   | 5  | 1  | 35 | 35 | 0  | 0 | 41 | 36  |
| Q           | Other species   | 128          | 1   | 14 | 38 | 0 | 115 | 0  | 7  | 161  | 9  | 6  | 58 | 61 | 0  | 0 | 36 | 210 |

Table 34. Distribution of specialists and generalists for the Fraser River 1980. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1980 = 1257

| Species "I"     | N   |     |    |    | Total |
|-----------------|-----|-----|----|----|-------|
|                 | 1   | 2   | 3  | 4+ |       |
| Salmon          | 732 | 308 | 11 | 2  | 1053  |
| Herring         | 1   | 0   | 0  | 0  | 1     |
| Halibut         | 0   | 0   | 0  | 0  | 0     |
| Sablefish       | 0   | 0   | 0  | 2  | 2     |
| Herring SP.ON.K | 0   | 0   | 0  | 0  | 0     |
| Rockfish        | 2   | 10  | 6  | 9  | 27    |
| Geoduck         | 0   | 0   | 0  | 0  | 0     |
| Crab            | 81  | 16  | 5  | 4  | 106   |
| Lingcod         | 5   | 2   | 6  | 3  | 16    |
| Shrimp          | 7   | 32  | 7  | 4  | 50    |
| Prawns          | 28  | 16  | 6  | 5  | 55    |
| Pacific cod     | 0   | 1   | 4  | 4  | 9     |
| Soles           | 0   | 0   | 5  | 5  | 10    |
| Intertidal clam | 0   | 0   | 0  | 0  | 0     |
| Abalone         | 0   | 0   | 0  | 0  | 0     |
| Dogfish         | 24  | 2   | 2  | 2  | 30    |
| Other species   | 14  | 277 | 14 | 7  | 312   |

Table 35. Combination of species landed by the various fleets for the Fraser River 1980. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1980

| Species "I" |                 | Species "II" |   |   |   |   |    |   |     |    |    |    |   |    |   |   |    |     |
|-------------|-----------------|--------------|---|---|---|---|----|---|-----|----|----|----|---|----|---|---|----|-----|
|             |                 | A            | B | C | D | E | F  | G | H   | I  | J  | K  | L | M  | N | O | P  | Q   |
| A           | Salmon          | 1053         | 0 | 0 | 0 | 0 | 5  | 0 | 10  | 2  | 31 | 4  | 1 | 2  | 0 | 0 | 0  | 282 |
| B           | Herring         | 0            | 1 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| C           | Halibut         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| D           | Sablefish       | 0            | 0 | 0 | 2 | 0 | 0  | 0 | 1   | 1  | 1  | 2  | 2 | 1  | 0 | 0 | 2  | 2   |
| E           | Herring Sp.On.K | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| F           | Rockfish        | 5            | 0 | 0 | 2 | 0 | 27 | 0 | 7   | 8  | 6  | 6  | 5 | 6  | 0 | 0 | 5  | 10  |
| G           | Geoduck         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| H           | Crab            | 10           | 0 | 0 | 1 | 0 | 7  | 0 | 106 | 5  | 1  | 10 | 1 | 2  | 0 | 0 | 1  | 7   |
| I           | Lingcod         | 2            | 0 | 0 | 1 | 0 | 8  | 0 | 5   | 16 | 2  | 4  | 1 | 1  | 0 | 0 | 2  | 4   |
| J           | Shrimp          | 31           | 0 | 0 | 1 | 0 | 6  | 0 | 1   | 2  | 50 | 13 | 2 | 3  | 0 | 0 | 1  | 6   |
| K           | Prawns          | 4            | 0 | 0 | 2 | 0 | 6  | 0 | 10  | 4  | 13 | 55 | 2 | 2  | 0 | 0 | 2  | 8   |
| L           | Pacific cod     | 1            | 0 | 0 | 2 | 0 | 5  | 0 | 1   | 1  | 2  | 2  | 9 | 5  | 0 | 0 | 4  | 6   |
| M           | Soles           | 2            | 0 | 0 | 1 | 0 | 6  | 0 | 2   | 1  | 3  | 2  | 5 | 10 | 0 | 0 | 1  | 10  |
| N           | Intertidal clam | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| O           | Abalone         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| P           | Dogfish         | 0            | 0 | 0 | 2 | 0 | 5  | 0 | 1   | 2  | 1  | 2  | 4 | 1  | 0 | 0 | 30 | 2   |
| Q           | Other species   | 282          | 0 | 0 | 2 | 0 | 10 | 0 | 7   | 4  | 6  | 8  | 6 | 10 | 0 | 0 | 2  | 312 |

Table 36. Distribution of specialists and generalists for the B.C. Total - All areas 1980. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1980 = 6264

| Species "I"     | N    |      |     |     | Total |
|-----------------|------|------|-----|-----|-------|
|                 | 1    | 2    | 3   | 4+  |       |
| Salmon          | 1945 | 1399 | 928 | 433 | 4705  |
| Herring         | 534  | 141  | 36  | 46  | 757   |
| Halibut         | 29   | 72   | 91  | 178 | 370   |
| Sablefish       | 9    | 12   | 15  | 182 | 218   |
| Herring SP.ON.K | 0    | 12   | 8   | 3   | 23    |
| Rockfish        | 35   | 278  | 867 | 597 | 1777  |
| Geoduck         | 26   | 22   | 11  | 8   | 67    |
| Crab            | 101  | 78   | 61  | 103 | 343   |
| Lingcod         | 23   | 885  | 950 | 596 | 2454  |
| Shrimp          | 8    | 39   | 43  | 66  | 156   |
| Prawns          | 51   | 71   | 65  | 98  | 285   |
| Pacific cod     | 0    | 7    | 51  | 293 | 351   |
| Soles           | 0    | 1    | 2   | 131 | 134   |
| Intertidal clam | 10   | 61   | 38  | 43  | 152   |
| Abalone         | 9    | 6    | 4   | 5   | 24    |
| Dogfish         | 11   | 20   | 22  | 163 | 216   |
| Other species   | 22   | 286  | 99  | 320 | 727   |

Table 37. Combination of species landed by the various fleets for the B.C. Total - All areas 1980. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1980

| Species "I" |                 | Species "II" |     |     |     |    |      |    |     |      |     |     |     |     |     |    |     |     |
|-------------|-----------------|--------------|-----|-----|-----|----|------|----|-----|------|-----|-----|-----|-----|-----|----|-----|-----|
|             |                 | A            | B   | C   | D   | E  | F    | G  | H   | I    | J   | K   | L   | M   | N   | O  | P   | Q   |
| A           | Salmon          | 4705         | 147 | 211 | 80  | 18 | 1264 | 6  | 68  | 1985 | 92  | 92  | 202 | 49  | 57  | 4  | 78  | 499 |
| B           | Herring         | 147          | 757 | 17  | 32  | 12 | 59   | 3  | 15  | 58   | 1   | 11  | 27  | 24  | 9   | 2  | 25  | 39  |
| C           | Halibut         | 211          | 17  | 370 | 75  | 2  | 195  | 4  | 24  | 231  | 8   | 24  | 38  | 8   | 11  | 4  | 46  | 67  |
| D           | Sablefish       | 80           | 32  | 75  | 218 | 2  | 178  | 2  | 19  | 171  | 9   | 14  | 113 | 76  | 6   | 2  | 94  | 112 |
| E           | Herring Sp.On.K | 18           | 12  | 2   | 2   | 23 | 3    | 1  | 1   | 3    | 0   | 3   | 2   | 1   | 2   | 0  | 2   | 2   |
| F           | Rockfish        | 1264         | 59  | 195 | 178 | 3  | 1777 | 5  | 117 | 1489 | 50  | 97  | 307 | 129 | 50  | 4  | 170 | 305 |
| G           | Geoduck         | 6            | 3   | 4   | 2   | 1  | 5    | 67 | 6   | 5    | 1   | 3   | 2   | 0   | 29  | 5  | 2   | 14  |
| H           | Crab            | 68           | 15  | 24  | 19  | 1  | 117  | 6  | 343 | 107  | 28  | 80  | 39  | 17  | 21  | 2  | 21  | 67  |
| I           | Lingcod         | 1985         | 58  | 231 | 171 | 3  | 1489 | 5  | 107 | 2454 | 56  | 97  | 306 | 120 | 49  | 7  | 150 | 335 |
| J           | Shrimp          | 92           | 1   | 8   | 9   | 0  | 50   | 1  | 28  | 56   | 156 | 77  | 17  | 14  | 5   | 0  | 11  | 33  |
|             | Prawns          | 92           | 11  | 24  | 14  | 3  | 97   | 3  | 80  | 97   | 77  | 285 | 10  | 6   | 7   | 1  | 12  | 46  |
| L           | Pacific cod     | 202          | 27  | 38  | 113 | 2  | 307  | 2  | 39  | 306  | 17  | 10  | 351 | 118 | 15  | 0  | 120 | 158 |
| M           | Soles           | 49           | 24  | 8   | 76  | 1  | 129  | 0  | 17  | 120  | 14  | 6   | 118 | 134 | 2   | 0  | 86  | 133 |
| N           | Intertidal clam | 57           | 9   | 11  | 6   | 2  | 50   | 29 | 21  | 49   | 5   | 7   | 15  | 2   | 152 | 1  | 11  | 29  |
| O           | Abalone         | 4            | 2   | 4   | 2   | 0  | 4    | 5  | 2   | 7    | 0   | 1   | 0   | 0   | 1   | 24 | 0   | 5   |
| P           | Dogfish         | 78           | 25  | 46  | 94  | 2  | 170  | 2  | 21  | 150  | 11  | 12  | 120 | 86  | 11  | 0  | 216 | 125 |
| Q           | Other species   | 499          | 39  | 67  | 112 | 2  | 305  | 14 | 67  | 335  | 33  | 46  | 158 | 133 | 29  | 5  | 125 | 727 |

Table 38. Distribution of specialists and generalists for the Queen Charlotte Islands 1981. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1981 = 1474

| Species "I"     | N   |     |    |     | Total |
|-----------------|-----|-----|----|-----|-------|
|                 | 1   | 2   | 3  | 4+  |       |
| Salmon          | 672 | 229 | 49 | 104 | 1054  |
| Herring         | 218 | 27  | 1  | 3   | 249   |
| Halibut         | 52  | 47  | 48 | 50  | 197   |
| Sablefish       | 6   | 9   | 8  | 41  | 64    |
| Herring SP.ON.K | 0   | 0   | 0  | 0   | 0     |
| Rockfish        | 1   | 4   | 23 | 148 | 176   |
| Geoduck         | 4   | 0   | 0  | 0   | 4     |
| Crab            | 14  | 9   | 2  | 6   | 31    |
| Lingcod         | 0   | 180 | 64 | 152 | 396   |
| Shrimp          | 4   | 2   | 0  | 2   | 8     |
| Prawns          | 1   | 3   | 0  | 4   | 8     |
| Pacific cod     | 0   | 5   | 19 | 58  | 82    |
| Soles           | 0   | 1   | 1  | 25  | 27    |
| Intertidal clam | 1   | 0   | 0  | 1   | 2     |
| Abalone         | 7   | 1   | 0  | 0   | 8     |
| Dogfish         | 1   | 0   | 0  | 6   | 7     |
| Other species   | 1   | 7   | 4  | 121 | 133   |

Table 39. Combination of species landed by the various fleets for the Queen Charlotte Islands 1981. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1981

| Species "I"       | Species "II" |     |     |    |   |     |   |    |     |   |   |    |    |   |   |   |     |
|-------------------|--------------|-----|-----|----|---|-----|---|----|-----|---|---|----|----|---|---|---|-----|
|                   | A            | B   | C   | D  | E | F   | G | H  | I   | J | K | L  | M  | N | O | P | Q   |
| A Salmon          | 1054         | 28  | 72  | 12 | 0 | 100 | 0 | 9  | 312 | 1 | 1 | 54 | 2  | 1 | 0 | 0 | 92  |
| B Herring         | 28           | 249 | 3   | 2  | 0 | 2   | 0 | 0  | 4   | 0 | 0 | 2  | 1  | 0 | 0 | 1 | 2   |
| C Halibut         | 72           | 3   | 197 | 42 | 0 | 67  | 0 | 3  | 102 | 0 | 2 | 8  | 1  | 0 | 0 | 0 | 18  |
| D Sablefish       | 12           | 2   | 42  | 64 | 0 | 38  | 0 | 1  | 42  | 0 | 1 | 16 | 13 | 0 | 0 | 6 | 17  |
| E Herring Sp.On.K | 0            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 0   | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0   |
| F Rockfish        | 100          | 2   | 67  | 38 | 0 | 176 | 0 | 4  | 164 | 2 | 4 | 54 | 23 | 1 | 0 | 6 | 122 |
| G Geoduck         | 0            | 0   | 0   | 0  | 0 | 0   | 4 | 0  | 0   | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0   |
| H Crab            | 9            | 0   | 3   | 1  | 0 | 4   | 0 | 31 | 9   | 0 | 1 | 2  | 1  | 0 | 0 | 0 | 5   |
| I Lingcod         | 312          | 4   | 102 | 42 | 0 | 164 | 0 | 9  | 396 | 0 | 2 | 75 | 24 | 0 | 0 | 6 | 117 |
| J Shrimp          | 1            | 0   | 0   | 0  | 0 | 2   | 0 | 0  | 0   | 8 | 3 | 0  | 0  | 0 | 0 | 0 | 2   |
| K Prawns          | 1            | 0   | 2   | 1  | 0 | 4   | 0 | 1  | 2   | 3 | 8 | 0  | 1  | 0 | 1 | 0 | 3   |
| L Pacific cod     | 54           | 2   | 8   | 16 | 0 | 54  | 0 | 2  | 75  | 0 | 0 | 82 | 25 | 0 | 0 | 6 | 56  |
| M Soles           | 2            | 1   | 1   | 13 | 0 | 23  | 0 | 1  | 24  | 0 | 1 | 25 | 27 | 0 | 0 | 6 | 27  |
| N Intertidal clam | 1            | 0   | 0   | 0  | 0 | 1   | 0 | 0  | 0   | 0 | 0 | 0  | 0  | 2 | 0 | 0 | 1   |
| O Abalone         | 0            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 0   | 0 | 1 | 0  | 0  | 0 | 8 | 0 | 0   |
| P Dogfish         | 0            | 1   | 0   | 6  | 0 | 6   | 0 | 0  | 6   | 0 | 0 | 6  | 6  | 0 | 0 | 7 | 6   |
| Q Other species   | 92           | 2   | 18  | 17 | 0 | 122 | 0 | 5  | 117 | 2 | 3 | 56 | 27 | 1 | 0 | 6 | 133 |

Table 40. Distribution of specialists and generalists for Chatham Sound 1981. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1981 = 1785

| Species "I"     | N    |     |    |    | Total |
|-----------------|------|-----|----|----|-------|
|                 | 1    | 2   | 3  | 4+ |       |
| Salmon          | 1191 | 117 | 20 | 37 | 1365  |
| Herring         | 314  | 46  | 1  | 6  | 367   |
| Halibut         | 8    | 26  | 17 | 29 | 80    |
| Sablefish       | 2    | 1   | 0  | 28 | 31    |
| Herring SP.ON.K | 0    | 0   | 0  | 0  | 0     |
| Rockfish        | 0    | 3   | 12 | 69 | 84    |
| Geoduck         | 5    | 1   | 0  | 0  | 6     |
| Crab            | 17   | 10  | 1  | 11 | 39    |
| Lingcod         | 0    | 34  | 25 | 71 | 130   |
| Shrimp          | 4    | 9   | 0  | 6  | 19    |
| Prawns          | 0    | 2   | 0  | 5  | 7     |
| Pacific cod     | 0    | 4   | 6  | 35 | 45    |
| Soles           | 0    | 0   | 1  | 25 | 26    |
| Intertidal clam | 0    | 7   | 0  | 0  | 7     |
| Abalone         | 6    | 0   | 0  | 0  | 6     |
| Dogfish         | 0    | 0   | 0  | 6  | 6     |
| Other species   | 2    | 6   | 7  | 50 | 65    |

Table 41. Combination of species landed by the various fleets for the Chatham Sound 1981. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1981

| Species "I"       | Species "II" |     |    |    |   |    |   |    |     |    |   |    |    |   |   |   |    |
|-------------------|--------------|-----|----|----|---|----|---|----|-----|----|---|----|----|---|---|---|----|
|                   | A            | B   | C  | D  | E | F  | G | H  | I   | J  | K | L  | M  | N | O | P | Q  |
| A Salmon          | 1365         | 46  | 50 | 3  | 0 | 38 | 0 | 10 | 84  | 10 | 1 | 20 | 2  | 6 | 0 | 1 | 24 |
| B Herring         | 46           | 367 | 0  | 6  | 0 | 6  | 0 | 2  | 6   | 0  | 0 | 6  | 6  | 0 | 0 | 3 | 6  |
| C Halibut         | 50           | 0   | 80 | 9  | 0 | 33 | 0 | 7  | 46  | 5  | 4 | 6  | 1  | 0 | 0 | 0 | 6  |
| D Sablefish       | 3            | 6   | 9  | 31 | 0 | 27 | 0 | 1  | 27  | 0  | 2 | 23 | 21 | 0 | 0 | 6 | 22 |
| E Herring Sp.On.K | 0            | 0   | 0  | 0  | 0 | 0  | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| F Rockfish        | 38           | 6   | 33 | 27 | 0 | 84 | 0 | 9  | 79  | 4  | 5 | 33 | 24 | 0 | 0 | 6 | 54 |
| G Geoduck         | 0            | 0   | 0  | 0  | 0 | 0  | 6 | 0  | 0   | 0  | 0 | 0  | 0  | 1 | 0 | 0 | 0  |
| H Crab            | 10           | 2   | 7  | 1  | 0 | 9  | 0 | 39 | 10  | 4  | 3 | 4  | 1  | 0 | 0 | 0 | 11 |
| I Lingcod         | 84           | 6   | 46 | 27 | 0 | 79 | 0 | 10 | 130 | 6  | 5 | 39 | 23 | 0 | 0 | 6 | 52 |
| J Shrimp          | 10           | 0   | 5  | 0  | 0 | 4  | 0 | 4  | 6   | 19 | 2 | 3  | 0  | 0 | 0 | 0 | 4  |
| K Prawns          | 1            | 0   | 4  | 2  | 0 | 5  | 0 | 3  | 5   | 2  | 7 | 1  | 0  | 0 | 0 | 0 | 4  |
| L Pacific cod     | 20           | 6   | 6  | 23 | 0 | 33 | 0 | 4  | 39  | 3  | 1 | 45 | 24 | 0 | 0 | 6 | 34 |
| M Soles           | 2            | 6   | 1  | 21 | 0 | 24 | 0 | 1  | 23  | 0  | 0 | 24 | 26 | 0 | 0 | 6 | 26 |
| N Intertidal clam | 6            | 0   | 0  | 0  | 0 | 0  | 1 | 0  | 0   | 0  | 0 | 0  | 0  | 7 | 0 | 0 | 0  |
| O Abalone         | 0            | 0   | 0  | 0  | 0 | 0  | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0 | 6 | 0 | 0  |
| P Dogfish         | 1            | 3   | 0  | 6  | 0 | 6  | 0 | 0  | 6   | 0  | 0 | 6  | 6  | 0 | 0 | 6 | 6  |
| Q Other species   | 24           | 6   | 6  | 22 | 0 | 54 | 0 | 11 | 52  | 4  | 4 | 34 | 26 | 0 | 0 | 6 | 65 |

Table 42. Distribution of specialists and generalists for the Central Coast 1981. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1981 = 2252

| Species "I"     | N    |     |    |    | Total |
|-----------------|------|-----|----|----|-------|
|                 | 1    | 2   | 3  | 4+ |       |
| Salmon          | 1500 | 182 | 24 | 64 | 1770  |
| Herring         | 342  | 17  | 0  | 0  | 359   |
| Halibut         | 7    | 13  | 22 | 20 | 62    |
| Sablefish       | 5    | 4   | 3  | 24 | 36    |
| Herring SP.ON.K | 0    | 0   | 0  | 0  | 0     |
| Rockfish        | 0    | 4   | 23 | 94 | 121   |
| Geoduck         | 21   | 0   | 0  | 0  | 21    |
| Crab            | 4    | 4   | 4  | 1  | 13    |
| Lingcod         | 2    | 160 | 29 | 93 | 284   |
| Shrimp          | 1    | 0   | 3  | 0  | 4     |
| Prawns          | 14   | 8   | 7  | 3  | 32    |
| Pacific cod     | 0    | 1   | 1  | 24 | 26    |
| Soles           | 0    | 1   | 1  | 24 | 26    |
| Intertidal clam | 1    | 0   | 0  | 0  | 1     |
| Abalone         | 13   | 1   | 1  | 1  | 16    |
| Dogfish         | 0    | 0   | 0  | 0  | 0     |
| Other species   | 2    | 5   | 17 | 86 | 110   |

Table 43. Combination of species landed by the various fleets for the Central Coast 1981. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1981

| Species "I" |                 | Species "II" |     |    |    |   |     |    |    |     |   |    |    |    |   |    |   |     |
|-------------|-----------------|--------------|-----|----|----|---|-----|----|----|-----|---|----|----|----|---|----|---|-----|
|             |                 | A            | B   | C  | D  | E | F   | G  | H  | I   | J | K  | L  | M  | N | O  | P | Q   |
| A           | Salmon          | 1770         | 18  | 32 | 4  | 0 | 72  | 0  | 2  | 234 | 0 | 4  | 2  | 1  | 0 | 1  | 0 | 65  |
| B           | Herring         | 16           | 359 | 0  | 0  | 0 | 0   | 0  | 0  | 0   | 0 | 0  | 0  | 0  | 0 | 1  | 0 | 0   |
| C           | Halibut         | 32           | 0   | 62 | 11 | 0 | 27  | 0  | 2  | 40  | 0 | 4  | 1  | 2  | 0 | 1  | 0 | 11  |
| D           | Sablefish       | 4            | 0   | 11 | 36 | 0 | 23  | 0  | 1  | 26  | 0 | 2  | 18 | 18 | 0 | 0  | 0 | 20  |
| E           | Herring Sp.On.K | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0   | 0 | 0  | 0  | 0  | 0 | 0  | 0 | 0   |
| F           | Rockfish        | 72           | 0   | 27 | 23 | 0 | 121 | 0  | 2  | 105 | 0 | 3  | 24 | 25 | 0 | 1  | 0 | 102 |
| G           | Geoduck         | 0            | 0   | 0  | 0  | 0 | 0   | 21 | 0  | 0   | 0 | 0  | 0  | 0  | 0 | 0  | 0 | 0   |
| H           | Crab            | 2            | 0   | 2  | 1  | 0 | 2   | 0  | 13 | 1   | 0 | 6  | 0  | 0  | 0 | 0  | 0 | 3   |
| I           | Lingcod         | 234          | 0   | 40 | 26 | 0 | 105 | 0  | 1  | 284 | 1 | 6  | 24 | 23 | 0 | 1  | 0 | 90  |
| J           | Shrimp          | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 1   | 4 | 3  | 0  | 0  | 0 | 1  | 0 | 1   |
| K           | Prawns          | 4            | 0   | 4  | 2  | 0 | 3   | 0  | 6  | 6   | 3 | 32 | 0  | 0  | 0 | 1  | 0 | 7   |
| L           | Pacific cod     | 2            | 0   | 1  | 18 | 0 | 24  | 0  | 0  | 24  | 0 | 0  | 26 | 22 | 0 | 0  | 0 | 25  |
| M           | Soles           | 1            | 0   | 2  | 18 | 0 | 25  | 0  | 0  | 23  | 0 | 0  | 22 | 26 | 0 | 0  | 0 | 26  |
| N           | Intertidal clam | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0   | 0 | 0  | 0  | 0  | 1 | 0  | 0 | 0   |
| O           | Abalone         | 1            | 1   | 1  | 0  | 0 | 1   | 0  | 0  | 1   | 1 | 1  | 0  | 0  | 0 | 16 | 0 | 1   |
| P           | Dogfish         | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0   | 0 | 0  | 0  | 0  | 0 | 0  | 0 | 0   |
| Q           | Other species   | 65           | 0   | 11 | 20 | 0 | 102 | 0  | 3  | 90  | 1 | 7  | 25 | 26 | 0 | 1  | 0 | 110 |

Table 44. Distribution of specialists and generalists for the Johnstone Strait 1981. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1981 = 2179

| Species "I"     | N    |     |     |     | Total |
|-----------------|------|-----|-----|-----|-------|
|                 | 1    | 2   | 3   | 4+  |       |
| Salmon          | 1418 | 195 | 60  | 217 | 1890  |
| Herring         | 5    | 3   | 2   | 2   | 12    |
| Halibut         | 4    | 15  | 22  | 27  | 68    |
| Sablefish       | 6    | 1   | 1   | 13  | 21    |
| Herring SP.ON.K | 0    | 0   | 0   | 0   | 0     |
| Rockfish        | 2    | 27  | 149 | 259 | 437   |
| Geoduck         | 2    | 3   | 0   | 0   | 5     |
| Crab            | 16   | 8   | 3   | 12  | 39    |
| Lingcod         | 14   | 175 | 98  | 253 | 540   |
| Shrimp          | 1    | 3   | 1   | 0   | 5     |
| Prawns          | 20   | 14  | 5   | 5   | 44    |
| Pacific cod     | 0    | 1   | 1   | 30  | 32    |
| Soles           | 0    | 0   | 2   | 20  | 22    |
| Intertidal clam | 17   | 5   | 5   | 12  | 39    |
| Abalone         | 6    | 2   | 0   | 2   | 10    |
| Dogfish         | 2    | 0   | 0   | 3   | 5     |
| Other species   | 6    | 26  | 134 | 239 | 405   |

Table 45. Combination of species landed by the various fleets for the Johnstone Strait 1981. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1981

| Species "I" |                 | Species "II" |    |    |    |   |     |   |    |     |   |    |    |    |    |    |   |     |
|-------------|-----------------|--------------|----|----|----|---|-----|---|----|-----|---|----|----|----|----|----|---|-----|
|             |                 | A            | B  | C  | D  | E | F   | G | H  | I   | J | K  | L  | M  | N  | O  | P | Q   |
| A           | Salmon          | 1890         | 3  | 42 | 7  | 0 | 267 | 1 | 2  | 395 | 1 | 3  | 13 | 5  | 8  | 1  | 2 | 247 |
| B           | Herring         | 3            | 12 | 0  | 1  | 0 | 3   | 0 | 0  | 3   | 0 | 1  | 1  | 1  | 0  | 0  | 0 | 3   |
| C           | Halibut         | 42           | 0  | 68 | 7  | 0 | 45  | 0 | 0  | 47  | 0 | 1  | 0  | 0  | 0  | 0  | 0 | 6   |
| D           | Sablefish       | 7            | 1  | 7  | 21 | 0 | 13  | 0 | 0  | 13  | 0 | 0  | 8  | 8  | 0  | 0  | 2 | 8   |
| E           | Herring Sp.On.K | 0            | 0  | 0  | 0  | 0 | 0   | 0 | 0  | 0   | 0 | 0  | 0  | 0  | 0  | 0  | 0 | 0   |
| F           | Rockfish        | 267          | 3  | 45 | 13 | 0 | 437 | 0 | 14 | 340 | 0 | 7  | 31 | 22 | 15 | 2  | 3 | 394 |
| G           | Geoduck         | 1            | 0  | 0  | 0  | 0 | 0   | 5 | 0  | 0   | 0 | 0  | 0  | 0  | 1  | 0  | 0 | 1   |
| H           | Crab            | 2            | 0  | 0  | 0  | 0 | 14  | 0 | 39 | 11  | 0 | 8  | 0  | 0  | 3  | 1  | 0 | 13  |
| I           | Lingcod         | 395          | 3  | 47 | 13 | 0 | 340 | 0 | 11 | 540 | 0 | 4  | 29 | 19 | 10 | 1  | 3 | 307 |
| J           | Shrimp          | 1            | 0  | 0  | 0  | 0 | 0   | 0 | 0  | 0   | 5 | 3  | 0  | 0  | 0  | 0  | 0 | 1   |
| K           | Prawns          | 3            | 1  | 1  | 0  | 0 | 7   | 0 | 8  | 4   | 3 | 44 | 1  | 1  | 2  | 1  | 0 | 9   |
| L           | Pacific cod     | 13           | 1  | 0  | 8  | 0 | 31  | 0 | 0  | 29  | 0 | 1  | 32 | 18 | 0  | 0  | 3 | 31  |
| M           | Soles           | 5            | 1  | 0  | 8  | 0 | 22  | 0 | 0  | 19  | 0 | 1  | 18 | 22 | 0  | 0  | 3 | 22  |
| N           | Intertidal clam | 8            | 0  | 0  | 0  | 0 | 15  | 1 | 3  | 10  | 0 | 2  | 0  | 0  | 39 | 0  | 0 | 15  |
| O           | Abalone         | 1            | 0  | 0  | 0  | 0 | 2   | 0 | 1  | 1   | 0 | 1  | 0  | 0  | 0  | 10 | 0 | 2   |
| P           | Dogfish         | 2            | 0  | 0  | 2  | 0 | 3   | 0 | 0  | 3   | 0 | 0  | 3  | 3  | 0  | 0  | 5 | 3   |
| Q           | Other species   | 247          | 3  | 6  | 8  | 0 | 394 | 1 | 13 | 307 | 1 | 9  | 31 | 22 | 15 | 2  | 3 | 405 |

Table 46. Distribution of specialists and generalists for the Georgia Strait 1981. Number of different species (N) landed by species 'I' fishermen.

| Total number of vessels reporting<br>landings in 1981 = 2270 |     |    |     |     |       |
|--------------------------------------------------------------|-----|----|-----|-----|-------|
| Species "I"                                                  | N   |    |     |     | Total |
|                                                              | 1   | 2  | 3   | 4+  |       |
| Salmon                                                       | 958 | 93 | 63  | 113 | 1227  |
| Herring                                                      | 601 | 53 | 2   | 12  | 668   |
| Halibut                                                      | 0   | 0  | 0   | 0   | 0     |
| Sablefish                                                    | 0   | 0  | 0   | 7   | 7     |
| Herring SP.ON.K                                              | 0   | 0  | 0   | 0   | 0     |
| Rockfish                                                     | 0   | 33 | 149 | 183 | 365   |
| Geoduck                                                      | 15  | 14 | 6   | 1   | 36    |
| Crab                                                         | 40  | 18 | 15  | 31  | 104   |
| Lingcod                                                      | 26  | 35 | 76  | 157 | 294   |
| Shrimp                                                       | 7   | 20 | 8   | 11  | 46    |
| Prawns                                                       | 32  | 37 | 22  | 24  | 115   |
| Pacific cod                                                  | 1   | 6  | 6   | 68  | 81    |
| Soles                                                        | 0   | 0  | 1   | 47  | 48    |
| Intertidal clam                                              | 16  | 12 | 11  | 13  | 52    |
| Abalone                                                      | 0   | 0  | 0   | 0   | 0     |
| Dogfish                                                      | 14  | 4  | 1   | 12  | 31    |
| Other species                                                | 11  | 41 | 156 | 194 | 402   |

Table 47. Combination of species landed by the various fleets for Georgia Strait 1981. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1981

| Species "I" |                 | Species "II" |     |   |   |   |     |    |     |     |    |     |    |    |    |   |    |     |
|-------------|-----------------|--------------|-----|---|---|---|-----|----|-----|-----|----|-----|----|----|----|---|----|-----|
|             |                 | A            | B   | C | D | E | F   | G  | H   | I   | J  | K   | L  | M  | N  | O | P  | Q   |
| A           | Salmon          | 1227         | 44  | 0 | 1 | 0 | 162 | 0  | 11  | 137 | 9  | 19  | 27 | 10 | 4  | 0 | 3  | 170 |
| B           | Herring         | 44           | 668 | 0 | 2 | 0 | 13  | 0  | 6   | 8   | 2  | 6   | 8  | 5  | 2  | 0 | 1  | 15  |
| C           | Halibut         | 0            | 0   | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0  | 0   | 0  | 0  | 0  | 0 | 0  | 0   |
| D           | Sablefish       | 1            | 2   | 0 | 7 | 0 | 6   | 0  | 1   | 4   | 0  | 0   | 7  | 6  | 0  | 0 | 2  | 7   |
| E           | Herring Sp.On.K | 0            | 0   | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0  | 0   | 0  | 0  | 0  | 0 | 0  | 0   |
| F           | Rockfish        | 162          | 13  | 0 | 6 | 0 | 365 | 0  | 39  | 227 | 11 | 33  | 64 | 41 | 16 | 0 | 10 | 355 |
| G           | Geoduck         | 0            | 0   | 0 | 0 | 0 | 0   | 36 | 1   | 0   | 0  | 0   | 0  | 0  | 16 | 0 | 0  | 12  |
| H           | Crab            | 11           | 6   | 0 | 1 | 0 | 39  | 1  | 104 | 23  | 4  | 21  | 14 | 15 | 3  | 0 | 3  | 41  |
| I           | Lingcod         | 137          | 8   | 0 | 4 | 0 | 227 | 0  | 23  | 294 | 5  | 18  | 46 | 26 | 11 | 0 | 4  | 229 |
| J           | Shrimp          | 9            | 2   | 0 | 0 | 0 | 11  | 0  | 4   | 5   | 46 | 30  | 2  | 3  | 0  | 0 | 1  | 15  |
| K           | Prawns          | 19           | 6   | 0 | 0 | 0 | 33  | 0  | 21  | 18  | 30 | 115 | 1  | 3  | 3  | 0 | 3  | 33  |
| L           | Pacific cod     | 27           | 8   | 0 | 7 | 0 | 64  | 0  | 14  | 46  | 2  | 1   | 81 | 43 | 1  | 0 | 12 | 72  |
| M           | Soles           | 10           | 5   | 0 | 6 | 0 | 41  | 0  | 15  | 26  | 3  | 3   | 43 | 48 | 1  | 0 | 11 | 48  |
| N           | Intertidal clam | 4            | 2   | 0 | 0 | 0 | 16  | 16 | 3   | 11  | 0  | 3   | 1  | 1  | 52 | 0 | 0  | 23  |
| O           | Abalone         | 0            | 0   | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0  | 0   | 0  | 0  | 0  | 0 | 0  | 0   |
| P           | Dogfish         | 3            | 1   | 0 | 2 | 0 | 10  | 0  | 3   | 4   | 1  | 3   | 12 | 11 | 0  | 0 | 31 | 12  |
| Q           | Other species   | 170          | 15  | 0 | 7 | 0 | 355 | 12 | 41  | 229 | 15 | 33  | 72 | 48 | 23 | 0 | 12 | 402 |

Table 48. Distribution of specialists and generalists for Victoria 1981.  
Number of different species (N) landed by species 'I' fishermen.

| Total number of vessels reporting<br>landings in 1981 = 617 |     |    |    |    |       |
|-------------------------------------------------------------|-----|----|----|----|-------|
| Species "I"                                                 | N   |    |    |    | Total |
|                                                             | 1   | 2  | 3  | 4+ |       |
| Salmon                                                      | 421 | 18 | 3  | 9  | 451   |
| Herring                                                     | 0   | 1  | 0  | 0  | 1     |
| Halibut                                                     | 0   | 0  | 0  | 2  | 2     |
| Sablefish                                                   | 0   | 0  | 0  | 16 | 16    |
| Herring SP.ON.K                                             | 0   | 0  | 0  | 0  | 0     |
| Rockfish                                                    | 0   | 2  | 21 | 55 | 78    |
| Geoduck                                                     | 6   | 3  | 0  | 1  | 10    |
| Crab                                                        | 36  | 14 | 1  | 17 | 68    |
| Lingcod                                                     | 7   | 16 | 16 | 41 | 80    |
| Shrimp                                                      | 2   | 6  | 0  | 7  | 15    |
| Prawns                                                      | 0   | 3  | 0  | 4  | 7     |
| Pacific cod                                                 | 1   | 0  | 3  | 39 | 43    |
| Soles                                                       | 0   | 0  | 2  | 40 | 42    |
| Intertidal clam                                             | 3   | 2  | 0  | 4  | 9     |
| Abalone                                                     | 1   | 2  | 0  | 0  | 3     |
| Dogfish                                                     | 4   | 1  | 0  | 17 | 22    |
| Other species                                               | 12  | 12 | 23 | 60 | 107   |

Table 49. Combination of species landed by the various fleets for Victoria 1981. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1981

| Species "I"       | Species "II" |   |   |    |   |    |    |    |    |    |   |    |    |   |   |    |     |
|-------------------|--------------|---|---|----|---|----|----|----|----|----|---|----|----|---|---|----|-----|
|                   | A            | B | C | D  | E | F  | G  | H  | I  | J  | K | L  | M  | N | O | P  | Q   |
| A Salmon          | 451          | 0 | 0 | 2  | 0 | 10 | 1  | 1  | 20 | 0  | 0 | 6  | 6  | 0 | 0 | 2  | 13  |
| B Herring         | 0            | 1 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0  | 0 | 0  | 0  | 0 | 0 | 0  | 1   |
| C Halibut         | 0            | 0 | 2 | 1  | 0 | 1  | 0  | 1  | 2  | 1  | 0 | 1  | 0  | 1 | 0 | 0  | 1   |
| D Sablefish       | 2            | 0 | 1 | 16 | 0 | 15 | 0  | 1  | 15 | 1  | 0 | 14 | 15 | 1 | 0 | 9  | 15  |
| E Herring Sp.On.K | 0            | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0  | 0 | 0  | 0  | 0 | 0 | 0  | 0   |
| F Rockfish        | 10           | 0 | 1 | 15 | 0 | 78 | 0  | 15 | 54 | 5  | 4 | 37 | 38 | 1 | 0 | 16 | 78  |
| G Geoduck         | 1            | 0 | 0 | 0  | 0 | 0  | 10 | 1  | 0  | 0  | 0 | 0  | 0  | 2 | 0 | 0  | 2   |
| H Crab            | 1            | 0 | 1 | 1  | 0 | 15 | 1  | 68 | 13 | 12 | 6 | 0  | 1  | 4 | 0 | 1  | 21  |
| I Lingcod         | 20           | 0 | 2 | 15 | 0 | 54 | 0  | 13 | 80 | 3  | 3 | 25 | 25 | 1 | 0 | 13 | 56  |
| J Shrimp          | 0            | 0 | 1 | 1  | 0 | 5  | 0  | 12 | 3  | 15 | 3 | 0  | 1  | 3 | 0 | 0  | 6   |
| K Prawns          | 0            | 0 | 0 | 0  | 0 | 4  | 0  | 6  | 3  | 3  | 7 | 0  | 1  | 0 | 0 | 0  | 4   |
| L Pacific cod     | 6            | 0 | 1 | 14 | 0 | 37 | 0  | 0  | 25 | 0  | 0 | 43 | 39 | 0 | 0 | 16 | 42  |
| M Soles           | 6            | 0 | 0 | 15 | 0 | 38 | 0  | 1  | 25 | 1  | 1 | 39 | 42 | 0 | 0 | 16 | 42  |
| N Intertidal clam | 0            | 0 | 1 | 1  | 0 | 1  | 2  | 4  | 1  | 3  | 0 | 0  | 0  | 9 | 0 | 0  | 4   |
| O Abalone         | 0            | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0  | 0 | 0  | 0  | 0 | 3 | 0  | 2   |
| P Dogfish         | 2            | 0 | 0 | 9  | 0 | 16 | 0  | 1  | 13 | 0  | 0 | 16 | 16 | 0 | 0 | 22 | 17  |
| Q Other species   | 13           | 1 | 1 | 15 | 0 | 78 | 2  | 21 | 56 | 6  | 4 | 42 | 42 | 4 | 2 | 17 | 107 |

Table 50. Distribution of specialists and generalists for West Vancouver Island 1981. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1981 = 2888

| Species "I"     | N    |     |    |     | Total |
|-----------------|------|-----|----|-----|-------|
|                 | 1    | 2   | 3  | 4+  |       |
| Salmon          | 1014 | 538 | 46 | 544 | 2242  |
| Herring         | 440  | 76  | 1  | 6   | 523   |
| Halibut         | 1    | 8   | 11 | 38  | 58    |
| Sablefish       | 8    | 1   | 7  | 54  | 70    |
| Herring SP.ON.K | 0    | 0   | 0  | 0   | 0     |
| Rockfish        | 1    | 8   | 42 | 580 | 631   |
| Geoduck         | 20   | 11  | 4  | 3   | 38    |
| Crab            | 21   | 21  | 1  | 9   | 52    |
| Lingcod         | 9    | 558 | 51 | 581 | 1199  |
| Shrimp          | 1    | 3   | 5  | 19  | 28    |
| Prawns          | 14   | 13  | 10 | 15  | 52    |
| Pacific cod     | 0    | 1   | 2  | 55  | 58    |
| Soles           | 0    | 1   | 0  | 49  | 50    |
| Intertidal clam | 5    | 8   | 7  | 4   | 24    |
| Abalone         | 1    | 0   | 0  | 0   | 1     |
| Dogfish         | 1    | 0   | 0  | 5   | 6     |
| Other species   | 7    | 15  | 44 | 570 | 636   |

Table 51. Combination of species landed by the various fleets for West Vancouver Island 1981. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1981

| Species "I" |                 | Species "II" |     |    |    |   |     |    |    |      |    |    |    |    |    |   |   |     |
|-------------|-----------------|--------------|-----|----|----|---|-----|----|----|------|----|----|----|----|----|---|---|-----|
|             |                 | A            | B   | C  | D  | E | F   | G  | H  | I    | J  | K  | L  | M  | N  | O | P | Q   |
| A           | Salmon          | 2242         | 73  | 46 | 33 | 0 | 556 | 2  | 8  | 1122 | 16 | 21 | 27 | 17 | 5  | 0 | 1 | 546 |
| B           | Herring         | 73           | 523 | 0  | 3  | 0 | 5   | 1  | 2  | 6    | 0  | 1  | 5  | 5  | 1  | 0 | 0 | 7   |
| C           | Halibut         | 46           | 0   | 58 | 4  | 0 | 43  | 0  | 2  | 51   | 0  | 1  | 0  | 0  | 0  | 0 | 0 | 23  |
| D           | Sablefish       | 33           | 3   | 4  | 70 | 0 | 55  | 0  | 1  | 58   | 6  | 1  | 33 | 33 | 0  | 0 | 4 | 54  |
| E           | Herring Sp.On.K | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0  | 0 | 0 | 0   |
| F           | Rockfish        | 556          | 5   | 43 | 55 | 0 | 631 | 2  | 7  | 601  | 16 | 13 | 53 | 45 | 3  | 0 | 5 | 609 |
| G           | Geoduck         | 2            | 1   | 0  | 0  | 0 | 2   | 38 | 2  | 2    | 0  | 0  | 0  | 0  | 14 | 0 | 0 | 8   |
| H           | Crab            | 8            | 2   | 2  | 1  | 0 | 7   | 2  | 52 | 9    | 2  | 10 | 0  | 0  | 2  | 0 | 0 | 11  |
| I           | Lingcod         | 1122         | 6   | 51 | 58 | 0 | 601 | 2  | 9  | 1199 | 16 | 16 | 56 | 45 | 6  | 0 | 5 | 589 |
| J           | Shrimp          | 16           | 0   | 0  | 6  | 0 | 16  | 0  | 2  | 16   | 28 | 16 | 8  | 14 | 0  | 0 | 1 | 18  |
| K           | Prawns          | 21           | 1   | 1  | 1  | 0 | 13  | 0  | 10 | 16   | 16 | 52 | 1  | 7  | 0  | 0 | 0 | 14  |
| L           | Pacific cod     | 27           | 5   | 0  | 33 | 0 | 53  | 0  | 0  | 56   | 8  | 1  | 58 | 41 | 0  | 0 | 5 | 56  |
| M           | Soles           | 17           | 5   | 0  | 33 | 0 | 45  | 0  | 0  | 45   | 14 | 7  | 41 | 50 | 0  | 0 | 5 | 50  |
| N           | Intertidal clam | 5            | 1   | 0  | 0  | 0 | 3   | 14 | 2  | 6    | 0  | 0  | 0  | 0  | 24 | 0 | 0 | 7   |
| O           | Abalone         | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0  | 1 | 0 | 0   |
| P           | Dogfish         | 1            | 0   | 0  | 4  | 0 | 5   | 0  | 0  | 5    | 1  | 0  | 5  | 5  | 0  | 0 | 6 | 5   |
| Q           | Other species   | 546          | 7   | 23 | 54 | 0 | 609 | 8  | 11 | 589  | 18 | 14 | 56 | 50 | 7  | 0 | 5 | 636 |

Table 52. Distribution of specialists and generalists for Fraser River 1981.  
Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1981 = 1367

| Species "I"     | N   |     |    |    | Total |
|-----------------|-----|-----|----|----|-------|
|                 | 1   | 2   | 3  | 4+ |       |
| Salmon          | 946 | 257 | 11 | 12 | 1226  |
| Herring         | 0   | 0   | 0  | 0  | 0     |
| Halibut         | 0   | 0   | 0  | 0  | 0     |
| Sablefish       | 0   | 0   | 0  | 0  | 0     |
| Herring SP.ON.K | 0   | 0   | 0  | 0  | 0     |
| Rockfish        | 0   | 7   | 11 | 16 | 34    |
| Geoduck         | 0   | 0   | 0  | 0  | 0     |
| Crab            | 69  | 12  | 13 | 3  | 97    |
| Lingcod         | 0   | 5   | 2  | 5  | 12    |
| Shrimp          | 8   | 33  | 9  | 14 | 64    |
| Prawns          | 8   | 9   | 10 | 8  | 35    |
| Pacific cod     | 0   | 0   | 0  | 5  | 5     |
| Soles           | 0   | 4   | 0  | 6  | 10    |
| Intertidal clam | 0   | 1   | 0  | 2  | 3     |
| Abalone         | 0   | 0   | 0  | 0  | 0     |
| Dogfish         | 5   | 2   | 1  | 2  | 10    |
| Other species   | 10  | 226 | 15 | 18 | 269   |

Table 53. Combination of species landed by the various fleets for the Fraser River 1981. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1981

| Species "I"       |      | Species "II" |   |   |   |    |   |    |    |    |    |   |    |   |   |    |     |
|-------------------|------|--------------|---|---|---|----|---|----|----|----|----|---|----|---|---|----|-----|
|                   | A    | B            | C | D | E | F  | G | H  | I  | J  | K  | L | M  | N | O | P  | Q   |
| A Salmon          | 1226 | 0            | 0 | 0 | 0 | 12 | 0 | 12 | 6  | 42 | 6  | 0 | 2  | 2 | 0 | 1  | 236 |
| B Herring         | 0    | 0            | 0 | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| C Halibut         | 0    | 0            | 0 | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| D Sablefish       | 0    | 0            | 0 | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| E Herring Sp.On.K | 0    | 0            | 0 | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| F Rockfish        | 12   | 0            | 0 | 0 | 0 | 34 | 0 | 4  | 7  | 15 | 10 | 5 | 6  | 0 | 0 | 2  | 31  |
| G Geoduck         | 0    | 0            | 0 | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| H Crab            | 12   | 0            | 0 | 0 | 0 | 4  | 0 | 97 | 1  | 5  | 11 | 0 | 0  | 3 | 0 | 0  | 12  |
| I Lingcod         | 6    | 0            | 0 | 0 | 0 | 7  | 0 | 1  | 12 | 3  | 4  | 3 | 3  | 0 | 0 | 1  | 6   |
| J Shrimp          | 42   | 0            | 0 | 0 | 0 | 15 | 0 | 5  | 3  | 64 | 16 | 3 | 4  | 0 | 0 | 2  | 15  |
| K Prawns          | 6    | 0            | 0 | 0 | 0 | 10 | 0 | 11 | 4  | 16 | 35 | 3 | 3  | 0 | 0 | 3  | 8   |
| L Pacific cod     | 0    | 0            | 0 | 0 | 0 | 5  | 0 | 0  | 3  | 3  | 3  | 5 | 5  | 0 | 0 | 1  | 5   |
| M Soles           | 2    | 0            | 0 | 0 | 0 | 6  | 0 | 0  | 3  | 4  | 3  | 5 | 10 | 0 | 0 | 1  | 9   |
| N Intertidal clam | 2    | 0            | 0 | 0 | 0 | 0  | 0 | 3  | 0  | 0  | 0  | 0 | 0  | 3 | 0 | 0  | 2   |
| O Abalone         | 0    | 0            | 0 | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0  | 0 | 0 | 0  | 0   |
| P Dogfish         | 1    | 0            | 0 | 0 | 0 | 2  | 0 | 0  | 1  | 2  | 3  | 1 | 1  | 0 | 0 | 10 | 1   |
| Q Other species   | 236  | 0            | 0 | 0 | 0 | 31 | 0 | 12 | 6  | 15 | 8  | 5 | 9  | 2 | 0 | 1  | 269 |

Table 54. Distribution of specialists and generalists for the B.C. Total - All areas 1981. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1981 = 6666

| Species "I"     | N    |      |     |      | Total |
|-----------------|------|------|-----|------|-------|
|                 | 1    | 2    | 3   | 4+   |       |
| Salmon          | 2030 | 1293 | 233 | 1029 | 4585  |
| Herring         | 1159 | 247  | 22  | 57   | 1485  |
| Halibut         | 26   | 65   | 76  | 180  | 347   |
| Sablefish       | 9    | 8    | 14  | 137  | 168   |
| Herring SP.ON.K | 0    | 0    | 0   | 0    | 0     |
| Rockfish        | 1    | 37   | 268 | 1224 | 1530  |
| Geoduck         | 13   | 16   | 14  | 5    | 48    |
| Crab            | 118  | 94   | 44  | 110  | 366   |
| Lingcod         | 27   | 750  | 269 | 1197 | 2242  |
| Shrimp          | 6    | 51   | 32  | 73   | 162   |
| Prawns          | 43   | 64   | 50  | 90   | 247   |
| Pacific cod     | 1    | 3    | 23  | 195  | 225   |
| Soles           | 0    | 1    | 0   | 119  | 120   |
| Intertidal clam | 15   | 30   | 26  | 47   | 118   |
| Abalone         | 8    | 8    | 4   | 6    | 26    |
| Dogfish         | 5    | 1    | 5   | 49   | 60    |
| Other species   | 23   | 263  | 271 | 1156 | 1713  |

Table 55. Combination of species landed by the various fleets for the B.C. Total - All areas 1981. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1981

| Species "I" |                 | Species "II" |      |     |     |   |      |    |     |      |     |     |     |     |     |    |    |      |
|-------------|-----------------|--------------|------|-----|-----|---|------|----|-----|------|-----|-----|-----|-----|-----|----|----|------|
|             |                 | A            | B    | C   | D   | E | F    | G  | H   | I    | J   | K   | L   | M   | N   | O  | P  | Q    |
| A           | Salmon          | 4585         | 244  | 221 | 67  | 0 | 1086 | 4  | 80  | 1845 | 100 | 76  | 137 | 46  | 35  | 6  | 16 | 1258 |
| B           | Herring         | 244          | 1485 | 10  | 32  | 0 | 56   | 1  | 24  | 63   | 7   | 12  | 32  | 31  | 8   | 1  | 9  | 59   |
| C           | Halibut         | 221          | 10   | 347 | 66  | 0 | 191  | 0  | 20  | 232  | 13  | 22  | 21  | 9   | 4   | 3  | 11 | 88   |
| D           | Sablefish       | 67           | 32   | 66  | 168 | 0 | 127  | 0  | 10  | 137  | 11  | 10  | 71  | 65  | 2   | 0  | 36 | 98   |
| E           | Herring Sp.On.K | 0            | 0    | 0   | 0   | 0 | 0    | 0  | 0   | 0    | 0   | 0   | 0   | 0   | 0   | 0  | 0  | 0    |
| F           | Rockfish        | 1086         | 56   | 191 | 127 | 0 | 1530 | 2  | 110 | 1319 | 61  | 85  | 193 | 115 | 45  | 5  | 45 | 1408 |
| G           | Geoduck         | 4            | 1    | 0   | 0   | 0 | 2    | 48 | 3   | 2    | 0   | 0   | 0   | 0   | 25  | 2  | 0  | 23   |
| H           | Crab            | 80           | 24   | 20  | 10  | 0 | 110  | 3  | 366 | 99   | 27  | 63  | 22  | 21  | 15  | 1  | 6  | 127  |
| I           | Lingcod         | 1845         | 63   | 232 | 137 | 0 | 1319 | 2  | 99  | 2242 | 59  | 82  | 203 | 104 | 38  | 6  | 45 | 1229 |
| J           | Shrimp          | 100          | 7    | 13  | 11  | 0 | 61   | 0  | 27  | 59   | 162 | 65  | 17  | 22  | 4   | 1  | 7  | 67   |
| K           | Prawns          | 76           | 12   | 22  | 10  | 0 | 85   | 0  | 63  | 82   | 65  | 247 | 7   | 15  | 6   | 3  | 7  | 85   |
| L           | Pacific cod     | 137          | 32   | 21  | 71  | 0 | 193  | 0  | 22  | 203  | 17  | 7   | 225 | 98  | 1   | 0  | 34 | 189  |
| M           | Soles           | 46           | 31   | 9   | 65  | 0 | 115  | 0  | 21  | 104  | 22  | 15  | 98  | 120 | 1   | 0  | 34 | 119  |
| N           | Intertidal clam | 35           | 8    | 4   | 2   | 0 | 45   | 25 | 15  | 38   | 4   | 6   | 1   | 1   | 118 | 2  | 1  | 61   |
| O           | Abalone         | 6            | 1    | 3   | 0   | 0 | 5    | 2  | 1   | 6    | 1   | 3   | 0   | 0   | 2   | 26 | 1  | 6    |
| P           | Dogfish         | 16           | 9    | 11  | 36  | 0 | 45   | 0  | 6   | 45   | 7   | 7   | 34  | 34  | 1   | 1  | 60 | 39   |
| Q           | Other species   | 1258         | 59   | 88  | 98  | 0 | 1408 | 23 | 127 | 1229 | 67  | 85  | 189 | 119 | 61  | 6  | 39 | 1713 |

Table 56. Distribution of specialists and generalists for the Queen Charlotte Islands 1982. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1982 = 1124

| Species "I"     | N   |     |    |    | Total |
|-----------------|-----|-----|----|----|-------|
|                 | 1   | 2   | 3  | 4+ |       |
| Salmon          | 400 | 234 | 73 | 48 | 755   |
| Herring         | 204 | 33  | 1  | 1  | 239   |
| Halibut         | 44  | 37  | 50 | 44 | 175   |
| Sablefish       | 7   | 7   | 6  | 30 | 50    |
| Herring SP.ON.K | 0   | 0   | 0  | 0  | 0     |
| Rockfish        | 0   | 12  | 48 | 75 | 135   |
| Geoduck         | 0   | 0   | 0  | 0  | 0     |
| Crab            | 6   | 10  | 2  | 2  | 20    |
| Lingcod         | 2   | 194 | 90 | 79 | 365   |
| Shrimp          | 5   | 5   | 2  | 0  | 12    |
| Prawns          | 0   | 1   | 1  | 0  | 2     |
| Pacific cod     | 0   | 1   | 22 | 49 | 72    |
| Soles           | 0   | 1   | 1  | 16 | 18    |
| Intertidal clam | 1   | 0   | 0  | 0  | 1     |
| Abalone         | 6   | 0   | 0  | 0  | 6     |
| Dogfish         | 0   | 0   | 0  | 8  | 8     |
| Other species   | 0   | 3   | 1  | 22 | 26    |

Table 57. Combination of species landed by the various fleets for the Queen Charlotte Islands 1982. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1982

| Species "I"       | Species "II" |     |     |    |   |     |   |    |     |    |   |    |    |   |   |   |    |
|-------------------|--------------|-----|-----|----|---|-----|---|----|-----|----|---|----|----|---|---|---|----|
|                   | A            | B   | C   | D  | E | F   | G | H  | I   | J  | K | L  | M  | N | O | P | Q  |
| A Salmon          | 755          | 32  | 64  | 8  | 0 | 72  | 0 | 6  | 297 | 3  | 1 | 53 | 0  | 0 | 0 | 2 | 1  |
| B Herring         | 32           | 239 | 1   | 3  | 0 | 1   | 0 | 0  | 1   | 0  | 0 | 1  | 1  | 0 | 0 | 1 | 1  |
| C Halibut         | 64           | 1   | 175 | 29 | 0 | 68  | 0 | 5  | 97  | 2  | 0 | 13 | 0  | 0 | 0 | 1 | 5  |
| D Sablefish       | 8            | 3   | 29  | 50 | 0 | 30  | 0 | 2  | 30  | 0  | 0 | 14 | 10 | 0 | 0 | 5 | 11 |
| E Herring Sp.On.K | 0            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| F Rockfish        | 72           | 1   | 68  | 30 | 0 | 135 | 0 | 2  | 119 | 0  | 0 | 45 | 16 | 0 | 0 | 7 | 22 |
| G Geoduck         | 0            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| H Crab            | 6            | 0   | 5   | 2  | 0 | 2   | 0 | 20 | 2   | 4  | 0 | 1  | 0  | 0 | 0 | 0 | 0  |
| I Lingcod         | 297          | 1   | 97  | 30 | 0 | 119 | 0 | 2  | 365 | 0  | 1 | 69 | 15 | 0 | 0 | 8 | 21 |
| J Shrimp          | 3            | 0   | 2   | 0  | 0 | 0   | 0 | 4  | 0   | 12 | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| K Prawns          | 1            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 1   | 0  | 2 | 0  | 0  | 0 | 0 | 0 | 1  |
| L Pacific cod     | 53           | 1   | 13  | 14 | 0 | 45  | 0 | 1  | 69  | 0  | 0 | 72 | 17 | 0 | 0 | 8 | 18 |
| M Soles           | 0            | 1   | 0   | 10 | 0 | 16  | 0 | 0  | 15  | 0  | 0 | 17 | 18 | 0 | 0 | 6 | 18 |
| N Intertidal clam | 0            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 1 | 0 | 0 | 0  |
| O Abalone         | 0            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0 | 6 | 0 | 0  |
| P Dogfish         | 2            | 1   | 1   | 5  | 0 | 7   | 0 | 0  | 8   | 0  | 0 | 8  | 6  | 0 | 0 | 8 | 6  |
| Q Other species   | 1            | 1   | 5   | 11 | 0 | 22  | 0 | 0  | 21  | 0  | 1 | 18 | 18 | 0 | 0 | 6 | 26 |

Table 58. Distribution of specialists and generalists for the Chatham Sound 1982. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1982 = 1501

| Species "I"     | N    |    |    |    | Total |
|-----------------|------|----|----|----|-------|
|                 | 1    | 2  | 3  | 4+ |       |
| Salmon          | 1299 | 84 | 28 | 18 | 1429  |
| Herring         | 0    | 0  | 0  | 0  | 0     |
| Halibut         | 4    | 24 | 14 | 14 | 56    |
| Sablefish       | 1    | 1  | 4  | 15 | 21    |
| Herring SP.ON.K | 0    | 0  | 0  | 0  | 0     |
| Rockfish        | 1    | 7  | 22 | 38 | 68    |
| Geoduck         | 0    | 0  | 0  | 0  | 0     |
| Crab            | 13   | 7  | 3  | 3  | 26    |
| Lingcod         | 1    | 55 | 31 | 38 | 125   |
| Shrimp          | 1    | 6  | 5  | 4  | 16    |
| Prawns          | 1    | 0  | 2  | 3  | 6     |
| Pacific cod     | 0    | 2  | 6  | 26 | 34    |
| Soles           | 0    | 1  | 0  | 19 | 20    |
| Intertidal clam | 0    | 0  | 0  | 0  | 0     |
| Abalone         | 2    | 1  | 0  | 0  | 3     |
| Dogfish         | 0    | 0  | 0  | 9  | 9     |
| Other species   | 2    | 4  | 2  | 22 | 30    |

Table 59. Combination of species landed by the various fleets for Chatham Sound 1982. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1982

| Species "I" |                 | Species "II" |   |    |    |   |    |   |    |     |    |   |    |    |   |   |   |    |
|-------------|-----------------|--------------|---|----|----|---|----|---|----|-----|----|---|----|----|---|---|---|----|
|             |                 | A            | B | C  | D  | E | F  | G | H  | I   | J  | K | L  | M  | N | O | P | Q  |
| A           | Salmon          | 1429         | 0 | 38 | 6  | 0 | 30 | 0 | 5  | 91  | 12 | 1 | 17 | 3  | 0 | 0 | 3 | 6  |
| B           | Herring         | 0            | 0 | 0  | 0  | 0 | 0  | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| C           | Halibut         | 38           | 0 | 56 | 7  | 0 | 22 | 0 | 2  | 23  | 1  | 1 | 4  | 0  | 0 | 0 | 0 | 3  |
| D           | Sablefish       | 6            | 0 | 7  | 21 | 0 | 16 | 0 | 1  | 15  | 0  | 0 | 11 | 11 | 0 | 0 | 7 | 11 |
| E           | Herring Sp.On.K | 0            | 0 | 0  | 0  | 0 | 0  | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| F           | Rockfish        | 30           | 0 | 22 | 16 | 0 | 68 | 0 | 5  | 57  | 2  | 2 | 26 | 18 | 0 | 0 | 9 | 22 |
| G           | Geoduck         | 0            | 0 | 0  | 0  | 0 | 0  | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| H           | Crab            | 5            | 0 | 2  | 1  | 0 | 5  | 0 | 26 | 4   | 2  | 3 | 1  | 0  | 0 | 0 | 0 | 4  |
| I           | Lingcod         | 91           | 0 | 23 | 15 | 0 | 57 | 0 | 4  | 125 | 7  | 2 | 30 | 17 | 0 | 0 | 9 | 21 |
| J           | Shrimp          | 12           | 0 | 1  | 0  | 0 | 2  | 0 | 2  | 7   | 16 | 3 | 0  | 0  | 0 | 0 | 0 | 2  |
| K           | Prawns          | 1            | 0 | 1  | 0  | 0 | 2  | 0 | 3  | 2   | 3  | 6 | 0  | 0  | 0 | 0 | 0 | 2  |
| L           | Pacific cod     | 17           | 0 | 4  | 11 | 0 | 26 | 0 | 1  | 30  | 0  | 0 | 34 | 19 | 0 | 0 | 9 | 18 |
| M           | Soles           | 3            | 0 | 0  | 11 | 0 | 18 | 0 | 0  | 17  | 0  | 0 | 19 | 20 | 0 | 0 | 8 | 18 |
| N           | Intertidal clam | 0            | 0 | 0  | 0  | 0 | 0  | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| O           | Abalone         | 0            | 0 | 0  | 0  | 0 | 0  | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0 | 3 | 0 | 1  |
| P           | Dogfish         | 3            | 0 | 0  | 7  | 0 | 9  | 0 | 0  | 9   | 0  | 0 | 9  | 8  | 0 | 0 | 9 | 8  |
| Q           | Other species   | 6            | 0 | 3  | 11 | 0 | 22 | 0 | 4  | 21  | 2  | 2 | 18 | 18 | 0 | 1 | 8 | 30 |

Table 60. Distribution of specialists and generalists for the Central Coast 1982. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1982 = 2254

| Species "I"     | N    |     |    |    | Total |
|-----------------|------|-----|----|----|-------|
|                 | 1    | 2   | 3  | 4+ |       |
| Salmon          | 1514 | 179 | 58 | 15 | 1766  |
| Herring         | 373  | 24  | 1  | 2  | 400   |
| Halibut         | 9    | 9   | 19 | 16 | 53    |
| Sablefish       | 4    | 2   | 2  | 22 | 30    |
| Herring SP.ON.K | 0    | 0   | 0  | 0  | 0     |
| Rockfish        | 4    | 9   | 60 | 46 | 119   |
| Geoduck         | 5    | 0   | 0  | 0  | 5     |
| Crab            | 3    | 3   | 2  | 1  | 9     |
| Lingcod         | 4    | 148 | 70 | 46 | 268   |
| Shrimp          | 0    | 1   | 1  | 1  | 3     |
| Prawns          | 10   | 9   | 3  | 1  | 23    |
| Pacific cod     | 0    | 3   | 3  | 30 | 36    |
| Soles           | 0    | 1   | 2  | 31 | 34    |
| Intertidal clam | 0    | 0   | 0  | 0  | 0     |
| Abalone         | 6    | 1   | 0  | 0  | 7     |
| Dogfish         | 3    | 0   | 0  | 4  | 7     |
| Other species   | 0    | 5   | 1  | 29 | 35    |

Table 61. Combination of species landed by the various fleets for Central Coast 1982. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1982

| Species "I"       |      |     |    |    |   |     |   | Species "II" |     |   |    |    |    |   |   |   |    |
|-------------------|------|-----|----|----|---|-----|---|--------------|-----|---|----|----|----|---|---|---|----|
|                   | A    | B   | C  | D  | E | F   | G | H            | I   | J | K  | L  | M  | N | O | P | Q  |
| A Salmon          | 1766 | 26  | 27 | 2  | 0 | 66  | 0 | 0            | 214 | 1 | 2  | 2  | 2  | 0 | 0 | 1 | 2  |
| B Herring         | 26   | 400 | 0  | 0  | 0 | 1   | 0 | 0            | 3   | 0 | 0  | 1  | 2  | 0 | 0 | 0 | 0  |
| C Halibut         | 27   | 0   | 53 | 7  | 0 | 26  | 0 | 1            | 33  | 1 | 1  | 0  | 0  | 0 | 0 | 1 | 3  |
| D Sablefish       | 2    | 0   | 7  | 30 | 0 | 22  | 0 | 1            | 21  | 1 | 1  | 19 | 19 | 0 | 0 | 3 | 20 |
| E Herring Sp.On.K | 0    | 0   | 0  | 0  | 0 | 0   | 0 | 0            | 0   | 0 | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| F Rockfish        | 66   | 1   | 26 | 22 | 0 | 119 | 0 | 2            | 104 | 2 | 2  | 31 | 31 | 0 | 0 | 3 | 29 |
| G Geoduck         | 0    | 0   | 0  | 0  | 0 | 0   | 5 | 0            | 0   | 0 | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| H Crab            | 0    | 0   | 1  | 1  | 0 | 2   | 0 | 9            | 2   | 1 | 5  | 0  | 0  | 0 | 0 | 0 | 2  |
| I Lingcod         | 214  | 3   | 33 | 21 | 0 | 104 | 0 | 2            | 268 | 1 | 3  | 33 | 32 | 0 | 0 | 2 | 28 |
| J Shrimp          | 1    | 0   | 1  | 1  | 0 | 2   | 0 | 1            | 1   | 3 | 2  | 0  | 0  | 0 | 0 | 0 | 1  |
| K Prawns          | 2    | 0   | 1  | 1  | 0 | 2   | 0 | 5            | 3   | 2 | 23 | 0  | 0  | 0 | 0 | 0 | 6  |
| L Pacific cod     | 2    | 1   | 0  | 19 | 0 | 31  | 0 | 0            | 33  | 0 | 0  | 36 | 32 | 0 | 0 | 2 | 25 |
| M Soles           | 2    | 2   | 0  | 19 | 0 | 31  | 0 | 0            | 32  | 0 | 0  | 32 | 34 | 0 | 0 | 2 | 25 |
| N Intertidal clam | 0    | 0   | 0  | 0  | 0 | 0   | 0 | 0            | 0   | 0 | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| O Abalone         | 0    | 0   | 0  | 0  | 0 | 0   | 0 | 0            | 0   | 0 | 0  | 0  | 0  | 0 | 7 | 0 | 1  |
| P Dogfish         | 1    | 0   | 1  | 3  | 0 | 3   | 0 | 0            | 2   | 0 | 0  | 2  | 2  | 0 | 0 | 7 | 3  |
| Q Other species   | 2    | 0   | 3  | 20 | 0 | 29  | 0 | 2            | 28  | 1 | 6  | 25 | 25 | 0 | 1 | 3 | 35 |

Table 62. Distribution of specialists and generalists for Johnstone Strait 1982. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1982 = 2415

| Species "I"     | N    |     |     |    | Total |
|-----------------|------|-----|-----|----|-------|
|                 | 1    | 2   | 3   | 4+ |       |
| Salmon          | 1717 | 198 | 165 | 31 | 2111  |
| Herring         | 4    | 3   | 1   | 2  | 10    |
| Halibut         | 7    | 9   | 19  | 20 | 55    |
| Sablefish       | 3    | 1   | 2   | 15 | 21    |
| Herring SP.ON.K | 0    | 0   | 0   | 0  | 0     |
| Rockfish        | 30   | 149 | 197 | 55 | 431   |
| Geoduck         | 11   | 3   | 1   | 0  | 15    |
| Crab            | 18   | 11  | 4   | 3  | 36    |
| Lingcod         | 6    | 231 | 196 | 55 | 488   |
| Shrimp          | 0    | 3   | 2   | 0  | 5     |
| Prawns          | 16   | 18  | 5   | 3  | 42    |
| Pacific cod     | 0    | 3   | 2   | 25 | 30    |
| Soles           | 0    | 3   | 1   | 24 | 28    |
| Intertidal clam | 10   | 10  | 11  | 5  | 36    |
| Abalone         | 2    | 1   | 0   | 0  | 3     |
| Dogfish         | 4    | 1   | 0   | 7  | 12    |
| Other species   | 1    | 2   | 15  | 30 | 48    |

Table 63. Combination of species landed by the various fleets for the Johnstone Strait 1982. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1982

| Species "I" |                 | Species "II" |    |    |    |   |     |    |    |     |   |    |    |    |    |   |    |    |
|-------------|-----------------|--------------|----|----|----|---|-----|----|----|-----|---|----|----|----|----|---|----|----|
|             |                 | A            | B  | C  | D  | E | F   | G  | H  | I   | J | K  | L  | M  | N  | O | P  | Q  |
| A           | Salmon          | 2111         | 3  | 28 | 4  | 0 | 232 | 0  | 5  | 322 | 1 | 8  | 9  | 7  | 7  | 1 | 3  | 9  |
| B           | Herring         | 3            | 10 | 0  | 0  | 0 | 3   | 0  | 0  | 3   | 0 | 0  | 0  | 0  | 0  | 0 | 0  | 2  |
| C           | Halibut         | 28           | 0  | 55 | 2  | 0 | 33  | 0  | 1  | 38  | 0 | 2  | 0  | 0  | 2  | 0 | 2  | 4  |
| D           | Sablefish       | 4            | 0  | 2  | 21 | 0 | 17  | 0  | 0  | 15  | 0 | 0  | 13 | 14 | 0  | 0 | 2  | 15 |
| E           | Herring Sp.0n.K | 0            | 0  | 0  | 0  | 0 | 0   | 0  | 0  | 0   | 0 | 0  | 0  | 0  | 0  | 0 | 0  | 0  |
| F           | Rockfish        | 232          | 3  | 33 | 17 | 0 | 431 | 0  | 8  | 340 | 0 | 7  | 26 | 24 | 18 | 0 | 8  | 42 |
| G           | Geoduck         | 0            | 0  | 0  | 0  | 0 | 0   | 15 | 0  | 0   | 0 | 0  | 0  | 0  | 4  | 0 | 0  | 1  |
| H           | Crab            | 5            | 0  | 1  | 0  | 0 | 8   | 0  | 36 | 6   | 1 | 8  | 0  | 0  | 1  | 0 | 0  | 0  |
| I           | Lingcod         | 322          | 3  | 38 | 15 | 0 | 340 | 0  | 6  | 488 | 0 | 5  | 26 | 24 | 13 | 0 | 7  | 39 |
| J           | Shrimp          | 1            | 0  | 0  | 0  | 0 | 0   | 0  | 1  | 0   | 5 | 4  | 0  | 0  | 0  | 0 | 0  | 1  |
| K           | Prawns          | 8            | 0  | 2  | 0  | 0 | 7   | 0  | 8  | 5   | 4 | 42 | 0  | 0  | 1  | 0 | 0  | 3  |
| L           | Pacific cod     | 9            | 0  | 0  | 13 | 0 | 26  | 0  | 0  | 26  | 0 | 0  | 30 | 25 | 0  | 0 | 5  | 23 |
| M           | Soles           | 7            | 0  | 0  | 14 | 0 | 24  | 0  | 0  | 24  | 0 | 0  | 25 | 28 | 0  | 0 | 5  | 23 |
| N           | Intertidal clam | 7            | 0  | 2  | 0  | 0 | 18  | 4  | 1  | 13  | 0 | 1  | 0  | 0  | 36 | 0 | 0  | 1  |
| O           | Abalone         | 1            | 0  | 0  | 0  | 0 | 0   | 0  | 0  | 0   | 0 | 0  | 0  | 0  | 0  | 3 | 0  | 0  |
| P           | Dogfish         | 3            | 0  | 2  | 2  | 0 | 8   | 0  | 0  | 7   | 0 | 0  | 5  | 5  | 0  | 0 | 12 | 7  |
| Q           | Other species   | 9            | 2  | 4  | 15 | 0 | 42  | 1  | 0  | 39  | 1 | 3  | 23 | 23 | 1  | 0 | 7  | 48 |

Table 64. Distribution of specialists and generalists for Georgia Strait 1982. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1982 = 2227

| Species "I"     | N   |     |     |    | Total |
|-----------------|-----|-----|-----|----|-------|
|                 | 1   | 2   | 3   | 4+ |       |
| Salmon          | 925 | 156 | 96  | 26 | 1203  |
| Herring         | 559 | 58  | 6   | 9  | 632   |
| Halibut         | 0   | 0   | 0   | 0  | 0     |
| Sablefish       | 0   | 0   | 0   | 8  | 8     |
| Herring SP.ON.K | 0   | 0   | 0   | 0  | 0     |
| Rockfish        | 36  | 184 | 127 | 68 | 415   |
| Geoduck         | 6   | 13  | 5   | 2  | 26    |
| Crab            | 36  | 19  | 13  | 23 | 91    |
| Lingcod         | 28  | 115 | 108 | 53 | 304   |
| Shrimp          | 10  | 17  | 7   | 6  | 40    |
| Prawns          | 33  | 36  | 23  | 19 | 111   |
| Pacific cod     | 2   | 6   | 12  | 45 | 65    |
| Soles           | 0   | 1   | 8   | 29 | 38    |
| Intertidal clam | 19  | 23  | 11  | 7  | 60    |
| Abalone         | 0   | 0   | 0   | 0  | 0     |
| Dogfish         | 19  | 13  | 7   | 17 | 56    |
| Other species   | 11  | 7   | 21  | 38 | 77    |

Table 65. Combination of species landed by the various fleets for the Georgia Strait 1982. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1982

| Species "I" |                 | Species "II" |     |   |   |   |     |    |    |     |    |     |    |    |    |   |    |    |
|-------------|-----------------|--------------|-----|---|---|---|-----|----|----|-----|----|-----|----|----|----|---|----|----|
|             |                 | A            | B   | C | D | E | F   | G  | H  | I   | J  | K   | L  | M  | N  | O | P  | Q  |
| A           | Salmon          | 1203         | 57  | 0 | 0 | 0 | 171 | 0  | 7  | 118 | 11 | 18  | 22 | 8  | 6  | 0 | 5  | 16 |
| B           | Herring         | 57           | 632 | 0 | 1 | 0 | 12  | 0  | 3  | 6   | 1  | 3   | 6  | 6  | 3  | 0 | 5  | 7  |
| C           | Halibut         | 0            | 0   | 0 | 0 | 0 | 0   | 0  | 0  | 0   | 0  | 0   | 0  | 0  | 0  | 0 | 0  | 0  |
| D           | Sablefish       | 0            | 1   | 0 | 8 | 0 | 8   | 0  | 3  | 8   | 0  | 1   | 8  | 8  | 0  | 0 | 4  | 7  |
| E           | Herring Sp.On.K | 0            | 0   | 0 | 0 | 0 | 0   | 0  | 0  | 0   | 0  | 0   | 0  | 0  | 0  | 0 | 0  | 0  |
| F           | Rockfish        | 171          | 12  | 0 | 8 | 0 | 415 | 2  | 40 | 253 | 8  | 43  | 53 | 29 | 17 | 0 | 26 | 46 |
| G           | Geoduck         | 0            | 0   | 0 | 0 | 0 | 2   | 26 | 1  | 1   | 0  | 0   | 0  | 0  | 20 | 0 | 0  | 7  |
| H           | Crab            | 7            | 3   | 0 | 3 | 0 | 40  | 1  | 91 | 22  | 3  | 21  | 13 | 9  | 2  | 0 | 8  | 11 |
| I           | Lingcod         | 118          | 6   | 0 | 8 | 0 | 253 | 1  | 22 | 304 | 4  | 21  | 36 | 19 | 10 | 0 | 12 | 34 |
| J           | Shrimp          | 11           | 1   | 0 | 0 | 0 | 8   | 0  | 3  | 4   | 40 | 20  | 2  | 2  | 1  | 0 | 1  | 2  |
| K           | Prawns          | 18           | 3   | 0 | 1 | 0 | 43  | 0  | 21 | 21  | 20 | 111 | 7  | 1  | 2  | 0 | 8  | 9  |
| L           | Pacific cod     | 22           | 6   | 0 | 8 | 0 | 53  | 0  | 13 | 36  | 2  | 7   | 65 | 34 | 1  | 0 | 14 | 27 |
| M           | Soles           | 8            | 6   | 0 | 8 | 0 | 29  | 0  | 9  | 19  | 2  | 1   | 34 | 38 | 0  | 0 | 13 | 26 |
| N           | Intertidal clam | 6            | 3   | 0 | 0 | 0 | 17  | 20 | 2  | 10  | 1  | 2   | 1  | 0  | 60 | 0 | 1  | 11 |
| O           | Abalone         | 0            | 0   | 0 | 0 | 0 | 0   | 0  | 0  | 0   | 0  | 0   | 0  | 0  | 0  | 0 | 0  | 0  |
| P           | Dogfish         | 5            | 5   | 0 | 4 | 0 | 26  | 0  | 8  | 12  | 1  | 8   | 14 | 13 | 1  | 0 | 56 | 12 |
| Q           | Other species   | 16           | 7   | 0 | 7 | 0 | 46  | 7  | 11 | 34  | 2  | 9   | 27 | 26 | 11 | 0 | 12 | 77 |

Table 66. Distribution of specialists and generalists for Victoria 1982.  
Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1982 = 702

| Species "I"     | N   |    |    |    | Total |
|-----------------|-----|----|----|----|-------|
|                 | 1   | 2  | 3  | 4+ |       |
| Salmon          | 520 | 5  | 1  | 4  | 530   |
| Herring         | 0   | 0  | 0  | 0  | 0     |
| Halibut         | 1   | 1  | 1  | 2  | 5     |
| Sablefish       | 0   | 0  | 2  | 14 | 16    |
| Herring SP.ON.K | 0   | 0  | 0  | 0  | 0     |
| Rockfish        | 0   | 17 | 14 | 26 | 57    |
| Geoduck         | 5   | 1  | 0  | 0  | 6     |
| Crab            | 49  | 15 | 14 | 9  | 87    |
| Lingcod         | 5   | 16 | 12 | 20 | 53    |
| Shrimp          | 2   | 6  | 4  | 2  | 14    |
| Prawns          | 2   | 2  | 5  | 3  | 12    |
| Pacific cod     | 1   | 2  | 6  | 25 | 34    |
| Soles           | 0   | 2  | 4  | 23 | 29    |
| Intertidal clam | 2   | 1  | 1  | 0  | 4     |
| Abalone         | 4   | 1  | 0  | 0  | 5     |
| Dogfish         | 5   | 1  | 3  | 15 | 24    |
| Other species   | 14  | 6  | 5  | 25 | 50    |

Table 67. Combination of species landed by the various fleets for Victoria 1982. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1982

| Species "I" |                 | Species "II" |   |   |    |   |    |   |    |    |    |    |    |    |   |   |    |    |
|-------------|-----------------|--------------|---|---|----|---|----|---|----|----|----|----|----|----|---|---|----|----|
|             |                 | A            | B | C | D  | E | F  | G | H  | I  | J  | K  | L  | M  | N | O | P  | Q  |
| A           | Salmon          | 530          | 0 | 1 | 1  | 0 | 3  | 0 | 0  | 5  | 0  | 0  | 6  | 3  | 0 | 0 | 3  | 4  |
| B           | Herring         | 0            | 0 | 0 | 0  | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0 | 0 | 0  | 0  |
| C           | Halibut         | 1            | 0 | 5 | 1  | 0 | 2  | 0 | 1  | 2  | 1  | 0  | 1  | 0  | 0 | 0 | 0  | 1  |
| D           | Sablefish       | 1            | 0 | 1 | 16 | 0 | 14 | 0 | 4  | 11 | 1  | 0  | 14 | 15 | 0 | 0 | 9  | 12 |
| E           | Herring Sp.On.K | 0            | 0 | 0 | 0  | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0 | 0 | 0  | 0  |
| F           | Rockfish        | 3            | 0 | 2 | 14 | 0 | 57 | 0 | 17 | 43 | 1  | 5  | 24 | 24 | 0 | 0 | 13 | 22 |
| G           | Geoduck         | 0            | 0 | 0 | 0  | 0 | 0  | 6 | 1  | 0  | 0  | 0  | 0  | 0  | 0 | 0 | 0  | 0  |
| H           | Crab            | 0            | 0 | 1 | 4  | 0 | 17 | 1 | 87 | 15 | 11 | 8  | 5  | 5  | 2 | 0 | 5  | 14 |
| I           | Lingcod         | 5            | 0 | 2 | 11 | 0 | 43 | 0 | 15 | 53 | 2  | 2  | 19 | 16 | 0 | 0 | 12 | 17 |
| J           | Shrimp          | 0            | 0 | 1 | 1  | 0 | 1  | 0 | 11 | 2  | 14 | 4  | 0  | 0  | 0 | 0 | 0  | 1  |
| K           | Prawns          | 0            | 0 | 0 | 0  | 0 | 5  | 0 | 8  | 2  | 4  | 12 | 0  | 1  | 0 | 0 | 0  | 2  |
| L           | Pacific cod     | 6            | 0 | 1 | 14 | 0 | 24 | 0 | 5  | 19 | 0  | 0  | 34 | 26 | 0 | 0 | 17 | 23 |
| M           | Soles           | 3            | 0 | 0 | 15 | 0 | 24 | 0 | 5  | 16 | 0  | 1  | 26 | 29 | 0 | 0 | 14 | 21 |
| N           | Intertidal clam | 0            | 0 | 0 | 0  | 0 | 0  | 0 | 2  | 0  | 0  | 0  | 0  | 0  | 4 | 0 | 0  | 1  |
| O           | Abalone         | 0            | 0 | 0 | 0  | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0 | 5 | 0  | 1  |
| P           | Dogfish         | 3            | 0 | 0 | 9  | 0 | 13 | 0 | 5  | 12 | 0  | 0  | 17 | 14 | 0 | 0 | 24 | 17 |
| Q           | Other species   | 4            | 0 | 1 | 12 | 0 | 22 | 0 | 14 | 17 | 1  | 2  | 23 | 21 | 1 | 1 | 17 | 50 |

Table 68. Distribution of specialists and generalists for West Vancouver Island 1982. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1982 = 2830

| Species "I"     | N   |     |     |     | Total |
|-----------------|-----|-----|-----|-----|-------|
|                 | 1   | 2   | 3   | 4+  |       |
| Salmon          | 979 | 717 | 523 | 64  | 2283  |
| Herring         | 336 | 70  | 1   | 6   | 413   |
| Halibut         | 3   | 3   | 24  | 40  | 70    |
| Sablefish       | 8   | 3   | 6   | 40  | 57    |
| Herring SP.ON.K | 0   | 0   | 0   | 0   | 0     |
| Rockfish        | 3   | 26  | 495 | 91  | 615   |
| Geoduck         | 11  | 25  | 11  | 0   | 47    |
| Crab            | 25  | 23  | 13  | 8   | 69    |
| Lingcod         | 11  | 644 | 526 | 103 | 1284  |
| Shrimp          | 1   | 6   | 5   | 16  | 28    |
| Prawns          | 10  | 15  | 13  | 16  | 54    |
| Pacific cod     | 0   | 0   | 4   | 39  | 43    |
| Soles           | 0   | 0   | 3   | 40  | 43    |
| Intertidal clam | 3   | 21  | 9   | 1   | 34    |
| Abalone         | 3   | 1   | 0   | 0   | 4     |
| Dogfish         | 1   | 1   | 0   | 17  | 19    |
| Other species   | 1   | 9   | 11  | 41  | 62    |

Table 69. Combination of species landed by the various fleets for West Vancouver Island 1982. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1982

| Species "I" |                 | Species "II" |     |    |    |   |     |    |    |      |    |    |    |    |    |   |    |    |
|-------------|-----------------|--------------|-----|----|----|---|-----|----|----|------|----|----|----|----|----|---|----|----|
|             |                 | A            | B   | C  | D  | E | F   | G  | H  | I    | J  | K  | L  | M  | N  | O | P  | Q  |
| A           | Salmon          | 2283         | 71  | 56 | 13 | 0 | 544 | 3  | 15 | 1200 | 18 | 25 | 8  | 7  | 2  | 1 | 2  | 16 |
| B           | Herring         | 71           | 413 | 0  | 4  | 0 | 6   | 1  | 2  | 7    | 0  | 0  | 3  | 4  | 0  | 0 | 2  | 3  |
| C           | Halibut         | 56           | 0   | 70 | 9  | 0 | 42  | 0  | 0  | 63   | 1  | 2  | 0  | 1  | 0  | 0 | 1  | 4  |
| D           | Sablefish       | 13           | 4   | 9  | 57 | 0 | 40  | 0  | 3  | 43   | 3  | 1  | 27 | 29 | 1  | 0 | 9  | 28 |
| E           | Herring Sp.On.K | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0  | 0 | 0  | 0  |
| F           | Rockfish        | 544          | 6   | 42 | 40 | 0 | 615 | 0  | 10 | 597  | 6  | 9  | 38 | 40 | 0  | 0 | 16 | 40 |
| G           | Geoduck         | 3            | 1   | 0  | 0  | 0 | 0   | 47 | 7  | 2    | 0  | 0  | 0  | 0  | 29 | 0 | 0  | 5  |
| H           | Crab            | 15           | 2   | 0  | 3  | 0 | 10  | 7  | 69 | 14   | 3  | 13 | 1  | 1  | 5  | 0 | 0  | 5  |
| I           | Lingcod         | 1200         | 7   | 63 | 43 | 0 | 597 | 2  | 14 | 1284 | 16 | 24 | 41 | 40 | 0  | 0 | 17 | 43 |
| J           | Shrimp          | 18           | 0   | 1  | 3  | 0 | 6   | 0  | 3  | 16   | 28 | 18 | 5  | 5  | 0  | 0 | 2  | 5  |
| K           | Prawns          | 25           | 0   | 2  | 1  | 0 | 9   | 0  | 13 | 24   | 18 | 54 | 1  | 1  | 0  | 0 | 0  | 3  |
| L           | Pacific cod     | 8            | 3   | 0  | 27 | 0 | 38  | 0  | 1  | 41   | 5  | 1  | 43 | 39 | 0  | 0 | 15 | 33 |
| M           | Soles           | 7            | 4   | 1  | 29 | 0 | 40  | 0  | 1  | 40   | 5  | 1  | 39 | 43 | 0  | 0 | 16 | 34 |
| N           | Intertidal clam | 2            | 0   | 0  | 1  | 0 | 0   | 29 | 5  | 0    | 0  | 0  | 0  | 0  | 34 | 0 | 0  | 5  |
| O           | Abalone         | 1            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0  | 4 | 0  | 0  |
| P           | Dogfish         | 2            | 2   | 1  | 9  | 0 | 16  | 0  | 0  | 17   | 2  | 0  | 15 | 16 | 0  | 0 | 19 | 13 |
| Q           | Other species   | 16           | 3   | 4  | 28 | 0 | 40  | 5  | 5  | 43   | 5  | 3  | 33 | 34 | 5  | 0 | 13 | 62 |

Table 70. Distribution of specialists and generalists for the Fraser River 1982. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1982 = 1440

| Species "I"     | N    |     |    |    | Total |
|-----------------|------|-----|----|----|-------|
|                 | 1    | 2   | 3  | 4+ |       |
| Salmon          | 1021 | 236 | 16 | 4  | 1277  |
| Herring         | 7    | 1   | 0  | 0  | 8     |
| Halibut         | 0    | 0   | 0  | 0  | 0     |
| Sablefish       | 0    | 0   | 0  | 0  | 0     |
| Herring SP.ON.K | 0    | 0   | 0  | 0  | 0     |
| Rockfish        | 4    | 9   | 13 | 9  | 35    |
| Geoduck         | 0    | 0   | 0  | 0  | 0     |
| Crab            | 74   | 15  | 12 | 4  | 105   |
| Lingcod         | 1    | 8   | 3  | 2  | 14    |
| Shrimp          | 7    | 34  | 16 | 8  | 65    |
| Prawns          | 10   | 13  | 17 | 9  | 49    |
| Pacific cod     | 0    | 0   | 1  | 2  | 3     |
| Soles           | 1    | 0   | 0  | 3  | 4     |
| Intertidal clam | 0    | 0   | 0  | 0  | 0     |
| Abalone         | 0    | 0   | 0  | 0  | 0     |
| Dogfish         | 11   | 2   | 0  | 0  | 13    |
| Other species   | 7    | 198 | 9  | 7  | 221   |

Table 71. Combination of species landed by the various fleets for the Fraser River 1982. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1982

| Species "I"       | Species "II" |   |   |   |   |    |   |     |    |    |    |   |   |   |   |    |     |
|-------------------|--------------|---|---|---|---|----|---|-----|----|----|----|---|---|---|---|----|-----|
|                   | A            | B | C | D | E | F  | G | H   | I  | J  | K  | L | M | N | O | P  | Q   |
| A Salmon          | 1277         | 0 | 0 | 0 | 0 | 12 | 0 | 11  | 6  | 39 | 9  | 0 | 2 | 0 | 0 | 0  | 205 |
| B Herring         | 0            | 8 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0  | 1   |
| C Halibut         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0  | 0   |
| D Sablefish       | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0  | 0   |
| E Herring Sp.On.K | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0  | 0   |
| F Rockfish        | 12           | 0 | 0 | 0 | 0 | 35 | 0 | 7   | 7  | 12 | 15 | 3 | 3 | 0 | 0 | 2  | 9   |
| G Geoduck         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0  | 0   |
| H Crab            | 11           | 0 | 0 | 0 | 0 | 7  | 0 | 105 | 1  | 7  | 19 | 1 | 0 | 0 | 0 | 0  | 5   |
| I Lingcod         | 6            | 0 | 0 | 0 | 0 | 7  | 0 | 1   | 14 | 2  | 3  | 1 | 1 | 0 | 0 | 0  | 3   |
| J Shrimp          | 39           | 0 | 0 | 0 | 0 | 12 | 0 | 7   | 2  | 65 | 24 | 1 | 3 | 0 | 0 | 0  | 10  |
| K Prawns          | 9            | 0 | 0 | 0 | 0 | 15 | 0 | 19  | 3  | 24 | 49 | 2 | 2 | 0 | 0 | 0  | 7   |
| L Pacific cod     | 0            | 0 | 0 | 0 | 0 | 3  | 0 | 1   | 1  | 1  | 2  | 3 | 1 | 0 | 0 | 0  | 2   |
| M Soles           | 2            | 0 | 0 | 0 | 0 | 3  | 0 | 0   | 1  | 3  | 2  | 1 | 4 | 0 | 0 | 0  | 3   |
| N Intertidal clam | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0  | 0   |
| O Abalone         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0  | 0   |
| P Dogfish         | 0            | 0 | 0 | 0 | 0 | 2  | 0 | 0   | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 13 | 0   |
| Q Other species   | 205          | 1 | 0 | 0 | 0 | 9  | 0 | 5   | 3  | 10 | 7  | 2 | 3 | 0 | 0 | 0  | 221 |

Table 72. Distribution of specialists and generalists for the B.C. Total - All areas 1982. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1982 = 6432

| Species "I"     | N    |      |     |     | Total |
|-----------------|------|------|-----|-----|-------|
|                 | 1    | 2    | 3   | 4+  |       |
| Salmon          | 2083 | 1313 | 874 | 259 | 4529  |
| Herring         | 1002 | 197  | 24  | 35  | 1258  |
| Halibut         | 21   | 54   | 81  | 147 | 303   |
| Sablefish       | 7    | 5    | 18  | 103 | 133   |
| Herring SP.ON.K | 0    | 0    | 0   | 0   | 0     |
| Rockfish        | 32   | 266  | 831 | 355 | 1484  |
| Geoduck         | 7    | 24   | 17  | 5   | 53    |
| Crab            | 122  | 93   | 64  | 73  | 352   |
| Lingcod         | 31   | 394  | 912 | 357 | 2194  |
| Shrimp          | 4    | 54   | 49  | 57  | 164   |
| Prawns          | 39   | 67   | 69  | 76  | 251   |
| Pacific cod     | 0    | 4    | 34  | 148 | 186   |
| Soles           | 0    | 1    | 3   | 87  | 91    |
| Intertidal clam | 13   | 38   | 35  | 22  | 108   |
| Abalone         | 13   | 4    | 2   | 1   | 20    |
| Dogfish         | 8    | 6    | 11  | 68  | 93    |
| Other species   | 10   | 210  | 60  | 152 | 432   |

Table 73. Combination of species landed by the various fleets for the B.C. Total - All areas 1982. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1982

| Species "I"       | Species "II" |      |     |     |   |      |    |     |      |     |     |     |    |     |    |    |     |
|-------------------|--------------|------|-----|-----|---|------|----|-----|------|-----|-----|-----|----|-----|----|----|-----|
|                   | A            | B    | C   | D   | E | F    | G  | H   | I    | J   | K   | L   | M  | N   | O  | P  | Q   |
| A Salmon          | 4529         | 208  | 203 | 47  | 0 | 1023 | 4  | 68  | 1791 | 103 | 84  | 110 | 31 | 23  | 3  | 30 | 272 |
| B Herring         | 208          | 1258 | 3   | 19  | 0 | 43   | 2  | 17  | 42   | 1   | 4   | 20  | 20 | 4   | 1  | 11 | 32  |
| C Halibut         | 203          | 3    | 303 | 54  | 0 | 159  | 0  | 17  | 206  | 8   | 13  | 21  | 5  | 3   | 0  | 17 | 29  |
| D Sablefish       | 47           | 19   | 54  | 133 | 0 | 99   | 0  | 20  | 102  | 8   | 6   | 63  | 58 | 1   | 0  | 36 | 69  |
| E Herring Sp.On.K | 0            | 0    | 0   | 0   | 0 | 0    | 0  | 0   | 0    | 0   | 0   | 0   | 0  | 0   | 0  | 0  | 0   |
| F Rockfish        | 1023         | 43   | 159 | 99  | 0 | 1484 | 2  | 104 | 1257 | 43  | 93  | 156 | 88 | 40  | 1  | 68 | 166 |
| G Geoduck         | 4            | 2    | 0   | 0   | 0 | 2    | 53 | 9   | 3    | 0   | 0   | 0   | 0  | 38  | 1  | 0  | 16  |
| H Crab            | 68           | 17   | 17  | 20  | 0 | 104  | 9  | 352 | 83   | 35  | 70  | 23  | 16 | 14  | 0  | 17 | 43  |
| I Lingcod         | 1791         | 42   | 206 | 102 | 0 | 1257 | 3  | 83  | 2194 | 63  | 87  | 164 | 74 | 29  | 1  | 64 | 152 |
| J Shrimp          | 103          | 1    | 8   | 8   | 0 | 43   | 0  | 35  | 63   | 164 | 69  | 10  | 11 | 2   | 0  | 7  | 25  |
| K Prawns          | 84           | 4    | 13  | 6   | 0 | 93   | 0  | 70  | 87   | 69  | 251 | 10  | 5  | 5   | 0  | 11 | 34  |
| L Pacific cod     | 110          | 20   | 21  | 63  | 0 | 156  | 0  | 23  | 164  | 10  | 10  | 186 | 82 | 1   | 0  | 48 | 82  |
| M Soles           | 31           | 20   | 5   | 58  | 0 | 88   | 0  | 16  | 74   | 11  | 5   | 82  | 91 | 0   | 0  | 41 | 80  |
| N Intertidal clam | 23           | 4    | 3   | 1   | 0 | 40   | 38 | 14  | 29   | 2   | 5   | 1   | 0  | 108 | 1  | 1  | 23  |
| O Abalone         | 3            | 1    | 0   | 0   | 0 | 1    | 1  | 0   | 1    | 0   | 0   | 0   | 0  | 1   | 20 | 0  | 3   |
| P Dogfish         | 30           | 11   | 17  | 36  | 0 | 68   | 0  | 17  | 64   | 7   | 11  | 48  | 41 | 1   | 0  | 93 | 50  |
| Q Other species   | 272          | 32   | 29  | 69  | 0 | 166  | 16 | 43  | 152  | 25  | 34  | 82  | 80 | 23  | 3  | 50 | 432 |

Table 74. Distribution of specialists and generalists for the Queen Charlotte Islands 1983. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1983 = 1012

| Species "I"     | N   |     |    |    | Total |
|-----------------|-----|-----|----|----|-------|
|                 | 1   | 2   | 3  | 4+ |       |
| Salmon          | 297 | 225 | 63 | 51 | 636   |
| Herring         | 193 | 27  | 2  | 2  | 224   |
| Halibut         | 65  | 42  | 52 | 32 | 191   |
| Sablefish       | 6   | 0   | 3  | 16 | 25    |
| Herring SP.ON.K | 0   | 0   | 0  | 0  | 0     |
| Rockfish        | 4   | 16  | 46 | 69 | 135   |
| Geoduck         | 0   | 0   | 0  | 0  | 0     |
| Crab            | 9   | 4   | 3  | 0  | 16    |
| Lingcod         | 1   | 185 | 90 | 75 | 351   |
| Shrimp          | 3   | 1   | 1  | 0  | 5     |
| Prawns          | 2   | 1   | 1  | 0  | 4     |
| Pacific cod     | 0   | 3   | 15 | 48 | 66    |
| Soles           | 0   | 0   | 2  | 23 | 25    |
| Intertidal clam | 0   | 0   | 0  | 0  | 0     |
| Abalone         | 8   | 1   | 0  | 0  | 9     |
| Dogfish         | 0   | 0   | 0  | 3  | 3     |
| Other species   | 1   | 3   | 1  | 23 | 28    |

Table 75. Combination of species landed by the various fleets for the Queen Charlotte Islands 1983. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1983

| Species "I"       | Species "II" |     |     |    |   |     |   |    |     |   |   |    |    |   |   |   |    |
|-------------------|--------------|-----|-----|----|---|-----|---|----|-----|---|---|----|----|---|---|---|----|
|                   | A            | B   | C   | D  | E | F   | G | H  | I   | J | K | L  | M  | N | O | P | Q  |
| A Salmon          | 636          | 28  | 75  | 3  | 0 | 73  | 0 | 3  | 281 | 0 | 1 | 40 | 0  | 0 | 1 | 0 | 2  |
| B Herring         | 28           | 224 | 1   | 1  | 0 | 2   | 0 | 0  | 4   | 0 | 0 | 2  | 2  | 0 | 0 | 0 | 1  |
| C Halibut         | 75           | 1   | 191 | 6  | 0 | 57  | 0 | 4  | 97  | 1 | 0 | 4  | 0  | 0 | 0 | 0 | 1  |
| D Sablefish       | 3            | 1   | 6   | 25 | 0 | 16  | 0 | 0  | 18  | 0 | 0 | 13 | 12 | 0 | 0 | 1 | 11 |
| E Herring Sp.On.K | 0            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 0   | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| F Rockfish        | 73           | 2   | 57  | 16 | 0 | 135 | 0 | 0  | 117 | 1 | 0 | 43 | 21 | 0 | 0 | 1 | 20 |
| G Geoduck         | 0            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 0   | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| H Crab            | 3            | 0   | 4   | 0  | 0 | 0   | 0 | 16 | 2   | 1 | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| I Lingcod         | 281          | 4   | 97  | 18 | 0 | 117 | 0 | 2  | 351 | 0 | 1 | 62 | 22 | 0 | 0 | 2 | 22 |
| J Shrimp          | 0            | 0   | 1   | 0  | 0 | 1   | 0 | 1  | 0   | 5 | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| K Prawns          | 1            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 1   | 0 | 4 | 0  | 0  | 0 | 0 | 0 | 1  |
| L Pacific cod     | 40           | 2   | 4   | 13 | 0 | 43  | 0 | 0  | 62  | 0 | 0 | 66 | 24 | 0 | 0 | 3 | 23 |
| M Soles           | 0            | 2   | 0   | 12 | 0 | 21  | 0 | 0  | 22  | 0 | 0 | 24 | 25 | 0 | 0 | 3 | 23 |
| N Intertidal clam | 0            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 0   | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| O Abalone         | 1            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 0   | 0 | 0 | 0  | 0  | 0 | 9 | 0 | 0  |
| P Dogfish         | 0            | 0   | 0   | 1  | 0 | 1   | 0 | 0  | 2   | 0 | 0 | 3  | 3  | 0 | 0 | 3 | 3  |
| Q Other species   | 2            | 1   | 1   | 11 | 0 | 20  | 0 | 0  | 22  | 0 | 1 | 23 | 23 | 0 | 0 | 3 | 28 |

Table 76. Distribution of specialists and generalists for Chatham Sound 1983. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1983 = 1485

| Species "I"     | N    |     |    |    | Total |
|-----------------|------|-----|----|----|-------|
|                 | 1    | 2   | 3  | 4+ |       |
| Salmon          | 1215 | 107 | 36 | 28 | 1386  |
| Herring         | 0    | 2   | 0  | 1  | 3     |
| Halibut         | 7    | 33  | 18 | 17 | 75    |
| Sablefish       | 2    | 1   | 2  | 9  | 14    |
| Herring SP.ON.K | 0    | 0   | 0  | 0  | 0     |
| Rockfish        | 1    | 10  | 27 | 50 | 88    |
| Geoduck         | 0    | 0   | 0  | 0  | 0     |
| Crab            | 21   | 8   | 6  | 4  | 39    |
| Lingcod         | 0    | 81  | 41 | 52 | 174   |
| Shrimp          | 2    | 6   | 4  | 5  | 17    |
| Prawns          | 3    | 2   | 5  | 3  | 13    |
| Pacific cod     | 0    | 1   | 6  | 37 | 44    |
| Soles           | 0    | 0   | 1  | 27 | 28    |
| Intertidal clam | 0    | 0   | 0  | 0  | 0     |
| Abalone         | 0    | 0   | 0  | 1  | 1     |
| Dogfish         | 0    | 0   | 0  | 5  | 5     |
| Other species   | 2    | 1   | 7  | 31 | 41    |

Table 77. Combination of species landed by the various fleets for Chatham Sound 1983. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1983

| Species "I" |                 | Species "II" |   |    |    |   |    |   |    |     |    |    |    |    |   |   |   |    |
|-------------|-----------------|--------------|---|----|----|---|----|---|----|-----|----|----|----|----|---|---|---|----|
|             |                 | A            | B | C  | D  | E | F  | G | H  | I   | J  | K  | L  | M  | N | O | P | Q  |
| A           | Salmon          | 1386         | 2 | 50 | 0  | 0 | 48 | 0 | 10 | 131 | 8  | 2  | 16 | 2  | 0 | 1 | 0 | 6  |
| B           | Herring         | 2            | 3 | 0  | 1  | 0 | 1  | 0 | 0  | 1   | 0  | 0  | 1  | 1  | 0 | 0 | 0 | 1  |
| C           | Halibut         | 50           | 0 | 75 | 0  | 0 | 25 | 0 | 5  | 36  | 2  | 2  | 3  | 0  | 0 | 1 | 0 | 4  |
| D           | Sablefish       | 0            | 1 | 0  | 14 | 0 | 10 | 0 | 0  | 9   | 0  | 1  | 10 | 9  | 0 | 0 | 4 | 10 |
| E           | Herring Sp.On.K | 0            | 0 | 0  | 0  | 0 | 0  | 0 | 0  | 0   | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| F           | Rockfish        | 48           | 1 | 25 | 10 | 0 | 88 | 0 | 2  | 80  | 3  | 2  | 35 | 25 | 0 | 0 | 5 | 28 |
| G           | Geoduck         | 0            | 0 | 0  | 0  | 0 | 0  | 0 | 0  | 0   | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| H           | Crab            | 10           | 0 | 5  | 0  | 0 | 2  | 0 | 39 | 5   | 4  | 3  | 1  | 0  | 0 | 1 | 0 | 5  |
| I           | Lingcod         | 131          | 1 | 36 | 9  | 0 | 80 | 0 | 5  | 174 | 4  | 2  | 40 | 26 | 0 | 0 | 4 | 29 |
| J           | Shrimp          | 8            | 0 | 2  | 0  | 0 | 3  | 0 | 4  | 4   | 17 | 7  | 1  | 0  | 0 | 0 | 0 | 3  |
| K           | Prawns          | 2            | 0 | 2  | 1  | 0 | 2  | 0 | 3  | 2   | 7  | 13 | 0  | 0  | 0 | 0 | 0 | 5  |
| L           | Pacific cod     | 16           | 1 | 3  | 10 | 0 | 35 | 0 | 1  | 40  | 1  | 0  | 44 | 28 | 0 | 0 | 5 | 28 |
| M           | Soles           | 2            | 1 | 0  | 9  | 0 | 25 | 0 | 0  | 26  | 0  | 0  | 28 | 28 | 0 | 0 | 5 | 28 |
| N           | Intertidal clam | 0            | 0 | 0  | 0  | 0 | 0  | 0 | 0  | 0   | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| O           | Abalone         | 1            | 0 | 1  | 0  | 0 | 0  | 0 | 1  | 0   | 0  | 0  | 0  | 0  | 0 | 1 | 0 | 0  |
| P           | Dogfish         | 0            | 0 | 0  | 4  | 0 | 5  | 0 | 0  | 4   | 0  | 0  | 5  | 5  | 0 | 0 | 5 | 5  |
| Q           | Other species   | 6            | 1 | 4  | 10 | 0 | 28 | 0 | 5  | 29  | 3  | 5  | 28 | 28 | 0 | 0 | 5 | 41 |

Table 78. Distribution of specialists and generalists for the Central Coast 1983. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1983 = 2112

| Species "I"     | N    |     |    |    | Total |
|-----------------|------|-----|----|----|-------|
|                 | 1    | 2   | 3  | 4+ |       |
| Salmon          | 1278 | 188 | 52 | 20 | 1538  |
| Herring         | 464  | 24  | 0  | 0  | 488   |
| Halibut         | 6    | 5   | 11 | 15 | 37    |
| Sablefish       | 5    | 1   | 1  | 14 | 21    |
| Herring SP.ON.K | 0    | 0   | 0  | 0  | 0     |
| Rockfish        | 2    | 14  | 48 | 45 | 109   |
| Geoduck         | 18   | 0   | 0  | 0  | 18    |
| Crab            | 6    | 2   | 1  | 0  | 9     |
| Lingcod         | 2    | 166 | 58 | 45 | 271   |
| Shrimp          | 2    | 2   | 1  | 1  | 6     |
| Prawns          | 4    | 12  | 1  | 2  | 19    |
| Pacific cod     | 0    | 0   | 1  | 25 | 26    |
| Soles           | 0    | 0   | 2  | 30 | 32    |
| Intertidal clam | 0    | 0   | 0  | 0  | 0     |
| Abalone         | 4    | 1   | 0  | 0  | 5     |
| Dogfish         | 0    | 0   | 0  | 3  | 3     |
| Other species   | 1    | 13  | 1  | 28 | 43    |

Table 79. Combination of species landed by the various fleets for the Central Coast 1983. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1983

| Species "I" |                 | Species "II" |     |    |    |   |     |    |   |     |   |    |    |    |   |   |   |    |
|-------------|-----------------|--------------|-----|----|----|---|-----|----|---|-----|---|----|----|----|---|---|---|----|
|             |                 | A            | B   | C  | D  | E | F   | G  | H | I   | J | K  | L  | M  | N | O | P | Q  |
| A           | Salmon          | 1538         | 24  | 27 | 0  | 0 | 65  | 0  | 0 | 226 | 0 | 1  | 4  | 3  | 0 | 0 | 1 | 4  |
| B           | Herring         | 24           | 488 | 0  | 0  | 0 | 0   | 0  | 0 | 0   | 0 | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| C           | Halibut         | 27           | 0   | 37 | 0  | 0 | 16  | 0  | 0 | 27  | 1 | 1  | 1  | 1  | 0 | 0 | 0 | 2  |
| D           | Sablefish       | 0            | 0   | 0  | 21 | 0 | 15  | 0  | 0 | 15  | 0 | 0  | 11 | 14 | 0 | 0 | 1 | 14 |
| E           | Herring Sp.On.K | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0 | 0   | 0 | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| F           | Rockfish        | 65           | 0   | 16 | 15 | 0 | 109 | 0  | 0 | 101 | 1 | 2  | 24 | 31 | 0 | 0 | 2 | 28 |
| G           | Geoduck         | 0            | 0   | 0  | 0  | 0 | 0   | 18 | 0 | 0   | 0 | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| H           | Crab            | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 9 | 0   | 1 | 2  | 0  | 0  | 0 | 0 | 0 | 1  |
| I           | Lingcod         | 226          | 0   | 27 | 15 | 0 | 101 | 0  | 0 | 271 | 1 | 2  | 24 | 30 | 0 | 0 | 2 | 28 |
| J           | Shrimp          | 0            | 0   | 1  | 0  | 0 | 1   | 0  | 1 | 1   | 6 | 4  | 0  | 1  | 0 | 0 | 0 | 1  |
| K           | Prawns          | 1            | 0   | 1  | 0  | 0 | 2   | 0  | 2 | 2   | 4 | 19 | 0  | 1  | 0 | 0 | 0 | 10 |
| L           | Pacific cod     | 4            | 0   | 1  | 11 | 0 | 24  | 0  | 0 | 24  | 0 | 0  | 26 | 23 | 0 | 0 | 3 | 21 |
| M           | Soles           | 3            | 0   | 1  | 14 | 0 | 31  | 0  | 0 | 30  | 1 | 1  | 23 | 32 | 0 | 0 | 3 | 26 |
| N           | Intertidal clam | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0 | 0   | 0 | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| O           | Abalone         | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0 | 0   | 0 | 0  | 0  | 0  | 0 | 5 | 0 | 1  |
| P           | Dogfish         | 1            | 0   | 0  | 1  | 0 | 2   | 0  | 0 | 2   | 0 | 0  | 3  | 3  | 0 | 0 | 3 | 2  |
| Q           | Other species   | 4            | 0   | 2  | 14 | 0 | 28  | 0  | 1 | 28  | 1 | 10 | 21 | 26 | 0 | 1 | 2 | 43 |

Table 80. Distribution of specialists and generalists for the Johnstone Strait 1983. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1983 = 2225

| Species "I"     | N    |     |     |    | Total |
|-----------------|------|-----|-----|----|-------|
|                 | 1    | 2   | 3   | 4+ |       |
| Salmon          | 1450 | 286 | 149 | 33 | 1918  |
| Herring         | 0    | 2   | 2   | 2  | 6     |
| Halibut         | 2    | 13  | 20  | 20 | 55    |
| Sablefish       | 4    | 0   | 1   | 11 | 16    |
| Herring SP.ON.K | 0    | 0   | 0   | 0  | 0     |
| Rockfish        | 35   | 122 | 171 | 60 | 388   |
| Geoduck         | 7    | 6   | 0   | 0  | 13    |
| Crab            | 27   | 15  | 19  | 9  | 70    |
| Lingcod         | 12   | 306 | 179 | 57 | 554   |
| Shrimp          | 1    | 1   | 3   | 0  | 5     |
| Prawns          | 14   | 23  | 10  | 3  | 50    |
| Pacific cod     | 0    | 0   | 2   | 28 | 30    |
| Soles           | 0    | 0   | 4   | 27 | 31    |
| Intertidal clam | 4    | 1   | 4   | 2  | 11    |
| Abalone         | 0    | 1   | 0   | 0  | 1     |
| Dogfish         | 3    | 0   | 1   | 2  | 6     |
| Other species   | 14   | 20  | 14  | 28 | 76    |

Table 81. Combination of species landed by the various fleets for the Johnstone Strait 1983. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1983

| Species "I" |                 | Species "II" |   |    |    |   |     |    |    |     |   |    |    |    |    |   |   |    |
|-------------|-----------------|--------------|---|----|----|---|-----|----|----|-----|---|----|----|----|----|---|---|----|
|             |                 | A            | B | C  | D  | E | F   | G  | H  | I   | J | K  | L  | M  | N  | O | P | Q  |
| A           | Salmon          | 1918         | 2 | 37 | 1  | 0 | 196 | 0  | 10 | 411 | 1 | 8  | 5  | 5  | 1  | 0 | 1 | 13 |
| B           | Herring         | 2            | 6 | 0  | 0  | 0 | 4   | 0  | 0  | 4   | 0 | 1  | 0  | 0  | 0  | 0 | 0 | 1  |
| C           | Halibut         | 37           | 0 | 55 | 2  | 0 | 34  | 0  | 1  | 38  | 1 | 0  | 0  | 0  | 0  | 0 | 0 | 0  |
| D           | Sablefish       | 1            | 0 | 2  | 16 | 0 | 11  | 0  | 0  | 11  | 1 | 0  | 10 | 9  | 0  | 0 | 0 | 9  |
| E           | Herring Sp.On.K | 0            | 0 | 0  | 0  | 0 | 0   | 0  | 0  | 0   | 0 | 0  | 0  | 0  | 0  | 0 | 0 | 0  |
| F           | Rockfish        | 196          | 4 | 34 | 11 | 0 | 388 | 0  | 28 | 291 | 0 | 10 | 29 | 30 | 7  | 0 | 2 | 40 |
| G           | Geoduck         | 0            | 0 | 0  | 0  | 0 | 0   | 13 | 0  | 0   | 0 | 0  | 0  | 0  | 0  | 0 | 0 | 6  |
| H           | Crab            | 10           | 0 | 1  | 0  | 0 | 28  | 0  | 70 | 21  | 0 | 17 | 1  | 1  | 1  | 0 | 0 | 2  |
| I           | Lingcod         | 411          | 4 | 38 | 11 | 0 | 291 | 0  | 21 | 554 | 0 | 4  | 25 | 24 | 6  | 0 | 3 | 34 |
| J           | Shrimp          | 1            | 0 | 1  | 1  | 0 | 0   | 0  | 0  | 0   | 5 | 2  | 0  | 0  | 0  | 0 | 0 | 2  |
| K           | Prawns          | 8            | 1 | 0  | 0  | 0 | 10  | 0  | 17 | 4   | 2 | 50 | 0  | 1  | 0  | 1 | 0 | 8  |
| L           | Pacific cod     | 5            | 0 | 0  | 10 | 0 | 29  | 0  | 1  | 25  | 0 | 0  | 30 | 29 | 0  | 0 | 2 | 25 |
| M           | Soles           | 5            | 0 | 0  | 9  | 0 | 30  | 0  | 1  | 24  | 0 | 1  | 29 | 31 | 0  | 0 | 2 | 25 |
| N           | Intertidal clam | 1            | 0 | 0  | 0  | 0 | 7   | 0  | 1  | 6   | 0 | 0  | 0  | 0  | 11 | 0 | 0 | 0  |
| O           | Abalone         | 0            | 0 | 0  | 0  | 0 | 0   | 0  | 0  | 0   | 0 | 1  | 0  | 0  | 0  | 1 | 0 | 0  |
| P           | Dogfish         | 1            | 0 | 0  | 0  | 0 | 2   | 0  | 0  | 3   | 0 | 0  | 2  | 2  | 0  | 0 | 6 | 2  |
| Q           | Other species   | 13           | 1 | 0  | 9  | 0 | 40  | 6  | 2  | 34  | 2 | 8  | 25 | 25 | 0  | 0 | 2 | 76 |

Table 82. Distribution of specialists and generalists for the Georgia Strait 1983. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1983 = 2189

| Species "I"     | N    |     |    |    | Total |
|-----------------|------|-----|----|----|-------|
|                 | 1    | 2   | 3  | 4+ |       |
| Salmon          | 1037 | 143 | 60 | 18 | 1258  |
| Herring         | 575  | 52  | 4  | 3  | 634   |
| Halibut         | 0    | 0   | 1  | 1  | 2     |
| Sablefish       | 0    | 0   | 0  | 7  | 7     |
| Herring SP.ON.K | 0    | 0   | 0  | 0  | 0     |
| Rockfish        | 26   | 116 | 77 | 48 | 267   |
| Geoduck         | 15   | 5   | 3  | 1  | 24    |
| Crab            | 41   | 22  | 11 | 10 | 84    |
| Lingcod         | 21   | 89  | 63 | 40 | 213   |
| Shrimp          | 14   | 25  | 12 | 10 | 61    |
| Prawns          | 32   | 34  | 22 | 14 | 102   |
| Pacific cod     | 2    | 5   | 9  | 31 | 47    |
| Soles           | 0    | 5   | 5  | 24 | 34    |
| Intertidal clam | 2    | 3   | 5  | 0  | 10    |
| Abalone         | 0    | 0   | 0  | 0  | 0     |
| Dogfish         | 7    | 5   | 3  | 9  | 24    |
| Other species   | 10   | 14  | 16 | 30 | 70    |

Table 83. Combination of species landed by the various fleets for the Georgia Strait 1983.

| Summary Statistics for 1983                                                 |              |     |   |   |   |     |    |    |     |    |     |    |    |    |   |    |    |
|-----------------------------------------------------------------------------|--------------|-----|---|---|---|-----|----|----|-----|----|-----|----|----|----|---|----|----|
| Number of vessels landing at least<br>Species "I" and at least Species "II" |              |     |   |   |   |     |    |    |     |    |     |    |    |    |   |    |    |
| Species "I"                                                                 | Species "II" |     |   |   |   |     |    |    |     |    |     |    |    |    |   |    |    |
|                                                                             | A            | B   | C | D | E | F   | G  | H  | I   | J  | K   | L  | M  | N  | O | P  | Q  |
| A Salmon                                                                    | 1258         | 44  | 1 | 1 | 0 | 112 | 0  | 8  | 86  | 23 | 27  | 10 | 2  | 0  | 0 | 3  | 7  |
| B Herring                                                                   | 44           | 634 | 0 | 0 | 0 | 6   | 0  | 2  | 7   | 0  | 2   | 3  | 1  | 1  | 0 | 3  | 5  |
| C Halibut                                                                   | 1            | 0   | 2 | 0 | 0 | 1   | 0  | 0  | 2   | 0  | 0   | 1  | 1  | 0  | 0 | 1  | 1  |
| D Sablefish                                                                 | 1            | 0   | 0 | 7 | 0 | 7   | 0  | 1  | 6   | 0  | 0   | 6  | 6  | 0  | 0 | 2  | 6  |
| E Herring Sp.On.K                                                           | 0            | 0   | 0 | 0 | 0 | 0   | 0  | 0  | 0   | 0  | 0   | 0  | 0  | 0  | 0 | 0  | 0  |
| F Rockfish                                                                  | 112          | 6   | 1 | 7 | 0 | 267 | 2  | 23 | 152 | 13 | 28  | 35 | 25 | 3  | 0 | 9  | 40 |
| G Geoduck                                                                   | 0            | 0   | 0 | 0 | 0 | 2   | 24 | 0  | 1   | 0  | 0   | 0  | 0  | 4  | 0 | 0  | 7  |
| H Crab                                                                      | 8            | 2   | 0 | 1 | 0 | 23  | 0  | 84 | 12  | 9  | 13  | 3  | 5  | 0  | 0 | 2  | 7  |
| I Lingcod                                                                   | 86           | 7   | 2 | 6 | 0 | 152 | 1  | 12 | 213 | 4  | 18  | 26 | 19 | 1  | 0 | 9  | 32 |
| J Shrimp                                                                    | 23           | 0   | 0 | 0 | 0 | 13  | 0  | 9  | 4   | 61 | 27  | 2  | 2  | 0  | 0 | 1  | 3  |
| K Prawns                                                                    | 27           | 2   | 0 | 0 | 0 | 28  | 0  | 13 | 18  | 27 | 102 | 3  | 0  | 1  | 0 | 1  | 5  |
| L Pacific cod                                                               | 10           | 3   | 1 | 6 | 0 | 35  | 0  | 3  | 26  | 2  | 3   | 47 | 30 | 0  | 0 | 9  | 25 |
| M Soles                                                                     | 2            | 1   | 1 | 6 | 0 | 25  | 0  | 5  | 19  | 2  | 0   | 30 | 34 | 0  | 0 | 8  | 23 |
| N Intertidal clam                                                           | 0            | 1   | 0 | 0 | 0 | 3   | 4  | 0  | 1   | 0  | 1   | 0  | 0  | 10 | 0 | 0  | 3  |
| O Abalone                                                                   | 0            | 0   | 0 | 0 | 0 | 0   | 0  | 0  | 0   | 0  | 0   | 0  | 0  | 0  | 0 | 0  | 0  |
| P Dogfish                                                                   | 3            | 3   | 1 | 2 | 0 | 9   | 0  | 2  | 9   | 1  | 1   | 9  | 8  | 0  | 0 | 24 | 8  |
| Q Other species                                                             | 7            | 5   | 1 | 6 | 0 | 40  | 7  | 7  | 32  | 3  | 5   | 25 | 23 | 3  | 0 | 8  | 70 |

Table 84. Distribution of specialists and generalists for Victoria 1983.  
Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1983 = 188

| Species "I"     | N  |    |   |    | Total |
|-----------------|----|----|---|----|-------|
|                 | 1  | 2  | 3 | 4+ |       |
| Salmon          | 40 | 1  | 0 | 1  | 42    |
| Herring         | 0  | 0  | 0 | 0  | 0     |
| Halibut         | 1  | 0  | 0 | 1  | 2     |
| Sablefish       | 0  | 0  | 0 | 14 | 14    |
| Herring SP.ON.K | 0  | 0  | 0 | 0  | 0     |
| Rockfish        | 0  | 11 | 6 | 25 | 42    |
| Geoduck         | 1  | 2  | 0 | 0  | 3     |
| Crab            | 43 | 12 | 8 | 11 | 74    |
| Lingcod         | 6  | 13 | 7 | 23 | 49    |
| Shrimp          | 3  | 7  | 3 | 4  | 17    |
| Prawns          | 3  | 3  | 1 | 2  | 9     |
| Pacific cod     | 1  | 4  | 3 | 23 | 31    |
| Soles           | 0  | 2  | 2 | 22 | 26    |
| Intertidal clam | 0  | 0  | 0 | 0  | 0     |
| Abalone         | 3  | 2  | 0 | 0  | 5     |
| Dogfish         | 1  | 1  | 1 | 1  | 4     |
| Other species   | 13 | 8  | 5 | 23 | 49    |

Table 85. Combination of species landed by the various fleets for Victoria 1983. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1983

| Species "I" |                 | Species "II" |   |   |    |   |    |   |    |    |    |   |    |    |   |   |   |    |
|-------------|-----------------|--------------|---|---|----|---|----|---|----|----|----|---|----|----|---|---|---|----|
|             |                 | A            | B | C | D  | E | F  | G | H  | I  | J  | K | L  | M  | N | O | P | Q  |
| A           | Salmon          | 42           | 0 | 0 | 1  | 0 | 1  | 0 | 0  | 2  | 0  | 0 | 1  | 1  | 0 | 0 | 0 | 1  |
| B           | Herring         | 0            | 0 | 0 | 0  | 0 | 0  | 0 | 0  | 0  | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| C           | Halibut         | 0            | 0 | 2 | 0  | 0 | 1  | 0 | 0  | 1  | 0  | 0 | 1  | 0  | 0 | 0 | 0 | 0  |
| D           | Sablefish       | 1            | 0 | 0 | 14 | 0 | 14 | 0 | 3  | 14 | 0  | 0 | 14 | 14 | 0 | 0 | 1 | 14 |
| E           | Herring Sp.On.K | 0            | 0 | 0 | 0  | 0 | 0  | 0 | 0  | 0  | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| F           | Rockfish        | 1            | 0 | 1 | 14 | 0 | 42 | 0 | 14 | 36 | 4  | 1 | 21 | 20 | 0 | 0 | 1 | 23 |
| G           | Geoduck         | 0            | 0 | 0 | 0  | 0 | 0  | 3 | 0  | 0  | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 2  |
| H           | Crab            | 0            | 0 | 0 | 3  | 0 | 14 | 0 | 74 | 14 | 12 | 5 | 7  | 7  | 0 | 0 | 1 | 12 |
| I           | Lingcod         | 2            | 0 | 1 | 14 | 0 | 36 | 0 | 14 | 49 | 3  | 1 | 21 | 18 | 0 | 0 | 1 | 22 |
| J           | Shrimp          | 0            | 0 | 0 | 0  | 0 | 4  | 0 | 12 | 3  | 17 | 4 | 0  | 0  | 0 | 0 | 0 | 2  |
| K           | Prawns          | 0            | 0 | 0 | 0  | 0 | 1  | 0 | 5  | 1  | 4  | 9 | 0  | 0  | 0 | 0 | 0 | 0  |
| L           | Pacific cod     | 1            | 0 | 1 | 14 | 0 | 21 | 0 | 7  | 21 | 0  | 0 | 31 | 26 | 0 | 0 | 3 | 23 |
| M           | Soles           | 1            | 0 | 0 | 14 | 0 | 20 | 0 | 7  | 18 | 0  | 0 | 26 | 26 | 0 | 0 | 2 | 22 |
| N           | Intertidal clam | 0            | 0 | 0 | 0  | 0 | 0  | 0 | 0  | 0  | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| O           | Abalone         | 0            | 0 | 0 | 0  | 0 | 0  | 0 | 0  | 0  | 0  | 0 | 0  | 0  | 0 | 5 | 0 | 2  |
| P           | Dogfish         | 0            | 0 | 0 | 1  | 0 | 1  | 0 | 1  | 1  | 0  | 0 | 3  | 2  | 0 | 0 | 4 | 1  |
| Q           | Other species   | 1            | 0 | 0 | 14 | 0 | 23 | 2 | 12 | 22 | 2  | 0 | 23 | 22 | 0 | 2 | 1 | 49 |

Table 86. Distribution of specialists and generalists for West Vancouver Island 1983. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1983 = 2513

| Species "I"     | N   |     |     |     | Total |
|-----------------|-----|-----|-----|-----|-------|
|                 | 1   | 2   | 3   | 4+  |       |
| Salmon          | 993 | 539 | 487 | 77  | 2096  |
| Herring         | 210 | 34  | 2   | 6   | 252   |
| Halibut         | 3   | 7   | 12  | 22  | 44    |
| Sablefish       | 11  | 3   | 3   | 30  | 47    |
| Herring SP.ON.K | 0   | 0   | 0   | 0   | 0     |
| Rockfish        | 4   | 34  | 460 | 103 | 601   |
| Geoduck         | 26  | 11  | 4   | 0   | 41    |
| Crab            | 36  | 11  | 12  | 14  | 73    |
| Lingcod         | 6   | 489 | 491 | 108 | 1094  |
| Shrimp          | 2   | 3   | 8   | 10  | 23    |
| Prawns          | 9   | 5   | 11  | 13  | 38    |
| Pacific cod     | 2   | 0   | 1   | 43  | 46    |
| Soles           | 0   | 1   | 1   | 44  | 46    |
| Intertidal clam | 0   | 3   | 4   | 0   | 7     |
| Abalone         | 0   | 0   | 0   | 0   | 0     |
| Dogfish         | 0   | 0   | 0   | 5   | 5     |
| Other species   | 10  | 24  | 25  | 76  | 135   |

Table 87. Combination of species landed by the various fleets for West Vancouver Island 1983. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1983

| Species "I" |                 | Species "II" |     |    |    |   |     |    |    |      |    |    |    |    |   |   |   |     |
|-------------|-----------------|--------------|-----|----|----|---|-----|----|----|------|----|----|----|----|---|---|---|-----|
|             |                 | A            | B   | C  | D  | E | F   | G  | H  | I    | J  | K  | L  | M  | N | O | P | Q   |
| A           | Salmon          | 2096         | 38  | 35 | 7  | 0 | 525 | 1  | 20 | 1023 | 16 | 20 | 12 | 13 | 1 | 0 | 2 | 73  |
| B           | Herring         | 38           | 252 | 0  | 2  | 0 | 6   | 0  | 1  | 7    | 0  | 0  | 5  | 5  | 0 | 0 | 1 | 4   |
| C           | Halibut         | 35           | 0   | 44 | 4  | 0 | 26  | 0  | 2  | 34   | 0  | 1  | 0  | 0  | 0 | 0 | 0 | 8   |
| D           | Sablefish       | 7            | 2   | 4  | 47 | 0 | 33  | 0  | 0  | 33   | 1  | 0  | 28 | 28 | 0 | 0 | 3 | 27  |
| E           | Herring Sp.On.K | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0   |
| F           | Rockfish        | 525          | 6   | 26 | 33 | 0 | 601 | 0  | 18 | 571  | 4  | 9  | 41 | 43 | 0 | 0 | 4 | 83  |
| G           | Geoduck         | 1            | 0   | 0  | 0  | 0 | 0   | 41 | 4  | 0    | 0  | 0  | 0  | 0  | 5 | 0 | 0 | 9   |
| H           | Crab            | 20           | 1   | 2  | 0  | 0 | 18  | 4  | 73 | 22   | 2  | 9  | 1  | 1  | 1 | 0 | 0 | 4   |
| I           | Lingcod         | 1023         | 7   | 34 | 33 | 0 | 571 | 0  | 22 | 1094 | 8  | 12 | 43 | 41 | 1 | 0 | 4 | 97  |
| J           | Shrimp          | 16           | 0   | 0  | 1  | 0 | 4   | 0  | 2  | 8    | 23 | 18 | 1  | 4  | 0 | 0 | 0 | 1   |
| K           | Prawns          | 20           | 0   | 1  | 0  | 0 | 9   | 0  | 9  | 12   | 18 | 38 | 0  | 3  | 0 | 0 | 0 | 1   |
| L           | Pacific cod     | 12           | 5   | 0  | 28 | 0 | 41  | 0  | 1  | 43   | 1  | 0  | 46 | 41 | 0 | 0 | 5 | 38  |
| M           | Soles           | 13           | 5   | 0  | 28 | 0 | 43  | 0  | 1  | 41   | 4  | 3  | 41 | 46 | 0 | 0 | 5 | 38  |
| N           | Intertidal clam | 1            | 0   | 0  | 0  | 0 | 0   | 5  | 1  | 1    | 0  | 0  | 0  | 0  | 7 | 0 | 0 | 3   |
| O           | Abalone         | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0   |
| P           | Dogfish         | 2            | 1   | 0  | 3  | 0 | 4   | 0  | 0  | 4    | 0  | 0  | 5  | 5  | 0 | 0 | 5 | 5   |
| Q           | Other species   | 73           | 4   | 8  | 27 | 0 | 83  | 9  | 4  | 97   | 1  | 1  | 38 | 38 | 3 | 0 | 5 | 135 |

Table 88. Distribution of specialists and generalists for the Fraser River 1983. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1983 = 1415

| Species "I"     | N    |     |    |    | Total |
|-----------------|------|-----|----|----|-------|
|                 | 1    | 2   | 3  | 4+ |       |
| Salmon          | 1092 | 170 | 12 | 5  | 1279  |
| Herring         | 0    | 0   | 0  | 0  | 0     |
| Halibut         | 0    | 0   | 0  | 0  | 0     |
| Sablefish       | 1    | 0   | 0  | 0  | 1     |
| Herring SP.ON.K | 0    | 0   | 0  | 0  | 0     |
| Rockfish        | 1    | 7   | 7  | 5  | 20    |
| Geoduck         | 0    | 0   | 0  | 0  | 0     |
| Crab            | 71   | 13  | 9  | 0  | 93    |
| Lingcod         | 3    | 3   | 2  | 2  | 10    |
| Shrimp          | 10   | 30  | 10 | 7  | 57    |
| Prawns          | 11   | 11  | 11 | 6  | 39    |
| Pacific cod     | 0    | 1   | 2  | 4  | 7     |
| Soles           | 0    | 0   | 1  | 5  | 6     |
| Intertidal clam | 0    | 0   | 0  | 0  | 0     |
| Abalone         | 0    | 0   | 0  | 0  | 0     |
| Dogfish         | 4    | 1   | 2  | 1  | 8     |
| Other species   | 11   | 128 | 7  | 3  | 149   |

Table 89. Combination of species landed by the various fleets for the Fraser River 1983. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1983

| Species "I"       | Species "II" |   |   |   |   |    |   |    |    |    |    |   |   |   |   |   |     |
|-------------------|--------------|---|---|---|---|----|---|----|----|----|----|---|---|---|---|---|-----|
|                   | A            | B | C | D | E | F  | G | H  | I  | J  | K  | L | M | N | O | P | Q   |
| A Salmon          | 1279         | 0 | 0 | 0 | 0 | 10 | 0 | 12 | 4  | 34 | 12 | 3 | 2 | 0 | 0 | 1 | 133 |
| B Herring         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| C Halibut         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| D Sablefish       | 0            | 0 | 0 | 1 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| E Herring Sp.On.K | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| F Rockfish        | 10           | 0 | 0 | 0 | 0 | 20 | 0 | 2  | 5  | 6  | 6  | 5 | 4 | 0 | 0 | 2 | 2   |
| G Geoduck         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| H Crab            | 12           | 0 | 0 | 0 | 0 | 2  | 0 | 93 | 0  | 4  | 7  | 0 | 0 | 0 | 0 | 1 | 5   |
| I Lingcod         | 4            | 0 | 0 | 0 | 0 | 5  | 0 | 0  | 10 | 1  | 0  | 2 | 2 | 0 | 0 | 1 | 2   |
| J Shrimp          | 34           | 0 | 0 | 0 | 0 | 6  | 0 | 4  | 1  | 57 | 20 | 3 | 4 | 0 | 0 | 0 | 3   |
| K Prawns          | 12           | 0 | 0 | 0 | 0 | 6  | 0 | 7  | 0  | 20 | 39 | 2 | 3 | 0 | 0 | 1 | 2   |
| L Pacific cod     | 3            | 0 | 0 | 0 | 0 | 5  | 0 | 0  | 2  | 3  | 2  | 7 | 3 | 0 | 0 | 1 | 3   |
| M Soles           | 2            | 0 | 0 | 0 | 0 | 4  | 0 | 0  | 2  | 4  | 3  | 3 | 6 | 0 | 0 | 1 | 3   |
| N Intertidal clam | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| O Abalone         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| P Dogfish         | 1            | 0 | 0 | 0 | 0 | 2  | 0 | 1  | 1  | 0  | 1  | 1 | 1 | 0 | 0 | 8 | 2   |
| Q Other species   | 133          | 0 | 0 | 0 | 0 | 2  | 0 | 5  | 2  | 3  | 2  | 3 | 3 | 0 | 0 | 2 | 149 |

Table 90. Distribution of specialists and generalists for B.C. Total - All areas 1983. Number of different species (N) landed by species 'I' fishermen.

Total number of vessels reporting  
landings in 1983 = 6145

| Species "I"     | N    |      |     |     | Total |
|-----------------|------|------|-----|-----|-------|
|                 | 1    | 2    | 3   | 4+  |       |
| Salmon          | 2171 | 1254 | 750 | 284 | 4459  |
| Herring         | 875  | 201  | 15  | 31  | 1122  |
| Halibut         | 21   | 68   | 85  | 142 | 316   |
| Sablefish       | 11   | 4    | 3   | 65  | 83    |
| Herring SP.ON.K | 0    | 0    | 0   | 0   | 0     |
| Rockfish        | 45   | 213  | 700 | 352 | 1310  |
| Geoduck         | 21   | 19   | 8   | 3   | 51    |
| Crab            | 132  | 95   | 62  | 80  | 369   |
| Lingcod         | 27   | 839  | 788 | 366 | 2020  |
| Shrimp          | 8    | 57   | 45  | 48  | 158   |
| Prawns          | 28   | 62   | 60  | 71  | 221   |
| Pacific cod     | 1    | 5    | 18  | 125 | 149   |
| Soles           | 0    | 1    | 2   | 88  | 91    |
| Intertidal clam | 4    | 7    | 10  | 5   | 26    |
| Abalone         | 8    | 6    | 0   | 2   | 16    |
| Dogfish         | 3    | 4    | 5   | 31  | 43    |
| Other species   | 17   | 171  | 71  | 170 | 429   |

Table 91. Combination of species landed by the various fleets for the B.C. Total - All areas 1983. Number of vessels landing at least species 'I' and species 'II'.

Summary Statistics for 1983

| Species "I" |                 | Species "II" |      |     |    |   |      |    |     |      |     |     |     |    |    |    |    |     |
|-------------|-----------------|--------------|------|-----|----|---|------|----|-----|------|-----|-----|-----|----|----|----|----|-----|
|             |                 | A            | B    | C   | D  | E | F    | G  | H   | I    | J   | K   | L   | M  | N  | O  | P  | Q   |
| A           | Salmon          | 4459         | 199  | 231 | 17 | 0 | 934  | 1  | 93  | 1690 | 94  | 98  | 80  | 28 | 3  | 3  | 14 | 257 |
| B           | Herring         | 199          | 1122 | 5   | 10 | 0 | 38   | 2  | 15  | 42   | 1   | 5   | 18  | 13 | 1  | 1  | 7  | 22  |
| C           | Halibut         | 231          | 5    | 316 | 15 | 0 | 153  | 0  | 25  | 211  | 8   | 13  | 14  | 3  | 1  | 1  | 9  | 36  |
| D           | Sablefish       | 17           | 10   | 15  | 83 | 0 | 64   | 0  | 8   | 67   | 4   | 1   | 52  | 51 | 0  | 0  | 13 | 52  |
| E           | Herring Sp.On.K | 0            | 0    | 0   | 0  | 0 | 0    | 0  | 0   | 0    | 0   | 0   | 0   | 0  | 0  | 0  | 0  | 0   |
| F           | Rockfish        | 934          | 38   | 153 | 64 | 0 | 1310 | 2  | 104 | 1112 | 36  | 69  | 122 | 86 | 11 | 0  | 32 | 178 |
| G           | Geoduck         | 1            | 2    | 0   | 0  | 0 | 2    | 51 | 6   | 2    | 0   | 0   | 0   | 0  | 8  | 1  | 0  | 22  |
| H           | Crab            | 93           | 15   | 25  | 8  | 0 | 104  | 6  | 369 | 100  | 37  | 55  | 16  | 17 | 5  | 1  | 5  | 39  |
| I           | Lingcod         | 1690         | 42   | 211 | 67 | 0 | 1112 | 2  | 100 | 2020 | 36  | 69  | 133 | 81 | 8  | 0  | 31 | 201 |
| J           | Shrimp          | 94           | 1    | 8   | 4  | 0 | 36   | 0  | 37  | 36   | 158 | 73  | 8   | 13 | 0  | 0  | 1  | 16  |
| K           | Prawns          | 98           | 5    | 13  | 1  | 0 | 69   | 0  | 55  | 69   | 73  | 221 | 7   | 8  | 1  | 1  | 3  | 29  |
| L           | Pacific cod     | 80           | 18   | 14  | 52 | 0 | 122  | 0  | 16  | 133  | 8   | 7   | 149 | 80 | 0  | 0  | 21 | 78  |
| M           | Soles           | 28           | 13   | 3   | 51 | 0 | 86   | 0  | 17  | 81   | 13  | 8   | 80  | 91 | 0  | 0  | 20 | 78  |
| N           | Intertidal clam | 3            | 1    | 1   | 0  | 0 | 11   | 8  | 5   | 8    | 0   | 1   | 0   | 0  | 26 | 0  | 0  | 6   |
| O           | Abalone         | 3            | 1    | 1   | 0  | 0 | 0    | 1  | 1   | 0    | 0   | 1   | 0   | 0  | 0  | 16 | 0  | 4   |
| P           | Dogfish         | 14           | 7    | 9   | 13 | 0 | 32   | 0  | 5   | 31   | 1   | 3   | 21  | 20 | 0  | 0  | 43 | 25  |
| Q           | Other species   | 257          | 22   | 36  | 52 | 0 | 178  | 22 | 39  | 201  | 16  | 29  | 78  | 78 | 6  | 4  | 25 | 429 |

Table 92. Distribution of specialists and generalists for the Queen Charlotte Islands 1984. Number of different species (N) landed by species 'I' fishermen.

TOTAL NUMBER OF VESSELS REPORTING  
LANDINGS IN 1984 = 1172

| SPECIES "I"     | N   |     |    |    | TOTAL |
|-----------------|-----|-----|----|----|-------|
|                 | 1   | 2   | 3  | 4+ |       |
| SALMON          | 484 | 255 | 82 | 56 | 877   |
| HERRING         | 134 | 41  | 2  | 2  | 179   |
| HALIBUT         | 39  | 40  | 52 | 69 | 200   |
| SABLEFISH       | 10  | 4   | 9  | 34 | 57    |
| HERRING SP.ON.K | 0   | 0   | 0  | 0  | 0     |
| ROCKFISH        | 3   | 6   | 61 | 83 | 153   |
| GEODUCK         | 0   | 1   | 0  | 0  | 1     |
| CRAB            | 9   | 6   | 4  | 8  | 27    |
| LINGCOD         | 2   | 203 | 95 | 94 | 394   |
| SHRIMP          | 4   | 2   | 1  | 0  | 7     |
| PRAWNS          | 0   | 1   | 3  | 0  | 4     |
| PACIFIC COD     | 0   | 1   | 3  | 35 | 39    |
| SOLES           | 1   | 1   | 4  | 19 | 25    |
| INTERTIDAL CLAM | 0   | 0   | 0  | 0  | 0     |
| ABALONE         | 2   | 2   | 1  | 0  | 5     |
| DOGFISH         | 0   | 0   | 0  | 1  | 1     |
| OTHER SPECIES   | 2   | 1   | 1  | 20 | 24    |

Table 93. Combination of species landed by the various fleets for the Queen Charlotte Islands 1984.  
Number of vessels landing at least species 'I' and species 'II'.

SUMMARY STATISTICS FOR 1984

| SPECIES "I"       | SPECIES "II" |     |     |    |   |     |   |    |     |   |   |    |    |   |   |   |    |
|-------------------|--------------|-----|-----|----|---|-----|---|----|-----|---|---|----|----|---|---|---|----|
|                   | A            | B   | C   | D  | E | F   | G | H  | I   | J | K | L  | M  | N | O | P | Q  |
| A SALMON          | 877          | 44  | 105 | 15 | 0 | 90  | 0 | 9  | 320 | 0 | 1 | 14 | 0  | 0 | 2 | 0 | 0  |
| B HERRING         | 44           | 179 | 3   | 0  | 0 | 1   | 0 | 0  | 3   | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| C HALIBUT         | 105          | 3   | 200 | 35 | 0 | 74  | 0 | 10 | 124 | 1 | 1 | 11 | 1  | 0 | 0 | 0 | 5  |
| D SABLEFISH       | 15           | 0   | 35  | 57 | 0 | 29  | 0 | 3  | 37  | 0 | 0 | 13 | 12 | 0 | 0 | 1 | 12 |
| E HERRING SP.ON.K | 0            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 0   | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| F ROCKFISH        | 90           | 1   | 74  | 29 | 0 | 153 | 0 | 7  | 144 | 0 | 1 | 34 | 21 | 0 | 0 | 1 | 19 |
| G GEODUCK         | 0            | 0   | 0   | 0  | 0 | 0   | 1 | 0  | 0   | 0 | 0 | 0  | 0  | 0 | 1 | 0 | 0  |
| H CRAB            | 9            | 0   | 10  | 3  | 0 | 7   | 0 | 27 | 12  | 0 | 0 | 2  | 1  | 0 | 0 | 0 | 2  |
| I LINGCOD         | 320          | 3   | 124 | 37 | 0 | 144 | 0 | 12 | 394 | 0 | 1 | 36 | 21 | 0 | 1 | 1 | 20 |
| J SHRIMP          | 0            | 0   | 1   | 0  | 0 | 0   | 0 | 0  | 0   | 7 | 2 | 1  | 0  | 0 | 0 | 0 | 0  |
| K PRAWNS          | 1            | 0   | 1   | 0  | 0 | 1   | 0 | 0  | 1   | 2 | 4 | 0  | 0  | 0 | 0 | 0 | 1  |
| L PACIFIC COD     | 14           | 0   | 11  | 13 | 0 | 34  | 0 | 2  | 36  | 1 | 0 | 39 | 21 | 0 | 0 | 1 | 18 |
| M SOLES           | 0            | 0   | 1   | 12 | 0 | 21  | 0 | 1  | 21  | 0 | 0 | 21 | 25 | 0 | 0 | 1 | 17 |
| N INTERTIDAL CLAM | 0            | 0   | 0   | 0  | 0 | 0   | 0 | 0  | 0   | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| O ABALONE         | 2            | 0   | 0   | 0  | 0 | 0   | 1 | 0  | 1   | 0 | 0 | 0  | 0  | 0 | 5 | 0 | 0  |
| P DOGFISH         | 0            | 0   | 0   | 1  | 0 | 1   | 0 | 0  | 1   | 0 | 0 | 1  | 1  | 0 | 0 | 1 | 1  |
| Q OTHER SPECIES   | 0            | 0   | 5   | 12 | 0 | 19  | 0 | 2  | 20  | 0 | 1 | 18 | 17 | 0 | 0 | 1 | 24 |

Table 94. Distribution of specialists and generalists for Chatham Sound 1984. Number of different species (N) landed by species 'I' fishermen.

TOTAL NUMBER OF VESSELS REPORTING  
LANDINGS IN 1984 = 1638

| SPECIES "I"     | 1    | 2   | N<br>3 | 4+ | TOTAL |
|-----------------|------|-----|--------|----|-------|
| SALMON          | 1120 | 194 | 44     | 21 | 1379  |
| HERRING         | 153  | 63  | 2      | 5  | 223   |
| HALIBUT         | 11   | 34  | 17     | 21 | 83    |
| SABLEFISH       | 1    | 1   | 2      | 18 | 22    |
| HERRING SP.ON.K | 0    | 0   | 0      | 0  | 0     |
| ROCKFISH        | 2    | 12  | 32     | 48 | 94    |
| GEODUCK         | 7    | 1   | 0      | 0  | 8     |
| CRAB            | 18   | 8   | 4      | 7  | 37    |
| LINGCOD         | 0    | 92  | 44     | 51 | 187   |
| SHRIMP          | 1    | 6   | 2      | 5  | 14    |
| PRAWNS          | 6    | 3   | 3      | 6  | 18    |
| PACIFIC COD     | 0    | 1   | 3      | 31 | 35    |
| SOLES           | 0    | 0   | 1      | 25 | 26    |
| INTERTIDAL CLAM | 0    | 0   | 0      | 0  | 0     |
| ABALONE         | 4    | 1   | 1      | 0  | 6     |
| DOGFISH         | 0    | 0   | 0      | 3  | 3     |
| OTHER SPECIES   | 1    | 2   | 4      | 35 | 42    |

Table 95. Combination of species landed by the various fleets for Chatham Sound 1984. Number of vessels landing at least species 'I' and species 'II'.

SUMMARY STATISTICS FOR 1984

| SPECIES "I"       | SPECIES "II" |     |    |    |   |    |   |    |     |    |    |    |    |   |   |   |    |
|-------------------|--------------|-----|----|----|---|----|---|----|-----|----|----|----|----|---|---|---|----|
|                   | A            | B   | C  | D  | E | F  | G | H  | I   | J  | K  | L  | M  | N | O | P | Q  |
| A SALMON          | 1379         | 67  | 56 | 7  | 0 | 48 | 0 | 12 | 146 | 7  | 5  | 11 | 3  | 0 | 1 | 0 | 8  |
| B HERRING         | 67           | 223 | 0  | 3  | 0 | 6  | 0 | 1  | 5   | 0  | 0  | 4  | 4  | 0 | 0 | 0 | 5  |
| C HALIBUT         | 56           | 0   | 83 | 9  | 0 | 25 | 0 | 4  | 37  | 2  | 3  | 6  | 0  | 0 | 1 | 0 | 10 |
| D SABLEFISH       | 7            | 3   | 9  | 22 | 0 | 17 | 0 | 1  | 18  | 1  | 2  | 13 | 12 | 0 | 0 | 1 | 15 |
| E HERRING SP.ON.K | 0            | 0   | 0  | 0  | 0 | 0  | 0 | 0  | 0   | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| F ROCKFISH        | 48           | 6   | 25 | 17 | 0 | 94 | 0 | 7  | 81  | 4  | 4  | 31 | 24 | 0 | 0 | 3 | 35 |
| G GEODUCK         | 0            | 0   | 0  | 0  | 0 | 0  | 8 | 0  | 0   | 0  | 0  | 0  | 0  | 0 | 1 | 0 | 0  |
| H CRAB            | 12           | 1   | 4  | 1  | 0 | 7  | 0 | 37 | 8   | 2  | 4  | 1  | 0  | 0 | 0 | 0 | 6  |
| I LINGCOD         | 146          | 5   | 37 | 18 | 0 | 81 | 0 | 8  | 187 | 5  | 6  | 32 | 25 | 0 | 0 | 3 | 35 |
| J SHRIMP          | 7            | 0   | 2  | 1  | 0 | 4  | 0 | 2  | 5   | 14 | 6  | 0  | 0  | 0 | 0 | 0 | 4  |
| K PRAWNS          | 5            | 0   | 3  | 2  | 0 | 4  | 0 | 4  | 6   | 6  | 18 | 2  | 1  | 0 | 0 | 1 | 7  |
| L PACIFIC COD     | 11           | 4   | 6  | 13 | 0 | 31 | 0 | 1  | 32  | 0  | 2  | 35 | 26 | 0 | 0 | 3 | 28 |
| M SOLES           | 3            | 4   | 0  | 12 | 0 | 24 | 0 | 0  | 25  | 0  | 1  | 26 | 26 | 0 | 0 | 3 | 23 |
| N INTERTIDAL CLAM | 0            | 0   | 0  | 0  | 0 | 0  | 0 | 0  | 0   | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| O ABALONE         | 1            | 0   | 1  | 0  | 0 | 0  | 1 | 0  | 0   | 0  | 0  | 0  | 0  | 0 | 6 | 0 | 0  |
| P DOGFISH         | 0            | 0   | 0  | 1  | 0 | 3  | 0 | 0  | 3   | 0  | 1  | 3  | 3  | 0 | 0 | 3 | 2  |
| Q OTHER SPECIES   | 8            | 5   | 10 | 15 | 0 | 35 | 0 | 6  | 35  | 4  | 7  | 28 | 23 | 0 | 0 | 2 | 42 |

Table 96. Distribution of specialists and generalists for the Central Coast 1984. Number of different species (N) landed by species 'I' fishermen.

TOTAL NUMBER OF VESSELS REPORTING  
LANDINGS IN 1984 = 1754

| SPECIES "I"     | 1   | 2   | N  | 3  | 4+   | TOTAL |
|-----------------|-----|-----|----|----|------|-------|
| SALMON          | 968 | 202 | 53 | 12 | 1235 |       |
| HERRING         | 395 | 66  | 2  | 4  | 467  |       |
| HALIBUT         | 8   | 6   | 11 | 9  | 34   |       |
| SABLEFISH       | 7   | 0   | 0  | 21 | 28   |       |
| HERRING SP.ON.K | 0   | 0   | 0  | 0  | 0    |       |
| ROCKFISH        | 2   | 14  | 50 | 37 | 103  |       |
| GEODUCK         | 13  | 1   | 0  | 0  | 14   |       |
| CRAB            | 8   | 2   | 1  | 1  | 12   |       |
| LINGCOD         | 0   | 136 | 57 | 34 | 227  |       |
| SHRIMP          | 2   | 6   | 2  | 2  | 12   |       |
| PRAWNS          | 19  | 13  | 5  | 3  | 40   |       |
| PACIFIC COD     | 1   | 0   | 0  | 25 | 26   |       |
| SOLES           | 0   | 1   | 0  | 24 | 25   |       |
| INTERTIDAL CLAM | 0   | 0   | 0  | 0  | 0    |       |
| ABALONE         | 4   | 1   | 0  | 0  | 5    |       |
| DOGFISH         | 0   | 0   | 0  | 1  | 1    |       |
| OTHER SPECIES   | 0   | 6   | 2  | 26 | 34   |       |

Table 97. Combination of species landed by the various fleets for the Central Coast 1984. Number of vessels landing at least species 'I' and species 'II'.

SUMMARY STATISTICS FOR 1984

| SPECIES "I"       | SPECIES "II" |     |    |    |   |     |    |    |     |    |    |    |    |   |   |   |    |
|-------------------|--------------|-----|----|----|---|-----|----|----|-----|----|----|----|----|---|---|---|----|
|                   | A            | B   | C  | D  | E | F   | G  | H  | I   | J  | K  | L  | M  | N | O | P | Q  |
| A SALMON          | 1235         | 68  | 19 | 2  | 0 | 58  | 0  | 0  | 187 | 2  | 5  | 0  | 0  | 0 | 0 | 0 | 4  |
| B HERRING         | 68           | 467 | 0  | 3  | 0 | 4   | 0  | 0  | 5   | 0  | 1  | 3  | 4  | 0 | 0 | 0 | 3  |
| C HALIBUT         | 19           | 0   | 34 | 2  | 0 | 13  | 0  | 1  | 19  | 1  | 1  | 0  | 0  | 0 | 0 | 0 | 2  |
| D SABLEFISH       | 2            | 3   | 2  | 28 | 0 | 20  | 0  | 0  | 19  | 0  | 0  | 18 | 19 | 0 | 0 | 0 | 16 |
| E HERRING SP.ON.K | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0   | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| F ROCKFISH        | 58           | 4   | 13 | 20 | 0 | 103 | 0  | 2  | 92  | 1  | 3  | 25 | 24 | 0 | 0 | 1 | 25 |
| G GEODUCK         | 0            | 0   | 0  | 0  | 0 | 0   | 14 | 0  | 0   | 0  | 0  | 0  | 0  | 0 | 1 | 0 | 0  |
| H CRAB            | 0            | 0   | 1  | 0  | 0 | 2   | 0  | 12 | 1   | 1  | 3  | 0  | 0  | 0 | 0 | 0 | 1  |
| I LINGCOD         | 187          | 5   | 19 | 19 | 0 | 92  | 0  | 1  | 227 | 0  | 3  | 23 | 21 | 0 | 0 | 1 | 22 |
| J SHRIMP          | 2            | 0   | 1  | 0  | 0 | 1   | 0  | 1  | 0   | 12 | 9  | 0  | 0  | 0 | 0 | 0 | 4  |
| K PRAWNS          | 5            | 1   | 1  | 0  | 0 | 3   | 0  | 3  | 3   | 9  | 40 | 1  | 1  | 0 | 0 | 0 | 9  |
| L PACIFIC COD     | 0            | 3   | 0  | 18 | 0 | 25  | 0  | 0  | 23  | 0  | 1  | 26 | 23 | 0 | 0 | 1 | 21 |
| M SOLES           | 0            | 4   | 0  | 19 | 0 | 24  | 0  | 0  | 21  | 0  | 1  | 23 | 25 | 0 | 0 | 1 | 20 |
| N INTERTIDAL CLAM | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0   | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| O ABALONE         | 0            | 0   | 0  | 0  | 0 | 0   | 1  | 0  | 0   | 0  | 0  | 0  | 0  | 0 | 5 | 0 | 0  |
| P DOGFISH         | 0            | 0   | 0  | 0  | 0 | 1   | 0  | 0  | 1   | 0  | 0  | 1  | 1  | 0 | 0 | 1 | 1  |
| Q OTHER SPECIES   | 4            | 3   | 2  | 16 | 0 | 25  | 0  | 1  | 22  | 4  | 9  | 21 | 20 | 0 | 0 | 1 | 34 |

Table 98. Distribution of specialists and generalists for the Johnstone Strait 1984. Number of different species (N) landed by species 'I' fishermen.

TOTAL NUMBER OF VESSELS REPORTING  
LANDINGS IN 1984 = 1611

| SPECIES "I"     | 1   | 2   | N   | 3  | 4+   | TOTAL |
|-----------------|-----|-----|-----|----|------|-------|
| SALMON          | 946 | 166 | 120 | 33 | 1265 |       |
| HERRING         | 2   | 1   | 2   | 0  | 5    |       |
| HALIBUT         | 7   | 11  | 14  | 24 | 56   |       |
| SABLEFISH       | 3   | 1   | 1   | 9  | 14   |       |
| HERRING SP.ON.K | 0   | 0   | 0   | 0  | 0    |       |
| ROCKFISH        | 46  | 106 | 120 | 63 | 335  |       |
| GEODUCK         | 10  | 8   | 4   | 0  | 22   |       |
| CRAB            | 33  | 15  | 9   | 6  | 63   |       |
| LINGCOD         | 13  | 211 | 131 | 63 | 418  |       |
| SHRIMP          | 2   | 1   | 4   | 2  | 9    |       |
| PRAWNS          | 31  | 19  | 15  | 8  | 73   |       |
| PACIFIC COD     | 0   | 1   | 2   | 26 | 29   |       |
| SOLES           | 0   | 0   | 0   | 26 | 26   |       |
| INTERTIDAL CLAM | 0   | 0   | 4   | 1  | 5    |       |
| ABALONE         | 1   | 1   | 2   | 0  | 4    |       |
| DOGFISH         | 4   | 4   | 1   | 7  | 16   |       |
| OTHER SPECIES   | 19  | 17  | 18  | 28 | 82   |       |

Table 99. Combination of species landed by the various fleets for the Johnstone Strait 1984. Number of vessels landing at least species 'I' and species 'II'.

SUMMARY STATISTICS FOR 1984

| SPECIES "I"       | SPECIES "II" |   |    |    |   |     |    |    |     |   |    |    |    |   |   |    |    |
|-------------------|--------------|---|----|----|---|-----|----|----|-----|---|----|----|----|---|---|----|----|
|                   | A            | B | C  | D  | E | F   | G  | H  | I   | J | K  | L  | M  | N | O | P  | Q  |
| A SALMON          | 1265         | 1 | 36 | 3  | 0 | 149 | 0  | 10 | 275 | 2 | 17 | 5  | 4  | 1 | 0 | 5  | 11 |
| B HERRING         | 1            | 5 | 0  | 0  | 0 | 2   | 0  | 0  | 2   | 0 | 0  | 0  | 0  | 0 | 0 | 0  | 0  |
| C HALIBUT         | 36           | 0 | 56 | 2  | 0 | 31  | 0  | 2  | 40  | 0 | 0  | 0  | 0  | 0 | 0 | 3  | 1  |
| D SABLEFISH       | 3            | 0 | 2  | 14 | 0 | 10  | 0  | 0  | 9   | 0 | 1  | 6  | 6  | 0 | 0 | 2  | 8  |
| E HERRING SP.ON.K | 0            | 0 | 0  | 0  | 0 | 0   | 0  | 0  | 0   | 0 | 0  | 0  | 0  | 0 | 0 | 0  | 0  |
| F ROCKFISH        | 149          | 2 | 31 | 10 | 0 | 335 | 0  | 15 | 251 | 2 | 15 | 27 | 25 | 1 | 0 | 8  | 38 |
| G GEODUCK         | 0            | 0 | 0  | 0  | 0 | 0   | 22 | 0  | 0   | 0 | 0  | 0  | 0  | 3 | 1 | 0  | 12 |
| H CRAB            | 10           | 0 | 2  | 0  | 0 | 15  | 0  | 63 | 10  | 0 | 13 | 0  | 0  | 0 | 0 | 0  | 2  |
| I LINGCOD         | 275          | 2 | 40 | 9  | 0 | 251 | 0  | 10 | 418 | 2 | 12 | 28 | 26 | 1 | 0 | 8  | 38 |
| J SHRIMP          | 2            | 0 | 0  | 0  | 0 | 2   | 0  | 0  | 2   | 9 | 7  | 0  | 0  | 0 | 0 | 0  | 3  |
| K PRAWNS          | 17           | 0 | 0  | 1  | 0 | 15  | 0  | 13 | 12  | 7 | 73 | 0  | 0  | 1 | 2 | 0  | 7  |
| L PACIFIC COD     | 5            | 0 | 0  | 6  | 0 | 27  | 0  | 0  | 28  | 0 | 0  | 29 | 26 | 0 | 0 | 3  | 21 |
| M SOLES           | 4            | 0 | 0  | 6  | 0 | 25  | 0  | 0  | 26  | 0 | 0  | 26 | 26 | 0 | 0 | 3  | 21 |
| N INTERTIDAL CLAM | 1            | 0 | 0  | 0  | 0 | 1   | 3  | 0  | 1   | 0 | 1  | 0  | 0  | 5 | 0 | 0  | 4  |
| O ABALONE         | 0            | 0 | 0  | 0  | 0 | 0   | 1  | 0  | 0   | 0 | 2  | 0  | 0  | 0 | 4 | 0  | 2  |
| P DOGFISH         | 5            | 0 | 3  | 2  | 0 | 8   | 0  | 0  | 8   | 0 | 0  | 3  | 3  | 0 | 0 | 16 | 6  |
| Q OTHER SPECIES   | 11           | 0 | 1  | 8  | 0 | 38  | 12 | 2  | 38  | 3 | 7  | 21 | 21 | 4 | 2 | 6  | 82 |

Table 100. Distribution of specialists and generalists for the Georgia Strait 1984. Number of different species (N) landed by species 'I' fishermen.

| TOTAL NUMBER OF VESSELS REPORTING<br>LANDINGS IN 1984 = 2216 |     |     |    |    |       |
|--------------------------------------------------------------|-----|-----|----|----|-------|
| SPECIES "I"                                                  | N   |     |    |    | TOTAL |
|                                                              | 1   | 2   | 3  | 4+ |       |
| SALMON                                                       | 959 | 143 | 43 | 16 | 1161  |
| HERRING                                                      | 645 | 80  | 3  | 3  | 731   |
| HALIBUT                                                      | 0   | 0   | 0  | 0  | 0     |
| SABLEFISH                                                    | 1   | 0   | 0  | 6  | 7     |
| HERRING SP.ON.K                                              | 0   | 0   | 0  | 0  | 0     |
| ROCKFISH                                                     | 32  | 86  | 62 | 46 | 226   |
| GEODUCK                                                      | 13  | 5   | 3  | 0  | 21    |
| CRAB                                                         | 56  | 21  | 15 | 11 | 103   |
| LINGCOD                                                      | 19  | 59  | 51 | 34 | 163   |
| SHRIMP                                                       | 21  | 24  | 11 | 15 | 71    |
| PRAWNS                                                       | 68  | 54  | 22 | 15 | 159   |
| PACIFIC COD                                                  | 1   | 6   | 8  | 25 | 40    |
| SOLES                                                        | 0   | 2   | 5  | 23 | 30    |
| INTERTIDAL CLAM                                              | 0   | 1   | 3  | 1  | 5     |
| ABALONE                                                      | 1   | 0   | 0  | 0  | 1     |
| DOGFISH                                                      | 4   | 4   | 2  | 5  | 15    |
| OTHER SPECIES                                                | 12  | 19  | 21 | 35 | 87    |

Table 101. Combination of species landed by the various fleets for the Georgia Strait 1984. Number of vessels landing at least species 'I' and species 'II'.

SUMMARY STATISTICS FOR 1984

| SPECIES "I"       | SPECIES "II" |     |   |   |   |     |    |     |     |    |     |    |    |   |   |    |    |
|-------------------|--------------|-----|---|---|---|-----|----|-----|-----|----|-----|----|----|---|---|----|----|
|                   | A            | B   | C | D | E | F   | G  | H   | I   | J  | K   | L  | M  | N | O | P  | Q  |
| A SALMON          | 1161         | 77  | 0 | 0 | 0 | 71  | 0  | 7   | 46  | 19 | 38  | 10 | 4  | 0 | 0 | 1  | 12 |
| B HERRING         | 77           | 731 | 0 | 1 | 0 | 2   | 1  | 2   | 3   | 0  | 1   | 2  | 2  | 0 | 0 | 2  | 7  |
| C HALIBUT         | 0            | 0   | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0  | 0   | 0  | 0  | 0 | 0 | 0  | 0  |
| D SABLEFISH       | 0            | 1   | 0 | 7 | 0 | 6   | 0  | 0   | 4   | 0  | 1   | 6  | 6  | 0 | 0 | 1  | 6  |
| E HERRING SP.ON.K | 0            | 0   | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0  | 0   | 0  | 0  | 0 | 0 | 0  | 0  |
| F ROCKFISH        | 71           | 2   | 0 | 6 | 0 | 226 | 1  | 22  | 127 | 18 | 30  | 30 | 23 | 1 | 0 | 6  | 49 |
| G GEODUCK         | 0            | 1   | 0 | 0 | 0 | 1   | 21 | 0   | 0   | 0  | 0   | 0  | 0  | 4 | 0 | 0  | 5  |
| H CRAB            | 7            | 2   | 0 | 0 | 0 | 22  | 0  | 103 | 17  | 7  | 18  | 3  | 4  | 0 | 0 | 0  | 12 |
| I LINGCOD         | 46           | 3   | 0 | 4 | 0 | 127 | 0  | 17  | 163 | 9  | 12  | 19 | 16 | 1 | 0 | 3  | 38 |
| J SHRIMP          | 19           | 0   | 0 | 0 | 0 | 18  | 0  | 7   | 9   | 71 | 32  | 2  | 4  | 1 | 0 | 0  | 9  |
| K PRAWNS          | 38           | 1   | 0 | 1 | 0 | 30  | 0  | 18  | 12  | 32 | 159 | 3  | 4  | 0 | 0 | 1  | 12 |
| L PACIFIC COQ     | 10           | 2   | 0 | 6 | 0 | 30  | 0  | 3   | 19  | 2  | 3   | 40 | 25 | 1 | 0 | 6  | 22 |
| M SOLES           | 4            | 2   | 0 | 6 | 0 | 23  | 0  | 4   | 16  | 4  | 4   | 25 | 30 | 1 | 0 | 5  | 21 |
| N INTERTIDAL CLAM | 0            | 0   | 0 | 0 | 0 | 1   | 4  | 0   | 1   | 1  | 0   | 1  | 1  | 5 | 0 | 0  | 4  |
| O ABALONE         | 0            | 0   | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0  | 0   | 0  | 0  | 0 | 1 | 0  | 0  |
| P DOGFISH         | 1            | 2   | 0 | 1 | 0 | 6   | 0  | 0   | 3   | 0  | 1   | 6  | 5  | 0 | 0 | 15 | 6  |
| Q OTHER SPECIES   | 12           | 7   | 0 | 6 | 0 | 49  | 5  | 12  | 38  | 9  | 12  | 22 | 21 | 4 | 0 | 6  | 87 |

Table 102. Distribution of specialists and generalists for Victoria 1984.  
Number of different species (N) landed by species 'I' fishermen.

TOTAL NUMBER OF VESSELS REPORTING  
LANDINGS IN 1984 = 547

| SPECIES "I"     | 1   | 2  | N  | 3  | 4+  | TOTAL |
|-----------------|-----|----|----|----|-----|-------|
| SALMON          | 368 | 6  | 2  | 2  | 378 |       |
| HERRING         | 0   | 0  | 0  | 0  | 0   |       |
| HALIBUT         | 0   | 1  | 0  | 2  | 3   |       |
| SABLEFISH       | 0   | 0  | 1  | 4  | 5   |       |
| HERRING SP.ON.K | 0   | 0  | 0  | 0  | 0   |       |
| ROCKFISH        | 5   | 19 | 15 | 23 | 62  |       |
| GEODUCK         | 8   | 7  | 0  | 0  | 15  |       |
| CRAB            | 48  | 19 | 12 | 4  | 83  |       |
| LINGCOD         | 1   | 19 | 13 | 23 | 56  |       |
| SHRIMP          | 3   | 7  | 2  | 2  | 14  |       |
| PRAWNS          | 4   | 1  | 0  | 1  | 6   |       |
| PACIFIC COD     | 2   | 3  | 2  | 19 | 26  |       |
| SOLES           | 0   | 1  | 1  | 19 | 21  |       |
| INTERTIDAL CLAM | 0   | 0  | 0  | 0  | 0   |       |
| ABALONE         | 3   | 1  | 0  | 1  | 5   |       |
| DOGFISH         | 0   | 0  | 0  | 3  | 3   |       |
| OTHER SPECIES   | 12  | 18 | 3  | 22 | 55  |       |

Table 103. Combination of species landed by the various fleets for Victoria 1984. Number of vessels landing at least species 'I' and species 'II'.

SUMMARY STATISTICS FOR 1984

| SPECIES "I"       | SPECIES "II" |   |   |   |   |    |    |    |    |    |   |    |    |   |   |   |    |
|-------------------|--------------|---|---|---|---|----|----|----|----|----|---|----|----|---|---|---|----|
|                   | A            | B | C | D | E | F  | G  | H  | I  | J  | K | L  | M  | N | O | P | Q  |
| A SALMON          | 378          | 0 | 1 | 0 | 0 | 6  | 0  | 0  | 5  | 1  | 0 | 0  | 1  | 0 | 0 | 0 | 5  |
| B HERRING         | 0            | 0 | 0 | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| C HALIBUT         | 1            | 0 | 3 | 0 | 0 | 2  | 0  | 1  | 2  | 0  | 0 | 1  | 0  | 0 | 0 | 0 | 1  |
| D SABLEFISH       | 0            | 0 | 0 | 5 | 0 | 4  | 0  | 1  | 5  | 0  | 0 | 4  | 5  | 0 | 0 | 1 | 4  |
| E HERRING SP.ON.K | 0            | 0 | 0 | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| F ROCKFISH        | 6            | 0 | 2 | 4 | 0 | 62 | 0  | 19 | 44 | 3  | 1 | 19 | 17 | 0 | 1 | 3 | 24 |
| G GEODUCK         | 0            | 0 | 0 | 0 | 0 | 0  | 15 | 0  | 0  | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 7  |
| H CRAB            | 0            | 0 | 1 | 1 | 0 | 19 | 0  | 83 | 16 | 8  | 0 | 1  | 1  | 0 | 1 | 0 | 11 |
| I LINGCOD         | 5            | 0 | 2 | 5 | 0 | 44 | 0  | 16 | 56 | 3  | 1 | 20 | 18 | 0 | 1 | 3 | 21 |
| J SHRIMP          | 1            | 0 | 0 | 0 | 0 | 3  | 0  | 8  | 3  | 14 | 1 | 0  | 1  | 0 | 0 | 0 | 2  |
| K PRAWNS          | 0            | 0 | 0 | 0 | 0 | 1  | 0  | 0  | 1  | 1  | 6 | 0  | 0  | 0 | 1 | 0 | 0  |
| L PACIFIC COD     | 0            | 0 | 1 | 4 | 0 | 19 | 0  | 1  | 20 | 0  | 0 | 26 | 19 | 0 | 0 | 3 | 18 |
| M SOLES           | 1            | 0 | 0 | 5 | 0 | 17 | 0  | 1  | 18 | 1  | 0 | 19 | 21 | 0 | 0 | 3 | 18 |
| N INTERTIDAL CLAM | 0            | 0 | 0 | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0 | 0  | 0  | 0 | 0 | 0 | 0  |
| O ABALONE         | 0            | 0 | 0 | 0 | 0 | 1  | 0  | 1  | 1  | 0  | 1 | 0  | 0  | 0 | 5 | 0 | 1  |
| P DOGFISH         | 0            | 0 | 0 | 1 | 0 | 3  | 0  | 0  | 3  | 0  | 0 | 3  | 3  | 0 | 0 | 3 | 3  |
| Q OTHER SPECIES   | 5            | 0 | 1 | 4 | 0 | 24 | 7  | 11 | 21 | 2  | 0 | 18 | 18 | 0 | 1 | 3 | 55 |

Table 104. Distribution of specialists and generalists for West Vancouver Island 1984. Number of different species (N) landed by species 'I' fishermen.

TOTAL NUMBER OF VESSELS REPORTING  
LANDINGS IN 1984 = 2772

| SPECIES "I"     | 1    | 2   | N<br>3 | 4+ | TOTAL |
|-----------------|------|-----|--------|----|-------|
| SALMON          | 1359 | 635 | 421    | 50 | 2465  |
| HERRING         | 121  | 69  | 4      | 7  | 201   |
| HALIBUT         | 4    | 3   | 11     | 24 | 42    |
| SABLEFISH       | 6    | 2   | 4      | 39 | 51    |
| HERRING SP.ON.K | 0    | 0   | 0      | 0  | 0     |
| ROCKFISH        | 4    | 35  | 409    | 79 | 527   |
| GEODUCK         | 20   | 5   | 0      | 0  | 25    |
| CRAB            | 37   | 10  | 11     | 14 | 72    |
| LINGCOD         | 5    | 542 | 427    | 90 | 1064  |
| SHRIMP          | 1    | 5   | 6      | 10 | 22    |
| PRAWNS          | 9    | 16  | 6      | 12 | 43    |
| PACIFIC COD     | 0    | 0   | 2      | 40 | 42    |
| SOLES           | 0    | 0   | 1      | 44 | 45    |
| INTERTIDAL CLAM | 0    | 0   | 1      | 1  | 2     |
| ABALONE         | 1    | 1   | 0      | 0  | 2     |
| DOGFISH         | 0    | 0   | 0      | 5  | 5     |
| OTHER SPECIES   | 6    | 19  | 8      | 42 | 75    |

Table 105. Combination of species landed by the various fleets for West Vancouver Island 1984. Number of vessels landing at least species 'I' and species 'II'.

SUMMARY STATISTICS FOR 1984

| SPECIES "I"       | SPECIES "II" |     |    |    |   |     |    |    |      |    |    |    |    |   |   |   |    |
|-------------------|--------------|-----|----|----|---|-----|----|----|------|----|----|----|----|---|---|---|----|
|                   | A            | B   | C  | D  | E | F   | G  | H  | I    | J  | K  | L  | M  | N | O | P | Q  |
| A SALMON          | 2465         | 73  | 33 | 7  | 0 | 454 | 0  | 20 | 994  | 16 | 22 | 5  | 6  | 2 | 0 | 0 | 18 |
| B HERRING         | 73           | 201 | 0  | 5  | 0 | 9   | 0  | 1  | 7    | 0  | 0  | 4  | 6  | 0 | 0 | 0 | 8  |
| C HALIBUT         | 33           | 0   | 42 | 2  | 0 | 26  | 0  | 4  | 35   | 0  | 2  | 0  | 0  | 0 | 0 | 1 | 2  |
| D SABLEFISH       | 7            | 5   | 2  | 51 | 0 | 40  | 0  | 1  | 44   | 1  | 0  | 34 | 36 | 0 | 0 | 3 | 31 |
| E HERRING SP.ON.K | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 0  |
| F ROCKFISH        | 454          | 9   | 26 | 40 | 0 | 527 | 0  | 17 | 491  | 3  | 4  | 37 | 41 | 1 | 0 | 5 | 51 |
| G GEODUCK         | 0            | 0   | 0  | 0  | 0 | 0   | 25 | 0  | 0    | 0  | 0  | 0  | 0  | 0 | 0 | 0 | 5  |
| H CRAB            | 20           | 1   | 4  | 1  | 0 | 17  | 0  | 72 | 24   | 1  | 8  | 1  | 2  | 1 | 0 | 0 | 1  |
| I LINGCOD         | 994          | 7   | 35 | 44 | 0 | 491 | 0  | 24 | 1064 | 15 | 17 | 39 | 43 | 2 | 0 | 5 | 42 |
| J SHRIMP          | 16           | 0   | 0  | 1  | 0 | 3   | 0  | 1  | 15   | 22 | 10 | 2  | 3  | 0 | 0 | 0 | 3  |
| K PRAWNS          | 22           | 0   | 2  | 0  | 0 | 4   | 0  | 8  | 17   | 10 | 43 | 0  | 0  | 0 | 1 | 0 | 3  |
| L PACIFIC COD     | 5            | 4   | 0  | 34 | 0 | 37  | 0  | 1  | 39   | 2  | 0  | 42 | 41 | 0 | 0 | 3 | 35 |
| M SOLES           | 6            | 6   | 0  | 36 | 0 | 41  | 0  | 2  | 43   | 3  | 0  | 41 | 45 | 0 | 0 | 3 | 35 |
| N INTERTIDAL CLAM | 2            | 0   | 0  | 0  | 0 | 1   | 0  | 1  | 2    | 0  | 0  | 0  | 0  | 2 | 0 | 0 | 0  |
| O ABALONE         | 0            | 0   | 0  | 0  | 0 | 0   | 0  | 0  | 0    | 0  | 1  | 0  | 0  | 0 | 2 | 0 | 0  |
| P DOGFISH         | 0            | 0   | 1  | 3  | 0 | 5   | 0  | 0  | 5    | 0  | 0  | 3  | 3  | 0 | 0 | 5 | 5  |
| Q OTHER SPECIES   | 18           | 8   | 2  | 31 | 0 | 51  | 5  | 1  | 42   | 3  | 3  | 35 | 35 | 0 | 0 | 5 | 75 |

Table 106. Distribution of specialists and generalists for the Fraser River 1984. Number of different species (N) landed by species 'I' fishermen.

TOTAL NUMBER OF VESSELS REPORTING  
LANDINGS IN 1984 = 1352

| SPECIES "I"     | 1   | 2   | N<br>3 | 4+ | TOTAL |
|-----------------|-----|-----|--------|----|-------|
| SALMON          | 939 | 223 | 21     | 3  | 1186  |
| HERRING         | 0   | 0   | 0      | 0  | 0     |
| HALIBUT         | 0   | 0   | 0      | 0  | 0     |
| SABLEFISH       | 0   | 0   | 0      | 2  | 2     |
| HERRING SP.ON.K | 0   | 0   | 0      | 0  | 0     |
| ROCKFISH        | 2   | 4   | 3      | 6  | 15    |
| GEODUCK         | 0   | 0   | 0      | 0  | 0     |
| CRAB            | 103 | 12  | 8      | 2  | 125   |
| LINGCOD         | 0   | 3   | 2      | 3  | 8     |
| SHRIMP          | 12  | 33  | 13     | 6  | 64    |
| PRAWNS          | 17  | 15  | 9      | 6  | 47    |
| PACIFIC COD     | 0   | 1   | 2      | 3  | 6     |
| SOLES           | 0   | 1   | 1      | 3  | 5     |
| INTERTIDAL CLAM | 0   | 0   | 0      | 0  | 0     |
| ABALONE         | 0   | 0   | 0      | 0  | 0     |
| DOGFISH         | 4   | 1   | 0      | 0  | 5     |
| OTHER SPECIES   | 8   | 179 | 10     | 5  | 202   |

Table 107. Combination of species landed by the various fleets for the Fraser River 1984. Number of vessels landing at least species 'I' and species 'II'.

SUMMARY STATISTICS FOR 1984

| SPECIES "I"       | SPECIES "II" |   |   |   |   |    |   |     |   |    |    |   |   |   |   |   |     |
|-------------------|--------------|---|---|---|---|----|---|-----|---|----|----|---|---|---|---|---|-----|
|                   | A            | B | C | D | E | F  | G | H   | I | J  | K  | L | M | N | O | P | Q   |
| A SALMON          | 1186         | 0 | 0 | 0 | 0 | 6  | 0 | 15  | 5 | 40 | 17 | 2 | 1 | 0 | 0 | 0 | 188 |
| B HERRING         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| C HALIBUT         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| D SABLEFISH       | 0            | 0 | 0 | 2 | 0 | 2  | 0 | 1   | 1 | 2  | 1  | 1 | 1 | 0 | 0 | 0 | 2   |
| E HERRING SP.ON.K | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| F ROCKFISH        | 6            | 0 | 0 | 2 | 0 | 15 | 0 | 3   | 4 | 5  | 4  | 3 | 3 | 0 | 0 | 0 | 5   |
| G GEODUCK         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| H CRAB            | 15           | 0 | 0 | 1 | 0 | 3  | 0 | 125 | 0 | 3  | 5  | 0 | 1 | 0 | 0 | 0 | 9   |
| I LINGCOD         | 5            | 0 | 0 | 1 | 0 | 4  | 0 | 0   | 8 | 2  | 1  | 3 | 2 | 0 | 0 | 0 | 2   |
| J SHRIMP          | 40           | 0 | 0 | 2 | 0 | 5  | 0 | 3   | 2 | 64 | 20 | 3 | 2 | 0 | 0 | 0 | 6   |
| K PRAWNS          | 17           | 0 | 0 | 1 | 0 | 4  | 0 | 5   | 1 | 20 | 47 | 1 | 1 | 0 | 0 | 0 | 4   |
| L PACIFIC COD     | 2            | 0 | 0 | 1 | 0 | 3  | 0 | 0   | 3 | 3  | 1  | 6 | 3 | 0 | 0 | 0 | 2   |
| M SOLES           | 1            | 0 | 0 | 1 | 0 | 3  | 0 | 1   | 2 | 2  | 1  | 3 | 5 | 0 | 0 | 0 | 2   |
| N INTERTIDAL CLAM | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| O ABALONE         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0   |
| P DOGFISH         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 5 | 1   |
| Q OTHER SPECIES   | 188          | 0 | 0 | 2 | 0 | 5  | 0 | 9   | 2 | 6  | 4  | 2 | 2 | 0 | 0 | 1 | 202 |

Table 108. Distribution of specialists and generalists for the B.C. Total - All areas 1984. Number of different species (N) landed by species 'I' fishermen.

TOTAL NUMBER OF VESSELS REPORTING  
LANDINGS IN 1984 = 5939

| SPECIES "I"     | 1    | 2    | N<br>3 | 4+  | TOTAL |
|-----------------|------|------|--------|-----|-------|
| SALMON          | 2022 | 1259 | 688    | 283 | 4252  |
| HERRING         | 846  | 174  | 25     | 31  | 1076  |
| HALIBUT         | 21   | 72   | 79     | 173 | 345   |
| SABLEFISH       | 9    | 5    | 9      | 98  | 121   |
| HERRING SP.ON.K | 0    | 0    | 0      | 0   | 0     |
| ROCKFISH        | 62   | 198  | 599    | 350 | 1209  |
| GEODUCK         | 12   | 24   | 7      | 1   | 44    |
| CRAB            | 153  | 91   | 72     | 71  | 387   |
| LINGCOD         | 23   | 820  | 686    | 376 | 1905  |
| SHRIMP          | 4    | 60   | 42     | 57  | 163   |
| PRAWNS          | 52   | 90   | 80     | 88  | 310   |
| PACIFIC COD     | 0    | 4    | 9      | 109 | 122   |
| SOLES           | 0    | 2    | 3      | 83  | 88    |
| INTERTIDAL CLAM | 0    | 1    | 5      | 4   | 10    |
| ABALONE         | 6    | 3    | 5      | 2   | 16    |
| DOGFISH         | 2    | 5    | 5      | 26  | 38    |
| OTHER SPECIES   | 21   | 222  | 59     | 148 | 450   |

Table 109. Combination of species landed by the various fleets for the B.C. Total - All areas 1984.  
Number of vessels landing at least species 'I' and species 'II'.

SUMMARY STATISTICS FOR 1984

| SPECIES "I"       | SPECIES "II" |      |     |     |   |      |    |     |      |     |     |     |    |    |    |    |     |
|-------------------|--------------|------|-----|-----|---|------|----|-----|------|-----|-----|-----|----|----|----|----|-----|
|                   | A            | B    | C   | D   | E | F    | G  | H   | I    | J   | K   | L   | M  | N  | O  | P  | Q   |
| A SALMON          | 4252         | 191  | 269 | 43  | 0 | 819  | 0  | 100 | 1583 | 105 | 157 | 52  | 21 | 3  | 3  | 11 | 261 |
| B HERRING         | 191          | 1076 | 6   | 14  | 0 | 34   | 3  | 17  | 39   | 0   | 3   | 15  | 15 | 0  | 1  | 4  | 29  |
| C HALIBUT         | 269          | 6    | 345 | 49  | 0 | 164  | 0  | 30  | 239  | 7   | 16  | 20  | 2  | 0  | 1  | 9  | 29  |
| D SABLEFISH       | 43           | 14   | 49  | 121 | 0 | 87   | 0  | 8   | 99   | 5   | 6   | 61  | 58 | 0  | 1  | 14 | 66  |
| E HERRING SP.ON.K | 0            | 0    | 0   | 0   | 0 | 0    | 0  | 0   | 0    | 0   | 0   | 0   | 0  | 0  | 0  | 0  | 0   |
| F ROCKFISH        | 819          | 34   | 164 | 87  | 0 | 1209 | 1  | 98  | 1018 | 41  | 89  | 110 | 81 | 4  | 1  | 30 | 161 |
| G GEODUCK         | 0            | 3    | 0   | 0   | 0 | 1    | 44 | 0   | 0    | 0   | 0   | 0   | 0  | 5  | 2  | 0  | 30  |
| H CRAB            | 100          | 17   | 30  | 8   | 0 | 98   | 0  | 387 | 105  | 22  | 56  | 9   | 9  | 1  | 1  | 1  | 45  |
| I LINGCOD         | 1583         | 39   | 239 | 99  | 0 | 1018 | 0  | 105 | 1905 | 52  | 102 | 108 | 79 | 4  | 3  | 27 | 154 |
| J SHRIMP          | 105          | 0    | 7   | 5   | 0 | 41   | 0  | 22  | 52   | 163 | 77  | 8   | 9  | 1  | 0  | 0  | 27  |
| K PRAWNS          | 157          | 3    | 16  | 6   | 0 | 89   | 0  | 56  | 102  | 77  | 310 | 7   | 6  | 1  | 2  | 2  | 38  |
| L PACIFIC COD     | 52           | 15   | 20  | 61  | 0 | 110  | 0  | 9   | 108  | 8   | 7   | 122 | 79 | 1  | 0  | 17 | 83  |
| M SOLES           | 21           | 15   | 2   | 58  | 0 | 81   | 0  | 9   | 79   | 9   | 6   | 79  | 88 | 1  | 0  | 16 | 77  |
| N INTERTIDAL CLAM | 3            | 0    | 0   | 0   | 0 | 4    | 5  | 1   | 4    | 1   | 1   | 1   | 1  | 10 | 0  | 0  | 6   |
| O ABALONE         | 3            | 1    | 1   | 1   | 0 | 1    | 2  | 1   | 3    | 0   | 2   | 0   | 0  | 0  | 16 | 0  | 5   |
| P DOGFISH         | 11           | 4    | 9   | 14  | 0 | 30   | 0  | 1   | 27   | 0   | 2   | 17  | 16 | 0  | 0  | 38 | 22  |
| Q OTHER SPECIES   | 261          | 29   | 29  | 66  | 0 | 161  | 30 | 45  | 154  | 27  | 38  | 83  | 77 | 6  | 5  | 22 | 450 |

Table 110. Trends in fleet size 1979-84.

| Species     | No. of Vessels |         | Trend<br>(-, 0, +) |
|-------------|----------------|---------|--------------------|
|             | Minimum        | Maximum |                    |
| Abalone     | 16             | 25      | -                  |
| Clam        | 10             | 152     | -                  |
| Crab        | 316            | 387     | +                  |
| Dogfish     | 38             | 376     | -                  |
| Geoduck     | 44             | 74      | -                  |
| Halibut     | 303            | 370     | -                  |
| Herring     | 757            | 1573    | -                  |
| Lingcod     | 1905           | 2619    | -                  |
| Pacific cod | 122            | 376     | -                  |
| Prawns      | 221            | 318     | -                  |
| Rockfish    | 1209           | 2018    | -                  |
| Sablefish   | 83             | 286     | -                  |
| Salmon      | 4252           | 4782    | -                  |
| Shrimp      | 156            | 164     | 0                  |
| Soles       | 88             | 143     | -                  |

Table 111. Number of specialists and generalists in the British Columbia fishing industry.

| Year | Specialists | Generalists<br>(%) | Total |
|------|-------------|--------------------|-------|
| 1979 | 3227        | 3752<br>(54)       | 6949  |
| 1980 | 2791        | 3473<br>(55)       | 6264  |
| 1981 | 3461        | 3205<br>(48)       | 6666  |
| 1982 | 3382        | 3050<br>(47)       | 6432  |
| 1983 | 3353        | 2792<br>(45)       | 6145  |
| 1984 | 3212        | 2727<br>(46)       | 5939  |

Table 112. Dynamics of the Abalone fleet and contribution of the dedicated<sup>a</sup> fleet.

| BC Total - All Areas<br>SPECIES OF INTEREST - ABALONE |                       |    |
|-------------------------------------------------------|-----------------------|----|
| No. of Years of<br>Active Participation<br>1979-84    | No. of active vessels |    |
|                                                       | n                     | %  |
| 1                                                     | 22                    | 42 |
| 2                                                     | 13                    | 25 |
| 3                                                     | 4                     | 7  |
| 4                                                     | 5                     | 9  |
| 5                                                     | 1                     | 1  |
| 6                                                     | 7                     | 13 |
| TOTAL                                                 | 52                    |    |

| No. of Active Vessels |     |     |          |       |
|-----------------------|-----|-----|----------|-------|
| YEAR                  | OLD | NEW | DEPARTED | TOTAL |
| 1979                  |     |     |          | 25    |
| 1980                  | 18  | 6   | 7        | 24    |
| 1981                  | 18  | 8   | 6        | 26    |
| 1982                  | 14  | 6   | 12       | 20    |
| 1983                  | 12  | 4   | 8        | 16    |
| 1984                  | 11  | 5   | 5        | 16    |

Number of years active participation  
in any fishery for vessels landing  
abalone in only one year

No. of Active Vessels

| YRS | N | %  |
|-----|---|----|
| 1   | 3 | 13 |
| 2   | 2 | 9  |
| 3   | 2 | 9  |
| 4   | 2 | 9  |
| 5   | 5 | 22 |
| 6   | 8 | 36 |

WEIGHT (t) LANDED BY DEDICATED<sup>a</sup> FLEET

| YEAR | TOTAL | DEDICATED <sup>a</sup> | PERCENT |
|------|-------|------------------------|---------|
| 1979 | 179.2 | 48.8                   | 27      |
| 1980 | 93.1  | 29.2                   | 31      |
| 1981 | 78.7  | 27.2                   | 34      |
| 1982 | 61.0  | 18.6                   | 30      |
| 1983 | 60.7  | 19.2                   | 31      |
| 1984 | 58.5  | 20.8                   | 35      |

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 113. Dynamics of the Intertidal clam fleet and contribution of the dedicated<sup>a</sup> fleet.

| BC Total - All Areas<br>SPECIES OF INTEREST - INTERTIDAL CLAM |                       |    |
|---------------------------------------------------------------|-----------------------|----|
| No. of Years of<br>Active Participation<br>1979-84            | No. of active vessels |    |
|                                                               | n                     | %  |
| 1                                                             | 298                   | 75 |
| 2                                                             | 59                    | 15 |
| 3                                                             | 29                    | 7  |
| 4                                                             | 7                     | 1  |
| 5                                                             | 0                     | 0  |
| 6                                                             | 0                     | 0  |
| TOTAL                                                         | 393                   |    |

| No. of Active Vessels |     |     |          |       |
|-----------------------|-----|-----|----------|-------|
| YEAR                  | OLD | NEW | DEPARTED | TOTAL |
| 1979                  |     |     |          | 117   |
| 1980                  | 36  | 116 | 81       | 152   |
| 1981                  | 31  | 87  | 121      | 118   |
| 1982                  | 33  | 75  | 85       | 108   |
| 1983                  | 13  | 13  | 95       | 26    |
| 1984                  | 1   | 9   | 25       | 10    |

Number of years active participation  
in any fishery for vessels landing  
Intertidal Clam in only one year

| No. of Active Vessels |     |    |
|-----------------------|-----|----|
| YRS                   | N   | %  |
| 1                     | 30  | 10 |
| 2                     | 34  | 11 |
| 3                     | 33  | 11 |
| 4                     | 29  | 9  |
| 5                     | 38  | 12 |
| 6                     | 134 | 44 |

NO DEDICATED<sup>a</sup> FLEET

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 114. Dynamics of the Crab fleet and contribution of the dedicated fleet.

BC Total - All Areas  
SPECIES OF INTEREST - CRAB

| No. of Years of<br>Active Participation<br>1979-84 | No. of active vessels |    |
|----------------------------------------------------|-----------------------|----|
|                                                    | n                     | %  |
| 1                                                  | 506                   | 51 |
| 2                                                  | 196                   | 19 |
| 3                                                  | 106                   | 10 |
| 4                                                  | 63                    | 6  |
| 5                                                  | 56                    | 5  |
| 6                                                  | 64                    | 6  |
| TOTAL                                              | 991                   |    |

No. of Active Vessels

| YEAR | OLD | NEW | DEPARTED | TOTAL |
|------|-----|-----|----------|-------|
| 1979 |     |     |          | 316   |
| 1980 | 179 | 164 | 137      | 343   |
| 1981 | 197 | 169 | 146      | 366   |
| 1982 | 207 | 145 | 158      | 352   |
| 1983 | 201 | 168 | 151      | 369   |
| 1984 | 220 | 167 | 149      | 387   |

Number of years active participation  
in any fishery for vessels landing  
Crab in only one year

No. of active vessels

| YRS | N   | %  |
|-----|-----|----|
| 1   | 109 | 21 |
| 2   | 55  | 10 |
| 3   | 54  | 10 |
| 4   | 47  | 9  |
| 5   | 60  | 11 |
| 6   | 181 | 35 |

WEIGHT (t) LANDED BY DEDICATED<sup>a</sup> FLEET

| YEAR | TOTAL  | DEDICATED <sup>a</sup> | PERCENT |
|------|--------|------------------------|---------|
| 1979 | 1181.9 | 611.5                  | 51      |
| 1980 | 1733.7 | 927.5                  | 53      |
| 1981 | 1317.6 | 572.7                  | 43      |
| 1982 | 892.5  | 410.2                  | 45      |
| 1983 | 887.6  | 365.5                  | 41      |
| 1984 | 1135.7 | 409.1                  | 36      |

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 115. Dynamics of the Dogfish fleet and contribution of the dedicated fleet.

BC Total - All Areas  
SPECIES OF INTEREST - DOGFISH

| No. of Years of<br>Active Participation<br>1979-84 | No. of active vessels |    |
|----------------------------------------------------|-----------------------|----|
|                                                    | n                     | %  |
| 1                                                  | 369                   | 69 |
| 2                                                  | 102                   | 19 |
| 3                                                  | 22                    | 4  |
| 4                                                  | 25                    | 4  |
| 5                                                  | 9                     | 1  |
| 6                                                  | 7                     | 1  |
| TOTAL                                              | 534                   |    |

No. of Active Vessels

| YEAR | OLD | NEW | DEPARTED | TOTAL |
|------|-----|-----|----------|-------|
| 1979 |     |     |          | 376   |
| 1980 | 116 | 100 | 260      | 216   |
| 1981 | 41  | 19  | 175      | 60    |
| 1982 | 40  | 53  | 20       | 93    |
| 1983 | 28  | 15  | 65       | 43    |
| 1984 | 17  | 21  | 26       | 38    |

Number of years active participation  
in any fishery for vessels landing  
Dogfish in only one year

No. of Active Vessels

| YRS | N   | %  |
|-----|-----|----|
| 1   | 36  | 9  |
| 2   | 41  | 11 |
| 3   | 42  | 11 |
| 4   | 29  | 7  |
| 5   | 63  | 17 |
| 6   | 158 | 42 |

DEDICATED FLEET  
FISHED ALL 6 YEARS

WEIGHT (t) LANDED BY DEDICATED<sup>a</sup> FLEET

| YEAR | TOTAL  | DEDICATED <sup>a</sup> | PERCENT |
|------|--------|------------------------|---------|
| 1979 | 4845.1 | 498.4                  | 10      |
| 1980 | 4593.5 | 887.2                  | 19      |
| 1981 | 1123.8 | 425.8                  | 37      |
| 1982 | 2107.6 | 917.8                  | 43      |
| 1983 | 711.6  | 363.5                  | 51      |
| 1984 | 986.9  | 492.6                  | 49      |

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 116. Dynamics of the Geoduck fleet and contribution of the dedicated fleet.

| BC Total - All Areas<br>SPECIES OF INTEREST - GEODUCK |                       |    |
|-------------------------------------------------------|-----------------------|----|
| No. of Years of<br>Active Participation<br>1979-84    | No. of active vessels |    |
|                                                       | n                     | %  |
| 1                                                     | 59                    | 43 |
| 2                                                     | 30                    | 21 |
| 3                                                     | 14                    | 10 |
| 4                                                     | 7                     | 5  |
| 5                                                     | 14                    | 10 |
| 6                                                     | 13                    | 9  |
| TOTAL                                                 | 137                   |    |

| No. of Active Vessels |     |     |          |       |
|-----------------------|-----|-----|----------|-------|
| YEAR                  | OLD | NEW | DEPARTED | TOTAL |
| 1979                  |     |     |          | 74    |
| 1980                  | 45  | 22  | 29       | 67    |
| 1981                  | 34  | 14  | 33       | 48    |
| 1982                  | 35  | 18  | 13       | 53    |
| 1983                  | 39  | 12  | 14       | 51    |
| 1984                  | 36  | 8   | 15       | 44    |

Number of years active participation  
in any fishery for vessels landing  
Geoduck in only one year

| No. of Active Vessels |    |    |
|-----------------------|----|----|
| YRS                   | N  | %  |
| 1                     | 21 | 35 |
| 2                     | 12 | 20 |
| 3                     | 5  | 8  |
| 4                     | 1  | 1  |
| 5                     | 5  | 8  |
| 6                     | 15 | 25 |

| WEIGHT (t) LANDED BY DEDICATED <sup>a</sup> FLEET |        |                        |         |
|---------------------------------------------------|--------|------------------------|---------|
| YEAR                                              | TOTAL  | DEDICATED <sup>a</sup> | PERCENT |
| 1979                                              | 2466.7 | 621.6                  | 25      |
| 1980                                              | 2795.8 | 714.4                  | 25      |
| 1981                                              | 2793.5 | 865.6                  | 30      |
| 1982                                              | 3113.5 | 1133.4                 | 36      |
| 1983                                              | 2614.9 | 1059.0                 | 40      |
| 1984                                              | 3483.4 | 1093.6                 | 31      |

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 117. Dynamics of the Halibut fleet and contribution of the dedicated<sup>a</sup> fleet.

BC Total - All Areas  
SPECIES OF INTEREST - HALIBUT

| No. of Years of<br>Active Participation<br>1979-84 | No. of active vessels |    |
|----------------------------------------------------|-----------------------|----|
|                                                    | n                     | %  |
| 1                                                  | 139                   | 23 |
| 2                                                  | 100                   | 16 |
| 3                                                  | 65                    | 10 |
| 4                                                  | 70                    | 11 |
| 5                                                  | 74                    | 12 |
| 6                                                  | 144                   | 24 |
| TOTAL                                              | 592                   |    |

No. of Active Vessels

| YEAR | OLD | NEW | DEPARTED | TOTAL |
|------|-----|-----|----------|-------|
| 1979 |     |     |          | 367   |
| 1980 | 298 | 72  | 69       | 370   |
| 1981 | 281 | 66  | 89       | 347   |
| 1982 | 255 | 48  | 92       | 303   |
| 1983 | 242 | 74  | 61       | 316   |
| 1984 | 260 | 85  | 56       | 345   |

Number of years active participation  
in any fishery for vessels landing  
Halibut in only one year

No. of Active Vessels

| YRS | N  | %  |
|-----|----|----|
| 1   | 24 | 17 |
| 2   | 14 | 10 |
| 3   | 9  | 6  |
| 4   | 7  | 5  |
| 5   | 12 | 8  |
| 6   | 73 | 52 |

WEIGHT (t) LANDED BY DEDICATED<sup>a</sup> FLEET

| YEAR | TOTAL  | DEDICATED <sup>a</sup> | PERCENT |
|------|--------|------------------------|---------|
| 1979 | 2890.8 | 971.9                  | 33      |
| 1980 | 3390.9 | 1357.4                 | 40      |
| 1981 | 2401.3 | 1214.7                 | 50      |
| 1982 | 1747.8 | 1012.3                 | 57      |
| 1983 | 1895.9 | 1056.6                 | 55      |
| 1984 | 3106.6 | 1366.5                 | 43      |

<sup>a</sup>Participated in the fishery for all 6 years of the study .

Table 118. Dynamics of the Herring fleet and contribution of the dedicateda fleet.

| BC Total - All Areas<br>SPECIES OF INTEREST - HERRING |                       |    |
|-------------------------------------------------------|-----------------------|----|
| No. of Years of<br>Active Participation<br>1979-84    | No. of active vessels |    |
|                                                       | n                     | %  |
| 1                                                     | 420                   | 20 |
| 2                                                     | 234                   | 11 |
| 3                                                     | 231                   | 11 |
| 4                                                     | 382                   | 18 |
| 5                                                     | 514                   | 25 |
| 6                                                     | 265                   | 12 |
| TOTAL                                                 | 2046                  |    |

| No. of Active Vessels |      |     |          |       |
|-----------------------|------|-----|----------|-------|
| YEAR                  | OLD  | NEW | DEPARTED | TOTAL |
| 1979                  |      |     |          | 1573  |
| 1980                  | 619  | 138 | 954      | 757   |
| 1981                  | 610  | 875 | 147      | 1485  |
| 1982                  | 1133 | 125 | 352      | 1258  |
| 1983                  | 968  | 154 | 289      | 1122  |
| 1984                  | 871  | 205 | 250      | 1076  |

Number of years active participation  
in any fishery for vessels landing  
Herring in only one year

No. of Active Vessels

| YRS | N   | %  |
|-----|-----|----|
| 1   | 211 | 50 |
| 2   | 22  | 5  |
| 3   | 15  | 3  |
| 4   | 27  | 6  |
| 5   | 20  | 4  |
| 6   | 125 | 29 |

WEIGHT (t x 10-3) LANDED BY DEDICATEDa FLEET

| YEAR | TOTAL | DEDICATEDa | PERCENT |
|------|-------|------------|---------|
| 1979 | 43.5  | 9.5        | 21      |
| 1980 | 29.7  | 10.4       | 34      |
| 1981 | 35.6  | 7.9        | 22      |
| 1982 | 25.2  | 7.0        | 27      |
| 1983 | 38.2  | 10.6       | 27      |
| 1984 | 31.8  | 7.7        | 24      |

aParticipated in the fishery for all 6 years of the study

Table 119. Dynamics of the Lingcod fleet and contribution of the dedicateda fleet.

BC Total - All Areas  
SPECIES OF INTEREST - LINGCOD

| No. of Years of<br>Active Participation<br>1979-84 | No. of active vessels |    |
|----------------------------------------------------|-----------------------|----|
|                                                    | n                     | %  |
| 1                                                  | 1037                  | 26 |
| 2                                                  | 613                   | 15 |
| 3                                                  | 412                   | 10 |
| 4                                                  | 467                   | 11 |
| 5                                                  | 519                   | 13 |
| 6                                                  | 912                   | 23 |
| TOTAL                                              | 3960                  |    |

No. of Active Vessels

| YEAR | OLD  | NEW | DEPARTED | TOTAL |
|------|------|-----|----------|-------|
| 1979 |      |     |          | 2619  |
| 1980 | 1934 | 520 | 685      | 2454  |
| 1981 | 1739 | 503 | 715      | 2242  |
| 1982 | 1686 | 508 | 556      | 2194  |
| 1983 | 1604 | 416 | 590      | 2020  |
| 1984 | 1472 | 433 | 548      | 1905  |

Nuber of years active participation  
in any fishery for vessels landing  
Lingcod in only one year

No. of Active Vessels

| YRS | N   | %  |
|-----|-----|----|
| 1   | 211 | 20 |
| 2   | 123 | 11 |
| 3   | 93  | 8  |
| 4   | 87  | 8  |
| 5   | 120 | 11 |
| 6   | 403 | 38 |

WEIGHT (t) LANDED BY DEDICATEDa FLEET

| YEAR | TOTAL  | DEDICATEDa | PERCENT |
|------|--------|------------|---------|
| 1979 | 1524.6 | 876.0      | 57      |
| 1980 | 1477.1 | 798.0      | 54      |
| 1981 | 1853.1 | 1279.0     | 69      |
| 1982 | 3987.3 | 2832.4     | 71      |
| 1983 | 3766.2 | 2792.4     | 74      |
| 1984 | 3709.9 | 2258.4     | 60      |

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 120. Dynamics of the Pacific cod fleet and contribution of the dedicated<sup>a</sup> fleet.

BC Total - All Areas  
SPECIES OF INTEREST - PACIFIC COD

| No. of Years of<br>Active Participation<br>1979-84 | No. of active vessels |    |
|----------------------------------------------------|-----------------------|----|
|                                                    | n                     | %  |
| 1                                                  | 410                   | 59 |
| 2                                                  | 96                    | 13 |
| 3                                                  | 64                    | 9  |
| 4                                                  | 29                    | 4  |
| 5                                                  | 29                    | 4  |
| 6                                                  | 59                    | 8  |
| TOTAL                                              | 687                   |    |

No. of Active Vessels

| YEAR | OLD | NEW | DEPARTED | TOTAL |
|------|-----|-----|----------|-------|
| 1979 |     |     |          | 376   |
| 1980 | 178 | 173 | 198      | 351   |
| 1981 | 152 | 73  | 199      | 225   |
| 1982 | 122 | 64  | 103      | 186   |
| 1983 | 111 | 38  | 75       | 149   |
| 1984 | 91  | 31  | 58       | 122   |

Number of year active participation  
in any fishery for vessels landing  
Pacific cod in only one year

No. of Active Vessels

| YRS | N   | %  |
|-----|-----|----|
| 1   | 28  | 6  |
| 2   | 36  | 8  |
| 3   | 24  | 5  |
| 4   | 37  | 9  |
| 5   | 56  | 13 |
| 6   | 229 | 55 |

WEIGHT (t) LANDED BY DEDICATED<sup>a</sup> FLEET

| YEAR | TOTAL  | DEDICATED <sup>a</sup> | PERCENT |
|------|--------|------------------------|---------|
| 1979 | 7618.2 | 5268.7                 | 69      |
| 1980 | 7372.6 | 5156.7                 | 69      |
| 1981 | 6033.6 | 4603.9                 | 76      |
| 1982 | 4663.0 | 3696.6                 | 79      |
| 1983 | 4632.2 | 3637.0                 | 78      |
| 1984 | 3629.5 | 2739.1                 | 75      |

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 121. Dynamics of the Prawns fleet and contribution of the dedicated<sup>a</sup> fleet.

| BC Total - All Areas<br>SPECIES OF INTEREST - PRAWNS |                       |    |
|------------------------------------------------------|-----------------------|----|
| No. of Years of<br>Active Participation<br>1979-84   | No. of active vessels |    |
|                                                      | n                     | %  |
| 1                                                    | 466                   | 54 |
| 2                                                    | 181                   | 21 |
| 3                                                    | 96                    | 11 |
| 4                                                    | 47                    | 5  |
| 5                                                    | 32                    | 3  |
| 6                                                    | 28                    | 3  |
| TOTAL                                                | 850                   |    |

| No. of Active Vessels |     |     |          |       |
|-----------------------|-----|-----|----------|-------|
| YEAR                  | OLD | NEW | DEPARTED | TOTAL |
| 1979                  |     |     |          | 318   |
| 1980                  | 128 | 157 | 190      | 285   |
| 1981                  | 140 | 107 | 145      | 247   |
| 1982                  | 120 | 131 | 127      | 251   |
| 1983                  | 119 | 102 | 132      | 221   |
| 1984                  | 146 | 164 | 75       | 310   |

Number of years active participation  
in any fishery for vessels landing  
Prawns in only one year

No. of Active Vessels

| YRS | N   | %  |
|-----|-----|----|
| 1   | 77  | 16 |
| 2   | 54  | 11 |
| 3   | 35  | 7  |
| 4   | 45  | 9  |
| 5   | 57  | 12 |
| 6   | 198 | 42 |

WEIGHT (t) LANDED BY DEDICATED<sup>a</sup> FLEET

| YEAR | TOTAL | DEDICATED <sup>a</sup> | PERCENT |
|------|-------|------------------------|---------|
| 1979 | 320.7 | 71.8                   | 22      |
| 1980 | 367.0 | 117.7                  | 32      |
| 1981 | 329.4 | 97.0                   | 29      |
| 1982 | 278.1 | 67.5                   | 24      |
| 1983 | 331.6 | 101.4                  | 30      |
| 1984 | 505.2 | 91.1                   | 18      |

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 122. Dynamics of the Rockfish fleet and contribution of the dedicated fleet.

| BC Total - All Areas<br>SPECIES OF INTEREST - ROCKFISH |                       |    |
|--------------------------------------------------------|-----------------------|----|
| No. of Years of<br>Active Participation<br>1979-84     | No. of active vessels |    |
|                                                        | n                     | %  |
| 1                                                      | 1208                  | 33 |
| 2                                                      | 816                   | 22 |
| 3                                                      | 510                   | 14 |
| 4                                                      | 418                   | 11 |
| 5                                                      | 338                   | 9  |
| 6                                                      | 266                   | 7  |
| TOTAL                                                  | 3556                  |    |

| No. of Active Vessels |      |     |          |       |
|-----------------------|------|-----|----------|-------|
| YEAR                  | OLD  | NEW | DEPARTED | TOTAL |
| 1979                  |      |     |          | 2018  |
| 1980                  | 1180 | 597 | 838      | 1777  |
| 1981                  | 947  | 583 | 830      | 1530  |
| 1982                  | 915  | 569 | 615      | 1484  |
| 1983                  | 853  | 457 | 631      | 1310  |
| 1984                  | 738  | 471 | 572      | 1209  |

Number of years active participation  
in any fishery for vessels landing  
Rockfish in only one year

| No. of Active Vessels |     |    |
|-----------------------|-----|----|
| YRS                   | N   | %  |
| 1                     | 228 | 18 |
| 2                     | 118 | 9  |
| 3                     | 86  | 7  |
| 4                     | 88  | 7  |
| 5                     | 132 | 10 |
| 6                     | 556 | 46 |

WEIGHT (t) LANDED BY DEDICATED<sup>a</sup> FLEET

| YEAR | TOTAL   | DEDICATED <sup>a</sup> | PERCENT |
|------|---------|------------------------|---------|
| 1979 | 8782.8  | 4417.4                 | 50      |
| 1980 | 9968.7  | 5339.2                 | 53      |
| 1981 | 9758.3  | 5557.4                 | 56      |
| 1982 | 10515.0 | 6473.0                 | 61      |
| 1983 | 11869.7 | 8283.3                 | 69      |
| 1984 | 14546.8 | 8285.9                 | 56      |

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 123. Dynamics of the Sablefish fleet and contribution of the dedicated<sup>a</sup> fleet.

BC Total - All Areas  
SPECIES OF INTEREST - SABLEFISH

| No. of Years of<br>Active Participation<br>1979-84 | No. of active vessels |    |
|----------------------------------------------------|-----------------------|----|
|                                                    | n                     | %  |
| 1                                                  | 266                   | 55 |
| 2                                                  | 78                    | 16 |
| 3                                                  | 48                    | 10 |
| 4                                                  | 24                    | 5  |
| 5                                                  | 25                    | 5  |
| 6                                                  | 37                    | 7  |
| TOTAL                                              | 478                   |    |

No. of Active Vessels

| YEAR | OLD | NEW | DEPARTED | TOTAL |
|------|-----|-----|----------|-------|
| 1979 |     |     |          | 286   |
| 1980 | 123 | 95  | 163      | 218   |
| 1981 | 106 | 62  | 112      | 168   |
| 1982 | 87  | 46  | 81       | 133   |
| 1983 | 67  | 16  | 66       | 83    |
| 1984 | 60  | 61  | 23       | 121   |

Number of years active participation  
in any fishery for vessels landing  
Sablefish in only one year

No. of Active Vessels

| YRS | N   | %  |
|-----|-----|----|
| 1   | 18  | 6  |
| 2   | 22  | 8  |
| 3   | 21  | 7  |
| 4   | 25  | 9  |
| 5   | 38  | 14 |
| 6   | 142 | 53 |

WEIGHT (t) LANDED BY DEDICATED<sup>a</sup> FLEET

| YEAR | TOTAL  | DEDICATED <sup>a</sup> | PERCENT |
|------|--------|------------------------|---------|
| 1979 | 1371.9 | 653.7                  | 47      |
| 1980 | 2188.2 | 770.6                  | 35      |
| 1981 | 3186.9 | 967.5                  | 30      |
| 1982 | 3965.0 | 1468.5                 | 37      |
| 1983 | 4329.2 | 1905.0                 | 44      |
| 1984 | 3856.7 | 1895.0                 | 49      |

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 124. Dynamics of the Salmon fleet and contribution of the dedicated fleet.

| BC Total - All Areas<br>SPECIES OF INTEREST - SALMON |                       |    |
|------------------------------------------------------|-----------------------|----|
| No. of Years of<br>Active Participation<br>1979-84   | No. of active vessels |    |
|                                                      | n                     | %  |
| 1                                                    | 374                   | 6  |
| 2                                                    | 372                   | 6  |
| 3                                                    | 220                   | 4  |
| 4                                                    | 326                   | 6  |
| 5                                                    | 596                   | 10 |
| 6                                                    | 3541                  | 65 |
| TOTAL                                                | 5429                  |    |

| No. of Active Vessels |      |     |          |       |
|-----------------------|------|-----|----------|-------|
| YEAR                  | OLD  | NEW | DEPARTED | TOTAL |
| 1979                  |      |     |          | 4782  |
| 1980                  | 4437 | 268 | 344      | 4705  |
| 1981                  | 4326 | 259 | 378      | 4585  |
| 1982                  | 4373 | 156 | 211      | 4529  |
| 1983                  | 4318 | 141 | 210      | 4459  |
| 1984                  | 4117 | 135 | 342      | 4252  |

Number of years active participation  
in any fishery for vessels landing  
Salmon in only one year

No. of Active Vessels

| YRS | N   | %  |
|-----|-----|----|
| 1   | 246 | 65 |
| 2   | 25  | 6  |
| 3   | 24  | 6  |
| 4   | 26  | 6  |
| 5   | 19  | 5  |
| 6   | 34  | 9  |

WEIGHT (t x 10<sup>-3</sup>) LANDED BY DEDICATED<sup>a</sup> FLEET

| YEAR | TOTAL | DEDICATED <sup>a</sup> | PERCENT |
|------|-------|------------------------|---------|
| 1979 | 57.7  | 48.6                   | 84      |
| 1980 | 56.2  | 45.9                   | 81      |
| 1981 | 78.6  | 65.8                   | 83      |
| 1982 | 62.1  | 50.9                   | 81      |
| 1983 | 71.5  | 59.2                   | 82      |
| 1984 | 47.6  | 39.8                   | 83      |

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 125. Dynamics of the Shrimp fleet and contribution of the dedicated<sup>a</sup> fleet.

| BC Total - All Areas<br>SPECIES OF INTEREST - SHRIMP |                       |    |
|------------------------------------------------------|-----------------------|----|
| No. of Years of<br>Active Participation<br>1979-84   | No. of active vessels |    |
|                                                      | n                     | %  |
| 1                                                    | 213                   | 50 |
| 2                                                    | 81                    | 19 |
| 3                                                    | 36                    | 8  |
| 4                                                    | 25                    | 5  |
| 5                                                    | 26                    | 6  |
| 6                                                    | 41                    | 9  |
| TOTAL                                                | 422                   |    |

No. of Active Vessels

| YEAR | OLD | NEW | DEPARTED | TOTAL |
|------|-----|-----|----------|-------|
| 1979 |     |     |          | 156   |
| 1980 | 87  | 69  | 69       | 156   |
| 1981 | 92  | 70  | 64       | 162   |
| 1982 | 100 | 64  | 62       | 164   |
| 1983 | 105 | 53  | 59       | 158   |
| 1984 | 103 | 60  | 55       | 163   |

Number of years active participation  
in any fishery for vessels landing  
Shrimp in only one year

No. of Active Vessels

| YRS | N   | %  |
|-----|-----|----|
| 1   | 11  | 5  |
| 2   | 16  | 7  |
| 3   | 21  | 9  |
| 4   | 22  | 10 |
| 5   | 35  | 16 |
| 6   | 108 | 50 |

WEIGHT (t) LANDED BY DEDICATED<sup>a</sup> FLEET

| YEAR | TOTAL | DEDICATED <sup>a</sup> | PERCENT |
|------|-------|------------------------|---------|
| 1979 | 391.1 | 144.4                  | 36      |
| 1980 | 286.3 | 130.4                  | 45      |
| 1981 | 616.8 | 156.8                  | 25      |
| 1982 | 417.2 | 171.0                  | 40      |
| 1983 | 403.3 | 226.0                  | 56      |
| 1984 | 409.0 | 194.7                  | 47      |

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 126. Dynamics of the Soles fleet and contribution of the dedicateda fleet.

BC Total - All Areas  
SPECIES OF INTEREST - SOLES

| No. of Years of<br>Active Participation<br>1979-84 | No. of active vessels |    |
|----------------------------------------------------|-----------------------|----|
|                                                    | n                     | %  |
| 1                                                  | 117                   | 48 |
| 2                                                  | 23                    | 9  |
| 3                                                  | 26                    | 10 |
| 4                                                  | 11                    | 4  |
| 5                                                  | 14                    | 5  |
| 6                                                  | 52                    | 21 |
| TOTAL                                              | 243                   |    |

No. of Active Vessels

| YEAR | OLD | NEW | DEPARTED | TOTAL |
|------|-----|-----|----------|-------|
| 1979 |     |     |          | 143   |
| 1980 | 91  | 43  | 52       | 134   |
| 1981 | 91  | 29  | 43       | 120   |
| 1982 | 77  | 14  | 43       | 91    |
| 1983 | 70  | 21  | 21       | 91    |
| 1984 | 70  | 18  | 21       | 88    |

Number of years active participation  
in any fishery for vessels landing  
Soles in only one year

No. of Active Vessels

| YRS | N  | %  |
|-----|----|----|
| 1   | 12 | 10 |
| 2   | 17 | 14 |
| 3   | 12 | 10 |
| 4   | 15 | 12 |
| 5   | 11 | 9  |
| 6   | 50 | 42 |

WEIGHT (t) LANDED BY DEDICATEDa FLEET

| YEAR | TOTAL  | DEDICATEDa | PERCENT |
|------|--------|------------|---------|
| 1979 | 4526.8 | 2762.7     | 61      |
| 1980 | 5185.1 | 2785.6     | 53      |
| 1981 | 5197.1 | 3177.2     | 61      |
| 1982 | 3078.5 | 2250.2     | 73      |
| 1983 | 2802.1 | 2156.3     | 76      |
| 1984 | 3400.4 | 2431.4     | 71      |

<sup>a</sup>Participated in the fishery for all 6 years of the study

Table 127. Income derived from landing the various species from Queen Charlotte Islands 1979. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |       |      |      |      |     |   |     |    |   |   |     |     |   |     |   |     |       | TOTAL |
|-------------------|--------------|-------|------|------|------|-----|---|-----|----|---|---|-----|-----|---|-----|---|-----|-------|-------|
|                   | A            | B     | C    | D    | E    | F   | G | H   | I  | J | K | L   | M   | N | O   | P | Q   |       |       |
| A SALMON          | 15585        | 8951  | 1230 | 14   | 1606 | 13  | 0 | 530 | 24 | 0 | 0 | 31  | 8   | 0 | 0   | 0 | 27  | 28024 |       |
| B HERRING         | 1894         | 37602 | 597  | 326  | 816  | 105 | 0 | 59  | 10 | 0 | 0 | 138 | 65  | 0 | 0   | 0 | 23  | 41641 |       |
| C HALIBUT         | 800          | 2768  | 8103 | 287  | 5    | 63  | 0 | 8   | 27 | 0 | 0 | 7   | 5   | 0 | 59  | 0 | 45  | 12183 |       |
| D SABLEFISH       | 293          | 1521  | 4194 | 1481 | 5    | 619 | 0 | 8   | 31 | 0 | 0 | 516 | 419 | 0 | 59  | 2 | 172 | 9326  |       |
| E HERRING SP.ON.K | 269          | 1523  | 10   | 5    | 1640 | 0   | 0 | 8   | 1  | 0 | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 3461  |       |
| F ROCKFISH        | 3393         | 1957  | 4335 | 315  | 39   | 731 | 0 | 8   | 52 | 1 | 6 | 654 | 515 | 0 | 59  | 2 | 201 | 12276 |       |
| G GEODUCK         | 0            | 0     | 0    | 0    | 0    | 0   | 0 | 0   | 0  | 0 | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 0     |       |
| H CRAB            | 354          | 1081  | 10   | 6    | 5    | 0   | 0 | 925 | 0  | 0 | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 2383  |       |
| I LINGCOD         | 9108         | 1923  | 5164 | 320  | 39   | 689 | 0 | 9   | 75 | 0 | 0 | 705 | 528 | 0 | 59  | 2 | 200 | 18826 |       |
| J SHRIMP          | 0            | 0     | 0    | 0    | 0    | 0   | 0 | 0   | 0  | 2 | 1 | 0   | 0   | 0 | 0   | 0 | 0   | 3     |       |
| K PRAWNS          | 0            | 0     | 0    | 0    | 0    | 0   | 0 | 0   | 0  | 1 | 6 | 0   | 0   | 0 | 0   | 0 | 0   | 8     |       |
| L PACIFIC COD     | 2071         | 2542  | 985  | 237  | 5    | 695 | 0 | 8   | 37 | 0 | 0 | 732 | 530 | 0 | 0   | 2 | 162 | 8012  |       |
| M SOLES           | 150          | 1134  | 236  | 56   | 0    | 696 | 0 | 0   | 29 | 0 | 0 | 728 | 537 | 0 | 0   | 2 | 161 | 3733  |       |
| N INTERTIDAL CLAM | 0            | 0     | 0    | 0    | 0    | 0   | 0 | 0   | 0  | 0 | 0 | 0   | 0   | 0 | 0   | 0 | 0   | *     |       |
| O ABALONE         | 0            | 0     | 51   | 8    | 0    | 0   | 0 | 0   | 0  | 0 | 0 | 0   | 0   | 0 | 184 | 0 | 0   | 244   |       |
| P DOGFISH         | 10           | 23    | 0    | 42   | 0    | 388 | 0 | 0   | 8  | 0 | 0 | 241 | 173 | 0 | 0   | 2 | 63  | 955   |       |
| Q OTHER SPECIES   | 768          | 1561  | 1037 | 1001 | 0    | 703 | 0 | 7   | 28 | 0 | 0 | 702 | 532 | 0 | 0   | 2 | 226 | 6571  |       |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 128. Income derived from landing the various species from Chatham Sound 1979. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |      |    |      |     |   |     |    |    |    |      |      |     |     |    |     |       | TOTAL |
|-------------------|--------------|------|------|----|------|-----|---|-----|----|----|----|------|------|-----|-----|----|-----|-------|-------|
|                   | A            | B    | C    | D  | E    | F   | G | H   | I  | J  | K  | L    | M    | N   | O   | P  | Q   |       |       |
| A SALMON          | 16572        | 1660 | 538  | 0  | 2326 | 6   | 0 | 60  | 7  | 51 | 2  | 45   | 37   | 21  | 119 | 0  | 16  | 21467 |       |
| B HERRING         | 482          | 8692 | 1    | 37 | 84   | 83  | 0 | 14  | 14 | 0  | 0  | 224  | 295  | 1   | 0   | 4  | 197 | 10134 |       |
| C HALIBUT         | 892          | 437  | 1307 | 13 | 388  | 7   | 0 | 19  | 5  | 3  | 0  | 1    | 3    | 3   | 0   | 1  | 0   | 3084  |       |
| D SABLEFISH       | 131          | 678  | 404  | 77 | 84   | 192 | 0 | 15  | 42 | 0  | 0  | 922  | 940  | 2   | 0   | 13 | 341 | 3849  |       |
| E HERRING SP.ON.K | 126          | 437  | 15   | 0  | 2326 | 0   | 0 | 0   | 0  | 0  | 0  | 0    | 0    | 1   | 0   | 0  | 0   | 2909  |       |
| F ROCKFISH        | 636          | 422  | 873  | 76 | 0    | 247 | 0 | 15  | 55 | 14 | 0  | 996  | 1006 | 1   | 0   | 19 | 459 | 4825  |       |
| G GEODUCK         | 0            | 0    | 0    | 0  | 0    | 0   | 0 | 0   | 0  | 0  | 0  | 0    | 0    | 0   | 0   | 0  | 0   | 0     |       |
| H CRAB            | 152          | 505  | 154  | 1  | 84   | 0   | 0 | 109 | 1  | 1  | 0  | 0    | 0    | 2   | 0   | 1  | 0   | 1016  |       |
| I LINGCOD         | 1347         | 827  | 966  | 39 | 84   | 226 | 0 | 22  | 58 | 19 | 0  | 997  | 1009 | 4   | 0   | 16 | 425 | 6045  |       |
| J SHRIMP          | 598          | 437  | 51   | 0  | 84   | 0   | 0 | 6   | 4  | 73 | 2  | 5    | 8    | 2   | 0   | 0  | 0   | 1276  |       |
| K PRAWNS          | 45           | 0    | 0    | 0  | 0    | 0   | 0 | 0   | 0  | 12 | 39 | 0    | 0    | 0   | 9   | 0  | 0   | 106   |       |
| L PACIFIC COD     | 376          | 422  | 202  | 64 | 0    | 240 | 0 | 8   | 48 | 6  | 0  | 1000 | 1006 | 0   | 0   | 12 | 459 | 3849  |       |
| M SOLES           | 60           | 405  | 5    | 30 | 0    | 239 | 0 | 0   | 48 | 8  | 0  | 999  | 1012 | 0   | 0   | 12 | 462 | 3285  |       |
| N INTERTIDAL CLAM | 288          | 437  | 44   | 1  | 84   | 0   | 0 | 3   | 0  | 4  | 0  | 0    | 0    | 122 | 0   | 0  | 0   | 987   |       |
| O ABALONE         | 23           | 0    | 0    | 0  | 0    | 0   | 0 | 0   | 0  | 0  | 6  | 0    | 0    | 0   | 408 | 0  | 0   | 438   |       |
| P DOGFISH         | 29           | 224  | 1    | 27 | 0    | 102 | 0 | 8   | 33 | 4  | 0  | 568  | 621  | 0   | 0   | 22 | 253 | 1897  |       |
| Q OTHER SPECIES   | 84           | 473  | 34   | 30 | 0    | 239 | 0 | 18  | 48 | 4  | 0  | 998  | 1012 | 0   | 0   | 12 | 477 | 3436  |       |

Table 129. Income derived from landing the various species from the Central Coast 1979. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'III'.

| SPECIES "I"       | SPECIES "III" |   |      |     |     |     |   |    |     |   |     |     |     |   |     |   |     | TOTAL |
|-------------------|---------------|---|------|-----|-----|-----|---|----|-----|---|-----|-----|-----|---|-----|---|-----|-------|
|                   | A             | B | C    | D   | E   | F   | G | H  | I   | J | K   | L   | M   | N | O   | P | Q   |       |
| A SALMON          | 21954         | 5 | 1097 | 5   | 108 | 4   | 0 | 1  | 19  | 0 | 0   | 1   | 0   | 0 | 0   | 0 | 76  | 23275 |
| B HERRING         | 0             | 0 | 0    | 0   | 0   | 0   | 0 | 0  | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0   | *     |
| C HALIBUT         | 547           | 0 | 5278 | 24  | 0   | 12  | 0 | 0  | 15  | 0 | 0   | 5   | 2   | 0 | 57  | 0 | 50  | 5994  |
| D SABLEFISH       | 74            | 0 | 665  | 324 | 0   | 816 | 0 | 0  | 110 | 0 | 0   | 229 | 117 | 0 | 57  | 0 | 52  | 2449  |
| E HERRING SP.ON.K | 0             | 0 | 0    | 0   | 0   | 0   | 0 | 0  | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0   | *     |
| F ROCKFISH        | 2142          | 0 | 906  | 198 | 108 | 952 | 0 | 0  | 173 | 0 | 56  | 366 | 180 | 0 | 73  | 1 | 113 | 5275  |
| G GEODUCK         | 0             | 0 | 0    | 0   | 0   | 0   | 0 | 0  | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0   | 0     |
| H CRAB            | 1             | 0 | 0    | 0   | 0   | 0   | 0 | 33 | 0   | 0 | 4   | 0   | 0   | 0 | 0   | 0 | 0   | 39    |
| I LINGCOD         | 4983          | 0 | 1096 | 191 | 108 | 937 | 0 | 0  | 183 | 0 | 0   | 365 | 179 | 0 | 73  | 1 | 143 | 8264  |
| J SHRIMP          | 0             | 0 | 0    | 0   | 0   | 0   | 0 | 0  | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0   | *     |
| K PRAWNS          | 0             | 0 | 0    | 0   | 0   | 4   | 0 | 11 | 0   | 0 | 376 | 0   | 0   | 0 | 102 | 0 | 7   | 502   |
| L PACIFIC COD     | 18            | 0 | 13   | 205 | 0   | 923 | 0 | 0  | 156 | 0 | 0   | 366 | 180 | 0 | 0   | 0 | 33  | 1899  |
| M SOLES           | 7             | 0 | 22   | 73  | 0   | 919 | 0 | 0  | 153 | 0 | 0   | 366 | 180 | 0 | 0   | 0 | 33  | 1758  |
| N INTERTIDAL CLAM | 0             | 0 | 0    | 0   | 0   | 1   | 0 | 0  | 0   | 0 | 0   | 0   | 0   | 9 | 0   | 0 | 0   | 11    |
| O ABALONE         | 0             | 0 | 0    | 1   | 0   | 1   | 0 | 0  | 0   | 0 | 6   | 0   | 0   | 0 | 371 | 0 | 5   | 386   |
| P DOGFISH         | 0             | 0 | 0    | 1   | 0   | 65  | 0 | 0  | 6   | 0 | 0   | 22  | 7   | 0 | 0   | 1 | 5   | 110   |
| Q OTHER SPECIES   | 338           | 0 | 201  | 121 | 0   | 925 | 0 | 0  | 157 | 0 | 110 | 361 | 173 | 0 | 57  | 0 | 207 | 2656  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 130. Income derived from landing the various species from Johnstone Strait 1979. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |     |      |     |     |     |     |     |     |   |     |     |     |     |    |    |    | TOTAL |
|-------------------|--------------|-----|------|-----|-----|-----|-----|-----|-----|---|-----|-----|-----|-----|----|----|----|-------|
|                   | A            | B   | C    | D   | E   | F   | G   | H   | I   | J | K   | L   | M   | N   | O  | P  | Q  |       |
| A SALMON          | 21774        | 119 | 583  | 9   | 0   | 36  | 12  | 1   | 81  | 2 | 145 | 46  | 53  | 1   | 0  | 8  | 4  | 22881 |
| B HERRING         | 703          | 370 | 972  | 54  | 0   | 15  | 12  | 0   | 8   | 0 | 2   | 3   | 3   | 0   | 25 | 2  | 4  | 2178  |
| C HALIBUT         | 578          | 27  | 1093 | 56  | 0   | 19  | 12  | 0   | 9   | 0 | 3   | 0   | 0   | 0   | 0  | 2  | 2  | 1805  |
| D SABLEFISH       | 528          | 10  | 490  | 145 | 210 | 307 | 0   | 0   | 57  | 0 | 2   | 246 | 93  | 0   | 0  | 8  | 33 | 2135  |
| E HERRING SP.ON.K | 0            | 0   | 0    | 0   | 0   | 0   | 0   | 0   | 0   | 0 | 0   | 0   | 0   | 0   | 0  | 0  | 0  | *     |
| F ROCKFISH        | 5601         | 64  | 957  | 82  | 0   | 437 | 12  | 2   | 276 | 1 | 84  | 370 | 166 | 16  | 16 | 16 | 43 | 8150  |
| G GEODUCK         | 44           | 1   | 1    | 0   | 0   | 0   | 129 | 0   | 1   | 0 | 0   | 0   | 0   | 0   | 0  | 0  | 0  | 178   |
| H CRAB            | 10           | 0   | 0    | 0   | 0   | 1   | 6   | 199 | 1   | 0 | 5   | 4   | 5   | 1   | 0  | 0  | 0  | 236   |
| I LINGCOD         | 6736         | 60  | 815  | 53  | 0   | 410 | 12  | 28  | 323 | 0 | 92  | 362 | 164 | 13  | 0  | 12 | 43 | 9130  |
| J SHRIMP          | 63           | 0   | 0    | 0   | 0   | 0   | 0   | 0   | 0   | 5 | 66  | 0   | 0   | 0   | 0  | 0  | 0  | 135   |
| K PRAWNS          | 349          | 1   | 45   | 2   | 0   | 12  | 0   | 9   | 19  | 2 | 460 | 0   | 0   | 0   | 16 | 0  | 0  | 921   |
| L PACIFIC COD     | 427          | 22  | 68   | 18  | 0   | 338 | 0   | 1   | 176 | 0 | 2   | 386 | 166 | 1   | 0  | 8  | 41 | 1660  |
| M SOLES           | 6            | 17  | 0    | 10  | 0   | 324 | 0   | 1   | 77  | 0 | 0   | 385 | 166 | 0   | 0  | 7  | 41 | 1040  |
| N INTERTIDAL CLAM | 99           | 1   | 1    | 0   | 0   | 3   | 12  | 0   | 7   | 0 | 0   | 1   | 1   | 269 | 1  | 0  | 0  | 401   |
| O ABALONE         | 0            | 1   | 0    | 0   | 0   | 0   | 0   | 0   | 0   | 0 | 3   | 0   | 0   | 237 | 74 | 0  | 0  | 316   |
| P DOGFISH         | 149          | 14  | 16   | 11  | 0   | 59  | 0   | 0   | 34  | 0 | 0   | 140 | 96  | 0   | 0  | 21 | 4  | 551   |
| Q OTHER SPECIES   | 39           | 18  | 25   | 35  | 0   | 333 | 0   | 37  | 79  | 0 | 17  | 381 | 166 | 8   | 10 | 8  | 50 | 1212  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 131. Income derived from landing the various species from Georgia Strait 1979. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |       |   |    |     |     |     |     |     |    |     |     |    |     |   |     |     | TOTAL |
|-------------------|--------------|-------|---|----|-----|-----|-----|-----|-----|----|-----|-----|----|-----|---|-----|-----|-------|
|                   | A            | B     | C | D  | E   | F   | G   | H   | I   | J  | K   | L   | M  | N   | O | P   | Q   |       |
| A SALMON          | 4090         | 1207  | 0 | 4  | 27  | 37  | 7   | 11  | 108 | 22 | 41  | 46  | 15 | 15  | 0 | 138 | 40  | 5815  |
| B HERRING         | 42           | 23400 | 0 | 0  | 151 | 3   | 7   | 5   | 1   | 0  | 22  | 30  | 6  | 7   | 0 | 44  | 7   | 23730 |
| C HALIBUT         | 0            | 0     | 0 | 0  | 0   | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0  | 0   | 0 | 0   | 0   | 0     |
| D SABLEFISH       | 40           | 59    | 0 | 21 | 0   | 15  | 0   | 5   | 18  | 0  | 5   | 88  | 17 | 0   | 0 | 152 | 46  | 471   |
| E HERRING SP.ON.K | 1            | 95    | 0 | 0  | 274 | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0  | 0   | 0 | 0   | 0   | 371   |
| F ROCKFISH        | 2477         | 1081  | 0 | 2  | 0   | 167 | 82  | 46  | 263 | 18 | 49  | 159 | 67 | 13  | 0 | 496 | 72  | 4999  |
| G GEODUCK         | 25           | 962   | 0 | 0  | 0   | 3   | 650 | 2   | 1   | 0  | 0   | 0   | 0  | 13  | 0 | 3   | 26  | 1691  |
| H CRAB            | 48           | 1071  | 0 | 3  | 0   | 29  | 6   | 148 | 25  | 7  | 59  | 52  | 39 | 7   | 0 | 50  | 19  | 1571  |
| I LINGCOD         | 2083         | 1019  | 0 | 2  | 27  | 109 | 12  | 41  | 290 | 18 | 43  | 104 | 54 | 16  | 0 | 268 | 34  | 4127  |
| J SHRIMP          | 82           | 931   | 0 | 0  | 0   | 6   | 6   | 7   | 3   | 97 | 30  | 5   | 7  | 7   | 0 | 1   | 3   | 1190  |
| K PRAWNS          | 144          | 69    | 0 | 2  | 0   | 16  | 38  | 15  | 12  | 49 | 461 | 5   | 6  | 5   | 0 | 18  | 3   | 849   |
| L PACIFIC COD     | 230          | 112   | 0 | 2  | 0   | 71  | 0   | 20  | 37  | 6  | 3   | 178 | 67 | 0   | 0 | 276 | 59  | 1068  |
| M SOLES           | 38           | 143   | 0 | 1  | 0   | 44  | 0   | 12  | 7   | 5  | 0   | 169 | 69 | 0   | 0 | 176 | 58  | 729   |
| N INTERTIDAL CLAM | 53           | 1081  | 0 | 0  | 0   | 15  | 462 | 24  | 4   | 0  | 7   | 0   | 0  | 405 | 0 | 1   | 16  | 2072  |
| O ABALONE         | 0            | 0     | 0 | 0  | 0   | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0  | 0   | 0 | 0   | 0   | 0     |
| P DOGFISH         | 173          | 282   | 0 | 3  | 0   | 85  | 86  | 10  | 40  | 6  | 29  | 163 | 66 | 4   | 0 | 610 | 160 | 1723  |
| Q OTHER SPECIES   | 183          | 1112  | 0 | 3  | 0   | 66  | 251 | 19  | 70  | 5  | 35  | 169 | 67 | 8   | 0 | 288 | 258 | 2541  |

Table 132. Income derived from landing the various species from Victoria 1979. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |   |    |   |   |    |     |     |    |   |    |     |    |   |    |    |    |       | TOTAL |
|-------------------|--------------|---|----|---|---|----|-----|-----|----|---|----|-----|----|---|----|----|----|-------|-------|
|                   | A            | B | C  | D | E | F  | G   | H   | I  | J | K  | L   | M  | N | O  | P  | Q  |       |       |
| A SALMON          | 10543        | 0 | 0  | 0 | 0 | 2  | 0   | 0   | 3  | 0 | 0  | 82  | 5  | 0 | 0  | 23 | 2  | 10664 |       |
| B HERRING         | 0            | 0 | 0  | 0 | 0 | 0  | 0   | 0   | 0  | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0  | *     |       |
| C HALIBUT         | 0            | 0 | 23 | 0 | 0 | 0  | 0   | 5   | 10 | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0  | 39    |       |
| D SABLEFISH       | 156          | 3 | 0  | 4 | 0 | 5  | 0   | 0   | 10 | 0 | 0  | 228 | 48 | 0 | 0  | 62 | 9  | 531   |       |
| E HERRING SP.ON.K | 0            | 0 | 0  | 0 | 0 | 0  | 0   | 0   | 0  | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0  | 0     |       |
| F ROCKFISH        | 282          | 3 | 22 | 4 | 0 | 36 | 0   | 7   | 53 | 0 | 0  | 345 | 63 | 0 | 0  | 77 | 13 | 911   |       |
| G GEODUCK         | 24           | 0 | 0  | 0 | 0 | 0  | 121 | 3   | 0  | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 7  | 157   |       |
| H CRAB            | 24           | 0 | 0  | 0 | 0 | 1  | 23  | 172 | 6  | 1 | 9  | 1   | 0  | 0 | 0  | 1  | 3  | 245   |       |
| I LINGCOD         | 286          | 3 | 22 | 4 | 0 | 14 | 0   | 7   | 61 | 4 | 0  | 336 | 61 | 0 | 0  | 69 | 11 | 884   |       |
| J SHRIMP          | 0            | 0 | 0  | 0 | 0 | 0  | 0   | 6   | 1  | 8 | 0  | 0   | 0  | 0 | 0  | 0  | 0  | 15    |       |
| K PRAWNS          | 0            | 0 | 0  | 0 | 0 | 0  | 0   | 7   | 1  | 0 | 10 | 0   | 0  | 0 | 0  | 0  | 0  | 19    |       |
| L PACIFIC COD     | 268          | 3 | 0  | 4 | 0 | 13 | 0   | 0   | 24 | 0 | 0  | 351 | 63 | 0 | 0  | 81 | 13 | 825   |       |
| M SOLES           | 346          | 3 | 0  | 4 | 0 | 31 | 0   | 0   | 16 | 0 | 0  | 348 | 64 | 0 | 0  | 64 | 13 | 892   |       |
| N INTERTIDAL CLAM | 0            | 0 | 0  | 0 | 0 | 0  | 0   | 0   | 0  | 0 | 0  | 0   | 0  | 0 | 0  | 0  | 0  | *     |       |
| O ABALONE         | 0            | 0 | 0  | 0 | 0 | 0  | 0   | 0   | 0  | 0 | 0  | 0   | 0  | 0 | 13 | 0  | 1  | 14    |       |
| P DOGFISH         | 181          | 3 | 0  | 4 | 0 | 5  | 0   | 0   | 11 | 0 | 0  | 253 | 44 | 0 | 0  | 97 | 10 | 613   |       |
| Q OTHER SPECIES   | 350          | 3 | 0  | 4 | 0 | 12 | 39  | 4   | 16 | 0 | 0  | 350 | 63 | 0 | 8  | 77 | 32 | 963   |       |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 133. Income derived from landing the various species from West Vancouver Island 1979. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |       |     |      |   |     |     |     |     |     |     |     |     |    |   |    |     |       | TOTAL |
|-------------------|--------------|-------|-----|------|---|-----|-----|-----|-----|-----|-----|-----|-----|----|---|----|-----|-------|-------|
|                   | A            | B     | C   | D    | E | F   | G   | H   | I   | J   | K   | L   | M   | N  | O | P  | Q   |       |       |
| A SALMON          | 58930        | 10819 | 407 | 59   | 0 | 34  | 22  | 47  | 185 | 2   | 107 | 36  | 2   | 2  | 0 | 5  | 145 | 70810 |       |
| B HERRING         | 1789         | 54341 | 94  | 57   | 0 | 11  | 7   | 7   | 148 | 0   | 0   | 121 | 32  | 0  | 0 | 15 | 15  | 56643 |       |
| C HALIBUT         | 1024         | 34    | 647 | 109  | 0 | 20  | 0   | 0   | 25  | 0   | 0   | 0   | 0   | 0  | 0 | 0  | 9   | 1872  |       |
| D SABLEFISH       | 1940         | 1925  | 142 | 1000 | 0 | 216 | 0   | 0   | 543 | 136 | 33  | 685 | 153 | 0  | 0 | 44 | 27  | 6850  |       |
| E HERRING SP.ON.K | 0            | 0     | 0   | 0    | 0 | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0  | 0 | 0  | 0   | 0     |       |
| F ROCKFISH        | 30553        | 3605  | 567 | 586  | 0 | 291 | 295 | 26  | 772 | 137 | 73  | 758 | 191 | 2  | 0 | 53 | 154 | 38070 |       |
| G GEODUCK         | 275          | 975   | 0   | 0    | 0 | 0   | 768 | 4   | 0   | 0   | 0   | 0   | 0   | 1  | 0 | 0  | 0   | 2027  |       |
| H CRAB            | 400          | 1158  | 0   | 10   | 0 | 1   | 158 | 235 | 2   | 0   | 73  | 0   | 0   | 0  | 0 | 0  | 3   | 2045  |       |
| I LINGCOD         | 50177        | 3502  | 637 | 619  | 0 | 268 | 299 | 32  | 818 | 139 | 112 | 810 | 193 | 2  | 0 | 53 | 182 | 57851 |       |
| J SHRIMP          | 139          | 0     | 0   | 3    | 0 | 28  | 0   | 0   | 76  | 143 | 101 | 30  | 13  | 0  | 0 | 0  | 1   | 539   |       |
| K PRAWNS          | 954          | 963   | 0   | 1    | 0 | 1   | 2   | 2   | 3   | 5   | 405 | 0   | 5   | 0  | 0 | 0  | 28  | 2373  |       |
| L PACIFIC COD     | 3438         | 2330  | 2   | 251  | 0 | 223 | 0   | 18  | 605 | 137 | 0   | 813 | 191 | 0  | 0 | 52 | 22  | 8088  |       |
| M SOLES           | 293          | 2130  | 0   | 195  | 0 | 230 | 0   | 0   | 581 | 137 | 0   | 810 | 194 | 0  | 0 | 52 | 80  | 4707  |       |
| N INTERTIDAL CLAM | 200          | 7     | 0   | 0    | 0 | 0   | 58  | 0   | 1   | 0   | 0   | 0   | 0   | 28 | 0 | 0  | 0   | 296   |       |
| O ABALONE         | 0            | 0     | 0   | 0    | 0 | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0  | 0 | 0  | 0   | *     |       |
| P DOGFISH         | 201          | 2415  | 0   | 41   | 0 | 81  | 0   | 0   | 317 | 0   | 0   | 407 | 85  | 0  | 0 | 54 | 4   | 3610  |       |
| Q OTHER SPECIES   | 2368         | 2350  | 62  | 436  | 0 | 243 | 0   | 94  | 598 | 90  | 8   | 801 | 190 | 0  | 0 | 53 | 268 | 7566  |       |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 134. Income derived from landing the various species from the Fraser River 1979. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |   |   |   |   |   |   |     |    |     |     |   |   |   |   |    |     | TOTAL |
|-------------------|--------------|---|---|---|---|---|---|-----|----|-----|-----|---|---|---|---|----|-----|-------|
|                   | A            | B | C | D | E | F | G | H   | I  | J   | K   | L | M | N | O | P  | Q   |       |
| A SALMON          | 11167        | 0 | 0 | 0 | 0 | 1 | 0 | 103 | 8  | 246 | 16  | 0 | 0 | 0 | 0 | 0  | 63  | 11607 |
| B HERRING         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | 0     |
| C HALIBUT         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | 0     |
| D SABLEFISH       | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | *     |
| E HERRING SP.ON.K | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | 0     |
| F ROCKFISH        | 124          | 0 | 0 | 0 | 0 | 5 | 0 | 11  | 10 | 23  | 5   | 0 | 0 | 0 | 0 | 31 | 122 | 335   |
| G GEODUCK         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | 0     |
| H CRAB            | 204          | 0 | 0 | 0 | 0 | 0 | 0 | 442 | 0  | 0   | 22  | 0 | 0 | 0 | 0 | 2  | 1   | 674   |
| I LINGCOD         | 22           | 0 | 0 | 0 | 0 | 1 | 0 | 29  | 10 | 7   | 0   | 0 | 0 | 0 | 0 | 2  | 54  | 129   |
| J SHRIMP          | 411          | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 276 | 27  | 0 | 0 | 0 | 0 | 1  | 0   | 719   |
| K PRAWNS          | 225          | 0 | 0 | 0 | 0 | 0 | 0 | 59  | 0  | 94  | 130 | 0 | 0 | 0 | 0 | 1  | 0   | 512   |
| L PACIFIC COD     | 5            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 4   | 0   | 0 | 0 | 0 | 0 | 12 | 95  | 121   |
| M SOLES           | 40           | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 5   | 0   | 0 | 1 | 0 | 0 | 0  | 119 | 169   |
| N INTERTIDAL CLAM | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | *     |
| O ABALONE         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | 0     |
| P DOGFISH         | 22           | 0 | 0 | 0 | 0 | 1 | 0 | 0   | 0  | 0   | 0   | 0 | 0 | 0 | 0 | 87 | 68  | 182   |
| Q OTHER SPECIES   | 5241         | 0 | 0 | 0 | 0 | 0 | 0 | 76  | 8  | 33  | 3   | 0 | 0 | 0 | 0 | 2  | 362 | 5729  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 135. Income derived from landing the various species from the B.C. Total - All areas 1979. Income (\$x10<sup>-3</sup>) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |       |       |      |      |      |      |      |      |     |      |      |      |     |      |     |      |        | TOTAL |
|-------------------|--------------|-------|-------|------|------|------|------|------|------|-----|------|------|------|-----|------|-----|------|--------|-------|
|                   | A            | B     | C     | D    | E    | F    | G    | H    | I    | J   | K    | L    | M    | N   | O    | P   | Q    |        |       |
| A SALMON          | 160618       | 56310 | 7953  | 295  | 4272 | 245  | 42   | 777  | 711  | 407 | 530  | 597  | 325  | 49  | 274  | 350 | 571  | 234333 |       |
| B HERRING         | 246521       | 24415 | 5396  | 754  | 1181 | 1236 | 51   | 126  | 439  | 36  | 61   | 1511 | 841  | 15  | 198  | 195 | 562  | 161676 |       |
| C HALIBUT         | 9082         | 10398 | 16452 | 717  | 580  | 161  | 42   | 109  | 124  | 27  | 112  | 103  | 47   | 11  | 285  | 256 | 250  | 38765  |       |
| D SABLEFISH       | 7174         | 13022 | 7600  | 3057 | 487  | 2401 | 22   | 62   | 902  | 156 | 112  | 3510 | 2047 | 11  | 189  | 495 | 1169 | 42424  |       |
| E HERRING SP.ON.K | 907          | 3956  | 86    | 9    | 4580 | 1    | 22   | 14   | 3    | 0   | 0    | 0    | 0    | 8   | 0    | 0   | 1    | 9594   |       |
| F ROCKFISH        | 56864        | 15417 | 9598  | 1510 | 311  | 2869 | 426  | 192  | 1682 | 230 | 556  | 3824 | 2227 | 41  | 431  | 835 | 1613 | 98635  |       |
| G GEODUCK         | 594          | 3602  | 44    | 6    | 199  | 5    | 1669 | 21   | 4    | 0   | 10   | 0    | 0    | 16  | 59   | 3   | 36   | 6276   |       |
| H CRAB            | 2115         | 4524  | 794   | 31   | 199  | 71   | 208  | 2266 | 67   | 18  | 256  | 77   | 57   | 12  | 0    | 78  | 40   | 10823  |       |
| I LINGCOD         | 84703        | 15479 | 10478 | 1534 | 338  | 2764 | 346  | 283  | 1822 | 262 | 689  | 3814 | 2222 | 40  | 482  | 704 | 1527 | 127494 |       |
| J SHRIMP          | 4608         | 3390  | 506   | 26   | 199  | 43   | 22   | 33   | 94   | 607 | 318  | 60   | 37   | 9   | 0    | 10  | 18   | 9987   |       |
| K PRAWNS          | 4492         | 3763  | 758   | 37   | 199  | 56   | 91   | 182  | 55   | 208 | 1890 | 23   | 23   | 14  | 144  | 44  | 53   | 12039  |       |
| L PACIFIC COD     | 11212        | 12607 | 2391  | 877  | 199  | 2556 | 22   | 118  | 1112 | 161 | 65   | 3830 | 2226 | 10  | 0    | 476 | 1065 | 38933  |       |
| M SOLES           | 3328         | 8575  | 652   | 591  | 0    | 2503 | 0    | 15   | 924  | 157 | 71   | 3814 | 2228 | 0   | 0    | 330 | 1185 | 24380  |       |
| N INTERTIDAL CLAM | 1278         | 3714  | 225   | 7    | 199  | 29   | 656  | 69   | 15   | 4   | 11   | 6    | 4    | 931 | 26   | 7   | 41   | 7231   |       |
| O ABALONE         | 325          | 90    | 156   | 29   | 0    | 2    | 1    | 0    | 2    | 0   | 19   | 0    | 0    | 835 | 1061 | 3   | 11   | 2540   |       |
| P DOGFISH         | 6892         | 7424  | 2804  | 603  | 0    | 1663 | 107  | 40   | 792  | 87  | 97   | 2452 | 1468 | 5   | 144  | 897 | 894  | 26377  |       |
| Q OTHER SPECIES   | 16679        | 13856 | 4178  | 2075 | 199  | 2596 | 488  | 281  | 1077 | 140 | 287  | 3810 | 2226 | 20  | 101  | 552 | 1884 | 50457  |       |

Table 136. Income derived from landing the various species from the Queen Charlotte Islands 1980. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |      |      |     |      |    |      |    |    |    |     |     |   |    |    |     |       | TOTAL |
|-------------------|--------------|------|------|------|-----|------|----|------|----|----|----|-----|-----|---|----|----|-----|-------|-------|
|                   | A            | B    | C    | D    | E   | F    | G  | H    | I  | J  | K  | L   | M   | N | O  | P  | Q   |       |       |
| A SALMON          | 13986        | 1735 | 976  | 1    | 570 | 8    | 0  | 863  | 20 | 4  | 0  | 63  | 35  | 0 | 21 | 0  | 39  | 18327 |       |
| B HERRING         | 556          | 4288 | 88   | 63   | 396 | 6    | 0  | 57   | 0  | 0  | 0  | 1   | 0   | 0 | 0  | 0  | 0   | 5459  |       |
| C HALIBUT         | 1109         | 484  | 4473 | 139  | 36  | 47   | 0  | 90   | 25 | 0  | 4  | 14  | 5   | 0 | 0  | 3  | 12  | 6448  |       |
| D SABLEFISH       | 304          | 326  | 1798 | 1064 | 0   | 1082 | 0  | 10   | 35 | 0  | 4  | 458 | 443 | 0 | 0  | 15 | 483 | 6027  |       |
| E HERRING SP.ON.K | 296          | 251  | 1    | 0    | 691 | 0    | 0  | 57   | 0  | 0  | 0  | 0   | 0   | 0 | 0  | 0  | 0   | 1299  |       |
| F ROCKFISH        | 2846         | 484  | 2094 | 284  | 36  | 1105 | 0  | 58   | 61 | 0  | 5  | 631 | 572 | 0 | 0  | 24 | 619 | 8826  |       |
| G GEODUCK         | 0            | 0    | 0    | 0    | 0   | 0    | 17 | 0    | 0  | 0  | 0  | 0   | 0   | 0 | 0  | 0  | 0   | 17    |       |
| H CRAB            | 374          | 158  | 118  | 0    | 36  | 0    | 0  | 1340 | 0  | 3  | 3  | 0   | 0   | 0 | 0  | 0  | 0   | 2036  |       |
| I LINGCOD         | 8510         | 488  | 2467 | 273  | 36  | 1101 | 0  | 91   | 73 | 0  | 5  | 695 | 574 | 0 | 21 | 24 | 621 | 14985 |       |
| J SHRIMP          | 6            | 0    | 0    | 0    | 0   | 0    | 0  | 1    | 0  | 11 | 7  | 0   | 0   | 0 | 0  | 0  | 0   | 27    |       |
| K PRAWNS          | 6            | 0    | 39   | 6    | 0   | 4    | 0  | 1    | 1  | 8  | 14 | 0   | 0   | 0 | 0  | 0  | 0   | 81    |       |
| L PACIFIC COD     | 2389         | 479  | 357  | 247  | 36  | 1078 | 0  | 57   | 47 | 0  | 0  | 702 | 581 | 0 | 0  | 23 | 629 | 6630  |       |
| M SOLES           | 90           | 0    | 42   | 69   | 0   | 1065 | 0  | 0    | 30 | 0  | 0  | 688 | 582 | 0 | 0  | 23 | 629 | 3221  |       |
| N INTERTIDAL CLAM | 0            | 0    | 0    | 0    | 0   | 0    | 0  | 0    | 0  | 0  | 0  | 0   | 0   | 0 | 0  | 0  | 0   | *     |       |
| O ABALONE         | 0            | 0    | 0    | 0    | 0   | 0    | 0  | 0    | 0  | 0  | 0  | 0   | 0   | 0 | 0  | 0  | 0   | *     |       |
| P DOGFISH         | 30           | 321  | 184  | 127  | 0   | 775  | 0  | 0    | 24 | 0  | 0  | 393 | 311 | 0 | 0  | 26 | 312 | 2507  |       |
| Q OTHER SPECIES   | 410          | 158  | 212  | 69   | 36  | 1068 | 0  | 453  | 33 | 0  | 0  | 691 | 582 | 0 | 0  | 23 | 716 | 4455  |       |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 137. Income derived from landing the various species from Chatham Sound 1980. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |     |    |     |     |   |     |    |    |     |      |     |     |     |    |      |       | TOTAL |
|-------------------|--------------|------|-----|----|-----|-----|---|-----|----|----|-----|------|-----|-----|-----|----|------|-------|-------|
|                   | A            | B    | C   | D  | E   | F   | G | H   | I  | J  | K   | L    | M   | N   | O   | P  | Q    |       |       |
| A SALMON          | 23526        | 2628 | 273 | 0  | 367 | 32  | 0 | 107 | 11 | 38 | 6   | 147  | 81  | 32  | 0   | 6  | 118  | 27379 |       |
| B HERRING         | 2589         | 7435 | 0   | 69 | 0   | 84  | 0 | 64  | 23 | 0  | 0   | 412  | 320 | 0   | 0   | 14 | 569  | 11585 |       |
| C HALIBUT         | 1408         | 365  | 945 | 1  | 0   | 5   | 0 | 83  | 7  | 2  | 0   | 0    | 0   | 5   | 4   | 7  | 3    | 2841  |       |
| D SABLEFISH       | 278          | 423  | 167 | 92 | 0   | 257 | 0 | 1   | 63 | 0  | 0   | 1208 | 863 | 0   | 0   | 29 | 1199 | 4584  |       |
| E HERRING SP.ON.K | 321          | 0    | 0   | 0  | 727 | 0   | 0 | 0   | 0  | 0  | 0   | 0    | 0   | 1   | 0   | 0  | 0    | 1050  |       |
| F ROCKFISH        | 880          | 532  | 524 | 91 | 0   | 316 | 0 | 1   | 87 | 20 | 3   | 1469 | 962 | 1   | 0   | 41 | 1329 | 6261  |       |
| G GEODUCK         | 0            | 0    | 0   | 0  | 0   | 0   | 0 | 0   | 0  | 0  | 0   | 0    | 0   | 0   | 0   | 0  | 0    | *     |       |
| H CRAB            | 457          | 526  | 82  | 0  | 0   | 0   | 0 | 285 | 0  | 0  | 23  | 0    | 0   | 1   | 0   | 0  | 3    | 1381  |       |
| I LINGCOD         | 1894         | 802  | 571 | 81 | 0   | 309 | 0 | 88  | 93 | 23 | 3   | 1493 | 968 | 4   | 4   | 41 | 1329 | 7710  |       |
| J SHRIMP          | 376          | 0    | 46  | 0  | 0   | 0   | 0 | 2   | 0  | 44 | 11  | 0    | 0   | 0   | 0   | 0  | 0    | 482   |       |
| K PRAWNS          | 137          | 0    | 0   | 0  | 0   | 0   | 0 | 3   | 0  | 11 | 127 | 0    | 0   | 0   | 0   | 0  | 8    | 288   |       |
| L PACIFIC COD     | 466          | 436  | 80  | 81 | 0   | 293 | 0 | 0   | 71 | 2  | 0   | 1498 | 972 | 0   | 0   | 40 | 1332 | 5277  |       |
| M SOLES           | 146          | 436  | 0   | 80 | 0   | 290 | 0 | 0   | 68 | 0  | 0   | 1496 | 972 | 0   | 0   | 28 | 1331 | 4851  |       |
| N INTERTIDAL CLAM | 507          | 0    | 24  | 0  | 62  | 0   | 0 | 1   | 2  | 0  | 0   | 0    | 0   | 124 | 0   | 0  | 0    | 723   |       |
| O ABALONE         | 0            | 0    | 11  | 0  | 0   | 0   | 0 | 0   | 0  | 0  | 0   | 0    | 0   | 0   | 131 | 0  | 5    | 148   |       |
| P DOGFISH         | 146          | 687  | 12  | 51 | 0   | 220 | 0 | 0   | 58 | 0  | 0   | 1042 | 824 | 0   | 0   | 43 | 1095 | 4184  |       |
| Q OTHER SPECIES   | 683          | 1418 | 162 | 81 | 0   | 294 | 0 | 180 | 71 | 6  | 90  | 1496 | 972 | 1   | 31  | 43 | 1442 | 6976  |       |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 138. Income derived from landing the various species from the Central Coast 1980. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |     |      |     |     |      |    |    |     |   |     |     |     |   |     |   |     | TOTAL |
|-------------------|--------------|-----|------|-----|-----|------|----|----|-----|---|-----|-----|-----|---|-----|---|-----|-------|
|                   | A            | B   | C    | D   | E   | F    | G  | H  | I   | J | K   | L   | M   | N | O   | P | Q   |       |
| A SALMON          | 24912        | 253 | 706  | 20  | 153 | 2    | 0  | 0  | 11  | 0 | 19  | 0   | 0   | 3 | 27  | 0 | 1   | 26113 |
| B HERRING         | 463          | 823 | 9    | 20  | 45  | 17   | 0  | 0  | 0   | 0 | 1   | 0   | 0   | 0 | 0   | 0 | 0   | 1382  |
| C HALIBUT         | 716          | 162 | 2913 | 25  | 0   | 9    | 0  | 0  | 11  | 0 | 10  | 0   | 0   | 0 | 0   | 0 | 1   | 3850  |
| D SABLEFISH       | 168          | 73  | 301  | 354 | 0   | 978  | 0  | 0  | 128 | 0 | 0   | 274 | 260 | 0 | 0   | 7 | 305 | 2852  |
| E HERRING SP.ON.K | 0            | 0   | 0    | 0   | 0   | 0    | 0  | 0  | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0   | *     |
| F ROCKFISH        | 1506         | 79  | 415  | 42  | 0   | 1055 | 0  | 1  | 156 | 0 | 43  | 294 | 287 | 0 | 27  | 7 | 329 | 4246  |
| G GEODUCK         | 0            | 0   | 0    | 0   | 0   | 0    | 28 | 0  | 0   | 0 | 0   | 0   | 0   | 0 | 11  | 0 | 0   | 39    |
| H CRAB            | 0            | 7   | 0    | 0   | 0   | 0    | 0  | 17 | 1   | 0 | 32  | 0   | 0   | 0 | 0   | 0 | 0   | 60    |
| I LINGCOD         | 3499         | 79  | 496  | 40  | 0   | 981  | 0  | 0  | 168 | 0 | 27  | 294 | 283 | 0 | 0   | 7 | 327 | 6207  |
| J SHRIMP          | 0            | 0   | 0    | 0   | 0   | 0    | 0  | 0  | 0   | 3 | 14  | 0   | 0   | 0 | 0   | 0 | 0   | 18    |
| K PRAWNS          | 18           | 7   | 10   | 0   | 0   | 0    | 0  | 15 | 1   | 1 | 576 | 0   | 0   | 0 | 0   | 0 | 3   | 635   |
| L PACIFIC COD     | 52           | 6   | 8    | 11  | 0   | 974  | 0  | 0  | 136 | 0 | 0   | 294 | 283 | 0 | 0   | 7 | 326 | 2102  |
| M SOLES           | 0            | 0   | 0    | 10  | 0   | 1018 | 0  | 0  | 136 | 0 | 0   | 294 | 287 | 0 | 0   | 7 | 327 | 2082  |
| N INTERTIDAL CLAM | 0            | 0   | 0    | 0   | 0   | 0    | 0  | 0  | 0   | 0 | 0   | 0   | 0   | 5 | 0   | 0 | 0   | 5     |
| O ABALONE         | 1            | 0   | 0    | 0   | 0   | 0    | 3  | 0  | 0   | 0 | 0   | 0   | 0   | 0 | 277 | 0 | 0   | 282   |
| P DOGFISH         | 0            | 0   | 0    | 7   | 0   | 681  | 0  | 0  | 66  | 0 | 0   | 108 | 91  | 0 | 0   | 9 | 98  | 1063  |
| Q OTHER SPECIES   | 51           | 0   | 27   | 27  | 0   | 1020 | 0  | 0  | 137 | 0 | 71  | 294 | 287 | 0 | 8   | 7 | 364 | 2298  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 139. Income derived from landing the various species from Johnstone Strait 1980. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |     |     |     |     |     |    |     |     |   |     |     |     |     |     |    |     | TOTAL |
|-------------------|--------------|-----|-----|-----|-----|-----|----|-----|-----|---|-----|-----|-----|-----|-----|----|-----|-------|
|                   | A            | B   | C   | D   | E   | F   | G  | H   | I   | J | K   | L   | M   | N   | O   | P  | Q   |       |
| A SALMON          | 22254        | 172 | 243 | 13  | 0   | 16  | 0  | 2   | 28  | 1 | 60  | 55  | 54  | 15  | 0   | 15 | 80  | 23015 |
| B HERRING         | 206          | 491 | 0   | 0   | 130 | 18  | 0  | 0   | 2   | 0 | 0   | 3   | 1   | 0   | 0   | 0  | 9   | 867   |
| C HALIBUT         | 483          | 0   | 572 | 14  | 0   | 9   | 0  | 0   | 7   | 0 | 0   | 0   | 0   | 0   | 13  | 0  | 0   | 1101  |
| D SABLEFISH       | 133          | 13  | 41  | 324 | 0   | 58  | 0  | 0   | 31  | 0 | 0   | 102 | 92  | 0   | 0   | 4  | 104 | 909   |
| E HERRING SP.ON.K | 0            | 0   | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0 | 0   | 0   | 0   | 0   | 0   | 0  | 0   | *     |
| F ROCKFISH        | 3194         | 118 | 291 | 4   | 0   | 223 | 0  | 12  | 166 | 0 | 15  | 241 | 173 | 147 | 13  | 41 | 201 | 4847  |
| G GEODUCK         | 0            | 0   | 0   | 0   | 0   | 0   | 73 | 0   | 0   | 0 | 0   | 0   | 0   | 0   | 0   | 0  | 0   | 73    |
| H CRAB            | 42           | 0   | 0   | 0   | 0   | 16  | 0  | 119 | 3   | 0 | 16  | 0   | 0   | 6   | 0   | 0  | 0   | 204   |
| I LINGCOD         | 3690         | 81  | 384 | 3   | 0   | 198 | 0  | 4   | 182 | 0 | 6   | 236 | 172 | 10  | 13  | 33 | 207 | 5226  |
| J SHRIMP          | 15           | 0   | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 2 | 7   | 0   | 0   | 0   | 0   | 0  | 0   | 25    |
| K PRAWNS          | 260          | 34  | 0   | 0   | 130 | 10  | 0  | 50  | 3   | 0 | 388 | 0   | 0   | 0   | 0   | 0  | 0   | 880   |
| L PACIFIC COD     | 530          | 85  | 7   | 0   | 0   | 155 | 0  | 0   | 70  | 0 | 3   | 244 | 169 | 3   | 0   | 34 | 197 | 1502  |
| M SOLES           | 219          | 85  | 0   | 0   | 0   | 132 | 0  | 0   | 52  | 0 | 0   | 243 | 174 | 0   | 0   | 27 | 199 | 1136  |
| N INTERTIDAL CLAM | 103          | 16  | 8   | 0   | 0   | 11  | 13 | 4   | 4   | 0 | 0   | 0   | 0   | 178 | 0   | 0  | 0   | 341   |
| O ABALONE         | 0            | 0   | 30  | 0   | 0   | 0   | 0  | 0   | 0   | 0 | 0   | 0   | 0   | 0   | 116 | 0  | 0   | 147   |
| P DOGFISH         | 111          | 0   | 0   | 0   | 0   | 74  | 0  | 0   | 21  | 0 | 0   | 114 | 80  | 0   | 0   | 45 | 82  | 530   |
| Q OTHER SPECIES   | 442          | 85  | 7   | 0   | 0   | 153 | 0  | 36  | 62  | 0 | 52  | 243 | 174 | 8   | 18  | 41 | 224 | 1552  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 140. Income derived from landing the various species from Georgia Strait 1980. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |   |   |     |     |     |     |     |    |     |     |    |     |   |     |     | TOTAL |
|-------------------|--------------|------|---|---|-----|-----|-----|-----|-----|----|-----|-----|----|-----|---|-----|-----|-------|
|                   | A            | B    | C | D | E   | F   | G   | H   | I   | J  | K   | L   | M  | N   | O | P   | Q   |       |
| A SALMON          | 2971         | 1223 | 0 | 0 | 41  | 21  | 5   | 4   | 40  | 15 | 22  | 24  | 18 | 4   | 0 | 28  | 27  | 4448  |
| B HERRING         | 305          | 5222 | 0 | 0 | 185 | 4   | 3   | 3   | 1   | 0  | 19  | 19  | 4  | 17  | 0 | 3   | 12  | 5802  |
| C HALIBUT         | 0            | 0    | 0 | 0 | 0   | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0  | 0   | 0 | 0   | 0   | *     |
| D SABLEFISH       | 12           | 124  | 0 | 3 | 0   | 8   | 0   | 0   | 5   | 10 | 3   | 70  | 25 | 0   | 0 | 56  | 30  | 353   |
| E HERRING SP.ON.K | 0            | 46   | 0 | 0 | 185 | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0  | 0   | 0 | 0   | 0   | 232   |
| F ROCKFISH        | 1023         | 527  | 3 | 0 | 91  | 140 | 8   | 36  | 149 | 25 | 52  | 178 | 76 | 362 | 0 | 175 | 108 | 2961  |
| G GEODUCK         | 17           | 546  | 0 | 0 | 0   | 0   | 666 | 5   | 1   | 0  | 2   | 0   | 0  | 402 | 0 | 0   | 43  | 1687  |
| H CRAB            | 50           | 380  | 0 | 0 | 0   | 47  | 41  | 134 | 19  | 2  | 200 | 52  | 37 | 7   | 0 | 24  | 53  | 1052  |
| I LINGCOD         | 744          | 511  | 3 | 2 | 0   | 78  | 65  | 26  | 172 | 12 | 39  | 123 | 63 | 3   | 0 | 59  | 82  | 1988  |
| J SHRIMP          | 28           | 0    | 0 | 0 | 0   | 1   | 0   | 19  | 4   | 69 | 300 | 5   | 7  | 0   | 0 | 2   | 10  | 451   |
| K PRAWNS          | 66           | 373  | 0 | 1 | 0   | 14  | 61  | 35  | 15  | 41 | 608 | 1   | 0  | 2   | 0 | 2   | 5   | 1231  |
| L PACIFIC COD     | 186          | 150  | 0 | 1 | 0   | 71  | 2   | 23  | 20  | 13 | 8   | 219 | 83 | 0   | 0 | 158 | 214 | 1158  |
| M SOLES           | 46           | 127  | 0 | 1 | 0   | 17  | 0   | 6   | 6   | 18 | 6   | 210 | 85 | 0   | 0 | 57  | 133 | 718   |
| N INTERTIDAL CLAM | 31           | 483  | 0 | 0 | 0   | 5   | 499 | 12  | 3   | 0  | 3   | 9   | 4  | 456 | 0 | 1   | 56  | 1569  |
| O ABALONE         | 0            | 0    | 0 | 0 | 0   | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0  | 0   | 0 | 0   | 0   | *     |
| P DOGFISH         | 48           | 132  | 0 | 1 | 0   | 47  | 0   | 5   | 8   | 10 | 8   | 195 | 64 | 1   | 0 | 239 | 87  | 853   |
| Q OTHER SPECIES   | 82           | 525  | 0 | 1 | 0   | 68  | 256 | 37  | 16  | 20 | 29  | 215 | 85 | 383 | 0 | 128 | 602 | 2452  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 141. Income derived from landing the various species from Victoria 1980. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |     |   |   |   |    |    |     |    |    |    |     |    |    |    |    |     | TOTAL |
|-------------------|--------------|-----|---|---|---|----|----|-----|----|----|----|-----|----|----|----|----|-----|-------|
|                   | A            | B   | C | D | E | F  | G  | H   | I  | J  | K  | L   | M  | N  | O  | P  | Q   |       |
| A SALMON          | 2578         | 166 | 1 | 0 | 0 | 0  | 5  | 2   | 3  | 0  | 0  | 13  | 2  | 0  | 0  | 4  | 15  | 2795  |
| B HERRING         | 213          | 219 | 0 | 0 | 0 | 0  | 0  | 0   | 0  | 0  | 0  | 0   | 1  | 0  | 0  | 0  | 2   | 437   |
| C HALIBUT         | 1            | 0   | 6 | 0 | 0 | 0  | 0  | 0   | 5  | 0  | 0  | 0   | 0  | 0  | 0  | 0  | 0   | 14    |
| D SABLEFISH       | 1            | 42  | 3 | 4 | 0 | 7  | 0  | 0   | 7  | 0  | 0  | 257 | 32 | 0  | 0  | 20 | 38  | 416   |
| E HERRING SP.ON.K | 0            | 0   | 0 | 0 | 0 | 0  | 0  | 0   | 0  | 0  | 0  | 0   | 0  | 0  | 0  | 0  | 0   | 0     |
| F ROCKFISH        | 61           | 42  | 4 | 4 | 0 | 19 | 0  | 7   | 36 | 0  | 7  | 295 | 36 | 0  | 0  | 40 | 43  | 601   |
| G GEODUCK         | 14           | 0   | 0 | 0 | 0 | 0  | 82 | 4   | 0  | 0  | 2  | 0   | 0  | 0  | 0  | 0  | 11  | 115   |
| H CRAB            | 210          | 141 | 0 | 0 | 0 | 1  | 15 | 262 | 3  | 6  | 10 | 1   | 0  | 2  | 0  | 1  | 13  | 671   |
| I LINGCOD         | 18           | 0   | 5 | 4 | 0 | 17 | 0  | 38  | 41 | 0  | 2  | 296 | 41 | 0  | 0  | 28 | 47  | 543   |
| J SHRIMP          | 0            | 0   | 0 | 0 | 0 | 0  | 0  | 65  | 1  | 11 | 14 | 1   | 0  | 2  | 0  | 0  | 0   | 97    |
| K PRAWNS          | 0            | 0   | 0 | 0 | 0 | 0  | 10 | 10  | 1  | 5  | 22 | 0   | 0  | 0  | 0  | 0  | 0   | 51    |
| L PACIFIC COD     | 53           | 42  | 3 | 4 | 0 | 14 | 0  | 1   | 13 | 0  | 0  | 349 | 52 | 0  | 0  | 49 | 61  | 646   |
| M SOLES           | 56           | 42  | 0 | 3 | 0 | 10 | 0  | 0   | 9  | 0  | 0  | 283 | 52 | 0  | 0  | 26 | 60  | 547   |
| N INTERTIDAL CLAM | 14           | 0   | 0 | 0 | 0 | 0  | 32 | 59  | 0  | 0  | 0  | 0   | 0  | 21 | 0  | 0  | 14  | 142   |
| O ABALONE         | 194          | 141 | 0 | 0 | 0 | 0  | 0  | 0   | 0  | 0  | 0  | 0   | 0  | 0  | 16 | 0  | 0   | 352   |
| P DOGFISH         | 76           | 0   | 0 | 4 | 0 | 10 | 5  | 2   | 9  | 0  | 0  | 267 | 18 | 0  | 0  | 63 | 46  | 505   |
| Q OTHER SPECIES   | 99           | 42  | 3 | 4 | 0 | 13 | 5  | 47  | 12 | 2  | 4  | 347 | 52 | 19 | 6  | 36 | 105 | 804   |

Table 142. Income derived from landing the various species from West Vancouver Island 1980. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |     |      |   |     |      |     |     |     |     |     |     |     |   |     |     | TOTAL |
|-------------------|--------------|------|-----|------|---|-----|------|-----|-----|-----|-----|-----|-----|-----|---|-----|-----|-------|
|                   | A            | B    | C   | D    | E | F   | G    | H   | I   | J   | K   | L   | M   | N   | O | P   | Q   |       |
| A SALMON          | 32427        | 2312 | 287 | 320  | 0 | 60  | 4    | 67  | 198 | 26  | 31  | 77  | 46  | 1   | 0 | 58  | 294 | 36213 |
| B HERRING         | 521          | 5257 | 0   | 71   | 0 | 2   | 4    | 10  | 5   | 0   | 0   | 1   | 1   | 1   | 0 | 0   | 2   | 5878  |
| C HALIBUT         | 702          | 0    | 463 | 55   | 0 | 17  | 0    | 0   | 14  | 0   | 0   | 0   | 0   | 0   | 0 | 1   | 13  | 1268  |
| D SABLEFISH       | 1246         | 288  | 193 | 1408 | 0 | 229 | 4    | 1   | 261 | 54  | 1   | 271 | 279 | 0   | 0 | 154 | 337 | 4732  |
| E HERRING SP.ON.K | 0            | 0    | 0   | 0    | 0 | 0   | 0    | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0 | 0   | 0   | 0     |
| F ROCKFISH        | 11948        | 320  | 372 | 172  | 0 | 294 | 13   | 7   | 427 | 105 | 14  | 386 | 338 | 1   | 0 | 356 | 477 | 15236 |
| G GEODUCK         | 56           | 288  | 0   | 71   | 0 | 0   | 1427 | 1   | 0   | 0   | 0   | 0   | 0   | 106 | 0 | 0   | 0   | 1952  |
| H CRAB            | 139          | 292  | 0   | 71   | 0 | 0   | 4    | 337 | 0   | 0   | 10  | 0   | 0   | 0   | 0 | 0   | 2   | 859   |
| I LINGCOD         | 22350        | 719  | 389 | 198  | 0 | 280 | 4    | 11  | 468 | 110 | 6   | 396 | 344 | 1   | 0 | 356 | 594 | 26232 |
| J SHRIMP          | 247          | 0    | 0   | 0    | 0 | 16  | 0    | 0   | 50  | 121 | 20  | 30  | 31  | 0   | 0 | 15  | 42  | 575   |
| K PRAWNS          | 267          | 0    | 2   | 11   | 0 | 3   | 0    | 4   | 5   | 30  | 194 | 0   | 0   | 0   | 0 | 0   | 1   | 522   |
| L PACIFIC COD     | 1050         | 21   | 11  | 30   | 0 | 231 | 0    | 0   | 310 | 90  | 3   | 399 | 340 | 0   | 0 | 353 | 376 | 3219  |
| M SOLES           | 354          | 21   | 86  | 42   | 0 | 233 | 0    | 0   | 311 | 90  | 1   | 398 | 345 | 0   | 0 | 355 | 378 | 2621  |
| N INTERTIDAL CLAM | 19           | 6    | 0   | 0    | 0 | 0   | 283  | 0   | 2   | 0   | 0   | 0   | 0   | 117 | 0 | 0   | 0   | 429   |
| O ABALONE         | 0            | 0    | 0   | 0    | 0 | 0   | 0    | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0 | 0   | 0   | 0     |
| P DOGFISH         | 147          | 21   | 89  | 58   | 0 | 225 | 0    | 0   | 264 | 89  | 3   | 340 | 290 | 0   | 0 | 360 | 302 | 2193  |
| Q OTHER SPECIES   | 3547         | 21   | 139 | 98   | 0 | 248 | 0    | 210 | 331 | 91  | 19  | 399 | 345 | 0   | 0 | 356 | 685 | 6494  |

Table 143. Income derived from landing the various species from the Fraser River 1980. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |   |   |   |   |   |   |     |   |     |     |   |   |   |   |    |     | TOTAL |
|-------------------|--------------|---|---|---|---|---|---|-----|---|-----|-----|---|---|---|---|----|-----|-------|
|                   | A            | B | C | D | E | F | G | H   | I | J   | K   | L | M | N | O | P  | Q   |       |
| A SALMON          | 3265         | 0 | 0 | 0 | 0 | 0 | 0 | 95  | 0 | 221 | 2   | 0 | 0 | 0 | 0 | 0  | 38  | 3624  |
| B HERRING         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | *     |
| C HALIBUT         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | 0     |
| D SABLEFISH       | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | *     |
| E HERRING SP.ON.K | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | 0     |
| F ROCKFISH        | 9            | 0 | 0 | 0 | 0 | 6 | 0 | 9   | 5 | 37  | 4   | 0 | 0 | 0 | 0 | 14 | 29  | 118   |
| G GEODUCK         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | 0     |
| H CRAB            | 49           | 0 | 0 | 0 | 0 | 0 | 0 | 442 | 0 | 4   | 44  | 0 | 0 | 0 | 0 | 0  | 1   | 544   |
| I LINGCOD         | 7            | 0 | 0 | 0 | 0 | 3 | 0 | 8   | 6 | 18  | 3   | 0 | 0 | 0 | 0 | 0  | 2   | 51    |
| J SHRIMP          | 115          | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 322 | 59  | 0 | 0 | 0 | 0 | 0  | 0   | 500   |
| K PRAWNS          | 39           | 0 | 0 | 0 | 0 | 1 | 0 | 36  | 0 | 33  | 180 | 0 | 0 | 0 | 0 | 2  | 1   | 296   |
| L PACIFIC COD     | 1            | 0 | 0 | 0 | 0 | 1 | 0 | 0   | 0 | 29  | 2   | 0 | 1 | 0 | 0 | 14 | 1   | 54    |
| M SOLES           | 10           | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 8   | 2   | 0 | 1 | 0 | 0 | 0  | 1   | 26    |
| N INTERTIDAL CLAM | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | 0     |
| O ABALONE         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0   | 0     |
| P DOGFISH         | 0            | 0 | 0 | 0 | 0 | 2 | 0 | 0   | 0 | 4   | 2   | 0 | 0 | 0 | 0 | 60 | 0   | 71    |
| Q OTHER SPECIES   | 1546         | 0 | 0 | 0 | 0 | 2 | 0 | 55  | 4 | 32  | 63  | 0 | 1 | 0 | 0 | 2  | 192 | 1901  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 144. Income derived from landing the various species from the B.C. Total - All areas 1980. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |       |      |      |      |      |      |      |      |     |      |      |      |     |     |     |      |        | TOTAL |
|-------------------|--------------|-------|------|------|------|------|------|------|------|-----|------|------|------|-----|-----|-----|------|--------|-------|
|                   | A            | B     | C    | D    | E    | F    | G    | H    | I    | J   | K    | L    | M    | N   | O   | P   | Q    |        |       |
| A SALMON          | 125923       | 11024 | 3939 | 394  | 1481 | 271  | 41   | 1177 | 358  | 359 | 255  | 545  | 344  | 836 | 79  | 244 | 866  | 148144 |       |
| B HERRING         | 15406        | 23745 | 1271 | 661  | 907  | 1228 | 38   | 153  | 185  | 32  | 57   | 756  | 686  | 22  | 3   | 147 | 1429 | 46735  |       |
| C HALIBUT         | 8547         | 4078  | 9379 | 336  | 127  | 136  | 42   | 280  | 103  | 30  | 284  | 175  | 29   | 7   | 82  | 132 | 134  | 23908  |       |
| D SABLEFISH       | 4848         | 4277  | 3650 | 3250 | 127  | 2795 | 13   | 99   | 622  | 108 | 32   | 3310 | 2288 | 2   | 27  | 478 | 3098 | 29031  |       |
| E HERRING SP.ON.K | 1851         | 1568  | 83   | 92   | 1929 | 4    | 11   | 67   | 6    | 0   | 20   | 1    | 1    | 1   | 0   | 1   | 16   | 5659   |       |
| F ROCKFISH        | 30714        | 4556  | 5164 | 617  | 172  | 3161 | 69   | 202  | 1126 | 208 | 232  | 3701 | 2498 | 797 | 85  | 785 | 3776 | 57871  |       |
| G GEODUCK         | 1463         | 2314  | 36   | 92   | 36   | 3    | 2298 | 82   | 2    | 0   | 10   | 0    | 0    | 817 | 84  | 0   | 66   | 7308   |       |
| H CRAB            | 2899         | 2887  | 658  | 93   | 36   | 87   | 113  | 2938 | 48   | 39  | 405  | 96   | 82   | 17  | 25  | 41  | 127  | 10599  |       |
| I LINGCOD         | 49178        | 4579  | 5567 | 630  | 172  | 3095 | 208  | 338  | 1207 | 208 | 202  | 3693 | 2493 | 32  | 161 | 738 | 3629 | 76141  |       |
| J SHRIMP          | 2020         | 3     | 97   | 2    | 0    | 25   | 21   | 98   | 61   | 587 | 496  | 131  | 123  | 3   | 0   | 24  | 154  | 3855   |       |
| K PRAWNS          | 3336         | 1459  | 391  | 124  | 287  | 51   | 196  | 273  | 42   | 136 | 2113 | 3    | 1    | 3   | 27  | 14  | 47   | 8511   |       |
| L PACIFIC COD     | 8037         | 3192  | 934  | 514  | 81   | 2923 | 14   | 117  | 700  | 149 | 24   | 3709 | 2497 | 8   | 0   | 709 | 3291 | 26906  |       |
| M SOLES           | 2365         | 1119  | 266  | 215  | 45   | 2808 | 0    | 9    | 621  | 117 | 10   | 3687 | 2501 | 0   | 0   | 540 | 3269 | 17578  |       |
| N INTERTIDAL CLAM | 2092         | 1424  | 75   | 95   | 98   | 23   | 1055 | 555  | 15   | 14  | 10   | 10   | 6    | 970 | 3   | 17  | 99   | 6571   |       |
| O ABALONE         | 596          | 1064  | 76   | 2    | 0    | 1    | 95   | 4    | 0    | 0   | 28   | 0    | 0    | 0   | 581 | 0   | 23   | 2477   |       |
| P DOGFISH         | 4366         | 3199  | 2055 | 461  | 81   | 2593 | 40   | 93   | 564  | 105 | 38   | 2986 | 2006 | 2   | 0   | 850 | 2670 | 22115  |       |
| Q OTHER SPECIES   | 12867        | 4862  | 1936 | 506  | 81   | 2930 | 326  | 1106 | 687  | 175 | 402  | 3694 | 2501 | 808 | 96  | 715 | 4333 | 38035  |       |

Table 145. Income derived from landing the various species from the Queen Charlotte Islands 1981. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |      |      |   |      |   |      |    |   |    |     |     |   |     |   |      | TOTAL |
|-------------------|--------------|------|------|------|---|------|---|------|----|---|----|-----|-----|---|-----|---|------|-------|
|                   | A            | B    | C    | D    | E | F    | G | H    | I  | J | K  | L   | M   | N | O   | P | Q    |       |
| A SALMON          | 14874        | 2275 | 973  | 113  | 0 | 6    | 0 | 371  | 28 | 0 | 0  | 9   | 11  | 0 | 0   | 0 | 16   | 18682 |
| B HERRING         | 1382         | 7871 | 193  | 205  | 0 | 6    | 0 | 0    | 1  | 0 | 0  | 25  | 12  | 0 | 0   | 0 | 21   | 9721  |
| C HALIBUT         | 1264         | 261  | 4105 | 416  | 0 | 25   | 0 | 30   | 16 | 0 | 1  | 7   | 0   | 0 | 0   | 0 | 1    | 6131  |
| D SABLEFISH       | 78           | 271  | 1616 | 2665 | 0 | 1188 | 0 | 22   | 35 | 0 | 1  | 336 | 283 | 0 | 0   | 1 | 1505 | 8006  |
| E HERRING SP.ON.K | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0    | 0  | 0 | 0  | 0   | 0   | 0 | 0   | 0 | 0    | 0     |
| F ROCKFISH        | 2628         | 271  | 1806 | 442  | 0 | 1207 | 0 | 1    | 77 | 3 | 3  | 441 | 331 | 0 | 0   | 1 | 1569 | 8785  |
| G GEODUCK         | 0            | 0    | 0    | 0    | 0 | 0    | 6 | 0    | 0  | 0 | 0  | 0   | 0   | 0 | 0   | 0 | 0    | 6     |
| H CRAB            | 687          | 0    | 51   | 0    | 0 | 1    | 0 | 1061 | 0  | 0 | 0  | 0   | 0   | 0 | 0   | 0 | 1    | 1805  |
| I LINGCOD         | 7961         | 284  | 2410 | 443  | 0 | 1204 | 0 | 33   | 89 | 0 | 1  | 450 | 333 | 0 | 0   | 1 | 1570 | 14784 |
| J SHRIMP          | 1            | 0    | 0    | 0    | 0 | 0    | 0 | 0    | 0  | 7 | 5  | 0   | 0   | 0 | 0   | 0 | 0    | 15    |
| K PRAWNS          | 5            | 0    | 40   | 10   | 0 | 5    | 0 | 0    | 1  | 3 | 23 | 0   | 0   | 0 | 17  | 0 | 0    | 109   |
| L PACIFIC COD     | 1642         | 271  | 202  | 398  | 0 | 1179 | 0 | 1    | 58 | 0 | 0  | 452 | 333 | 0 | 0   | 1 | 1568 | 6111  |
| M SOLES           | 30           | 68   | 9    | 25   | 0 | 1175 | 0 | 0    | 50 | 0 | 0  | 441 | 335 | 0 | 0   | 1 | 1566 | 3705  |
| N INTERTIDAL CLAM | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0    | 0  | 0 | 0  | 0   | 0   | 0 | 0   | 0 | 0    | *     |
| O ABALONE         | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0    | 0  | 0 | 15 | 0   | 0   | 0 | 226 | 0 | 0    | 242   |
| P DOGFISH         | 0            | 68   | 0    | 20   | 0 | 621  | 0 | 0    | 12 | 0 | 0  | 184 | 169 | 0 | 0   | 1 | 834  | 1913  |
| Q OTHER SPECIES   | 2508         | 271  | 352  | 245  | 0 | 1184 | 0 | 192  | 68 | 3 | 2  | 447 | 335 | 0 | 0   | 1 | 1575 | 7188  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 146. Income derived from landing the various species from Chatham Sound 1981. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |      |    |   |     |     |     |     |    |    |      |      |    |     |    |      | TOTAL |
|-------------------|--------------|------|------|----|---|-----|-----|-----|-----|----|----|------|------|----|-----|----|------|-------|
|                   | A            | B    | C    | D  | E | F   | G   | H   | I   | J  | K  | L    | M    | N  | O   | P  | Q    |       |
| A SALMON          | 25731        | 1590 | 596  | 0  | 0 | 8   | 0   | 117 | 13  | 29 | 1  | 65   | 79   | 1  | 0   | 0  | 99   | 28335 |
| B HERRING         | 2724         | 4330 | 0    | 21 | 0 | 70  | 0   | 68  | 65  | 0  | 0  | 378  | 707  | 0  | 0   | 14 | 1052 | 9433  |
| C HALIBUT         | 1154         | 0    | 1289 | 3  | 0 | 9   | 0   | 90  | 8   | 10 | 30 | 0    | 5    | 0  | 0   | 0  | 6    | 2610  |
| D SABLEFISH       | 55           | 464  | 381  | 44 | 0 | 197 | 0   | 5   | 114 | 0  | 28 | 993  | 1387 | 0  | 0   | 16 | 1933 | 5622  |
| E HERRING SP.ON.K | 0            | 0    | 0    | 0  | 0 | 0   | 0   | 0   | 0   | 0  | 0  | 0    | 0    | 0  | 0   | 0  | 0    | 0     |
| F ROCKFISH        | 852          | 464  | 814  | 28 | 0 | 222 | 0   | 66  | 124 | 9  | 31 | 998  | 1397 | 0  | 0   | 16 | 1960 | 6987  |
| G GEODUCK         | 0            | 0    | 0    | 0  | 0 | 0   | 159 | 0   | 0   | 0  | 0  | 0    | 0    | 8  | 0   | 0  | 0    | 168   |
| H CRAB            | 249          | 68   | 170  | 0  | 0 | 4   | 0   | 320 | 3   | 7  | 3  | 0    | 0    | 0  | 0   | 0  | 3    | 833   |
| I LINGCOD         | 1652         | 464  | 947  | 28 | 0 | 221 | 0   | 89  | 127 | 11 | 31 | 998  | 1397 | 0  | 0   | 16 | 1960 | 7945  |
| J SHRIMP          | 318          | 0    | 84   | 0  | 0 | 1   | 0   | 2   | 0   | 52 | 1  | 0    | 0    | 0  | 0   | 0  | 0    | 461   |
| K PRAWNS          | 23           | 0    | 116  | 0  | 0 | 2   | 0   | 7   | 1   | 1  | 94 | 0    | 0    | 0  | 0   | 0  | 3    | 251   |
| L PACIFIC COD     | 464          | 464  | 225  | 26 | 0 | 210 | 0   | 58  | 117 | 6  | 1  | 1004 | 1400 | 0  | 0   | 16 | 1960 | 5956  |
| M SOLES           | 79           | 464  | 68   | 26 | 0 | 210 | 0   | 0   | 113 | 0  | 0  | 998  | 1400 | 0  | 0   | 16 | 1960 | 5338  |
| N INTERTIDAL CLAM | 125          | 0    | 0    | 0  | 0 | 0   | 6   | 0   | 0   | 0  | 0  | 0    | 0    | 10 | 0   | 0  | 0    | 141   |
| O ABALONE         | 0            | 0    | 0    | 0  | 0 | 0   | 0   | 0   | 0   | 0  | 0  | 0    | 0    | 0  | 148 | 0  | 0    | 148   |
| P DOGFISH         | 9            | 250  | 0    | 21 | 0 | 76  | 0   | 0   | 56  | 0  | 0  | 584  | 636  | 0  | 0   | 16 | 968  | 2619  |
| Q OTHER SPECIES   | 484          | 464  | 256  | 26 | 0 | 215 | 0   | 100 | 119 | 9  | 65 | 1004 | 1400 | 0  | 0   | 16 | 1973 | 6136  |

Table 147. Income derived from landing the various species from the Central Coast 1981. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |     |      |   |     |     |    |     |   |     |     |     |   |     |   |      | TOTAL |
|-------------------|--------------|------|-----|------|---|-----|-----|----|-----|---|-----|-----|-----|---|-----|---|------|-------|
|                   | A            | B    | C   | D    | E | F   | G   | H  | I   | J | K   | L   | M   | N | O   | P | Q    |       |
| A SALMON          | 23186        | 107  | 272 | 0    | 0 | 4   | 0   | 2  | 13  | 0 | 37  | 3   | 0   | 0 | 34  | 0 | 3    | 23665 |
| B HERRING         | 664          | 3091 | 0   | 0    | 0 | 0   | 0   | 0  | 0   | 0 | 0   | 0   | 0   | 0 | 3   | 0 | 0    | 3759  |
| C HALIBUT         | 361          | 0    | 669 | 13   | 0 | 40  | 0   | 0  | 22  | 0 | 41  | 4   | 4   | 0 | 34  | 0 | 43   | 1237  |
| D SABLEFISH       | 49           | 0    | 191 | 1221 | 0 | 879 | 0   | 0  | 235 | 0 | 30  | 152 | 131 | 0 | 0   | 0 | 1033 | 3925  |
| E HERRING SP.ON.K | 0            | 0    | 0   | 0    | 0 | 0   | 0   | 0  | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0    | 0     |
| F ROCKFISH        | 1043         | 0    | 346 | 10   | 0 | 994 | 0   | 1  | 306 | 0 | 12  | 227 | 178 | 0 | 34  | 0 | 1196 | 4351  |
| G GEODUCK         | 0            | 0    | 0   | 0    | 0 | 0   | 297 | 0  | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0    | 297   |
| H CRAB            | 11           | 0    | 15  | 0    | 0 | 0   | 0   | 14 | 0   | 0 | 72  | 0   | 0   | 0 | 0   | 0 | 0    | 115   |
| I LINGCOD         | 3279         | 0    | 393 | 28   | 0 | 965 | 0   | 0  | 314 | 0 | 54  | 226 | 178 | 0 | 34  | 0 | 1167 | 6643  |
| J SHRIMP          | 0            | 0    | 0   | 0    | 0 | 0   | 0   | 0  | 0   | 6 | 46  | 0   | 0   | 0 | 1   | 0 | 0    | 55    |
| K PRAWNS          | 39           | 0    | 32  | 0    | 0 | 1   | 0   | 6  | 0   | 0 | 661 | 0   | 0   | 0 | 1   | 0 | 2    | 749   |
| L PACIFIC COD     | 65           | 0    | 0   | 6    | 0 | 969 | 0   | 0  | 292 | 0 | 0   | 230 | 177 | 0 | 0   | 0 | 1175 | 2917  |
| M SOLES           | 15           | 0    | 26  | 6    | 0 | 983 | 0   | 0  | 292 | 0 | 0   | 222 | 178 | 0 | 0   | 0 | 1189 | 2914  |
| N INTERTIDAL CLAM | 0            | 0    | 0   | 0    | 0 | 0   | 0   | 0  | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0    | *     |
| O ABALONE         | 0            | 8    | 0   | 0    | 0 | 0   | 0   | 0  | 0   | 0 | 20  | 0   | 0   | 0 | 228 | 0 | 0    | 259   |
| P DOGFISH         | 0            | 0    | 0   | 0    | 0 | 0   | 0   | 0  | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0    | 0     |
| Q OTHER SPECIES   | 875          | 0    | 133 | 6    | 0 | 989 | 0   | 1  | 303 | 0 | 118 | 227 | 178 | 0 | 34  | 0 | 1199 | 4069  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 148. Income derived from landing the various species from Johnstone Strait 1981. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |     |     |     |   |     |    |    |     |    |     |     |     |    |     |    |     |       | TOTAL |
|-------------------|--------------|-----|-----|-----|---|-----|----|----|-----|----|-----|-----|-----|----|-----|----|-----|-------|-------|
|                   | A            | B   | C   | D   | E | F   | G  | H  | I   | J  | K   | L   | M   | N  | O   | P  | Q   |       |       |
| A SALMON          | 40063        | 288 | 310 | 4   | 0 | 25  | 2  | 6  | 51  | 18 | 5   | 43  | 40  | 10 | 14  | 15 | 65  | 40966 |       |
| B HERRING         | 109          | 408 | 0   | 0   | 0 | 7   | 0  | 0  | 8   | 0  | 0   | 21  | 12  | 0  | 0   | 0  | 23  | 591   |       |
| C HALIBUT         | 855          | 0   | 559 | 4   | 0 | 10  | 0  | 0  | 5   | 0  | 5   | 0   | 0   | 0  | 0   | 0  | 0   | 1441  |       |
| D SABLEFISH       | 305          | 6   | 98  | 355 | 0 | 46  | 0  | 0  | 68  | 0  | 0   | 99  | 78  | 0  | 0   | 15 | 147 | 1222  |       |
| E HERRING SP.ON.K | 0            | 0   | 0   | 0   | 0 | 0   | 0  | 0  | 0   | 0  | 0   | 0   | 0   | 0  | 0   | 0  | 0   | 0     |       |
| F ROCKFISH        | 4424         | 19  | 464 | 7   | 0 | 195 | 0  | 33 | 205 | 0  | 8   | 144 | 104 | 9  | 11  | 18 | 320 | 5966  |       |
| G GEODUCK         | 1            | 0   | 0   | 0   | 0 | 0   | 36 | 0  | 0   | 0  | 0   | 0   | 0   | 0  | 0   | 0  | 3   | 41    |       |
| H CRAB            | 126          | 0   | 0   | 0   | 0 | 5   | 0  | 83 | 3   | 0  | 28  | 0   | 0   | 0  | 6   | 0  | 5   | 259   |       |
| I LINGCOD         | 6176         | 17  | 416 | 7   | 0 | 167 | 0  | 2  | 249 | 0  | 4   | 146 | 103 | 7  | 5   | 18 | 293 | 7616  |       |
| J SHRIMP          | 34           | 0   | 0   | 0   | 0 | 0   | 0  | 0  | 0   | 21 | 50  | 0   | 0   | 0  | 0   | 0  | 0   | 106   |       |
| K PRAWNS          | 125          | 1   | 4   | 0   | 0 | 1   | 0  | 3  | 0   | 1  | 307 | 1   | 0   | 1  | 36  | 0  | 1   | 488   |       |
| L PACIFIC COD     | 294          | 6   | 0   | 3   | 0 | 85  | 0  | 0  | 101 | 0  | 0   | 150 | 101 | 0  | 0   | 18 | 219 | 979   |       |
| M SOLES           | 292          | 6   | 0   | 3   | 0 | 79  | 0  | 0  | 98  | 0  | 0   | 142 | 104 | 0  | 0   | 18 | 217 | 961   |       |
| N INTERTIDAL CLAM | 163          | 0   | 0   | 0   | 0 | 9   | 7  | 2  | 2   | 0  | 6   | 0   | 0   | 41 | 0   | 0  | 7   | 242   |       |
| O ABALONE         | 63           | 0   | 0   | 0   | 0 | 3   | 0  | 0  | 0   | 0  | 0   | 0   | 0   | 0  | 193 | 0  | 3   | 265   |       |
| P DOGFISH         | 114          | 0   | 0   | 0   | 0 | 2   | 0  | 0  | 14  | 0  | 0   | 49  | 42  | 0  | 0   | 19 | 45  | 288   |       |
| Q OTHER SPECIES   | 3954         | 19  | 14  | 3   | 0 | 184 | 21 | 33 | 200 | 0  | 29  | 144 | 104 | 9  | 11  | 18 | 337 | 5085  |       |

Table 149. Income derived from landing the various species from Georgia Strait 1981. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |   |   |   |     |     |     |     |    |     |     |    |    |   |    |     | TOTAL |
|-------------------|--------------|------|---|---|---|-----|-----|-----|-----|----|-----|-----|----|----|---|----|-----|-------|
|                   | A            | B    | C | D | E | F   | G   | H   | I   | J  | K   | L   | M  | N  | O | P  | Q   |       |
| A SALMON          | 4888         | 1243 | 0 | 0 | 0 | 21  | 0   | 5   | 43  | 26 | 55  | 18  | 7  | 3  | 0 | 3  | 36  | 6354  |
| B HERRING         | 567          | 9422 | 0 | 0 | 0 | 10  | 0   | 3   | 7   | 7  | 24  | 24  | 18 | 0  | 0 | 0  | 49  | 10137 |
| C HALIBUT         | 0            | 0    | 0 | 0 | 0 | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0  | 0  | 0 | 0  | 0   | 0     |
| D SABLEFISH       | 8            | 7    | 0 | 0 | 0 | 2   | 0   | 0   | 0   | 0  | 0   | 58  | 14 | 0  | 0 | 1  | 18  | 114   |
| E HERRING SP.ON.K | 0            | 0    | 0 | 0 | 0 | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0  | 0  | 0 | 0  | 0   | 0     |
| F ROCKFISH        | 1357         | 89   | 0 | 0 | 0 | 256 | 0   | 43  | 162 | 22 | 115 | 195 | 64 | 10 | 0 | 13 | 313 | 2646  |
| G GEODUCK         | 0            | 0    | 0 | 0 | 0 | 0   | 432 | 0   | 0   | 0  | 0   | 0   | 0  | 8  | 0 | 0  | 45  | 487   |
| H CRAB            | 70           | 46   | 0 | 0 | 0 | 42  | 7   | 168 | 11  | 3  | 111 | 101 | 33 | 0  | 0 | 0  | 90  | 688   |
| I LINGCOD         | 1241         | 40   | 0 | 0 | 0 | 166 | 0   | 14  | 193 | 15 | 68  | 168 | 56 | 6  | 0 | 1  | 213 | 2185  |
| J SHRIMP          | 33           | 10   | 0 | 0 | 0 | 6   | 0   | 1   | 6   | 93 | 157 | 12  | 13 | 0  | 0 | 1  | 23  | 361   |
| K PRAWNS          | 117          | 44   | 0 | 0 | 0 | 38  | 0   | 21  | 12  | 55 | 455 | 0   | 1  | 0  | 0 | 1  | 35  | 785   |
| L PACIFIC COD     | 248          | 59   | 0 | 0 | 0 | 76  | 0   | 7   | 25  | 7  | 3   | 230 | 69 | 0  | 0 | 7  | 155 | 890   |
| M SOLES           | 133          | 31   | 0 | 0 | 0 | 29  | 0   | 7   | 10  | 14 | 5   | 220 | 71 | 0  | 0 | 6  | 132 | 662   |
| N INTERTIDAL CLAM | 17           | 20   | 0 | 0 | 0 | 51  | 243 | 0   | 5   | 0  | 13  | 0   | 0  | 33 | 0 | 0  | 65  | 450   |
| O ABALONE         | 0            | 0    | 0 | 0 | 0 | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0  | 0  | 0 | 0  | 0   | 0     |
| P DOGFISH         | 9            | 4    | 0 | 0 | 0 | 30  | 0   | 2   | 0   | 0  | 5   | 44  | 19 | 0  | 0 | 69 | 28  | 215   |
| Q OTHER SPECIES   | 1430         | 107  | 0 | 0 | 0 | 250 | 269 | 50  | 162 | 34 | 126 | 228 | 71 | 14 | 0 | 7  | 710 | 3464  |

Table 150. Income derived from landing the various species from Victoria 1981. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |    |    |   |   |    |    |     |    |    |    |     |    |   |    |    |     | TOTAL |
|-------------------|--------------|----|----|---|---|----|----|-----|----|----|----|-----|----|---|----|----|-----|-------|
|                   | A            | B  | C  | D | E | F  | G  | H   | I  | J  | K  | L   | M  | N | O  | P  | Q   |       |
| A SALMON          | 10117        | 0  | 0  | 1 | 0 | 1  | 2  | 1   | 1  | 0  | 0  | 10  | 7  | 0 | 0  | 2  | 10  | 10156 |
| B HERRING         | 0            | 0  | 0  | 0 | 0 | 0  | 0  | 0   | 0  | 0  | 0  | 0   | 0  | 0 | 0  | 0  | 0   | *     |
| C HALIBUT         | 0            | 0  | 0  | 0 | 0 | 0  | 0  | 0   | 0  | 0  | 0  | 0   | 0  | 0 | 0  | 0  | 0   | *     |
| D SABLEFISH       | 157          | 0  | 8  | 4 | 0 | 6  | 0  | 7   | 41 | 11 | 0  | 469 | 61 | 1 | 0  | 23 | 80  | 873   |
| E HERRING SP.ON.K | 0            | 0  | 0  | 0 | 0 | 0  | 0  | 0   | 0  | 0  | 0  | 0   | 0  | 0 | 0  | 0  | 0   | 0     |
| F ROCKFISH        | 233          | 0  | 1  | 3 | 0 | 18 | 0  | 36  | 63 | 11 | 1  | 557 | 77 | 0 | 0  | 27 | 113 | 1148  |
| G GEODUCK         | 6            | 0  | 0  | 0 | 0 | 0  | 31 | 2   | 0  | 0  | 0  | 0   | 0  | 0 | 0  | 0  | 6   | 47    |
| H CRAB            | 13           | 0  | 8  | 0 | 0 | 1  | 13 | 259 | 4  | 52 | 2  | 0   | 0  | 2 | 0  | 0  | 5   | 363   |
| I LINGCOD         | 127          | 0  | 10 | 3 | 0 | 14 | 0  | 49  | 68 | 11 | 1  | 498 | 71 | 1 | 0  | 26 | 99  | 985   |
| J SHRIMP          | 0            | 0  | 8  | 0 | 0 | 0  | 0  | 47  | 0  | 55 | 8  | 0   | 0  | 2 | 0  | 0  | 1   | 126   |
| K PRAWNS          | 0            | 0  | 0  | 0 | 0 | 0  | 0  | 9   | 0  | 0  | 10 | 0   | 0  | 0 | 0  | 0  | 1   | 21    |
| L PACIFIC COD     | 223          | 0  | 1  | 3 | 0 | 14 | 0  | 0   | 51 | 0  | 0  | 561 | 77 | 0 | 0  | 28 | 108 | 1068  |
| M SOLES           | 245          | 0  | 0  | 3 | 0 | 14 | 0  | 2   | 45 | 0  | 1  | 559 | 79 | 0 | 0  | 28 | 110 | 1090  |
| N INTERTIDAL CLAM | 0            | 0  | 8  | 0 | 0 | 0  | 16 | 23  | 0  | 22 | 0  | 0   | 0  | 6 | 0  | 0  | 7   | 85    |
| O ABALONE         | 0            | 0  | 0  | 0 | 0 | 0  | 0  | 0   | 0  | 0  | 0  | 0   | 0  | 0 | 31 | 0  | 0   | 31    |
| P DOGFISH         | 97           | 0  | 0  | 2 | 0 | 7  | 0  | 0   | 37 | 0  | 0  | 456 | 50 | 0 | 0  | 29 | 70  | 752   |
| Q OTHER SPECIES   | 319          | 79 | 1  | 3 | 0 | 18 | 13 | 78  | 63 | 11 | 1  | 560 | 79 | 1 | 15 | 28 | 208 | 1485  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 151. Income derived from landing the various species from West Vancouver Island 1981. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |       |     |      |   |     |      |     |     |     |     |     |     |    |   |    |      | TOTAL |
|-------------------|--------------|-------|-----|------|---|-----|------|-----|-----|-----|-----|-----|-----|----|---|----|------|-------|
|                   | A            | B     | C   | D    | E | F   | G    | H   | I   | J   | K   | L   | M   | N  | O | P  | Q    |       |
| A SALMON          | 37429        | 3669  | 303 | 232  | 0 | 57  | 3    | 151 | 240 | 101 | 79  | 74  | 68  | 3  | 0 | 4  | 143  | 42563 |
| B HERRING         | 972          | 10233 | 0   | 0    | 0 | 78  | 8    | 15  | 10  | 0   | 0   | 7   | 23  | 0  | 0 | 0  | 111  | 11463 |
| C HALIBUT         | 1157         | 0     | 428 | 0    | 0 | 6   | 0    | 27  | 17  | 0   | 0   | 0   | 0   | 0  | 0 | 0  | 1    | 1640  |
| D SABLEFISH       | 1246         | 250   | 33  | 2053 | 0 | 236 | 0    | 1   | 394 | 319 | 0   | 340 | 344 | 0  | 0 | 31 | 601  | 5855  |
| E HERRING SP.ON.K | 0            | 0     | 0   | 0    | 0 | 0   | 0    | 0   | 0   | 0   | 0   | 0   | 0   | 0  | 0 | 0  | 0    | 0     |
| F ROCKFISH        | 15026        | 284   | 353 | 213  | 0 | 293 | 58   | 12  | 590 | 416 | 20  | 426 | 377 | 2  | 0 | 40 | 696  | 18812 |
| G GEODUCK         | 27           | 3     | 0   | 0    | 0 | 0   | 1277 | 4   | 0   | 0   | 0   | 0   | 0   | 22 | 0 | 0  | 10   | 1346  |
| H CRAB            | 93           | 17    | 2   | 113  | 0 | 1   | 102  | 530 | 2   | 1   | 41  | 0   | 0   | 1  | 0 | 0  | 5    | 913   |
| I LINGCOD         | 28045        | 191   | 361 | 330  | 0 | 272 | 58   | 20  | 639 | 437 | 61  | 429 | 358 | 4  | 0 | 40 | 676  | 31926 |
| J SHRIMP          | 333          | 0     | 0   | 2    | 0 | 8   | 0    | 0   | 36  | 456 | 15  | 64  | 20  | 0  | 0 | 11 | 29   | 981   |
| K PRAWNS          | 497          | 19    | 5   | 0    | 0 | 2   | 0    | 11  | 3   | 85  | 287 | 5   | 1   | 0  | 0 | 0  | 3    | 922   |
| L PACIFIC COD     | 826          | 287   | 0   | 68   | 0 | 245 | 0    | 0   | 411 | 367 | 0   | 429 | 360 | 0  | 0 | 40 | 642  | 3680  |
| M SOLES           | 340          | 287   | 0   | 71   | 0 | 251 | 0    | 0   | 410 | 434 | 7   | 429 | 378 | 0  | 0 | 40 | 666  | 3318  |
| N INTERTIDAL CLAM | 74           | 3     | 0   | 0    | 0 | 0   | 516  | 4   | 1   | 0   | 0   | 0   | 0   | 31 | 0 | 0  | 10   | 641   |
| O ABALONE         | 0            | 0     | 0   | 0    | 0 | 0   | 0    | 0   | 0   | 0   | 0   | 0   | 0   | 0  | 0 | 0  | 0    | *     |
| P DOGFISH         | 3            | 0     | 0   | 2    | 0 | 25  | 0    | 0   | 117 | 0   | 0   | 149 | 58  | 0  | 0 | 41 | 87   | 487   |
| Q OTHER SPECIES   | 14822        | 291   | 117 | 197  | 0 | 283 | 360  | 213 | 586 | 442 | 23  | 429 | 378 | 15 | 0 | 40 | 2030 | 20231 |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 152. Income derived from landing the various species from the Fraser River 1981. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |   |   |   |   |    |   |     |   |     |     |    |   |   |   |    |     | TOTAL |
|-------------------|--------------|---|---|---|---|----|---|-----|---|-----|-----|----|---|---|---|----|-----|-------|
|                   | A            | B | C | D | E | F  | G | H   | I | J   | K   | L  | M | N | O | P  | Q   |       |
| A SALMON          | 6577         | 0 | 0 | 0 | 0 | 2  | 0 | 102 | 0 | 257 | 3   | 0  | 0 | 0 | 0 | 0  | 18  | 6962  |
| B HERRING         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0   | 0   | 0  | 0 | 0 | 0 | 0  | 0   | 0     |
| C HALIBUT         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0   | 0   | 0  | 0 | 0 | 0 | 0  | 0   | 0     |
| D SABLEFISH       | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0   | 0   | 0  | 0 | 0 | 0 | 0  | 0   | 0     |
| E HERRING SP.ON.K | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0   | 0   | 0  | 0 | 0 | 0 | 0  | 0   | 0     |
| F ROCKFISH        | 91           | 0 | 0 | 0 | 0 | 11 | 0 | 14  | 0 | 74  | 48  | 16 | 1 | 0 | 0 | 1  | 64  | 324   |
| G GEODUCK         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0   | 0   | 0  | 0 | 0 | 0 | 0  | 0   | 0     |
| H CRAB            | 124          | 0 | 0 | 0 | 0 | 3  | 0 | 527 | 0 | 3   | 79  | 0  | 0 | 0 | 0 | 0  | 3   | 742   |
| I LINGCOD         | 24           | 0 | 0 | 0 | 0 | 4  | 0 | 0   | 1 | 26  | 32  | 1  | 0 | 0 | 0 | 0  | 5   | 96    |
| J SHRIMP          | 258          | 0 | 0 | 0 | 0 | 4  | 0 | 107 | 0 | 327 | 94  | 0  | 0 | 0 | 0 | 3  | 4   | 800   |
| K PRAWNS          | 29           | 0 | 0 | 0 | 0 | 5  | 0 | 82  | 0 | 64  | 149 | 0  | 0 | 0 | 0 | 12 | 5   | 350   |
| L PACIFIC COD     | 0            | 0 | 0 | 0 | 0 | 3  | 0 | 0   | 0 | 20  | 3   | 16 | 1 | 0 | 0 | 0  | 8   | 53    |
| M SOLES           | 14           | 0 | 0 | 0 | 0 | 3  | 0 | 0   | 0 | 27  | 3   | 16 | 1 | 0 | 0 | 0  | 16  | 83    |
| N INTERTIDAL CLAM | 32           | 0 | 0 | 0 | 0 | 0  | 0 | 75  | 0 | 0   | 0   | 0  | 0 | 0 | 0 | 0  | 0   | 108   |
| O ABALONE         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 0   | 0   | 0  | 0 | 0 | 0 | 0  | 0   | 0     |
| P DOGFISH         | 0            | 0 | 0 | 0 | 0 | 0  | 0 | 0   | 0 | 6   | 3   | 1  | 0 | 0 | 0 | 35 | 1   | 48    |
| Q OTHER SPECIES   | 2559         | 0 | 0 | 0 | 0 | 11 | 0 | 111 | 0 | 77  | 47  | 16 | 1 | 0 | 0 | 0  | 641 | 3468  |

Table 153. Income derived from landing the various species from the B.C. Total - All areas 1981. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |       |      |      |   |      |      |      |      |      |      |      |      |     |     |     |      |        | TOTAL |
|-------------------|--------------|-------|------|------|---|------|------|------|------|------|------|------|------|-----|-----|-----|------|--------|-------|
|                   | A            | B     | C    | D    | E | F    | G    | H    | I    | J    | K    | L    | M    | N   | O   | P   | Q    |        |       |
| A SALMON          | 162868       | 16158 | 3672 | 799  | 0 | 405  | 9    | 922  | 519  | 494  | 257  | 444  | 351  | 28  | 175 | 60  | 811  | 187980 |       |
| B HERRING         | 34482        | 35436 | 466  | 1167 | 0 | 1366 | 8    | 229  | 235  | 169  | 281  | 844  | 1185 | 5   | 3   | 26  | 3000 | 78910  |       |
| C HALIBUT         | 8540         | 662   | 7063 | 480  | 0 | 135  | 0    | 264  | 93   | 44   | 121  | 46   | 19   | 4   | 103 | 73  | 84   | 17738  |       |
| D SABLEFISH       | 3780         | 1734  | 2676 | 6345 | 0 | 2684 | 0    | 136  | 980  | 339  | 74   | 2868 | 2428 | 2   | 0   | 154 | 5730 | 29938  |       |
| E HERRING SP.ON.K | 0            | 0     | 0    | 0    | 0 | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0   | 0   | 0   | 0    | 0      |       |
| F ROCKFISH        | 34690        | 2125  | 4475 | 836  | 0 | 3200 | 58   | 301  | 1547 | 567  | 324  | 3071 | 2549 | 27  | 138 | 169 | 6317 | 60402  |       |
| G GEODUCK         | 74           | 3     | 0    | 0    | 0 | 0    | 2241 | 10   | 0    | 0    | 0    | 0    | 0    | 47  | 96  | 0   | 80   | 2554   |       |
| H CRAB            | 3219         | 555   | 547  | 116  | 0 | 69   | 131  | 2966 | 51   | 95   | 436  | 114  | 36   | 6   | 33  | 2   | 126  | 8509   |       |
| I LINGCOD         | 59170        | 2333  | 5097 | 862  | 0 | 3074 | 58   | 400  | 1682 | 529  | 354  | 3032 | 2524 | 26  | 166 | 165 | 6204 | 85683  |       |
| J SHRIMP          | 3096         | 167   | 219  | 7    | 0 | 29   | 0    | 168  | 109  | 1022 | 442  | 271  | 83   | 4   | 41  | 53  | 130  | 5847   |       |
| K PRAWNS          | 2299         | 103   | 463  | 14   | 0 | 67   | 0    | 194  | 30   | 219  | 1989 | 40   | 28   | 4   | 111 | 28  | 87   | 5684   |       |
| L PACIFIC COD     | 6336         | 1794  | 557  | 510  | 0 | 2807 | 0    | 85   | 1063 | 403  | 29   | 3075 | 2548 | 0   | 0   | 111 | 5986 | 25310  |       |
| M SOLES           | 2956         | 1589  | 171  | 141  | 0 | 2754 | 0    | 14   | 1025 | 476  | 36   | 3058 | 2550 | 0   | 0   | 110 | 5973 | 20858  |       |
| N INTERTIDAL CLAM | 796          | 111   | 37   | 0    | 0 | 72   | 1339 | 115  | 27   | 24   | 19   | 0    | 0    | 123 | 96  | 0   | 114  | 2880   |       |
| O ABALONE         | 363          | 22    | 12   | 0    | 0 | 4    | 128  | 2    | 0    | 0    | 36   | 0    | 0    | 0   | 828 | 0   | 10   | 1411   |       |
| P DOGFISH         | 920          | 589   | 351  | 123  | 0 | 1127 | 0    | 3    | 495  | 116  | 16   | 1899 | 1362 | 0   | 40  | 213 | 2854 | 10114  |       |
| Q OTHER SPECIES   | 36448        | 2115  | 1730 | 615  | 0 | 3150 | 1182 | 908  | 1526 | 604  | 495  | 3068 | 2550 | 70  | 160 | 115 | 8676 | 63422  |       |

Table 154. Income derived from landing the various species from the Queen Charlotte Islands 1982. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |      |      |   |      |   |     |     |    |   |     |     |   |     |   |     |       | TOTAL |
|-------------------|--------------|------|------|------|---|------|---|-----|-----|----|---|-----|-----|---|-----|---|-----|-------|-------|
|                   | A            | B    | C    | D    | E | F    | G | H   | I   | J  | K | L   | M   | N | O   | P | Q   |       |       |
| A SALMON          | 12432        | 1428 | 853  | 2    | 0 | 8    | 0 | 95  | 37  | 3  | 2 | 3   | 0   | 0 | 0   | 0 | 0   | 14867 |       |
| B HERRING         | 566          | 5412 | 26   | 178  | 0 | 5    | 0 | 0   | 4   | 0  | 0 | 33  | 102 | 0 | 0   | 0 | 5   | 6336  |       |
| C HALIBUT         | 1193         | 245  | 3036 | 350  | 0 | 26   | 0 | 113 | 27  | 3  | 0 | 2   | 0   | 0 | 0   | 0 | 0   | 4999  |       |
| D SABLEFISH       | 159          | 362  | 980  | 3148 | 0 | 1078 | 0 | 111 | 22  | 0  | 0 | 83  | 182 | 0 | 0   | 1 | 188 | 6319  |       |
| E HERRING SP.ON.K | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 0     |       |
| F ROCKFISH        | 1975         | 67   | 1372 | 189  | 0 | 1103 | 0 | 101 | 82  | 0  | 0 | 249 | 226 | 0 | 0   | 2 | 191 | 5561  |       |
| G GEODUCK         | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 0     |       |
| H CRAB            | 127          | 0    | 117  | 3    | 0 | 2    | 0 | 384 | 0   | 2  | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 638   |       |
| I LINGCOD         | 6864         | 67   | 1647 | 342  | 0 | 1017 | 0 | 101 | 101 | 0  | 2 | 250 | 225 | 0 | 0   | 2 | 191 | 10814 |       |
| J SHRIMP          | 146          | 0    | 39   | 0    | 0 | 0    | 0 | 25  | 0   | 11 | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 222   |       |
| K PRAWNS          | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 0   | 0 | 0   | *     |       |
| L PACIFIC COD     | 1696         | 67   | 240  | 175  | 0 | 969  | 0 | 1   | 57  | 0  | 0 | 254 | 226 | 0 | 0   | 2 | 103 | 3795  |       |
| M SOLES           | 0            | 67   | 0    | 29   | 0 | 962  | 0 | 0   | 46  | 0  | 0 | 249 | 226 | 0 | 0   | 2 | 104 | 1688  |       |
| N INTERTIDAL CLAM | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 0   | 0 | 0   | *     |       |
| O ABALONE         | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 147 | 0 | 0   | 147   |       |
| P DOGFISH         | 178          | 67   | 12   | 6    | 0 | 681  | 0 | 0   | 12  | 0  | 0 | 67  | 151 | 0 | 0   | 2 | 97  | 1277  |       |
| Q OTHER SPECIES   | 40           | 67   | 98   | 29   | 0 | 1072 | 0 | 0   | 48  | 0  | 6 | 249 | 226 | 0 | 0   | 2 | 191 | 2034  |       |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 155. Income derived from landing the various species from Chatham Sound 1982. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |   |     |    |   |     |   |     |    |    |    |     |     |   |    |   |    | TOTAL |
|-------------------|--------------|---|-----|----|---|-----|---|-----|----|----|----|-----|-----|---|----|---|----|-------|
|                   | A            | B | C   | D  | E | F   | G | H   | I  | J  | K  | L   | M   | N | O  | P | Q  |       |
| A SALMON          | 24490        | 0 | 248 | 0  | 0 | 58  | 0 | 128 | 14 | 56 | 0  | 116 | 89  | 0 | 0  | 0 | 19 | 25222 |
| B HERRING         | 0            | 0 | 0   | 0  | 0 | 0   | 0 | 0   | 0  | 0  | 0  | 0   | 0   | 0 | 0  | 0 | 0  | 0     |
| C HALIBUT         | 840          | 0 | 529 | 1  | 0 | 4   | 0 | 2   | 4  | 8  | 4  | 0   | 0   | 0 | 0  | 0 | 0  | 1396  |
| D SABLEFISH       | 113          | 0 | 105 | 58 | 0 | 127 | 0 | 2   | 70 | 0  | 0  | 443 | 418 | 0 | 0  | 3 | 53 | 1395  |
| E HERRING SP.ON.K | 0            | 0 | 0   | 0  | 0 | 0   | 0 | 0   | 0  | 0  | 0  | 0   | 0   | 0 | 0  | 0 | 0  | 0     |
| F ROCKFISH        | 758          | 0 | 343 | 32 | 0 | 141 | 0 | 3   | 90 | 16 | 5  | 544 | 498 | 0 | 0  | 4 | 66 | 2506  |
| G GEODUCK         | 0            | 0 | 0   | 0  | 0 | 0   | 0 | 0   | 0  | 0  | 0  | 0   | 0   | 0 | 0  | 0 | 0  | 0     |
| H CRAB            | 205          | 0 | 70  | 0  | 0 | 1   | 0 | 204 | 0  | 1  | 5  | 0   | 0   | 0 | 0  | 0 | 1  | 491   |
| I LINGCOD         | 1750         | 0 | 276 | 32 | 0 | 123 | 0 | 3   | 93 | 38 | 0  | 546 | 496 | 0 | 0  | 4 | 63 | 3427  |
| J SHRIMP          | 251          | 0 | 25  | 0  | 0 | 0   | 0 | 1   | 0  | 81 | 17 | 0   | 0   | 0 | 0  | 0 | 1  | 379   |
| K PRAWNS          | 18           | 0 | 49  | 0  | 0 | 0   | 0 | 0   | 0  | 5  | 23 | 0   | 0   | 0 | 0  | 0 | 1  | 99    |
| L PACIFIC COD     | 437          | 0 | 58  | 31 | 0 | 117 | 0 | 2   | 78 | 0  | 0  | 547 | 498 | 0 | 0  | 4 | 65 | 1842  |
| M SOLES           | 55           | 0 | 0   | 31 | 0 | 133 | 0 | 0   | 76 | 0  | 0  | 547 | 498 | 0 | 0  | 4 | 65 | 1412  |
| N INTERTIDAL CLAM | 0            | 0 | 0   | 0  | 0 | 0   | 0 | 0   | 0  | 0  | 0  | 0   | 0   | 0 | 0  | 0 | 0  | 0     |
| O ABALONE         | 0            | 0 | 0   | 0  | 0 | 0   | 0 | 0   | 0  | 0  | 0  | 0   | 0   | 0 | 42 | 0 | 1  | 44    |
| P DOGFISH         | 107          | 0 | 0   | 31 | 0 | 107 | 0 | 0   | 67 | 0  | 0  | 397 | 340 | 0 | 0  | 4 | 52 | 1107  |
| Q OTHER SPECIES   | 251          | 0 | 41  | 31 | 0 | 134 | 0 | 35  | 78 | 0  | 17 | 543 | 498 | 0 | 4  | 4 | 77 | 1718  |

Table 156. Income derived from landing the various species from the Central Coast 1982. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |     |     |   |      |     |   |     |   |     |     |     |   |     |   |    | TOTAL |
|-------------------|--------------|------|-----|-----|---|------|-----|---|-----|---|-----|-----|-----|---|-----|---|----|-------|
|                   | A            | B    | C   | D   | E | F    | G   | H | I   | J | K   | L   | M   | N | O   | P | Q  |       |
| A SALMON          | 17187        | 1046 | 184 | 0   | 0 | 125  | 0   | 0 | 20  | 0 | 10  | 0   | 1   | 0 | 0   | 0 | 0  | 18577 |
| B HERRING         | 431          | 6794 | 0   | 0   | 0 | 0    | 0   | 0 | 6   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0  | 7234  |
| C HALIBUT         | 352          | 0    | 504 | 4   | 0 | 8    | 0   | 0 | 13  | 0 | 38  | 0   | 0   | 0 | 0   | 0 | 0  | 924   |
| D SABLEFISH       | 4            | 0    | 143 | 934 | 0 | 1169 | 0   | 0 | 218 | 0 | 38  | 88  | 116 | 0 | 0   | 0 | 24 | 2739  |
| E HERRING SP.ON.K | 0            | 0    | 0   | 0   | 0 | 0    | 0   | 0 | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0  | 0     |
| F ROCKFISH        | 878          | 3    | 284 | 5   | 0 | 1297 | 0   | 0 | 292 | 1 | 39  | 144 | 131 | 0 | 0   | 0 | 36 | 3116  |
| G GEODUCK         | 0            | 0    | 0   | 0   | 0 | 0    | 218 | 0 | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0  | 218   |
| H CRAB            | 0            | 0    | 12  | 0   | 0 | 0    | 0   | 5 | 0   | 0 | 134 | 0   | 0   | 0 | 0   | 0 | 4  | 159   |
| I LINGCOD         | 2934         | 31   | 285 | 3   | 0 | 1185 | 0   | 0 | 303 | 0 | 53  | 145 | 132 | 0 | 0   | 0 | 36 | 5114  |
| J SHRIMP          | 0            | 0    | 12  | 0   | 0 | 0    | 0   | 0 | 0   | 2 | 39  | 0   | 0   | 0 | 0   | 0 | 0  | 56    |
| K PRAWNS          | 37           | 0    | 12  | 0   | 0 | 0    | 0   | 3 | 0   | 1 | 396 | 0   | 0   | 0 | 0   | 0 | 6  | 459   |
| L PACIFIC COD     | 4            | 10   | 0   | 3   | 0 | 1265 | 0   | 0 | 268 | 0 | 0   | 145 | 131 | 0 | 0   | 0 | 35 | 1866  |
| M SOLES           | 5            | 14   | 0   | 3   | 0 | 1266 | 0   | 0 | 276 | 0 | 0   | 144 | 133 | 0 | 0   | 0 | 35 | 1879  |
| N INTERTIDAL CLAM | 0            | 0    | 0   | 0   | 0 | 0    | 0   | 0 | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0  | 0     |
| O ABALONE         | 0            | 0    | 0   | 0   | 0 | 0    | 0   | 0 | 0   | 0 | 0   | 0   | 0   | 0 | 141 | 0 | 0  | 141   |
| P DOGFISH         | 3            | 0    | 38  | 2   | 0 | 158  | 0   | 0 | 2   | 0 | 0   | 6   | 2   | 0 | 0   | 4 | 0  | 218   |
| Q OTHER SPECIES   | 15           | 0    | 43  | 4   | 0 | 1240 | 0   | 0 | 262 | 0 | 259 | 130 | 128 | 0 | 17  | 0 | 41 | 2145  |

Table 157. Income derived from landing the various species from the Johnstone Strait 1982. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |     |     |     |   |     |    |    |     |   |     |     |     |    |    |    |    |       | TOTAL |
|-------------------|--------------|-----|-----|-----|---|-----|----|----|-----|---|-----|-----|-----|----|----|----|----|-------|-------|
|                   | A            | B   | C   | D   | E | F   | G  | H  | I   | J | K   | L   | M   | N  | O  | P  | Q  |       |       |
| A SALMON          | 28697        | 87  | 198 | 1   | 0 | 46  | 0  | 7  | 65  | 0 | 79  | 32  | 40  | 3  | 10 | 13 | 2  | 29288 |       |
| B HERRING         | 82           | 168 | 0   | 0   | 0 | 2   | 0  | 0  | 2   | 0 | 0   | 0   | 0   | 0  | 0  | 0  | 0  | 257   |       |
| C HALIBUT         | 440          | 0   | 395 | 1   | 0 | 13  | 0  | 0  | 7   | 0 | 26  | 0   | 0   | 0  | 0  | 3  | 0  | 889   |       |
| D SABLEFISH       | 134          | 0   | 20  | 482 | 0 | 345 | 0  | 0  | 252 | 0 | 0   | 111 | 147 | 0  | 0  | 4  | 36 | 1536  |       |
| E HERRING SP.ON.K | 0            | 0   | 0   | 0   | 0 | 0   | 0  | 0  | 0   | 0 | 0   | 0   | 0   | 0  | 0  | 0  | 0  | 0     |       |
| F ROCKFISH        | 2767         | 20  | 292 | 4   | 0 | 662 | 0  | 24 | 478 | 0 | 11  | 150 | 187 | 16 | 0  | 17 | 43 | 4679  |       |
| G GEODUCK         | 0            | 0   | 0   | 0   | 0 | 0   | 76 | 0  | 0   | 0 | 0   | 0   | 0   | 2  | 0  | 0  | 0  | 79    |       |
| H CRAB            | 21           | 0   | 0   | 0   | 0 | 1   | 0  | 87 | 1   | 0 | 41  | 0   | 0   | 0  | 0  | 0  | 0  | 153   |       |
| I LINGCOD         | 4050         | 20  | 306 | 4   | 0 | 594 | 0  | 8  | 494 | 0 | 16  | 151 | 190 | 10 | 0  | 17 | 43 | 5909  |       |
| J SHRIMP          | 29           | 0   | 0   | 0   | 0 | 0   | 0  | 0  | 0   | 2 | 92  | 0   | 0   | 0  | 0  | 0  | 0  | 123   |       |
| K PRAWNS          | 131          | 0   | 11  | 0   | 0 | 0   | 0  | 3  | 1   | 1 | 268 | 0   | 0   | 1  | 0  | 0  | 0  | 421   |       |
| L PACIFIC COD     | 254          | 0   | 0   | 2   | 0 | 359 | 0  | 0  | 310 | 0 | 0   | 152 | 193 | 0  | 0  | 14 | 38 | 1325  |       |
| M SOLES           | 254          | 0   | 0   | 2   | 0 | 358 | 0  | 0  | 299 | 0 | 0   | 151 | 193 | 0  | 0  | 14 | 38 | 1312  |       |
| N INTERTIDAL CLAM | 86           | 0   | 1   | 0   | 0 | 14  | 33 | 0  | 2   | 0 | 0   | 0   | 0   | 23 | 0  | 0  | 0  | 164   |       |
| O ABALONE         | 15           | 0   | 0   | 0   | 0 | 0   | 0  | 0  | 0   | 0 | 0   | 0   | 0   | 0  | 16 | 0  | 0  | 31    |       |
| P DOGFISH         | 168          | 0   | 24  | 2   | 0 | 26  | 0  | 0  | 49  | 0 | 0   | 46  | 36  | 0  | 0  | 27 | 2  | 384   |       |
| Q OTHER SPECIES   | 242          | 17  | 28  | 4   | 0 | 403 | 4  | 0  | 316 | 1 | 87  | 151 | 192 | 0  | 0  | 17 | 45 | 1513  |       |

Table 158. Income derived from landing the various species from the Georgia Strait 1982. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |   |   |   |     |     |     |     |     |     |     |    |     |   |     |     | TOTAL |
|-------------------|--------------|------|---|---|---|-----|-----|-----|-----|-----|-----|-----|----|-----|---|-----|-----|-------|
|                   | A            | B    | C | D | E | F   | G   | H   | I   | J   | K   | L   | M  | N   | O | P   | Q   |       |
| A SALMON          | 4577         | 1093 | 0 | 0 | 0 | 22  | 0   | 7   | 24  | 45  | 27  | 28  | 7  | 1   | 0 | 12  | 6   | 5855  |
| B HERRING         | 175          | 8941 | 0 | 0 | 0 | 5   | 0   | 12  | 3   | 2   | 1   | 14  | 8  | 1   | 0 | 2   | 3   | 9172  |
| C HALIBUT         | 0            | 0    | 0 | 0 | 0 | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0  | 0   | 0 | 0   | 0   | 0     |
| D SABLEFISH       | 0            | 0    | 0 | 0 | 0 | 7   | 0   | 1   | 2   | 0   | 0   | 43  | 24 | 0   | 0 | 27  | 1   | 107   |
| E HERRING SP.ON.K | 0            | 0    | 0 | 0 | 0 | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0  | 0   | 0 | 0   | 0   | 0     |
| F ROCKFISH        | 1613         | 101  | 0 | 0 | 0 | 323 | 20  | 55  | 149 | 30  | 87  | 106 | 55 | 21  | 0 | 87  | 22  | 2677  |
| G GEODUCK         | 0            | 0    | 0 | 0 | 0 | 0   | 261 | 1   | 0   | 0   | 0   | 0   | 0  | 105 | 0 | 0   | 17  | 385   |
| H CRAB            | 58           | 22   | 0 | 0 | 0 | 42  | 8   | 138 | 15  | 0   | 39  | 24  | 18 | 1   | 0 | 23  | 3   | 395   |
| I LINGCOD         | 1181         | 34   | 0 | 0 | 0 | 263 | 11  | 24  | 182 | 6   | 24  | 99  | 51 | 15  | 0 | 52  | 18  | 1966  |
| J SHRIMP          | 30           | 2    | 0 | 0 | 0 | 10  | 0   | 0   | 5   | 197 | 51  | 11  | 14 | 0   | 0 | 0   | 3   | 328   |
| K PRAWNS          | 88           | 37   | 0 | 0 | 0 | 57  | 0   | 9   | 16  | 92  | 265 | 7   | 4  | 0   | 0 | 32  | 1   | 613   |
| L PACIFIC COD     | 219          | 61   | 0 | 0 | 0 | 60  | 0   | 4   | 18  | 6   | 7   | 129 | 61 | 0   | 0 | 39  | 21  | 630   |
| M SOLES           | 21           | 61   | 0 | 0 | 0 | 34  | 0   | 4   | 10  | 25  | 0   | 122 | 62 | 0   | 0 | 37  | 35  | 416   |
| N INTERTIDAL CLAM | 2            | 9    | 0 | 0 | 0 | 52  | 202 | 1   | 3   | 0   | 1   | 0   | 0  | 157 | 0 | 0   | 22  | 453   |
| O ABALONE         | 0            | 0    | 0 | 0 | 0 | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0  | 0   | 0 | 0   | 0   | 0     |
| P DOGFISH         | 19           | 46   | 0 | 0 | 0 | 32  | 0   | 12  | 3   | 0   | 29  | 41  | 21 | 0   | 0 | 162 | 209 | 579   |
| Q OTHER SPECIES   | 82           | 83   | 0 | 0 | 0 | 100 | 67  | 8   | 27  | 6   | 12  | 103 | 56 | 71  | 0 | 37  | 323 | 981   |

Table 159. Income derived from landing the various species from Victoria 1982. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |   |    |   |   |    |    |     |     |    |   |     |     |   |    |    |    | TOTAL |
|-------------------|--------------|---|----|---|---|----|----|-----|-----|----|---|-----|-----|---|----|----|----|-------|
|                   | A            | B | C  | D | E | F  | G  | H   | I   | J  | K | L   | M   | N | O  | P  | Q  |       |
| A SALMON          | 13194        | 0 | 0  | 0 | 0 | 0  | 0  | 0   | 15  | 0  | 0 | 19  | 8   | 0 | 0  | 2  | 0  | 13241 |
| B HERRING         | 0            | 0 | 0  | 0 | 0 | 0  | 0  | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 0  | 0  | 0  | 0     |
| C HALIBUT         | 12           | 0 | 12 | 0 | 0 | 0  | 0  | 42  | 5   | 3  | 0 | 0   | 0   | 0 | 0  | 0  | 0  | 76    |
| D SABLEFISH       | 80           | 0 | 0  | 3 | 0 | 7  | 0  | 44  | 89  | 3  | 0 | 272 | 125 | 0 | 0  | 10 | 11 | 648   |
| E HERRING SP.ON.K | 0            | 0 | 0  | 0 | 0 | 0  | 0  | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 0  | 0  | 0  | 0     |
| F ROCKFISH        | 174          | 0 | 7  | 3 | 0 | 16 | 0  | 15  | 114 | 0  | 0 | 298 | 143 | 0 | 0  | 12 | 23 | 809   |
| G GEODUCK         | 0            | 0 | 0  | 0 | 0 | 0  | 24 | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 0  | 0  | 0  | 24    |
| H CRAB            | 0            | 0 | 0  | 0 | 0 | 4  | 0  | 365 | 37  | 19 | 2 | 93  | 70  | 0 | 0  | 3  | 12 | 610   |
| I LINGCOD         | 187          | 0 | 7  | 2 | 0 | 12 | 0  | 29  | 118 | 0  | 0 | 282 | 125 | 0 | 0  | 12 | 23 | 802   |
| J SHRIMP          | 0            | 0 | 0  | 0 | 0 | 0  | 0  | 156 | 0   | 22 | 1 | 0   | 0   | 0 | 0  | 0  | 0  | 181   |
| K PRAWNS          | 0            | 0 | 0  | 0 | 0 | 0  | 0  | 18  | 0   | 5  | 5 | 0   | 0   | 0 | 0  | 0  | 0  | 30    |
| L PACIFIC COD     | 274          | 0 | 2  | 2 | 0 | 11 | 0  | 2   | 97  | 0  | 0 | 331 | 136 | 0 | 0  | 17 | 12 | 889   |
| M SOLES           | 157          | 0 | 0  | 3 | 0 | 11 | 0  | 2   | 91  | 0  | 0 | 312 | 146 | 0 | 0  | 15 | 12 | 754   |
| N INTERTIDAL CLAM | 0            | 0 | 0  | 0 | 0 | 0  | 0  | 1   | 0   | 0  | 0 | 0   | 0   | 0 | 0  | 0  | 5  | 7     |
| O ABALONE         | 0            | 0 | 0  | 0 | 0 | 0  | 0  | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 58 | 0  | 0  | 58    |
| P DOGFISH         | 114          | 0 | 0  | 2 | 0 | 6  | 0  | 2   | 67  | 0  | 0 | 263 | 107 | 0 | 0  | 23 | 13 | 601   |
| Q OTHER SPECIES   | 153          | 0 | 0  | 2 | 0 | 10 | 0  | 77  | 93  | 3  | 0 | 313 | 133 | 0 | 15 | 17 | 78 | 900   |

Table 160. Income derived from landing the various species from West Vancouver Island 1982. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |     |      |   |     |      |     |      |     |     |     |     |     |    |     |    |       | TOTAL |
|-------------------|--------------|------|-----|------|---|-----|------|-----|------|-----|-----|-----|-----|-----|----|-----|----|-------|-------|
|                   | A            | B    | C   | D    | E | F   | G    | H   | I    | J   | K   | L   | M   | N   | O  | P   | Q  |       |       |
| A SALMON          | 57064        | 1405 | 223 | 251  | 0 | 38  | 93   | 36  | 267  | 47  | 51  | 27  | 12  | 1   | 10 | 2   | 43 | 59579 |       |
| B HERRING         | 1262         | 6149 | 0   | 244  | 0 | 10  | 49   | 0   | 52   | 0   | 0   | 45  | 26  | 0   | 0  | 6   | 0  | 7849  |       |
| C HALIBUT         | 2144         | 0    | 314 | 87   | 0 | 12  | 0    | 0   | 19   | 0   | 2   | 0   | 0   | 0   | 0  | 0   | 0  | 2580  |       |
| D SABLEFISH       | 682          | 101  | 33  | 2234 | 0 | 407 | 0    | 8   | 873  | 94  | 0   | 441 | 406 | 0   | 0  | 143 | 27 | 5455  |       |
| E HERRING SP.ON.K | 0            | 0    | 0   | 0    | 0 | 0   | 0    | 0   | 0    | 0   | 0   | 0   | 0   | 0   | 0  | 0   | 0  | 0     |       |
| F ROCKFISH        | 21941        | 129  | 174 | 120  | 0 | 457 | 0    | 10  | 1084 | 116 | 21  | 520 | 431 | 0   | 0  | 156 | 47 | 25213 |       |
| G GEODUCK         | 27           | 19   | 0   | 0    | 0 | 0   | 2233 | 16  | 0    | 0   | 0   | 0   | 0   | 96  | 0  | 0   | 1  | 2395  |       |
| H CRAB            | 409          | 10   | 0   | 384  | 0 | 2   | 405  | 548 | 9    | 1   | 53  | 0   | 1   | 8   | 0  | 0   | 0  | 1836  |       |
| I LINGCOD         | 45366        | 136  | 290 | 206  | 0 | 450 | 4    | 25  | 1152 | 144 | 52  | 523 | 431 | 0   | 0  | 157 | 48 | 48990 |       |
| J SHRIMP          | 711          | 0    | 0   | 1    | 0 | 71  | 0    | 4   | 78   | 182 | 36  | 70  | 31  | 0   | 0  | 2   | 1  | 1193  |       |
| K PRAWNS          | 876          | 0    | 19  | 0    | 0 | 6   | 0    | 18  | 18   | 49  | 425 | 1   | 4   | 0   | 0  | 0   | 0  | 1421  |       |
| L PACIFIC COD     | 180          | 94   | 0   | 99   | 0 | 372 | 0    | 0   | 876  | 116 | 6   | 530 | 429 | 0   | 0  | 155 | 28 | 2892  |       |
| M SOLES           | 173          | 118  | 10  | 100  | 0 | 405 | 0    | 0   | 875  | 116 | 6   | 525 | 433 | 0   | 0  | 157 | 28 | 2952  |       |
| N INTERTIDAL CLAM | 148          | 0    | 0   | 137  | 0 | 0   | 1683 | 8   | 0    | 0   | 0   | 0   | 0   | 106 | 0  | 0   | 1  | 2087  |       |
| O ABALONE         | 35           | 0    | 0   | 0    | 0 | 0   | 0    | 0   | 0    | 0   | 0   | 0   | 0   | 0   | 47 | 0   | 0  | 82    |       |
| P DOGFISH         | 40           | 24   | 11  | 76   | 0 | 115 | 0    | 0   | 608  | 64  | 0   | 336 | 194 | 0   | 0  | 159 | 20 | 1653  |       |
| Q OTHER SPECIES   | 575          | 117  | 18  | 100  | 0 | 397 | 338  | 303 | 844  | 102 | 278 | 464 | 419 | 35  | 0  | 151 | 89 | 4239  |       |

Table 161. Income derived from landing the various species from the Fraser River 1982. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |     |   |   |   |   |   |     |   |     |     |   |   |   |   |    |    | TOTAL |
|-------------------|--------------|-----|---|---|---|---|---|-----|---|-----|-----|---|---|---|---|----|----|-------|
|                   | A            | B   | C | D | E | F | G | H   | I | J   | K   | L | M | N | O | P  | Q  |       |
| A SALMON          | 6365         | 0   | 0 | 0 | 0 | 1 | 0 | 46  | 0 | 327 | 4   | 0 | 0 | 0 | 0 | 0  | 16 | 6762  |
| B HERRING         | 0            | 131 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 9  | 140   |
| C HALIBUT         | 0            | 0   | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 0     |
| D SABLEFISH       | 0            | 0   | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 0     |
| E HERRING SP.ON.K | 0            | 0   | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 0     |
| F ROCKFISH        | 141          | 0   | 0 | 0 | 0 | 9 | 0 | 0   | 1 | 72  | 59  | 0 | 0 | 0 | 0 | 13 | 0  | 298   |
| G GEODUCK         | 0            | 0   | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 0     |
| H CRAB            | 75           | 0   | 0 | 0 | 0 | 0 | 0 | 643 | 0 | 3   | 63  | 0 | 0 | 0 | 0 | 0  | 0  | 787   |
| I LINGCOD         | 109          | 0   | 0 | 0 | 0 | 2 | 0 | 0   | 2 | 30  | 15  | 0 | 0 | 0 | 0 | 0  | 1  | 162   |
| J SHRIMP          | 283          | 0   | 0 | 0 | 0 | 4 | 0 | 57  | 0 | 399 | 147 | 0 | 0 | 0 | 0 | 0  | 1  | 894   |
| K PRAWNS          | 47           | 0   | 0 | 0 | 0 | 3 | 0 | 72  | 1 | 111 | 179 | 0 | 0 | 0 | 0 | 0  | 0  | 417   |
| L PACIFIC COD     | 0            | 0   | 0 | 0 | 0 | 1 | 0 | 0   | 0 | 3   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 5     |
| M SOLES           | 12           | 0   | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 8   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 22    |
| N INTERTIDAL CLAM | 0            | 0   | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 0     |
| O ABALONE         | 0            | 0   | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 0     |
| P DOGFISH         | 0            | 0   | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 31 | 0  | 32    |
| Q OTHER SPECIES   | 1823         | 4   | 0 | 0 | 0 | 5 | 0 | 51  | 1 | 72  | 42  | 0 | 0 | 0 | 0 | 0  | 34 | 2035  |

Table 162. Income derived from landing the various species from the B.C. Total - All areas 1982. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |       |      |      |   |      |      |      |      |     |      |      |      |     |     |     |     |        |
|-------------------|--------------|-------|------|------|---|------|------|------|------|-----|------|------|------|-----|-----|-----|-----|--------|
|                   | A            | B     | C    | D    | E | F    | G    | H    | I    | J   | K    | L    | M    | N   | O   | P   | Q   | TOTAL  |
| A SALMON          | 164009       | 9428  | 2651 | 709  | 0 | 501  | 94   | 412  | 683  | 652 | 251  | 354  | 239  | 9   | 75  | 172 | 126 | 180370 |
| B HERRING         | 24459        | 27599 | 77   | 829  | 0 | 398  | 51   | 51   | 244  | 2   | 3    | 394  | 423  | 16  | 33  | 32  | 114 | 54731  |
| C HALIBUT         | 8544         | 327   | 4792 | 773  | 0 | 108  | 0    | 283  | 93   | 36  | 141  | 13   | 5    | 0   | 0   | 78  | 2   | 15202  |
| D SABLEFISH       | 2987         | 1064  | 1528 | 6861 | 0 | 3324 | 0    | 205  | 1655 | 123 | 58   | 1833 | 1566 | 0   | 0   | 249 | 463 | 21923  |
| E HERRING SP.ON.K | 0            | 0     | 0    | 0    | 0 | 0    | 0    | 0    | 0    | 0   | 0    | 0    | 0    | 0   | 0   | 0   | 0   | 0      |
| F ROCKFISH        | 38784        | 1015  | 2919 | 357  | 0 | 4011 | 28   | 344  | 2328 | 262 | 367  | 2078 | 1691 | 48  | 0   | 361 | 726 | 55326  |
| G GEODUCK         | 120          | 21    | 0    | 0    | 0 | 0    | 2813 | 25   | 0    | 0   | 0    | 0    | 0    | 216 | 47  | 0   | 44  | 3290   |
| H CRAB            | 2821         | 308   | 405  | 1775 | 0 | 79   | 416  | 2379 | 181  | 62  | 365  | 204  | 133  | 14  | 0   | 34  | 28  | 9210   |
| I LINGCOD         | 71507        | 970   | 3239 | 623  | 0 | 3925 | 23   | 416  | 2447 | 276 | 290  | 2073 | 1674 | 32  | 0   | 337 | 719 | 88559  |
| J SHRIMP          | 3463         | 2     | 129  | 2    | 0 | 93   | 0    | 282  | 160  | 897 | 491  | 194  | 58   | 0   | 0   | 6   | 21  | 5804   |
| K PRAWNS          | 2616         | 77    | 203  | 6    | 0 | 79   | 0    | 269  | 64   | 268 | 1572 | 64   | 13   | 2   | 0   | 44  | 12  | 5295   |
| L PACIFIC COD     | 5678         | 739   | 409  | 319  | 0 | 3387 | 0    | 21   | 1740 | 130 | 14   | 2091 | 1684 | 0   | 0   | 246 | 662 | 17126  |
| M SOLES           | 2109         | 739   | 114  | 173  | 0 | 3348 | 0    | 7    | 1693 | 154 | 7    | 2083 | 1695 | 0   | 0   | 239 | 665 | 13031  |
| N INTERTIDAL CLAM | 716          | 29    | 26   | 202  | 0 | 94   | 2219 | 32   | 11   | 26  | 24   | 0    | 0    | 289 | 47  | 0   | 53  | 3775   |
| O ABALONE         | 85           | 19    | 0    | 0    | 0 | 0    | 2    | 0    | 0    | 0   | 0    | 0    | 0    | 17  | 453 | 0   | 9   | 588    |
| P DOGFISH         | 2183         | 291   | 375  | 170  | 0 | 1558 | 0    | 17   | 985  | 73  | 39   | 1438 | 980  | 0   | 0   | 414 | 416 | 8944   |
| Q OTHER SPECIES   | 7148         | 1091  | 524  | 197  | 0 | 3488 | 625  | 561  | 1764 | 194 | 792  | 2079 | 1685 | 154 | 95  | 273 | 882 | 21558  |

Table 163. Income derived from landing the various species from the Queen Charlotte Islands 1983. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |      |      |   |      |   |     |     |   |   |     |     |   |     |   |     |       | TOTAL |
|-------------------|--------------|------|------|------|---|------|---|-----|-----|---|---|-----|-----|---|-----|---|-----|-------|-------|
|                   | A            | B    | C    | D    | E | F    | G | H   | I   | J | K | L   | M   | N | O   | P | Q   |       |       |
| A SALMON          | 10524        | 2380 | 1426 | 0    | 0 | 4    | 0 | 260 | 36  | 0 | 1 | 1   | 0   | 0 | 21  | 0 | 3   | 14661 |       |
| B HERRING         | 1075         | 8604 | 19   | 0    | 0 | 27   | 0 | 0   | 0   | 0 | 0 | 2   | 2   | 0 | 0   | 0 | 0   | 9733  |       |
| C HALIBUT         | 1297         | 93   | 3985 | 132  | 0 | 15   | 0 | 79  | 22  | 0 | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 5629  |       |
| D SABLEFISH       | 77           | 109  | 275  | 2205 | 0 | 1767 | 0 | 0   | 45  | 0 | 0 | 139 | 377 | 0 | 0   | 0 | 99  | 5097  |       |
| E HERRING SP.ON.K | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0 | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 0     |       |
| F ROCKFISH        | 1624         | 188  | 1194 | 187  | 0 | 1865 | 0 | 0   | 84  | 0 | 0 | 249 | 414 | 0 | 0   | 0 | 149 | 5958  |       |
| G GEODUCK         | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0 | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 0     |       |
| H CRAB            | 68           | 0    | 143  | 0    | 0 | 0    | 0 | 476 | 0   | 0 | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 688   |       |
| I LINGCOD         | 5874         | 288  | 2177 | 200  | 0 | 1834 | 0 | 75  | 103 | 0 | 1 | 274 | 415 | 0 | 0   | 0 | 103 | 11349 |       |
| J SHRIMP          | 0            | 0    | 8    | 0    | 0 | 0    | 0 | 0   | 0   | 8 | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 17    |       |
| K PRAWNS          | 33           | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0 | 6 | 0   | 0   | 0 | 0   | 0 | 0   | 40    |       |
| L PACIFIC COD     | 1017         | 188  | 162  | 185  | 0 | 1816 | 0 | 0   | 62  | 0 | 0 | 307 | 418 | 0 | 0   | 1 | 105 | 4264  |       |
| M SOLES           | 0            | 188  | 0    | 64   | 0 | 1826 | 0 | 0   | 53  | 0 | 0 | 298 | 418 | 0 | 0   | 1 | 105 | 2957  |       |
| N INTERTIDAL CLAM | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0 | 0 | 0   | 0   | 0 | 0   | 0 | 0   | 0     |       |
| O ABALONE         | 36           | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0 | 0 | 0   | 0   | 0 | 279 | 0 | 0   | 315   |       |
| P DOGFISH         | 0            | 0    | 0    | 56   | 0 | 742  | 0 | 0   | 15  | 0 | 0 | 17  | 288 | 0 | 0   | 1 | 8   | 1129  |       |
| Q OTHER SPECIES   | 56           | 109  | 27   | 64   | 0 | 1813 | 0 | 0   | 54  | 0 | 4 | 298 | 416 | 0 | 0   | 1 | 157 | 3003  |       |

Table 164. Income derived from landing the various species from Chatham Sound 1983. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |    |     |    |   |    |   |     |    |    |     |     |     |   |    |   |     |       | TOTAL |
|-------------------|--------------|----|-----|----|---|----|---|-----|----|----|-----|-----|-----|---|----|---|-----|-------|-------|
|                   | A            | B  | C   | D  | E | F  | G | H   | I  | J  | K   | L   | M   | N | O  | P | Q   |       |       |
| A SALMON          | 18007        | 25 | 542 | 0  | 0 | 9  | 0 | 77  | 23 | 43 | 4   | 79  | 56  | 0 | 28 | 0 | 14  | 18913 |       |
| B HERRING         | 108          | 34 | 0   | 1  | 0 | 2  | 0 | 0   | 14 | 0  | 0   | 117 | 122 | 0 | 0  | 0 | 12  | 413   |       |
| C HALIBUT         | 593          | 0  | 878 | 0  | 0 | 6  | 0 | 59  | 8  | 10 | 5   | 0   | 0   | 0 | 28 | 0 | 0   | 1591  |       |
| D SABLEFISH       | 0            | 8  | 0   | 92 | 0 | 24 | 0 | 0   | 27 | 0  | 4   | 282 | 253 | 0 | 0  | 1 | 28  | 724   |       |
| E HERRING SP.ON.K | 0            | 0  | 0   | 0  | 0 | 0  | 0 | 0   | 0  | 0  | 0   | 0   | 0   | 0 | 0  | 0 | 0   | 0     |       |
| F ROCKFISH        | 724          | 8  | 358 | 18 | 0 | 67 | 0 | 22  | 62 | 19 | 4   | 797 | 416 | 0 | 0  | 3 | 151 | 2657  |       |
| G GEODUCK         | 0            | 0  | 0   | 0  | 0 | 0  | 0 | 0   | 0  | 0  | 0   | 0   | 0   | 0 | 0  | 0 | 0   | 0     |       |
| H CRAB            | 124          | 0  | 100 | 0  | 0 | 0  | 0 | 459 | 0  | 3  | 44  | 0   | 0   | 0 | 28 | 0 | 1   | 763   |       |
| I LINGCOD         | 1628         | 8  | 521 | 34 | 0 | 64 | 0 | 61  | 67 | 24 | 4   | 832 | 412 | 0 | 0  | 2 | 151 | 3815  |       |
| J SHRIMP          | 110          | 0  | 9   | 0  | 0 | 0  | 0 | 19  | 0  | 48 | 91  | 0   | 0   | 0 | 0  | 0 | 1   | 282   |       |
| K PRAWNS          | 31           | 0  | 19  | 0  | 0 | 0  | 0 | 21  | 0  | 16 | 146 | 0   | 0   | 0 | 0  | 0 | 2   | 237   |       |
| L PACIFIC COD     | 361          | 8  | 7   | 18 | 0 | 54 | 0 | 6   | 44 | 4  | 0   | 840 | 422 | 0 | 0  | 3 | 151 | 1925  |       |
| M SOLES           | 61           | 8  | 0   | 8  | 0 | 53 | 0 | 0   | 43 | 0  | 0   | 840 | 422 | 0 | 0  | 3 | 151 | 1594  |       |
| N INTERTIDAL CLAM | 0            | 0  | 0   | 0  | 0 | 0  | 0 | 0   | 0  | 0  | 0   | 0   | 0   | 0 | 0  | 0 | 0   | 0     |       |
| O ABALONE         | 0            | 0  | 0   | 0  | 0 | 0  | 0 | 0   | 0  | 0  | 0   | 0   | 0   | 0 | 0  | 0 | 0   | *     |       |
| P DOGFISH         | 0            | 0  | 0   | 6  | 0 | 5  | 0 | 0   | 8  | 0  | 0   | 240 | 111 | 0 | 0  | 3 | 16  | 392   |       |
| Q OTHER SPECIES   | 111          | 8  | 51  | 8  | 0 | 54 | 0 | 111 | 46 | 1  | 101 | 840 | 422 | 0 | 0  | 3 | 159 | 1922  |       |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 165. Income derived from landing the various species from the Central Coast 1983. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |     |     |   |      |     |    |     |   |     |    |     |   |    |   |    |       | TOTAL |
|-------------------|--------------|------|-----|-----|---|------|-----|----|-----|---|-----|----|-----|---|----|---|----|-------|-------|
|                   | A            | B    | C   | D   | E | F    | G   | H  | I   | J | K   | L  | M   | N | O  | P | Q  |       |       |
| A SALMON          | 14236        | 1521 | 400 | 0   | 0 | 5    | 0   | 0  | 24  | 0 | 0   | 0  | 0   | 0 | 0  | 0 | 1  | 16192 |       |
| B HERRING         | 565          | 7355 | 0   | 0   | 0 | 0    | 0   | 0  | 0   | 0 | 0   | 0  | 0   | 0 | 0  | 0 | 0  | 7921  |       |
| C HALIBUT         | 263          | 0    | 507 | 0   | 0 | 5    | 0   | 0  | 10  | 1 | 16  | 0  | 0   | 0 | 0  | 0 | 0  | 805   |       |
| D SABLEFISH       | 0            | 0    | 0   | 930 | 0 | 830  | 0   | 0  | 226 | 0 | 0   | 28 | 177 | 0 | 0  | 1 | 5  | 2200  |       |
| E HERRING SP.ON.K | 0            | 0    | 0   | 0   | 0 | 0    | 0   | 0  | 0   | 0 | 0   | 0  | 0   | 0 | 0  | 0 | 0  | 0     |       |
| F ROCKFISH        | 553          | 0    | 270 | 3   | 0 | 1002 | 0   | 0  | 426 | 1 | 16  | 51 | 255 | 0 | 0  | 2 | 27 | 2610  |       |
| G GEODUCK         | 0            | 0    | 0   | 0   | 0 | 0    | 268 | 0  | 0   | 0 | 0   | 0  | 0   | 0 | 0  | 0 | 0  | 268   |       |
| H CRAB            | 0            | 0    | 0   | 0   | 0 | 0    | 0   | 11 | 0   | 0 | 25  | 0  | 0   | 0 | 0  | 0 | 0  | 37    |       |
| I LINGCOD         | 2382         | 0    | 389 | 27  | 0 | 922  | 0   | 0  | 433 | 1 | 16  | 52 | 244 | 0 | 0  | 2 | 27 | 4500  |       |
| J SHRIMP          | 0            | 0    | 6   | 0   | 0 | 0    | 0   | 2  | 0   | 7 | 57  | 0  | 0   | 0 | 0  | 0 | 0  | 75    |       |
| K PRAWNS          | 16           | 0    | 6   | 0   | 0 | 0    | 0   | 4  | 0   | 5 | 639 | 0  | 0   | 0 | 0  | 0 | 4  | 678   |       |
| L PACIFIC COD     | 35           | 0    | 21  | 1   | 0 | 647  | 0   | 0  | 392 | 0 | 0   | 52 | 246 | 0 | 0  | 3 | 25 | 1425  |       |
| M SOLES           | 33           | 0    | 6   | 2   | 0 | 939  | 0   | 0  | 399 | 1 | 16  | 51 | 255 | 0 | 0  | 3 | 26 | 1735  |       |
| N INTERTIDAL CLAM | 0            | 0    | 0   | 0   | 0 | 0    | 0   | 0  | 0   | 0 | 0   | 0  | 0   | 0 | 0  | 0 | 0  | 0     |       |
| O ABALONE         | 0            | 0    | 0   | 0   | 0 | 0    | 0   | 0  | 0   | 0 | 0   | 0  | 0   | 0 | 75 | 0 | 0  | 75    |       |
| P DOGFISH         | 15           | 0    | 0   | 0   | 0 | 29   | 0   | 0  | 52  | 0 | 0   | 15 | 13  | 0 | 0  | 3 | 1  | 130   |       |
| Q OTHER SPECIES   | 15           | 0    | 12  | 2   | 0 | 954  | 0   | 2  | 393 | 1 | 575 | 51 | 254 | 0 | 9  | 2 | 31 | 2310  |       |

Table 166. Income derived from landing the various species from the Johnstone Strait 1983. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |    |     |     |   |     |    |     |     |   |     |    |     |   |    |    |     |       | TOTAL |
|-------------------|--------------|----|-----|-----|---|-----|----|-----|-----|---|-----|----|-----|---|----|----|-----|-------|-------|
|                   | A            | B  | C   | D   | E | F   | G  | H   | I   | J | K   | L  | M   | N | O  | P  | Q   |       |       |
| A SALMON          | 31546        | 41 | 416 | 0   | 0 | 66  | 0  | 6   | 71  | 0 | 57  | 11 | 20  | 1 | 0  | 0  | 18  | 32258 |       |
| B HERRING         | 195          | 56 | 0   | 0   | 0 | 11  | 0  | 0   | 2   | 0 | 0   | 0  | 0   | 0 | 0  | 0  | 0   | 266   |       |
| C HALIBUT         | 489          | 0  | 580 | 0   | 0 | 7   | 0  | 2   | 7   | 5 | 0   | 0  | 0   | 0 | 0  | 0  | 0   | 1092  |       |
| D SABLEFISH       | 49           | 0  | 11  | 580 | 0 | 118 | 0  | 0   | 111 | 5 | 0   | 49 | 54  | 0 | 0  | 0  | 6   | 988   |       |
| E HERRING SP.ON.K | 0            | 0  | 0   | 0   | 0 | 0   | 0  | 0   | 0   | 0 | 0   | 0  | 0   | 0 | 0  | 0  | 0   | 0     |       |
| F ROCKFISH        | 2817         | 14 | 408 | 18  | 0 | 840 | 0  | 44  | 337 | 0 | 17  | 79 | 122 | 3 | 0  | 3  | 28  | 4736  |       |
| G GEODUCK         | 0            | 0  | 0   | 0   | 0 | 0   | 33 | 0   | 0   | 0 | 0   | 0  | 0   | 0 | 0  | 0  | 51  | 84    |       |
| H CRAB            | 73           | 0  | 14  | 0   | 0 | 70  | 0  | 173 | 12  | 0 | 51  | 0  | 0   | 0 | 0  | 0  | 0   | 396   |       |
| I LINGCOD         | 4916         | 14 | 451 | 18  | 0 | 759 | 0  | 14  | 371 | 0 | 3   | 76 | 115 | 3 | 0  | 4  | 32  | 6785  |       |
| J SHRIMP          | 11           | 0  | 2   | 0   | 0 | 0   | 0  | 0   | 0   | 7 | 85  | 0  | 0   | 0 | 0  | 0  | 0   | 107   |       |
| K PRAWNS          | 107          | 2  | 0   | 0   | 0 | 10  | 0  | 58  | 1   | 1 | 596 | 0  | 0   | 0 | 15 | 0  | 1   | 796   |       |
| L PACIFIC COD     | 229          | 0  | 0   | 18  | 0 | 342 | 0  | 0   | 260 | 0 | 0   | 79 | 121 | 0 | 0  | 3  | 17  | 1072  |       |
| M SOLES           | 229          | 0  | 0   | 12  | 0 | 340 | 0  | 0   | 260 | 0 | 0   | 44 | 122 | 0 | 0  | 3  | 17  | 1030  |       |
| N INTERTIDAL CLAM | 2            | 0  | 0   | 0   | 0 | 10  | 0  | 0   | 1   | 0 | 0   | 0  | 0   | 6 | 0  | 0  | 0   | 21    |       |
| O ABALONE         | 0            | 0  | 0   | 0   | 0 | 0   | 0  | 0   | 0   | 0 | 0   | 0  | 0   | 0 | 0  | 0  | 0   | *     |       |
| P DOGFISH         | 3            | 0  | 0   | 0   | 0 | 0   | 0  | 0   | 10  | 0 | 0   | 3  | 5   | 0 | 0  | 11 | 0   | 36    |       |
| Q OTHER SPECIES   | 570          | 4  | 0   | 7   | 0 | 353 | 8  | 0   | 264 | 1 | 262 | 75 | 120 | 0 | 0  | 3  | 193 | 1864  |       |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 167. Income derived from landing the various species from the Georgia Strait 1983. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |       |   |   |   |     |     |     |     |     |     |     |    |   |   |    |     | TOTAL |
|-------------------|--------------|-------|---|---|---|-----|-----|-----|-----|-----|-----|-----|----|---|---|----|-----|-------|
|                   | A            | B     | C | D | E | F   | G   | H   | I   | J   | K   | L   | M  | N | O | P  | Q   |       |
| A SALMON          | 4087         | 3729  | 0 | 0 | 0 | 15  | 0   | 2   | 31  | 106 | 50  | 3   | 1  | 0 | 0 | 2  | 5   | 8036  |
| B HERRING         | 435          | 18204 | 0 | 0 | 0 | 9   | 0   | 19  | 11  | 0   | 4   | 1   | 1  | 0 | 0 | 6  | 95  | 18788 |
| C HALIBUT         | 0            | 0     | 0 | 0 | 0 | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0  | 0 | 0 | 0  | 0   | *     |
| D SABLEFISH       | 15           | 0     | 0 | 0 | 0 | 8   | 0   | 0   | 1   | 0   | 0   | 36  | 13 | 0 | 0 | 22 | 1   | 101   |
| E HERRING SP.ON.K | 0            | 0     | 0 | 0 | 0 | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0  | 0 | 0 | 0  | 0   | 0     |
| F ROCKFISH        | 704          | 80    | 1 | 0 | 0 | 209 | 11  | 58  | 110 | 33  | 41  | 91  | 58 | 2 | 0 | 29 | 122 | 1557  |
| G GEODUCK         | 0            | 0     | 0 | 0 | 0 | 0   | 307 | 0   | 0   | 0   | 0   | 0   | 0  | 0 | 0 | 0  | 74  | 381   |
| H CRAB            | 18           | 30    | 0 | 0 | 0 | 15  | 0   | 219 | 4   | 8   | 32  | 17  | 9  | 0 | 0 | 22 | 3   | 381   |
| I LINGCOD         | 589          | 162   | 1 | 0 | 0 | 173 | 8   | 34  | 152 | 5   | 23  | 87  | 48 | 1 | 0 | 27 | 109 | 1426  |
| J SHRIMP          | 57           | 0     | 0 | 0 | 0 | 9   | 0   | 38  | 4   | 349 | 179 | 9   | 12 | 0 | 0 | 1  | 5   | 668   |
| K PRAWNS          | 83           | 25    | 0 | 0 | 0 | 28  | 0   | 46  | 13  | 238 | 399 | 0   | 0  | 0 | 0 | 1  | 0   | 837   |
| L PACIFIC COD     | 54           | 59    | 1 | 0 | 0 | 41  | 0   | 1   | 12  | 4   | 2   | 112 | 62 | 0 | 0 | 29 | 103 | 486   |
| M SOLES           | 9            | 42    | 1 | 0 | 0 | 42  | 0   | 14  | 11  | 5   | 0   | 104 | 62 | 0 | 0 | 27 | 9   | 331   |
| N INTERTIDAL CLAM | 0            | 3     | 0 | 0 | 0 | 1   | 49  | 0   | 0   | 0   | 3   | 0   | 0  | 3 | 0 | 0  | 64  | 125   |
| O ABALONE         | 0            | 0     | 0 | 0 | 0 | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0  | 0 | 0 | 0  | 0   | 0     |
| P DOGFISH         | 10           | 97    | 1 | 0 | 0 | 21  | 0   | 0   | 4   | 0   | 0   | 25  | 10 | 0 | 0 | 59 | 287 | 519   |
| Q OTHER SPECIES   | 42           | 158   | 1 | 0 | 0 | 87  | 59  | 2   | 16  | 9   | 16  | 91  | 58 | 0 | 0 | 29 | 487 | 1063  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 168. Income derived from landing the various species from Victoria 1983. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |   |   |   |   |   |   |     |    |    |   |     |    |   |    |   |    | TOTAL |
|-------------------|--------------|---|---|---|---|---|---|-----|----|----|---|-----|----|---|----|---|----|-------|
|                   | A            | B | C | D | E | F | G | H   | I  | J  | K | L   | M  | N | O  | P | Q  |       |
| A SALMON          | 246          | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 15 | 0  | 0 | 1   | 6  | 0 | 0  | 0 | 0  | 271   |
| B HERRING         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 0  | 0 | 0   | 0  | 0 | 0  | 0 | 0  | 0     |
| C HALIBUT         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 0  | 0 | 0   | 0  | 0 | 0  | 0 | 0  | *     |
| D SABLEFISH       | 6            | 0 | 0 | 7 | 0 | 4 | 0 | 0   | 60 | 0  | 0 | 270 | 56 | 0 | 0  | 0 | 7  | 413   |
| E HERRING SP.ON.K | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 0  | 0 | 0   | 0  | 0 | 0  | 0 | 0  | 0     |
| F ROCKFISH        | 6            | 0 | 1 | 7 | 0 | 9 | 0 | 21  | 85 | 3  | 0 | 340 | 64 | 0 | 0  | 0 | 12 | 553   |
| G GEODUCK         | 0            | 0 | 0 | 0 | 0 | 0 | 5 | 0   | 0  | 0  | 0 | 0   | 0  | 0 | 0  | 0 | 22 | 27    |
| H CRAB            | 0            | 0 | 0 | 0 | 0 | 4 | 0 | 261 | 20 | 25 | 2 | 117 | 33 | 0 | 0  | 0 | 8  | 473   |
| I LINGCOD         | 6            | 0 | 1 | 7 | 0 | 8 | 0 | 8   | 91 | 2  | 0 | 369 | 63 | 0 | 0  | 0 | 11 | 573   |
| J SHRIMP          | 0            | 0 | 0 | 0 | 0 | 1 | 0 | 113 | 1  | 29 | 1 | 0   | 0  | 0 | 0  | 0 | 7  | 154   |
| K PRAWNS          | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 29  | 0  | 3  | 5 | 0   | 0  | 0 | 0  | 0 | 0  | 38    |
| L PACIFIC COD     | 6            | 0 | 1 | 7 | 0 | 5 | 0 | 10  | 72 | 0  | 0 | 375 | 65 | 0 | 0  | 0 | 8  | 554   |
| M SOLES           | 6            | 0 | 0 | 7 | 0 | 5 | 0 | 10  | 68 | 0  | 0 | 352 | 65 | 0 | 0  | 0 | 8  | 525   |
| N INTERTIDAL CLAM | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 0  | 0 | 0   | 0  | 0 | 0  | 0 | 0  | 0     |
| O ABALONE         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0  | 0  | 0 | 0   | 0  | 0 | 65 | 0 | 2  | 67    |
| P DOGFISH         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 3  | 0  | 0 | 48  | 3  | 0 | 0  | 0 | 0  | 57    |
| Q OTHER SPECIES   | 6            | 0 | 0 | 7 | 0 | 6 | 2 | 32  | 68 | 2  | 0 | 327 | 64 | 0 | 36 | 0 | 90 | 645   |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 169. Income derived from landing the various species from West Vancouver Island 1983. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |     |      |   |      |      |     |     |    |     |     |     |    |   |    |      | TOTAL |
|-------------------|--------------|------|-----|------|---|------|------|-----|-----|----|-----|-----|-----|----|---|----|------|-------|
|                   | A            | B    | C   | D    | E | F    | G    | H   | I   | J  | K   | L   | M   | N  | O | P  | Q    |       |
| A SALMON          | 26406        | 3721 | 307 | 133  | 0 | 120  | 2    | 120 | 305 | 36 | 14  | 68  | 49  | 0  | 0 | 46 | 120  | 31455 |
| B HERRING         | 607          | 9872 | 0   | 10   | 0 | 47   | 0    | 0   | 48  | 0  | 0   | 12  | 24  | 0  | 0 | 1  | 0    | 10624 |
| C HALIBUT         | 743          | 0    | 422 | 466  | 0 | 6    | 0    | 0   | 14  | 0  | 2   | 0   | 0   | 0  | 0 | 0  | 9    | 1667  |
| D SABLEFISH       | 92           | 45   | 80  | 2259 | 0 | 890  | 0    | 0   | 642 | 0  | 0   | 231 | 310 | 0  | 0 | 46 | 1373 | 5973  |
| E HERRING SP.ON.K | 0            | 0    | 0   | 0    | 0 | 0    | 0    | 0   | 0   | 0  | 0   | 0   | 0   | 0  | 0 | 0  | 0    | 0     |
| F ROCKFISH        | 9274         | 161  | 316 | 548  | 0 | 1020 | 0    | 27  | 871 | 8  | 15  | 352 | 338 | 0  | 0 | 49 | 3102 | 16088 |
| G GEODUCK         | 0            | 0    | 0   | 0    | 0 | 0    | 1187 | 46  | 0   | 0  | 0   | 0   | 0   | 12 | 0 | 0  | 45   | 1292  |
| H CRAB            | 251          | 25   | 27  | 0    | 0 | 2    | 52   | 666 | 11  | 3  | 12  | 3   | 0   | 0  | 0 | 0  | 7    | 1069  |
| I LINGCOD         | 17957        | 183  | 308 | 191  | 0 | 1006 | 0    | 83  | 920 | 18 | 11  | 361 | 337 | 0  | 0 | 49 | 1827 | 23258 |
| J SHRIMP          | 243          | 0    | 0   | 0    | 0 | 14   | 0    | 3   | 29  | 70 | 10  | 6   | 13  | 0  | 0 | 0  | 0    | 392   |
| K PRAWNS          | 272          | 0    | 27  | 0    | 0 | 1    | 0    | 9   | 3   | 49 | 130 | 0   | 0   | 0  | 0 | 0  | 3    | 498   |
| L PACIFIC COD     | 250          | 195  | 0   | 104  | 0 | 955  | 0    | 0   | 702 | 0  | 0   | 363 | 337 | 0  | 0 | 50 | 1718 | 4681  |
| M SOLES           | 205          | 195  | 0   | 104  | 0 | 957  | 0    | 0   | 702 | 10 | 3   | 362 | 339 | 0  | 0 | 50 | 1718 | 4651  |
| N INTERTIDAL CLAM | 18           | 0    | 0   | 0    | 0 | 0    | 273  | 0   | 0   | 0  | 0   | 0   | 0   | 12 | 0 | 0  | 41   | 346   |
| O ABALONE         | 0            | 0    | 0   | 0    | 0 | 0    | 0    | 0   | 0   | 0  | 0   | 0   | 0   | 0  | 0 | 0  | 0    | 0     |
| P DOGFISH         | 26           | 75   | 0   | 44   | 0 | 7    | 0    | 0   | 99  | 0  | 0   | 59  | 42  | 0  | 0 | 50 | 157  | 563   |
| Q OTHER SPECIES   | 1915         | 155  | 117 | 104  | 0 | 888  | 487  | 29  | 707 | 0  | 0   | 361 | 330 | 11 | 0 | 50 | 3229 | 8391  |

Table 170. Income derived from landing the various species from the Fraser River 1983. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |   |   |   |   |   |   |     |   |     |     |   |   |   |   |    |    |      | TOTAL |
|-------------------|--------------|---|---|---|---|---|---|-----|---|-----|-----|---|---|---|---|----|----|------|-------|
|                   | A            | B | C | D | E | F | G | H   | I | J   | K   | L | M | N | O | P  | Q  |      |       |
| A SALMON          | 5344         | 0 | 0 | 0 | 0 | 1 | 0 | 138 | 0 | 382 | 7   | 0 | 0 | 0 | 0 | 0  | 12 | 5887 |       |
| B HERRING         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 0    |       |
| C HALIBUT         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 0    |       |
| D SABLEFISH       | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | *    |       |
| E HERRING SP.ON.K | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 0    |       |
| F ROCKFISH        | 63           | 0 | 0 | 0 | 0 | 5 | 0 | 0   | 0 | 92  | 6   | 0 | 0 | 0 | 0 | 4  | 0  | 174  |       |
| G GEODUCK         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 0    |       |
| H CRAB            | 57           | 0 | 0 | 0 | 0 | 0 | 0 | 795 | 0 | 0   | 25  | 0 | 0 | 0 | 0 | 0  | 0  | 880  |       |
| I LINGCOD         | 30           | 0 | 0 | 0 | 0 | 2 | 0 | 0   | 1 | 4   | 0   | 0 | 0 | 0 | 0 | 1  | 0  | 41   |       |
| J SHRIMP          | 232          | 0 | 0 | 0 | 0 | 1 | 0 | 87  | 0 | 539 | 154 | 0 | 0 | 0 | 0 | 0  | 0  | 1014 |       |
| K PRAWNS          | 51           | 0 | 0 | 0 | 0 | 1 | 0 | 117 | 0 | 198 | 227 | 0 | 0 | 0 | 0 | 2  | 0  | 600  |       |
| L PACIFIC COD     | 7            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 89  | 0   | 0 | 0 | 0 | 0 | 1  | 1  | 102  |       |
| M SOLES           | 15           | 0 | 0 | 0 | 0 | 1 | 0 | 0   | 0 | 43  | 2   | 0 | 0 | 0 | 0 | 1  | 1  | 66   |       |
| N INTERTIDAL CLAM | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 0    |       |
| O ABALONE         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0  | 0  | 0    |       |
| P DOGFISH         | 9            | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0 | 0   | 1   | 0 | 0 | 0 | 0 | 12 | 0  | 23   |       |
| Q OTHER SPECIES   | 920          | 0 | 0 | 0 | 0 | 0 | 0 | 117 | 0 | 7   | 7   | 0 | 0 | 0 | 0 | 2  | 26 | 1083 |       |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 171. Income derived from landing the various species from the B.C. Total - All areas 1983. Income (\$x10<sup>-3</sup>) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |       |      |      |   |      |      |      |      |      |      |      |      |    |     |     |      | TOTAL  |
|-------------------|--------------|-------|------|------|---|------|------|------|------|------|------|------|------|----|-----|-----|------|--------|
|                   | A            | B     | C    | D    | E | F    | G    | H    | I    | J    | K    | L    | M    | N  | O   | P   | Q    |        |
| A SALMON          | 110400       | 22233 | 4576 | 226  | 0 | 291  | 2    | 711  | 640  | 783  | 324  | 337  | 187  | 2  | 74  | 72  | 196  | 141062 |
| B HERRING         | 19356        | 44127 | 210  | 421  | 0 | 374  | 74   | 52   | 314  | 0    | 5    | 274  | 312  | 0  | 21  | 53  | 807  | 66407  |
| C HALIBUT         | 6331         | 400   | 6376 | 655  | 0 | 80   | 0    | 448  | 113  | 36   | 55   | 4    | 6    | 0  | 28  | 10  | 52   | 14601  |
| D SABLEFISH       | 835          | 711   | 475  | 6173 | 0 | 4122 | 0    | 31   | 1390 | 24   | 30   | 1545 | 1493 | 0  | 0   | 80  | 2128 | 19042  |
| E HERRING SP.ON.K | 0            | 0     | 0    | 0    | 0 | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0  | 0   | 0   | 0    | 0      |
| F ROCKFISH        | 21534        | 1615  | 3219 | 804  | 0 | 5020 | 68   | 427  | 2001 | 171  | 173  | 2091 | 1686 | 6  | 0   | 117 | 3898 | 42837  |
| G GEODUCK         | 0            | 58    | 0    | 0    | 0 | 0    | 1802 | 49   | 0    | 0    | 0    | 0    | 0    | 12 | 21  | 0   | 232  | 2178   |
| H CRAB            | 2047         | 458   | 706  | 2    | 0 | 178  | 67   | 3063 | 138  | 112  | 336  | 199  | 81   | 1  | 28  | 23  | 49   | 7494   |
| I LINGCOD         | 39257        | 1465  | 4296 | 510  | 0 | 4935 | 120  | 567  | 2141 | 105  | 160  | 2126 | 1686 | 5  | 0   | 112 | 3042 | 60535  |
| J SHRIMP          | 1623         | 14    | 155  | 0    | 0 | 32   | 0    | 302  | 44   | 1061 | 779  | 24   | 33   | 0  | 0   | 1   | 17   | 4090   |
| K PRAWNS          | 1845         | 53    | 168  | 0    | 0 | 44   | 0    | 312  | 25   | 515  | 2153 | 0    | 0    | 0  | 15  | 5   | 15   | 5156   |
| L PACIFIC COD     | 3020         | 1095  | 369  | 339  | 0 | 4243 | 0    | 39   | 1574 | 100  | 4    | 2133 | 1687 | 0  | 0   | 94  | 2859 | 17561  |
| M SOLES           | 1296         | 784   | 44   | 208  | 0 | 4240 | 0    | 54   | 1551 | 69   | 54   | 2101 | 1687 | 0  | 0   | 92  | 2628 | 14815  |
| N INTERTIDAL CLAM | 51           | 3     | 11   | 0    | 0 | 12   | 404  | 8    | 1    | 0    | 3    | 0    | 0    | 22 | 0   | 0   | 146  | 665    |
| O ABALONE         | 79           | 31    | 38   | 0    | 0 | 0    | 9    | 9    | 0    | 0    | 20   | 0    | 0    | 0  | 464 | 0   | 11   | 664    |
| P DOGFISH         | 433          | 456   | 296  | 173  | 0 | 1545 | 0    | 1    | 436  | 0    | 12   | 658  | 625  | 0  | 0   | 142 | 1246 | 6028   |
| Q OTHER SPECIES   | 5986         | 1032  | 796  | 213  | 0 | 4312 | 939  | 330  | 1611 | 29   | 1179 | 2121 | 1679 | 12 | 84  | 98  | 4376 | 24803  |

Table 172. Income derived from landing the various species from the Queen Charlotte Islands 1984. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |      |      |   |      |   |     |     |    |   |     |     |   |     |   |    |       |
|-------------------|--------------|------|------|------|---|------|---|-----|-----|----|---|-----|-----|---|-----|---|----|-------|
|                   | A            | B    | C    | D    | E | F    | G | H   | I   | J  | K | L   | M   | N | O   | P | Q  | TOTAL |
| A SALMON          | 26531        | 1945 | 2564 | 28   | 0 | 17   | 0 | 404 | 61  | 0  | 2 | 0   | 0   | 0 | 51  | 0 | 0  | 31607 |
| B HERRING         | 1871         | 5236 | 228  | 0    | 0 | 1    | 0 | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 0   | 0 | 0  | 7338  |
| C HALIBUT         | 5137         | 223  | 5132 | 310  | 0 | 117  | 0 | 202 | 53  | 0  | 0 | 1   | 2   | 0 | 0   | 0 | 2  | 11183 |
| D SABLEFISH       | 808          | 0    | 1676 | 3408 | 0 | 2549 | 0 | 32  | 25  | 0  | 0 | 60  | 245 | 0 | 0   | 3 | 53 | 8863  |
| E HERRING SP.ON.K | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 0   | 0 | 0  | 0     |
| F ROCKFISH        | 5886         | 167  | 2166 | 338  | 0 | 2682 | 0 | 99  | 74  | 0  | 0 | 122 | 301 | 0 | 0   | 3 | 55 | 11898 |
| G GEODUCK         | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 0   | 0 | 0  | *     |
| H CRAB            | 495          | 0    | 457  | 0    | 0 | 6    | 0 | 613 | 6   | 0  | 0 | 0   | 2   | 0 | 0   | 0 | 0  | 1583  |
| I LINGCOD         | 15695        | 180  | 3463 | 356  | 0 | 2664 | 0 | 143 | 100 | 0  | 2 | 123 | 310 | 0 | 32  | 3 | 56 | 23133 |
| J SHRIMP          | 0            | 0    | 5    | 0    | 0 | 0    | 0 | 0   | 0   | 15 | 1 | 0   | 0   | 0 | 0   | 0 | 0  | 22    |
| K PRAWNS          | 82           | 0    | 5    | 0    | 0 | 0    | 0 | 0   | 0   | 4  | 4 | 0   | 0   | 0 | 0   | 0 | 0  | 97    |
| L PACIFIC COD     | 854          | 0    | 320  | 199  | 0 | 2477 | 0 | 6   | 21  | 1  | 0 | 125 | 310 | 0 | 0   | 3 | 56 | 4377  |
| M SOLES           | 0            | 0    | 153  | 54   | 0 | 2549 | 0 | 3   | 19  | 0  | 0 | 123 | 313 | 0 | 0   | 3 | 54 | 3275  |
| N INTERTIDAL CLAM | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 0   | 0 | 0  | 0     |
| O ABALONE         | 180          | 0    | 0    | 0    | 0 | 0    | 4 | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 127 | 0 | 0  | 312   |
| P DOGFISH         | 0            | 0    | 0    | 0    | 0 | 0    | 0 | 0   | 0   | 0  | 0 | 0   | 0   | 0 | 0   | 0 | 0  | *     |
| Q OTHER SPECIES   | 0            | 0    | 302  | 199  | 0 | 2462 | 0 | 4   | 18  | 0  | 0 | 120 | 302 | 0 | 0   | 3 | 58 | 3472  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 173. Income derived from landing the various species from Chatham Sound 1984. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |     |    |   |     |     |     |     |    |     |     |     |   |     |   |     | TOTAL |
|-------------------|--------------|------|-----|----|---|-----|-----|-----|-----|----|-----|-----|-----|---|-----|---|-----|-------|
|                   | A            | B    | C   | D  | E | F   | G   | H   | I   | J  | K   | L   | M   | N | O   | P | Q   |       |
| A SALMON          | 23518        | 1213 | 551 | 1  | 0 | 17  | 0   | 110 | 28  | 33 | 2   | 53  | 72  | 0 | 25  | 0 | 9   | 25637 |
| B HERRING         | 2077         | 4395 | 0   | 0  | 0 | 42  | 0   | 4   | 7   | 0  | 0   | 56  | 78  | 0 | 0   | 0 | 75  | 6736  |
| C HALIBUT         | 1197         | 0    | 890 | 2  | 0 | 9   | 0   | 146 | 14  | 6  | 3   | 0   | 0   | 0 | 25  | 0 | 0   | 2297  |
| D SABLEFISH       | 166          | 33   | 144 | 15 | 0 | 146 | 0   | 25  | 55  | 4  | 1   | 433 | 880 | 0 | 0   | 0 | 77  | 1986  |
| E HERRING SP.ON.K | 0            | 0    | 0   | 0  | 0 | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0   | 0 | 0   | 0 | 0   | 0     |
| F ROCKFISH        | 831          | 73   | 300 | 8  | 0 | 223 | 0   | 156 | 102 | 6  | 43  | 642 | 978 | 0 | 0   | 7 | 158 | 3532  |
| G GEODUCK         | 0            | 0    | 0   | 0  | 0 | 0   | 171 | 0   | 0   | 0  | 0   | 0   | 0   | 0 | 11  | 0 | 0   | 183   |
| H CRAB            | 176          | 22   | 104 | 0  | 0 | 10  | 0   | 515 | 11  | 1  | 67  | 0   | 0   | 0 | 0   | 0 | 1   | 911   |
| I LINGCOD         | 2562         | 50   | 434 | 7  | 0 | 217 | 0   | 157 | 106 | 13 | 44  | 644 | 981 | 0 | 0   | 7 | 149 | 5377  |
| J SHRIMP          | 156          | 0    | 28  | 0  | 0 | 0   | 0   | 2   | 0   | 49 | 72  | 0   | 0   | 0 | 0   | 0 | 1   | 311   |
| K PRAWNS          | 80           | 0    | 51  | 0  | 0 | 2   | 0   | 27  | 0   | 19 | 114 | 15  | 13  | 0 | 0   | 1 | 5   | 333   |
| L PACIFIC COD     | 236          | 43   | 76  | 6  | 0 | 191 | 0   | 25  | 71  | 0  | 2   | 645 | 982 | 0 | 0   | 7 | 147 | 2436  |
| M SOLES           | 80           | 43   | 0   | 5  | 0 | 190 | 0   | 0   | 69  | 0  | 1   | 645 | 982 | 0 | 0   | 7 | 147 | 2173  |
| N INTERTIDAL CLAM | 0            | 0    | 0   | 0  | 0 | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0   | 0 | 0   | 0 | 0   | 0     |
| O ABALONE         | 24           | 0    | 60  | 0  | 0 | 0   | 47  | 0   | 0   | 0  | 0   | 0   | 0   | 0 | 193 | 0 | 0   | 324   |
| P DOGFISH         | 0            | 0    | 0   | 0  | 0 | 5   | 0   | 0   | 15  | 0  | 1   | 132 | 152 | 0 | 0   | 7 | 18  | 334   |
| Q OTHER SPECIES   | 210          | 66   | 161 | 6  | 0 | 196 | 0   | 114 | 75  | 10 | 77  | 630 | 980 | 0 | 0   | 2 | 166 | 2699  |

Table 174. Income derived from landing the various species from the Central Coast 1984. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |     |     |   |      |     |    |     |    |     |     |     |   |    |   |     | TOTAL |
|-------------------|--------------|------|-----|-----|---|------|-----|----|-----|----|-----|-----|-----|---|----|---|-----|-------|
|                   | A            | B    | C   | D   | E | F    | G   | H  | I   | J  | K   | L   | M   | N | O  | P | Q   |       |
| A SALMON          | 9973         | 1834 | 170 | 0   | 0 | 5    | 0   | 0  | 16  | 4  | 13  | 0   | 0   | 0 | 0  | 0 | 0   | 12018 |
| B HERRING         | 798          | 8936 | 0   | 0   | 0 | 85   | 0   | 0  | 48  | 0  | 4   | 9   | 10  | 0 | 0  | 0 | 2   | 9896  |
| C HALIBUT         | 195          | 0    | 281 | 0   | 0 | 4    | 0   | 0  | 5   | 3  | 13  | 0   | 0   | 0 | 0  | 0 | 1   | 505   |
| D SABLEFISH       | 37           | 101  | 21  | 943 | 0 | 1120 | 0   | 0  | 168 | 0  | 0   | 49  | 102 | 0 | 0  | 0 | 406 | 2952  |
| E HERRING SP.ON.K | 0            | 0    | 0   | 0   | 0 | 0    | 0   | 0  | 0   | 0  | 0   | 0   | 0   | 0 | 0  | 0 | 0   | 0     |
| F ROCKFISH        | 837          | 115  | 139 | 3   | 0 | 1372 | 0   | 4  | 230 | 3  | 18  | 112 | 105 | 0 | 0  | 1 | 409 | 3354  |
| G GEODUCK         | 0            | 0    | 0   | 0   | 0 | 0    | 280 | 0  | 0   | 0  | 0   | 0   | 0   | 0 | 18 | 0 | 0   | 299   |
| H CRAB            | 0            | 0    | 5   | 0   | 0 | 2    | 0   | 51 | 2   | 3  | 39  | 0   | 0   | 0 | 0  | 0 | 1   | 107   |
| I LINGCOD         | 2807         | 158  | 185 | 3   | 0 | 1078 | 0   | 3  | 236 | 0  | 7   | 53  | 104 | 0 | 0  | 1 | 19  | 4659  |
| J SHRIMP          | 58           | 0    | 5   | 0   | 0 | 0    | 0   | 0  | 0   | 23 | 255 | 0   | 0   | 0 | 0  | 0 | 2   | 345   |
| K PRAWNS          | 66           | 1    | 5   | 0   | 0 | 86   | 0   | 5  | 0   | 16 | 644 | 0   | 0   | 0 | 0  | 0 | 5   | 831   |
| L PACIFIC COD     | 0            | 101  | 0   | 3   | 0 | 1142 | 0   | 0  | 202 | 0  | 4   | 113 | 104 | 0 | 0  | 1 | 19  | 1693  |
| M SOLES           | 0            | 110  | 0   | 3   | 0 | 1328 | 0   | 0  | 202 | 0  | 4   | 112 | 105 | 0 | 0  | 1 | 407 | 2275  |
| N INTERTIDAL CLAM | 0            | 0    | 0   | 0   | 0 | 0    | 0   | 0  | 0   | 0  | 0   | 0   | 0   | 0 | 0  | 0 | 0   | 0     |
| O ABALONE         | 0            | 0    | 0   | 0   | 0 | 0    | 32  | 0  | 0   | 0  | 0   | 0   | 0   | 0 | 94 | 0 | 0   | 127   |
| P DOGFISH         | 0            | 0    | 0   | 0   | 0 | 0    | 0   | 0  | 0   | 0  | 0   | 0   | 0   | 0 | 0  | 0 | 0   | *     |
| Q OTHER SPECIES   | 55           | 101  | 9   | 2   | 0 | 1324 | 0   | 0  | 190 | 7  | 171 | 107 | 93  | 0 | 0  | 1 | 413 | 2479  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 175. Income derived from landing the various species from the Johnstone Strait 1984. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |    |     |     |   |     |     |     |     |   |     |     |     |   |    |    |     | TOTAL |
|-------------------|--------------|----|-----|-----|---|-----|-----|-----|-----|---|-----|-----|-----|---|----|----|-----|-------|
|                   | A            | B  | C   | D   | E | F   | G   | H   | I   | J | K   | L   | M   | N | O  | P  | Q   |       |
| A SALMON          | 17725        | 16 | 349 | 1   | 0 | 70  | 0   | 53  | 73  | 0 | 103 | 23  | 41  | 0 | 0  | 2  | 3   | 18465 |
| B HERRING         | 13           | 99 | 0   | 0   | 0 | 8   | 0   | 0   | 1   | 0 | 0   | 0   | 0   | 0 | 0  | 0  | 0   | 122   |
| C HALIBUT         | 571          | 0  | 524 | 1   | 0 | 13  | 0   | 6   | 15  | 0 | 0   | 0   | 0   | 0 | 0  | 0  | 0   | 1134  |
| D SABLEFISH       | 40           | 0  | 6   | 225 | 0 | 130 | 0   | 0   | 85  | 0 | 1   | 34  | 59  | 0 | 0  | 0  | 7   | 592   |
| E HERRING SP.ON.K | 0            | 0  | 0   | 0   | 0 | 0   | 0   | 0   | 0   | 0 | 0   | 0   | 0   | 0 | 0  | 0  | 0   | 0     |
| F ROCKFISH        | 2106         | 32 | 284 | 3   | 0 | 938 | 0   | 33  | 247 | 1 | 84  | 153 | 147 | 0 | 0  | 17 | 18  | 4069  |
| G GEODUCK         | 0            | 0  | 0   | 0   | 0 | 0   | 405 | 0   | 0   | 0 | 0   | 0   | 0   | 3 | 0  | 0  | 250 | 659   |
| H CRAB            | 140          | 0  | 9   | 0   | 0 | 34  | 0   | 366 | 10  | 0 | 135 | 0   | 0   | 0 | 0  | 0  | 0   | 696   |
| I LINGCOD         | 3779         | 32 | 343 | 3   | 0 | 845 | 0   | 32  | 280 | 1 | 49  | 125 | 147 | 0 | 0  | 23 | 18  | 5683  |
| J SHRIMP          | 34           | 0  | 0   | 0   | 0 | 0   | 0   | 0   | 2   | 4 | 205 | 0   | 0   | 0 | 0  | 0  | 0   | 249   |
| K PRAWNS          | 278          | 0  | 0   | 0   | 0 | 17  | 0   | 74  | 2   | 2 | 739 | 0   | 0   | 0 | 24 | 0  | 47  | 1187  |
| L PACIFIC COD     | 50           | 0  | 0   | 2   | 0 | 380 | 0   | 0   | 175 | 0 | 0   | 157 | 147 | 0 | 0  | 15 | 12  | 942   |
| M SOLES           | 38           | 0  | 0   | 2   | 0 | 373 | 0   | 0   | 170 | 0 | 0   | 125 | 147 | 0 | 0  | 15 | 12  | 885   |
| N INTERTIDAL CLAM | 76           | 0  | 0   | 0   | 0 | 5   | 60  | 0   | 0   | 0 | 6   | 0   | 0   | 3 | 0  | 0  | 182 | 334   |
| O ABALONE         | 0            | 0  | 0   | 0   | 0 | 0   | 38  | 0   | 0   | 0 | 39  | 0   | 0   | 0 | 30 | 0  | 48  | 156   |
| P DOGFISH         | 29           | 0  | 35  | 4   | 0 | 85  | 0   | 0   | 42  | 0 | 0   | 45  | 53  | 0 | 0  | 39 | 5   | 341   |
| Q OTHER SPECIES   | 156          | 0  | 3   | 2   | 0 | 381 | 282 | 5   | 177 | 2 | 228 | 120 | 141 | 3 | 11 | 16 | 510 | 2044  |

Table 176. Income derived from landing the various species from the Georgia Strait 1984. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |       |   |   |   |     |     |     |     |     |      |     |    |   |   |    |      | TOTAL |
|-------------------|--------------|-------|---|---|---|-----|-----|-----|-----|-----|------|-----|----|---|---|----|------|-------|
|                   | A            | B     | C | D | E | F   | G   | H   | I   | J   | K    | L   | M  | N | O | P  | Q    |       |
| A SALMON          | 3574         | 2731  | 0 | 0 | 0 | 27  | 0   | 42  | 30  | 78  | 202  | 19  | 6  | 0 | 0 | 0  | 3    | 6716  |
| B HERRING         | 355          | 11455 | 0 | 0 | 0 | 0   | 1   | 9   | 6   | 0   | 0    | 12  | 6  | 0 | 0 | 2  | 2    | 11853 |
| C HALIBUT         | 0            | 0     | 0 | 0 | 0 | 0   | 0   | 0   | 0   | 0   | 0    | 0   | 0  | 0 | 0 | 0  | 0    | 0     |
| D SABLEFISH       | 0            | 89    | 0 | 1 | 0 | 5   | 0   | 0   | 1   | 0   | 0    | 40  | 15 | 0 | 0 | 22 | 1    | 179   |
| E HERRING SP.ON.K | 0            | 0     | 0 | 0 | 0 | 0   | 0   | 0   | 0   | 0   | 0    | 0   | 0  | 0 | 0 | 0  | 0    | 0     |
| F ROCKFISH        | 644          | 92    | 0 | 0 | 0 | 301 | 5   | 23  | 79  | 95  | 156  | 95  | 61 | 0 | 0 | 33 | 30   | 1621  |
| G GEODUCK         | 0            | 12    | 0 | 0 | 0 | 0   | 508 | 0   | 0   | 0   | 0    | 0   | 0  | 2 | 0 | 0  | 96   | 620   |
| H CRAB            | 20           | 2     | 0 | 0 | 0 | 33  | 0   | 402 | 11  | 1   | 109  | 5   | 7  | 0 | 0 | 0  | 35   | 629   |
| I LINGCOD         | 440          | 93    | 0 | 0 | 0 | 252 | 0   | 16  | 113 | 14  | 22   | 70  | 52 | 0 | 0 | 26 | 24   | 1128  |
| J SHRIMP          | 145          | 0     | 0 | 0 | 0 | 28  | 0   | 48  | 8   | 293 | 267  | 8   | 13 | 0 | 0 | 0  | 10   | 825   |
| K PRAWNS          | 227          | 27    | 0 | 0 | 0 | 40  | 0   | 106 | 6   | 169 | 1162 | 14  | 5  | 0 | 0 | 22 | 1    | 1784  |
| L PACIFIC COD     | 80           | 123   | 0 | 0 | 0 | 58  | 0   | 0   | 17  | 18  | 0    | 104 | 62 | 0 | 0 | 25 | 14   | 507   |
| M SOLES           | 13           | 123   | 0 | 0 | 0 | 34  | 0   | 35  | 10  | 24  | 11   | 102 | 63 | 0 | 0 | 25 | 14   | 460   |
| N INTERTIDAL CLAM | 0            | 0     | 0 | 0 | 0 | 9   | 180 | 0   | 5   | 4   | 0    | 8   | 13 | 2 | 0 | 0  | 75   | 299   |
| O ABALONE         | 0            | 0     | 0 | 0 | 0 | 0   | 0   | 0   | 0   | 0   | 0    | 0   | 0  | 0 | 0 | 0  | 0    | *     |
| P DOGFISH         | 1            | 50    | 0 | 0 | 0 | 14  | 0   | 0   | 1   | 0   | 0    | 20  | 15 | 0 | 0 | 58 | 607  | 770   |
| Q OTHER SPECIES   | 95           | 129   | 0 | 0 | 0 | 108 | 265 | 87  | 28  | 80  | 99   | 90  | 60 | 2 | 0 | 33 | 1010 | 2091  |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 177. Income derived from landing the various species from Victoria 1984. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |   |    |   |   |    |     |     |    |    |    |     |    |   |    |   |    | TOTAL |
|-------------------|--------------|---|----|---|---|----|-----|-----|----|----|----|-----|----|---|----|---|----|-------|
|                   | A            | B | C  | D | E | F  | G   | H   | I  | J  | K  | L   | M  | N | O  | P | Q  |       |
| A SALMON          | 6080         | 0 | 0  | 0 | 0 | 0  | 0   | 0   | 0  | 1  | 0  | 0   | 0  | 0 | 0  | 0 | 0  | 6085  |
| B HERRING         | 0            | 0 | 0  | 0 | 0 | 0  | 0   | 0   | 0  | 0  | 0  | 0   | 0  | 0 | 0  | 0 | 0  | 0     |
| C HALIBUT         | 7            | 0 | 10 | 0 | 0 | 0  | 0   | 43  | 2  | 0  | 0  | 0   | 0  | 0 | 0  | 0 | 0  | 64    |
| D SABLEFISH       | 0            | 0 | 0  | 1 | 0 | 2  | 0   | 1   | 12 | 0  | 0  | 80  | 18 | 0 | 0  | 0 | 2  | 118   |
| E HERRING SP.ON.K | 0            | 0 | 0  | 0 | 0 | 0  | 0   | 0   | 0  | 0  | 0  | 0   | 0  | 0 | 0  | 0 | 0  | 0     |
| F ROCKFISH        | 92           | 0 | 8  | 1 | 0 | 26 | 0   | 115 | 57 | 1  | 3  | 230 | 39 | 0 | 6  | 3 | 14 | 600   |
| G GEODUCK         | 0            | 0 | 0  | 0 | 0 | 0  | 102 | 0   | 0  | 0  | 0  | 0   | 0  | 0 | 0  | 0 | 34 | 136   |
| H CRAB            | 0            | 0 | 2  | 0 | 0 | 15 | 0   | 607 | 16 | 12 | 0  | 19  | 3  | 0 | 6  | 0 | 22 | 705   |
| I LINGCOD         | 77           | 0 | 8  | 1 | 0 | 20 | 0   | 58  | 75 | 4  | 3  | 247 | 41 | 0 | 6  | 3 | 8  | 557   |
| J SHRIMP          | 5            | 0 | 0  | 0 | 0 | 2  | 0   | 120 | 0  | 17 | 3  | 0   | 0  | 0 | 0  | 0 | 0  | 149   |
| K PRAWNS          | 0            | 0 | 0  | 0 | 0 | 0  | 0   | 0   | 0  | 0  | 13 | 0   | 0  | 0 | 9  | 0 | 0  | 23    |
| L PACIFIC COD     | 0            | 0 | 7  | 1 | 0 | 6  | 0   | 1   | 61 | 0  | 0  | 263 | 42 | 0 | 0  | 3 | 3  | 390   |
| M SOLES           | 5            | 0 | 0  | 1 | 0 | 6  | 0   | 1   | 57 | 1  | 0  | 257 | 42 | 0 | 0  | 3 | 3  | 381   |
| N INTERTIDAL CLAM | 0            | 0 | 0  | 0 | 0 | 0  | 0   | 0   | 0  | 0  | 0  | 0   | 0  | 0 | 0  | 0 | 0  | 0     |
| O ABALONE         | 0            | 0 | 0  | 0 | 0 | 1  | 0   | 0   | 1  | 0  | 3  | 0   | 0  | 0 | 53 | 0 | 4  | 63    |
| P DOGFISH         | 0            | 0 | 0  | 0 | 0 | 2  | 0   | 0   | 6  | 0  | 0  | 31  | 11 | 0 | 0  | 3 | 0  | 56    |
| Q OTHER SPECIES   | 65           | 0 | 0  | 1 | 0 | 13 | 57  | 76  | 57 | 1  | 0  | 226 | 41 | 0 | 6  | 3 | 95 | 647   |

Table 178. Income derived from landing the various species from West Vancouver Island 1984. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |      |     |      |   |      |      |     |      |    |     |     |     |   |   |    |      |       | TOTAL |
|-------------------|--------------|------|-----|------|---|------|------|-----|------|----|-----|-----|-----|---|---|----|------|-------|-------|
|                   | A            | B    | C   | D    | E | F    | G    | H   | I    | J  | K   | L   | M   | N | O | P  | Q    |       |       |
| A SALMON          | 47105        | 4575 | 294 | 135  | 0 | 68   | 0    | 228 | 187  | 51 | 115 | 40  | 15  | 0 | 0 | 0  | 54   | 52875 |       |
| B HERRING         | 1195         | 6864 | 0   | 0    | 0 | 62   | 0    | 3   | 16   | 0  | 0   | 2   | 3   | 0 | 0 | 0  | 1078 | 9227  |       |
| C HALIBUT         | 1039         | 0    | 364 | 0    | 0 | 11   | 0    | 50  | 22   | 0  | 15  | 0   | 0   | 0 | 0 | 0  | 0    | 1504  |       |
| D SABLEFISH       | 304          | 179  | 25  | 2399 | 0 | 1329 | 0    | 0   | 1080 | 0  | 0   | 283 | 459 | 0 | 0 | 24 | 2010 | 8098  |       |
| E HERRING SP.ON.K | 0            | 0    | 0   | 0    | 0 | 0    | 0    | 0   | 0    | 0  | 0   | 0   | 0   | 0 | 0 | 0  | 0    | 0     |       |
| F ROCKFISH        | 14137        | 289  | 236 | 369  | 0 | 1416 | 0    | 152 | 1217 | 2  | 13  | 325 | 466 | 0 | 0 | 76 | 3994 | 22699 |       |
| G GEODUCK         | 0            | 0    | 0   | 0    | 0 | 0    | 1458 | 0   | 0    | 0  | 0   | 0   | 0   | 0 | 0 | 0  | 17   | 1475  |       |
| H CRAB            | 760          | 7    | 25  | 0    | 0 | 4    | 0    | 640 | 6    | 1  | 62  | 15  | 1   | 0 | 0 | 0  | 0    | 1527  |       |
| I LINGCOD         | 30684        | 190  | 282 | 1348 | 0 | 1383 | 0    | 179 | 1265 | 47 | 61  | 341 | 468 | 0 | 0 | 76 | 2391 | 38722 |       |
| J SHRIMP          | 512          | 0    | 0   | 0    | 0 | 35   | 0    | 0   | 12   | 56 | 36  | 8   | 7   | 0 | 0 | 0  | 129  | 799   |       |
| K PRAWNS          | 774          | 0    | 20  | 0    | 0 | 0    | 0    | 31  | 4    | 19 | 326 | 0   | 0   | 0 | 3 | 0  | 0    | 1179  |       |
| L PACIFIC COD     | 161          | 111  | 0   | 74   | 0 | 1250 | 0    | 0   | 1072 | 1  | 0   | 353 | 468 | 0 | 0 | 76 | 2050 | 5621  |       |
| M SOLES           | 211          | 208  | 0   | 74   | 0 | 1256 | 0    | 22  | 1073 | 2  | 0   | 345 | 469 | 0 | 0 | 76 | 2218 | 5960  |       |
| N INTERTIDAL CLAM | 0            | 0    | 0   | 0    | 0 | 0    | 0    | 0   | 0    | 0  | 0   | 0   | 0   | 0 | 0 | 0  | 0    | *     |       |
| O ABALONE         | 0            | 0    | 0   | 0    | 0 | 0    | 0    | 0   | 0    | 0  | 0   | 0   | 0   | 0 | 0 | 0  | 0    | *     |       |
| P DOGFISH         | 0            | 0    | 11  | 54   | 0 | 45   | 0    | 0   | 196  | 0  | 0   | 83  | 66  | 0 | 0 | 76 | 183  | 718   |       |
| Q OTHER SPECIES   | 461          | 252  | 13  | 96   | 0 | 1141 | 503  | 0   | 886  | 4  | 30  | 344 | 433 | 0 | 0 | 76 | 4102 | 8345  |       |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 179. Income derived from landing the various species from the Fraser River 1984. Income ( $\$ \times 10^{-3}$ ) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |   |   |   |   |   |   |      |   |     |     |   |   |   |   |   |    |      | TOTAL |
|-------------------|--------------|---|---|---|---|---|---|------|---|-----|-----|---|---|---|---|---|----|------|-------|
|                   | A            | B | C | D | E | F | G | H    | I | J   | K   | L | M | N | O | P | Q  |      |       |
| A SALMON          | 9185         | 0 | 0 | 0 | 0 | 0 | 0 | 283  | 0 | 393 | 10  | 0 | 0 | 0 | 0 | 0 | 27 | 9901 |       |
| B HERRING         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0    | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0 | 0  | 0    |       |
| C HALIBUT         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0    | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0 | 0  | 0    |       |
| D SABLEFISH       | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0    | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0 | 0  | *    |       |
| E HERRING SP.ON.K | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0    | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0 | 0  | 0    |       |
| F ROCKFISH        | 15           | 0 | 0 | 0 | 0 | 2 | 0 | 14   | 0 | 81  | 129 | 0 | 0 | 0 | 0 | 0 | 0  | 245  |       |
| G GEODUCK         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0    | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0 | 0  | 0    |       |
| H CRAB            | 158          | 0 | 0 | 0 | 0 | 1 | 0 | 1270 | 0 | 31  | 140 | 0 | 0 | 0 | 0 | 0 | 1  | 1605 |       |
| I LINGCOD         | 33           | 0 | 0 | 0 | 0 | 0 | 0 | 0    | 0 | 6   | 0   | 0 | 0 | 0 | 0 | 0 | 0  | 42   |       |
| J SHRIMP          | 380          | 0 | 0 | 0 | 0 | 2 | 0 | 17   | 0 | 558 | 195 | 0 | 0 | 0 | 0 | 0 | 0  | 1154 |       |
| K PRAWNS          | 112          | 0 | 0 | 0 | 0 | 1 | 0 | 57   | 0 | 187 | 254 | 0 | 0 | 0 | 0 | 0 | 0  | 615  |       |
| L PACIFIC COD     | 19           | 0 | 0 | 0 | 0 | 0 | 0 | 0    | 0 | 75  | 0   | 1 | 0 | 0 | 0 | 0 | 0  | 97   |       |
| M SOLES           | 15           | 0 | 0 | 0 | 0 | 0 | 0 | 5    | 0 | 34  | 2   | 0 | 1 | 0 | 0 | 0 | 0  | 61   |       |
| N INTERTIDAL CLAM | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0    | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0 | 0  | 0    |       |
| O ABALONE         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0    | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 0 | 0  | 0    |       |
| P DOGFISH         | 0            | 0 | 0 | 0 | 0 | 0 | 0 | 0    | 0 | 0   | 0   | 0 | 0 | 0 | 0 | 9 | 5  | 15   |       |
| Q OTHER SPECIES   | 2864         | 0 | 0 | 0 | 0 | 1 | 0 | 96   | 0 | 51  | 127 | 0 | 0 | 0 | 0 | 0 | 80 | 3224 |       |

\* ONLY ONE OR TWO VESSELS RECORDED LANDINGS.

Table 180. Income derived from landing the various species from the B.C. Total - All areas 1984. Income (\$x10<sup>-3</sup>) reported by species 'I' fishermen derived from landing species 'II'.

| SPECIES "I"       | SPECIES "II" |       |      |      |   |      |      |      |      |      |      |      |      |   |     |     |      |        | TOTAL |
|-------------------|--------------|-------|------|------|---|------|------|------|------|------|------|------|------|---|-----|-----|------|--------|-------|
|                   | A            | B     | C    | D    | E | F    | G    | H    | I    | J    | K    | L    | M    | N | O   | P   | Q    |        |       |
| A SALMON          | 143695       | 19025 | 5300 | 349  | 0 | 280  | 0    | 1402 | 502  | 764  | 839  | 248  | 163  | 0 | 90  | 21  | 112  | 172797 |       |
| B HERRING         | 16314        | 36987 | 515  | 394  | 0 | 1081 | 183  | 67   | 133  | 0    | 6    | 132  | 151  | 0 | 0   | 9   | 1969 | 57948  |       |
| C HALIBUT         | 13473        | 657   | 7203 | 751  | 0 | 300  | 0    | 606  | 174  | 22   | 125  | 33   | 109  | 0 | 25  | 8   | 26   | 23519  |       |
| D SABLEFISH       | 2476         | 886   | 1934 | 6995 | 0 | 5880 | 0    | 60   | 1536 | 22   | 223  | 1477 | 2006 | 0 | 91  | 74  | 3238 | 26905  |       |
| E HERRING SP.ON.K | 0            | 0     | 0    | 0    | 0 | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0 | 0   | 0   | 0    | 0      |       |
| F ROCKFISH        | 31971        | 2228  | 3582 | 796  | 0 | 6964 | 5    | 680  | 2036 | 219  | 614  | 1728 | 2120 | 1 | 6   | 164 | 5567 | 58689  |       |
| G GEODUCK         | 0            | 27    | 0    | 0    | 0 | 0    | 2930 | 0    | 0    | 0    | 0    | 0    | 0    | 5 | 59  | 0   | 491  | 3515   |       |
| H CRAB            | 3429         | 258   | 889  | 71   | 0 | 159  | 0    | 4467 | 91   | 55   | 742  | 80   | 126  | 0 | 6   | 0   | 78   | 10459  |       |
| I LINGCOD         | 63451        | 2200  | 5204 | 1985 | 0 | 6822 | 0    | 806  | 2179 | 156  | 412  | 1745 | 2117 | 1 | 143 | 183 | 4054 | 91467  |       |
| J SHRIMP          | 2880         | 0     | 172  | 70   | 0 | 74   | 0    | 295  | 27   | 1020 | 1224 | 20   | 26   | 0 | 0   | 0   | 147  | 5960   |       |
| K PRAWNS          | 5789         | 41    | 210  | 71   | 0 | 271  | 0    | 441  | 28   | 453  | 3260 | 36   | 22   | 0 | 39  | 27  | 234  | 10929  |       |
| L PACIFIC COD     | 2482         | 1008  | 456  | 287  | 0 | 5855 | 0    | 34   | 1639 | 107  | 11   | 1764 | 2124 | 0 | 0   | 135 | 4009 | 19917  |       |
| M SOLES           | 1064         | 1008  | 163  | 141  | 0 | 5805 | 0    | 76   | 1604 | 67   | 20   | 1762 | 2124 | 0 | 0   | 135 | 4006 | 17982  |       |
| N INTERTIDAL CLAM | 261          | 0     | 0    | 0    | 0 | 15   | 332  | 0    | 5    | 4    | 6    | 8    | 13   | 6 | 0   | 0   | 257  | 912    |       |
| O ABALONE         | 204          | 6     | 60   | 978  | 0 | 2    | 161  | 0    | 1    | 0    | 44   | 0    | 0    | 0 | 524 | 0   | 64   | 2050   |       |
| P DOGFISH         | 540          | 97    | 243  | 92   | 0 | 609  | 0    | 0    | 390  | 0    | 6    | 418  | 349  | 0 | 0   | 200 | 1908 | 4856   |       |
| Q OTHER SPECIES   | 7196         | 1533  | 748  | 381  | 0 | 6019 | 2172 | 550  | 1541 | 182  | 925  | 1757 | 2104 | 5 | 129 | 143 | 6436 | 31829  |       |






Fig. 1. The boundaries of the eight geographically distinct areas. Reference symbols are: QCI, Queen Charlotte Islands; CS, Chatham Sound; CC, Central Coast; JS, Johnstone Strait; WVI, west coast of Vancouver Island; GS, Georgia Strait; FR, Fraser River estuary; V, Victoria.






Fig. 2. Percent growth in landed value of halibut, herring, salmon, combined shellfish, and combined groundfish species for the period 1979-1984. 1979 landed values are used as a reference. Landed values shown are for 1984.

[illegible]

NLR 178

