



Environment
Canada

Environnement
Canada

www.ec.gc.ca



Data Sources and Methods for the National Greenhouse Gas Emissions Indicators

May 2013

Canada

ISBN : En4-144/18-2013E-PDF
Cat. No.: 978-1-100-22033-8

Information contained in this publication may be reproduced, in part or in whole, and by any means, for personal or public non-commercial purposes, without charge or further permission, unless otherwise specified.

You are asked to:

- Exercise due diligence in ensuring the accuracy of the materials reproduced;
- Indicate both the complete title of the materials reproduced, as well as the author organization; and
- Indicate that the reproduction is a copy of an official work that is published by the Government of Canada and that the reproduction has not been produced in affiliation with or with the endorsement of the Government of Canada.

Commercial reproduction and distribution is prohibited except with written permission from the Government of Canada's copyright administrator, Public Works and Government Services of Canada (PWGSC). For more information, please contact PWGSC at 613-996-6886 or at droitdauteur.copyright@tpsgc-pwgsc.gc.ca.

Photos: © Environment Canada

© Her Majesty the Queen in Right of Canada represented by the Minister of the Environment, 2012

Aussi disponible en français

1 Introduction

The National Greenhouse Gas (GHG) Emissions indicators are part of the Canadian Environmental Sustainability Indicators (CESI) program (<http://greenlanedev2.ncr.ec.gc.ca/indicateurs-indicators/default.asp?lang=En&n=47F48106-1>), which provides data and information to track Canada's performance on key environmental sustainability issues.

2 Description and rationale of the national greenhouse gas emissions indicators

2.1 Description

The GHG emissions indicators report trends in anthropogenic (human-made) GHG emissions at the national level (total emissions, emissions per person and emissions per unit of gross domestic product [GDP]), and at the provincial/territorial and economic sector level for six GHGs: carbon dioxide (CO₂), methane (CH₄), nitrous oxide (N₂O), sulphur hexafluoride (SF₆), perfluorocarbons (PFCs) and hydrofluorocarbons (HFCs).

Emissions from natural, unmanaged sources (material decay, plant and animal respiration, volcanic and thermal venting, etc.), and absorption of emissions by natural sinks (forests, oceans), are not captured by these indicators.

2.2 Rationale

The GHG emissions indicators are used to track the progress of Canada's efforts to lower emissions and reach environmental performance objectives. Use of the GHG indicators in conjunction with economic performance indicators such as the GDP supports national-level decision making on sustainable development.

As an Annex I Party¹ to the United Nations Framework Convention on Climate Change (UNFCCC) (<http://unfccc.int/2860.php>), Canada is required to prepare and submit a national inventory of anthropogenic sources and sinks of GHGs on an annual basis.

Since direct measurement of emissions from all sources is not possible, the UNFCCC requires that countries develop, update, publish and maintain national inventories using internationally approved and comparable emissions and removals estimation methods for the six GHGs. Canada's inventory is developed in accordance with the UNFCCC Annex I Inventory Reporting Guidelines (http://unfccc.int/documentation/documents/advanced_search/items/6911.php?prirref=600003988) which require the use of the Intergovernmental Panel on Climate Change (IPCC) Methodological and Good Practice Guidelines (<http://www.ipcc-nggip.iges.or.jp/public/gl/invs1.html>). The IPCC guidelines are approved and developed through an international process that involves testing of methods through preliminary inventory development, country studies, technical and regional workshops, and national and international experts consultations.

¹ Annex I Parties include industrialized countries and economies in transition.

3 Data

3.1 Data source

The GHG emissions indicators are based on GHG emissions data taken from Environment Canada's National Inventory Report 1990-2011: Greenhouse Gas Sources and Sinks in Canada (<http://www.ec.gc.ca/ges-ghg/default.asp?lang=En&n=83A34A7A-1>). Data used to develop the emission and removal estimates presented in the National Inventory Report (NIR) are drawn from published and unpublished sources from various government departments, industry sources and scientific papers. The methods used to prepare the emission and removal estimates are consistent with internationally accepted Intergovernmental Panel on Climate Change (IPCC) reference documents. Figures 1-4 and 1-5 of the NIR illustrate the inventory preparation process and show the main partners involved in preparing the annual inventory. A comprehensive list detailing all data sources (disaggregated by sector and sub-sector) can be found in chapters 3 through 8 of the NIR.

3.2 Spatial coverage

GHG emission estimates are provided at the national and provincial/territorial levels.

3.3 Temporal coverage

GHG emission and removal estimates are compiled annually and reported for the period 1990 to 2011. Complete details of the temporal coverage for each data source used for the indicators can be found in chapters 1 (section 1.3) and 3 through 8 of the NIR.

3.4 Data completeness

Although the GHG emissions indicators are comprehensive, some emission sources have not been included in the indicators because they are not reported in the NIR. Owing to their relatively small contributions to the total emissions, these excluded sources do not significantly affect the overall completeness of the inventory. A detailed explanation of the excluded emission sources can be found in Annex 5 of the NIR.

3.5 Data timeliness

The data included in the indicators cover the period from 1990 through the end of 2011. Preparation of the GHG emissions indicators takes almost two years from the end of the last reporting year because of the time needed to collect, validate, calculate and interpret the data.

Between November and January, emission estimates are prepared by Environment Canada's Pollutant Inventories and Reporting Division with input from numerous experts and scientists across Canada. From January through March, the NIR text and accompanying emission data tables are developed. This material is, reviewed by external experts and Environment Canada officials, and finally submitted electronically to the UNFCCC by mid-April.

4 Methods

In general, GHG emissions are estimated by multiplying activity data by emission factors.

$$\text{Emissions} = \text{activity data} \times \text{emission factor}$$

Activity data refer to the quantitative amount of human activity resulting in emissions during a given time period. The annual activity data for fuel combustion sources, for example, are the total amounts of fuel burned.

Emission factors are based on samples of measurement data, and are representative rates of emissions for a given activity level under a given set of operating conditions. They are the estimated average emission rate of a given pollutant for a given source, relative to units of activity.

Guidelines produced by the IPCC for countries reporting to the UNFCCC (<http://unfccc.int/2860.php>) provide various methods for calculating a GHG emission from a given human activity. The methods for estimating emissions are divided into “tiers,” each encompassing different levels of activity and technological detail. The same general structure is used for all tiers, while the level of detail at which the calculations are carried out can vary. Annexes 2 and 3 of the National Inventory Report (NIR) describe the methods used to estimate Canada’s GHG emissions, and illustrate that the selection of IPCC method type is highly dependent on the importance of each category and the availability of data.

The GHG emissions are reported in carbon dioxide equivalents (CO₂ eq), determined by multiplying the amount of emissions of a particular gas by the global warming potential (GWP) of that gas. GHGs differ in their ability to absorb heat in the atmosphere due to their differing chemical properties and atmospheric lifetimes. For example, over a period of 100 years, methane’s (CH₄) potential to trap heat in the atmosphere is 21 times greater than carbon dioxide’s potential, and thus it is considered to have a GWP of 21. The IPCC publishes the GWPs and atmospheric lifetimes for each GHG which can be found in Table 1-1 of the NIR.

The GHG emissions by economic sector indicator represent a different classification than the activity sector emissions prescribed by the IPCC methodology. Instead of reporting on Canada’s emissions by activity, GHG emissions have been allocated to the economic sector in which they are generated (e.g., transportation emissions directly supporting an industrial activity, like off-road trucks in mining activities, have been allocated to the economic sector in which they are generated rather than to the transportation “activity” sector). A comprehensive detailing of the emissions reported by economic sector can be found in chapter 2 of the NIR.

5 Caveats and limitations

Annex 7 of the NIR presents the uncertainty assessment for Canada’s GHG emissions. Further details on uncertainty related to specific sectors can be found in the uncertainty sections of chapters 3 through 8 of the NIR.

The sum of emissions from all provinces and territories does not equate to the national total, because emissions from some sources are estimated only at the national level. In particular, GHG estimates associated with the consumption of perfluorocarbons (PFCs) or sulfur hexafluoride (SF₆) from refrigeration, air conditioning and semiconductor manufacturing are not included in the provincial and territorial totals; only SF₆ emissions from electrical equipment have been included. Nevertheless, the trends in emissions from provinces and territories are considered representative of the actual emission trends in these jurisdictions.

The application of quality assurance and quality control (QA/QC) procedures is an essential requirement of the GHG inventory development and submission process. QA/QC procedures ensure and improve transparency, consistency, comparability, completeness and confidence in the national emissions for the purpose of meeting Canada’s reporting commitments under the UNFCCC. Annex 6 of the NIR provides a complete description of the QA/QC procedures.

Recalculations are performed annually on Canada's previously reported GHG emission estimates, to reflect updates to source data and estimation methodology. Chapter 9 (section 9.1) of the NIR provides a summary of the recalculations that occurred due to methodological changes and/or refinements since the previous submission, with a brief description, justification and summary of individual impacts on previously reported emission estimates.

6 References and further reading

6.1 References

Environment Canada (2013) National Inventory Report, 1990-2011: Greenhouse Gas Sources and Sinks in Canada. Available from: [//www.ec.gc.ca/ges-ghg/default.asp?lang=En&n=83A34A7A-1](http://www.ec.gc.ca/ges-ghg/default.asp?lang=En&n=83A34A7A-1)

6.2 Further reading

[IPCC] Intergovernmental Panel on Climate Change (2006) Guidelines for National Greenhouse Gas Inventories (not yet adopted for use by the UNFCCC). Retrieved on 7 January, 2013. Available from: <http://www.ipcc-nggip.iges.or.jp/public/2006gl/index.html>

[IPCC] Intergovernmental Panel on Climate Change (2003) Good Practice Guidance for Land Use, Land-Use Change and Forestry. Retrieved on 7 January, 2013. Available from: http://www.ipcc-nggip.iges.or.jp/public/gpglulucf/gpglulucf_contents.html

[IPCC] Intergovernmental Panel on Climate Change (2000) Good Practice Guidance and Uncertainty Management in National Greenhouse Gas Inventories. Retrieved on 7 January, 2013. Available from: <http://www.ipcc-nggip.iges.or.jp/public/gp/english/>

[IPCC] Intergovernmental Panel on Climate Change (1996) Revised 1996 Guidelines for National Greenhouse Gas Inventories. Retrieved on 7 January, 2013. Available from: <http://www.ipcc-nggip.iges.or.jp/public/gl/invs1.html>

www.ec.gc.ca

Additional information can be obtained at:

Environment Canada

Inquiry Centre

10 Wellington Street, 23rd Floor

Gatineau, QC K1A 0H3

Telephone: 1-800-668-6767 (in Canada only) or 819-997-2800

Fax: 819-994-1412

TTY: 819-994-0736

Email: Enviroinfo@ec.gc.ca